

# Automation test result

01-Sept-2025, 8:18:22 pm

Start : Sept 01, 8:18:11.143 pm

End : Sept 01, 8:18:20.652 pm

Duration : 9.509 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page Validation</u>	9.509 s	1	0	1	0	6	2	1	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Excel	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Page Validation	1	0	1	0	9.509 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page Validation	Customer Account Login	6	2	1	3	9.509 s


## Login Page Validation

<b>FAILED</b>	DURATION - 9.509 s	Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 8:18:11.143 pm // 8:18:20.652 pm /					

## Customer Account Login

FAILED		DURATION - 9.509 s	
/ 8:18:11.143 pm // 8:18:20.652 pm /			
@Excel			

	<div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>
--	--


---

#	Step / Hook Details	Status	Duration
1	When I login with the website with excel data	PASSED	3.963 s
2	Then I should see dashboard	PASSED	0.022 s
3	When read from excel java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" because the return value of "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" is null at com.cucumber.LoginStepDef.readFromExcel(LoginStepDef.java:77) at ?.read from excel(classpath:Features/Excel.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	1.227 s
4	Then data should display from excel	SKIPPED	0.000 s
5	When write to excel	SKIPPED	0.000 s
6	Then data should display	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.294 s
	Test failed: Customer Account Login		