

Payment api v2.0

© Pine Labs 2020 Rev. 1.0 Page 1 of 29



CONTENTS

1	Overvie	ew	3
	1.1 Rel	lated Documentation	3
2		nentation Details	
		cept Payment	
	2.1.1	Request	
	2.1.2	Response	
	2.2 Pro	ocess Payment	
	2.2.1	Request	
	2.2.2	Response	
	2.3 Bro	owser Redirect Response	
	2.3.1	Form Post Response Payload	
3	Master	codes	
	3.1.1	Net banking codes	21
	3.1.2	Wallet codes	22
	3.1.3	Payment Modes	22
	3.1.4	Transaction Status	22

1 Overview

This document explains how to integrate the Pine Labs edge payment gateway in redirect or seamless mode.

1.1 Related Documentation

This guide should be used together with the additional documents as described below.

Document	Description	
HashGeneration	Describes about hash generation algorithm	
ResponseCodeList	Listing of transaction response codes	

2 Implementation Details

Below apis are need to be integrated.

2.1 Accept Payment

It initiates the transaction. Merchant has to pass unique merchant txn reference number, amount and other parameters.

2.1.1 Request

2.1.1.1 Content Type & URL's

Content Type	application/json
--------------	------------------

UAT	https://uat.pinepg.in/api/v2/accept/payment
Production	https://pinepg.in/api/v2/accept/payment



2.1.1.2 Request Headers

HEADERS:

nder value	
lication/json	
SHA256of (Base64 request encoded payload)	
/	

2.1.1.3 Body Param

Parameter Name	Туре	Description	Mandatory(M)/Optional
merchant_data	Object	It contains merchant data	M
payment_data	Object	It contains payment related data	M
txn_data	Object	It contains transaction related data	M
customer_data	Object	It contains information about customer data. Merchants who are on aggregator model must	O
		pass this data	
udf_data	Object	It contains user defined fields. Merchant can pass it transaction specific data in these fields	O

merchant_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional/Conditional
merchant_id	int	Merchant id provided by pine labs	M
merchant_access_code	string	Merchant access code provided by pine labs	M
unique_merchant_txn_id	string	Unique transaction id maintained by merchant for each transaction	M
merchant_return_url	string	Merchant return url on which	С

© Pine Labs 2020 Rev. 1.0 Page 4 of 24

Confidential

browser response will be sent.	
Mandatory in the case of EMI, Cards,	
Netbanking	

payment_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional
amount_in_paisa	long	Transaction amount in paise	M

txn_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional
navigation_mode	int	Navigation mode 2 for Redirect 7 for Seamless	M
payment_mode	String	It will contain csv of valid payment mode lds. In case of seamless mode only single payment mode to be specified.	M
transaction_type	Integer	1 for 'Purchase',	M
time_stamp	Long	Unix timestamp	0

customer_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional
email_id	string	Customer email id	O
first_name	string	Customer first name	O

© Pine Labs 2020 Rev. 1.0 Page 5 of 29

Confidential

last_name	string	Customer last name	О
customer_id	string	Customer id maintained at merchant end	O
mobile_no	string	10 digit mobile number	О
billing_data	Object	Customer billing address details	О
shipping_data	Object	Customer Shipping address details	О

udf_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional
udf_field_1	string	User defined Fields	О
udf_field_2	string	User defined Fields	О
udf_field_3	string	User defined Fields	О
udf_field_4	string	User defined Fields	О
udf_field_5	string	User defined Fields	О

billing_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional
address1	string	Address 1	O
address2	string	Address 2	О
address3	string	Address 3	О
pincode	string	Pin code	О
city	string	City name	О
state	string	State name	О
country	string	Country name	О

shipping_data

Parameter Name	Туре	Description	
			Mandatory(M)/Optional
first_name	String	First name entered in shipping address	О
last_name	String	Last name entered in shipping address	О
mobile_no	string	Mobile number	0

©Pine Labs 2020	Rev. 1.0	Page 6 of 29

Confidential

		entered in shipping address	
address1	string	Address 1	О
address2	string	Address 2	0
address3	string	Address 3	0
pincode	string	Pin code	0
city	string	City name	0
state	string	State name	0
country	string	Country name	0

2.1.1.4 Sample Request

```
Json Payload
```

```
{
"merchant_data": {
    "merchant_id": 3473,
    "merchant_access_code": "57e39383-b053-4db9-a708-26d8971886e7",
    "unique_merchant_txn_id": "testorder786",
    "merchant_return_url": "http://localhost:53132/ChargingResp.aspx"
},
    "payment_data": {
        "amount_in_paisa": 1100000
},
    "txn_data": {
        "navigation_mode": "7",
        "payment_mode": "4",
        "transaction_type": "1",
        "time_stamp": 157588000000
}
}

BASE 64 encoded request
{
```

```
"request": "ewogICJtZXJjaG-FudF9kYXRhIjogewogICAgIm1lcmNoYw50X21kIjogMzQ3MywKICAgICJtZXJjaGFudF9hY2Nlc3NfY29kZSI6ICI1N 2UzOTM4My1iMDUzLTRkYjktYTCwOCOyNmQ4OTCxODg2ZTciLAogICAgInVuaXF1ZV9tZXJjaGFudF90eG5fawQiOiAi dGVzdG9yZGVyNzg2IiwKICAgICJtZXJjaGFudF9yZXR1cm5fdXJsIjogImh0dHA6Ly9sb2NhbGhvc3Q6NTMxMzIvQ2h hcmdpbmdSZXNwLmFzcHgi-gi-CiAgfSwKICAicGF5bwVudF9kYXRhIjogewogICAgImFtb3VudF9pb19wYwlzYSI6IDExMDAwMDAKICB9LAogICJ0eG5 fZGF0YSI6IHsKICAgICJuYXZpZ2F0aw9uX21vZGUiOiAiNyIsCiAgICAicGF5bwVudF9tb2RlIjogIjQiLAogICAgIn RyYw5zYwN0aw9uX3R5cGUiOiAiMSISCiAgICAidGltZV9zdGFtcCI6IDE1NzU4ODAwMDAwMAogIH0KfQo="
```

2.1.2 Response

© Pine Labs 2020 Rev. 1.0 Page 7 of 29

Confidential

}

2.1.2.1 Params

Parameter Name	Туре	Description
response_code	int	It notifies the result of api processing. Value 1 denotes success.
response_message	string	It denotes the message corresponding to above code
token	string	It is the token created for a transaction. You need to pass it in the subsequent calls.
redirect_url	String	Redirect url on which customer needs to be redirected. This parameter will be present only in redirect mode.

2.1.2.2 Sample Response

Redirect mode

```
{
    "token": "ubrjAgbVaJVrGz67y%2fZCjCveYWNymE7ULAlOO7FCbz4%3d",
    "response_code": 1,
    "response_message": "SUCCESS",
    "redirect_url":
    "http://hostname:port/api/v2/process/payment?token=ubrjAgbVaJVrGz67y%2fZCjCveYWNymE7ULAlOO7FCbz4%3d"
}
```

In redirect mode api will return a url on which customer needs to be redirected. Pine Labs payment page will get open after redirection.

Seamless mode

```
{
    "token": "ubrjAgbVaJVrGz67y%2fZCjCveYWNymE7ULAlOO7FCbz4%3d",
    "response_code": 1,
    "response_message": "SUCCESS"
}
```

In seamless mode api will not a redirect url and subsequent api needs to be called.

Failure response

```
{
    "response_code": -1,
    "response_message": "FAILURE",
```

© Pine Labs 2020 Rev. 1.0 Page 8 of 24

Confidential



}

2.2 Process Payment

Payment data against transaction will be passed in this call. This api will be called in seamless mode.

Token receieved in previous call needs to be part of this call.

api/v2/process/payment?token= ubrjAgbVaJVrGz67y%2fZCjCveYWNymE7ULAlOO7FCbz4%3d "

2.2.1 Request

Content Type	application/json	
UAT	https://uat.pinepg.in/api/v2/process/payment?token=BJ5Dj5o 5dh6jZaWCTAv%2fnwJj0h%2f3Eiq2HgY14%2fMOP7k%3d	
Production	https://pinepg.in/api/v2/process/payment?token=BJ5Dj5o5dh 6jZaWCTAv%2fnwJj0h%2f3Eiq2HgY14%2fMOP7k%3d	

2.2.1.1 Body Params

Parameter Name	Туре	Description	Mandatory/Optional/Cond itional
card_data	Object	It contains card data. It is mandatory for cards and EMI transaction	С
emi_data	Object	It contains EMI data. Mandatory for EMI	С

©Pine Labs 2020 Rev. 1.0 Page 9 of 24

Confidential

		transaction	
netbanking_data	Object	It contains net banking	С
		codes.	
		Mandatory for net banking	
		transaction	
wallet_data	Object	It contains wallet	С
		information.	
		Mandatory for wallet	
		transaction	
additional_data	Object	Reserved for Future Use	С

card_data

Parameter Name	Туре	Description	Mandatory/Optional/Con ditional
card_number	String	Card number	M
card_expiry_year	String	Card expiry year having format YYYY	M
card_expiry_month	String	Card expiry month having format MM	M
card_holder_name	String	Card holder name	M
cvv	String	Card CVV	M

netbanking_data

Parameter Name	Туре	Description	Mandatory/Optional/Conditional
pay_code	String	Net banking Codes	M

wallet_data


Parameter Name	Туре	Description	Mandatory/Optional/Conditional
wallet_code	String	Wallet codes	M
mobile_number	String	Mobile number associated with wallet	С

upi_data

Parameter Name	Туре	Description	Mandatory/Optional/Conditional
vpa	String	Customer VPA	C

© Pine Labs 2020 Rev. 1.0 Page 10 of 29

Confidential



mobile_no	String	Mobile number	С
		associated with Gpay	
upi_option	String	It will have values • UPI • GPAY	M

$additional_data$

Parameter Name	Туре	Description

© Pine Labs 2020 Rev. 1.0 Page 11 of 29



mobile_number	string	10 digit mobile number

emi_data

Parameter Name	Туре	Description
offer_scheme	Object	It contains information about offer applicable on each product
tenure_id	Int	Tenure Id specified at pine labs end
tenure_in_month	String	Tenure name specified at pine labs end
monthly_installment	Long	Emi amount in paise
bank_interest_rate	Long	Interest rate for which bank emi is calculated. Its value is percentage multiplied by 10000
interest_pay_to_bank	Long	Interest pay to bank in paise
total_offerred_discount_cashback_amount	Long	Total sum of discount applicable on cart. It is in paise.
loan_amount	Long	Amount in paise on which loan will be booked
auth_amount	Long	Bank authorization amount in paise

$offer_scheme$

Parameter Name	Туре	Description
product_details	Array of objects	It contains information about product.
emi_scheme	Object	It contains information about bank EMI scheme.

product_details

Parameter Name	Туре	Description
product_code	String	Product code
product_amount	Long	Product amount in paise
subvention_cashback_discount	Long	Subvention discount cashback amount in paise. Only applicable when subvention is present.
product_discount	Long	Product discount amount in paise. Only applicable if product discount is present
subvention_cashback_discount_percentage	Long	Subvention discount cashback

©Pine Labs 2020	Rev. 1.0	Page 12 of 29

Confidential



		percentage. Its value is percentage multiplied by 10000.
product_discount_percentage	Long	Product discount cashback percentage. Its value is percentage multiplied by 10000.
subvention_type	Int	It tells offer type. 1-No cost EMI 2-Low cost EMI 3-Standard EMI
additional_cashback	String	Additional cashback text
bank_interest_rate	Long	Amount in paise
bank_interest_rate_percentage	Long	Percentage multiplied by 10000
schemes	Array of objects	It contains list of program applicable on product.

emi scheme

Parameter Name	Туре	Description
scheme_id	Long	It tells scheme id applicable on product
program_type	Int	It tells scheme of which type. 105-Bank EMI 108-Product discount 112-Subvention discount
is_scheme_valid	Bool	Is scheme is valid

Schemes

Parameter Name	Туре	Description
scheme_id	Long	It tells scheme id applicable on product
program_type	Int	It tells scheme of which type. 105-Bank EMI 108-Product discount 112-Subvention discount
is_scheme_valid	Bool	Is scheme is valid

2.2.1.2 Sample request

2.2.1.2.1 EMI Sample Request

{"card_data":{"card_number":"4012001037141112","card_expiry_year":"2020","card_expiry_month":"09","card_holder_name":"harsh","cvv":"123"},"emi_data":{"offer_scheme":{"product_details":[{"schemes":[{"scheme_id":1682,"program_type":112,"is_scheme_valid":true}],"product_code":"SM-

G975FCWG","product_amount":550000,"subvention_cashback_discount":60209,"product_discount":0,"subvention_cashback_discount_percentage":0,"product_discount_percentage":0,"subvention_type":1},{"schemes":[],"product_code":"40","product_amount":550000,"subvention_cashback_discount":0,"subvention_cashback_discount_percent

©Pine Labs 2020 Rev. 1.0	Page 13 of 29
--------------------------	---------------

Confidential

```
age":0,"product_discount_percentage":0}],"emi_scheme":{"scheme_id":1683,"program_type":105,"is_scheme_valid":true
}},"tenure_id":"18","tenure_in_month":"18","monthly_installment":64867,"bank_interest_rate":150000,"interest_pay_to_b
ank":127815,"total offerred discount cashback amount":60209,"loan amount":1039791,"auth amount":1039791}}
2.2.1.2.2
           Card Sample Request
{"card_data": {"card_number": "4012001037141112", "card_expiry_year": "2019", "card_expiry_month": "12", "card_holder_
name":"harsh","cvv":"123"}}
Sample Card Details for Testing:
Card Number: 4012001037141112
Expiry: 11/23
Name: HDFC TEST
CVV: 123
DC EMI Card:4012 0010 3714 1112
Mobile: 720819 7090
2.2.1.2.3
           Net banking Sample Request
{"netbanking data":{"pay code":"NB1033"}}
2.2.1.2.4
           Wallet Sample Request
{"wallet data":{"wallet code":"payzapp","mobile number":"9899189287"}}
           UPI/GPay Sample Request
2.2.1.2.5
2.2.1.2.5.1
            UPI
     { "upi data": { "vpa": "test@upi", "upi option": "UPI " } }
2.2.1.2.5.2
            GPAY
{ "upi data": { "mobile no": "999999999", " upi option": "GPAY" } }
2.2.1.2.6
           NBFC Sample Request
2.2.1.2.6.1
            BFL
{ "nbfc data": { "vendor name": "BFL", "bfl data": { "scheme code": "1234455", "card number": "
2030400291114454", "tenure in months": 3, "is terms conditions agreed":true \ \ \ \
2.2.1.2.6.2
            Zest Money
{ "nbfc data": { "vendor name": "ZEST", "zestMoney data": { "mobile no": "999999999" } } }
©Pine Labs 2020
                                                           Rev. 1.0
                                                                                   Page 14 of 29
```

Confidential



2.2.2 Response

2.2.2.1 **Params**

© Pine Labs 2020 Rev. 1.0 Page 15 of 29

Parameter Name	Туре	Description
response_code	int	It notifies the result of api processing. Value 1 denotes success.
response_message	string	It denotes the message corresponding to above code
redirect_url	String	Customer should be redirected to below url.
api_url	String	Api url on which you need to make subsequent request
offer_scheme	Object	It contains information about offer applicable on each product

$offer_scheme$

Parameter Name	Туре	Description
product_details	Array of objects	It contains information about product.
emi_scheme	Object	It contains information about bank EMI scheme.

product_details

Parameter Name	Туре	Description
product_code	String	Product code
product_amount	Long	Product amount in paise
subvention_cashback_discount	Long	Subvention discount cashback amount in paise. Only applicable when subvention is present.
product_discount	Long	Product discount amount in paise. Only applicable if product discount is present
subvention_cashback_discount_percentage	Long	Subvention discount cashback percentage. Its value is percentage multiplied by 10000.
product_discount_percentage	Long	Product discount cashback percentage. Its value is percentage multiplied by 10000.
subvention_type	Int	It tells offer type. 1-No cost EMI 2-Low cost EMI

©Pine Labs 2020	Rev. 1.0	Page 16 of 29

Confidential

		3-Standard EMI
additional_cashback	String	Additional cashback text
schemes	Array of	It contains list of program
	objects	applicable on product.

emi_scheme

Parameter Name	Туре	Description
scheme_id	Long	It tells scheme id applicable on product
program_type	Int	It tells scheme of which type. 105-Bank EMI 106-Brand EMI 108-Product discount 112-Subvention discount
is_scheme_valid	Bool	Is scheme is valid

Schemes

Parameter Name	Туре	Description
scheme_id	Long	It tells scheme id applicable on product
program_type	Int	It tells scheme of which type. 105-Bank EMI 106- Brand EMI 108-Product discount 112-Subvention discount
is_scheme_valid	Bool	Is scheme is valid
reasons	Array of object	Description for failure of schemes

Reasons

Parameter Name	Туре	Description
reason_code	int	It denotes the reason code
reason_message	String	It denotes the reason message again the code

2.2.2.2 Sample Response

2.2.2.2.1 Successful response for Cards, EMI, Netbanking and Wallets for process payment api

 $\label{lem:code} \{ \ "response_code": 1, \ "response_message": \ "SUCCESS", \ "redirect_url": \ "http://hostname:port/pinepg/v2/process/payment?token=848RFsu%2bRnNcSsaZdzEgkeosvCc2o5lKTV4uKJF%2fcjE%3d" \ \}$

Confidential



© Pine Labs 2020 Rev. 1.0 Page 16 of 24



Merchant application needs to redirect to url received in response.

2.2.2.2.2 Successful response for UPI for process payment api

{ "response_code": 1, "response_message": "SUCCESS", }

After receving successful response, customer will receive payment notification on his/her PSP app.

Final response of transaction will be posted as a S2S response on merchant's callback url.

NOTE:

In case of EMI transactions OTP flow is applicable for HDFC Debit, Kotak Debit, Federal Debit Issuers.

2.3 Browser Redirect Response

2.3.1 Form Post Response Payload

Key	Value	Details
merchant_id	Integer	In response you can see the merchant id which you have sent as one of the parameter in Pine Labs payment gateway API request parameters.

©Pine Labs 2020 Rev. 1.0 Page 17 of 24

merchant_access_code	String	In response you can find the merchant access code which you have sent as one of the parameter.
unique_merchant_txn_id	String. Max length 99	In response you can find the merchant unique transaction Id which you have sent as one of the parameter.
pine_pg_txn_status	Integer	Transaction status
txn_completion_date_time	DateTime	The date-time of the transaction completion at Pine Labs payment gateway server.
amount_in_paisa	Long	It is the amount for which payment transaction is being done.
txn_response_code	Integer	Represent the response of the API request and response code is returned based on the transaction result.
txn_response_msg	String	Transaction response
acquirer_name	String	Acquirer Bank
pine_pg_transaction_id	Long	Unique transaction id generated by Pine Labs
payment_mode	Integer	Payment mode chosen at landing page.
dia_secret	String	Hash of response parameters. Please refer to HashGeneration document.

l 	_	
©Pine Labs 2020	Rev. 1.0	Page 18 of 29
	DEV. L.U	FASE IOULZA I

		Pine Labs payment gateway creates the hash of the response parameters and sends this information in response in tag dia_secret Merchant should use this hash value returned in response to match with new secret generated at its side using other response Parameters. If these two secrets do not match then data is not authentic.
dia_secret_type	String	'SHA256' or 'MD5' and will be the same which is passed in dia_secret_type parameter of request
is_bank_emi_txn	Bool	Flag to indicate Bank EMI transaction
is_brand_emi_txn	Bool	Flag to indicate Brand EMI transaction
emi_tenure_month	Integer	Tenure month of EMI transaction
emi_principal_amount_in_p aisa	Long	Principal EMI amount in Paise
emi_amount_payable_each _month_in_paisa	Long	Monthly Installment
emi_interest_rate_percent	Integer	Interest rate charged by bank multiplied by 10000
emi_cashback_type	Integer	Its value will be 0, 1,2 and 3 0- Standard EMI 1- Pre cash back 2- Post cash back
©Pine Labs 2020		Rev. 1.0 Page 19 of 29
Confidential		

Confidential



Instant Dis When
refund of
aggregator
transaction is
initiated count

© Pine Labs 2020 Rev. 1.0 Page 20 of 29

emi_total_discount_cashabc k_amount_in_paisa	Long	Total discount or cashback amount applicable in EMI transaction in paise
emi_total_discount_cashbac k_percent	Integer	Total discount or cashback percent applicable in EMI transaction multiplied by 10000
emi_merchant_discount_ca shabck_perecent	Integer	Merchant discount or cashback percent applicable in EMI tranasction multiplied by 10000
emi_merchant_discount_ca shback_fixed_amount_in_p aisa	Long	Merchant fixed discount or cashback amount applicable in EMI transaction in paise
emi_issuer_discount_casha bck_perecent	Integer	Issuer discount or cashback percent applicable in EMI transaction multiplied by 10000
emi_issuer_discount_cashb ack_fixed_amount_in_paisa	Long	Issuer fixed discount or cashback amount applicable in EMI transaction in paise
txn additional info	String	Base64 encoded string
merchant_return_url	String	Merchant return url
emi_processing_fee	long	Processing fee amount in paise.
captured_amount_in_paisa	long	Captured amount for a transaction
refund_amount_in_paisa	long	Refund amount for a transasction
parent_txn_status	Integer	Parent txn status
parent_txn_response_code	Integer	Parent txn response code
parent_txn_response_mess age	String	Parent txn response message
issuer_name	String	Issuing bank name .

©Pine Labs 2020	Rev. 1.0	Page 21 of 29

3 Master codes

3.1.1 Net banking codes

Below codes are to be passed in process payment request for seamless integration

PAYMENT_CODE	BANK_NAME
NB1148	Kotak Bank
NB1378	Andhra Bank
NB1484	Andhra Bank Corporate
NB1530	Allahabad Bank
NB1529	AU Small Finance Bank
NB1485	Bank of Baroda - Corporate Banking
NB1486	Bank of Bahrain and Kuwait
NB1487	Bank of Baroda - Retail Banking
NB1511	Bassien Catholic Coop Bank
NB1533	Bandhan Bank - Corporate
NB1508	Bandhan Bank
NB1229	Bank of Maharashtra
NB1527	Barclays Bank - Corporate Net Banking
NB1147	Central Bank
NB1224	Canara Bank
NB1488	Cosmos Bank
NB1489	Punjab National Bank - Corporate Banking
NB1523	Corporation Bank - Corporate
NB1135	Corporation Bank
NB1272	Catholic Syrian Bank
NB1215	City Union Bank
NB1490	Deutsche Bank
NB1509	Digibank by DBS
NB1491	Development Credit Bank
NB1492	Dena Bank
NB1526	Dhanlaxmi Bank Corporate
NB1373	Dhanalakshmi Bank
NB1515	Equitas Small Finance Bank
NB1518	ESAF Small Finance Bank
NB1029	Federal Bank
NB1532	Fincare Bank - Retail
NB1007	HDFC Bank
NB1016	ICICI Bank
NB1493	IDBI Bank
NB1521	IDBI Corporate
NB1510	IDFC FIRST Bank
NB1431	IndusInd Bank
NB1143	Indian Bank

Confidential

NB1213	Indian Overseas Bank	
NB1015	JK Bank	
NB1503	Janata Sahakari Bank Ltd Pune	
NB1133	Karnataka Bank	
NB1506	Karnataka Bank Kalyan Janata Sahakari Bank	
NB1514	•	
NB1494	The Kalupur Commercial Co-Operative Bank Karur Vysya Bank	
NB1495	Laxmi Vilas Bank - Corporate Net Banking	
NB1496	Laxmi Vilas Bank - Corporate Net Banking Laxmi Vilas Bank - Retail Net Banking	
NB1507	Mehsana urban Co-op Bank	
NB1520	North East Small Finance Bank Ltd	
NB1504	NKGSB Co-op Bank	
NB1364	Oriental Bank of Commerce	
NB1534	Karnataka Gramin Bank	
NB1497	Punjab & Maharashtra Co-op Bank	
NB1381	Punjab National Bank	
NB1512	PNB Yuva Netbanking	
NB1421	Punjab and Sindh Bank	
NB1513	RBL Bank Limited	
NB1513		
NB1531	RBL Bank Limited - Corporate Banking State bank Of India	
NB1498	Standard Chartered Bank	
NB1499	South Indian Bank	
NB1517	Suryoday Small Finance Bank	
NB1525	Shamrao Vithal Co-op Bank - Corporate	
NB1500	Shamrao Vithal Co-op Bank	
NB1380	Saraswat Bank	
NB1501	Syndicate Bank	
NB1516	Thane Bharat Sahakari Bank Ltd	
NB1505	TJSB Bank	
NB1439	Tamilnad Mercantile Bank	
NB1502	Tamil Nadu State Co-operative Bank	
NB1216	Union Bank of India	
NB1483	UCO Bank	
NB1212	United Bank Of India	
NB1004	AXIS Bank	
NB1379	Vijaya Bank	
NB1519	Varachha Co-operative Bank Limited	
NB1522	Yes Bank Corporate	
NB1146	Yes Bank	
NB1528	Zoroastrian Co-Operative Bank Ltd	
	-0.0 soman eo e perante bank ta	



© Pine Labs 2020 Rev. 1.0 Page 21 of 24



3.1.2 Wallet codes

CODE	Wallet Name
OXY	Oxygen
PAYTM	Paytm
PAYZAPP	Payzapp
PHONEPE	PhonePe

3.1.3 Payment Modes

PAYMENT_MODE_ID	PAYMENT_MODE_NAME
1	CREDIT/DEBIT CARD
3	NET BANKING
4	EMI
10	UPI
11	WALLET
14	DEBIT EMI

3.1.4 Transaction Status

TXN_STATUS_ID	TXN_STATUS_NAME	DESCRIPTION
-10	Cancelled	when the user cancels the transaction.
-8	Velocity Check Failed	Velocity check failed for EMI transactions
-7	Failure	Transaction has failed due

© Pine Labs 2020 Rev. 1.0 Page 22 of 24

		to some reasons e.g. bank session time out, insufficient funds. Payer needs to reinitiate the transaction.
-6	Rejected	Transaction has been rejected.
1	Initiated	Pine Labs payment gateway has not received response from Payment Provider/Bank. For all such transactions, We will retry the transaction, post which the transaction status will be updated to 'Captured' or'AuthReceived' or 'Rejected'. When refund of aggregator transaction is initiated
4	Captured	'Captured' call is successful. Funds will be transferred to merchant account.
6	Refunded	Refund of the transaction is successful.
7	Query Complete	Query of the transaction is successful.
©Pine Labs 2020	Rev. 1.0	Page 23 of 24

		captured
9	Partially Refunded	Transaction is partially refunded
10	Refund Initiated	When refund of aggregator transaction is initiated

© Pine Labs 2020 Rev. 1.0 Page 24 of 24