Practice Table #1: Finding Charges on Ions

| Element | Group # | Ion | Element | Group # | Ion |
|---------|---------|--|---------|---------|-----------------|
| Li | 1 | $\operatorname{Li}^{\scriptscriptstyle +}$ | F | 17 | F - |
| Mg | 2 | \mathbf{Mg}^{2+} | S | 16 | S^{2-} |
| Al | 3 | Al^{3+} | N | 15 | N^{3-} |
| Be | 2 | Be ²⁺ | Br | 17 | Br ⁻ |
| Na | 1 | Na ⁺ | P | 15 | P ³⁻ |

Practice Table #2: Writing Formulas of Regular Ionic Compounds

| Metal | Non-metal | Compound | Metal | Non-metal | Compound |
|-------|-----------|-------------------|-------------|--------------|-------------------|
| | | NaBr | | | AlCl ₃ |
| Na | Br | | Al | Cl | aluminum |
| | | sodium bromide | | | chloride |
| | | $MgBr_2$ | | | B_2O_3 |
| Mg | Br | magnesium | В | O | |
| | | bromide | | | boron oxide |
| | | AlBr ₃ | | | Ca_3N_2 |
| Al | Br | aluminum | Ca | N | |
| | | bromide | | | calcium nitride |
| | | Li ₂ S | | | K_2O |
| Li | S | | K | О | |
| | | lithium sulfide | | | potassium oxide |
| | | CaS | | | Na ₃ P |
| Ca | S | | Na | P | sodium phosphide |
| | | calcium sulfide | | | |
| | | B_2S_3 | | | Al_2O_3 |
| В | S | | Al | О | |
| | | boron sufide | | | aluminum oxide |
| | | K_3N | | | MgS |
| K | N | | Mg | S | magnesium |
| | | potassium nitride | | | sulfide |
| | | Be_3N_2 | B4 3 | P-3 | BP |
| Be | N | | B, ¬ | P | |
| | | beryllium nitride | | | boron phosphide |
| | | AIN | | | NaCl |
| Al | N | | Na | Cl | |
| | | aluminum nitride | | | sodium chloride |
| | | Li ₂ O | ~ | _ | CaF ₂ |
| Li | О | | Ca | \mathbf{F} | |
| | | lithium oxide | | | calcium fluoride |

Practice Table #3: Chemical Names and Formulas of Regular Ionic Compounds

| Chemical Name | Metal Ion | Non-metal Ion | Chemical Formula |
|----------------------|--|-------------------------|--------------------------------|
| sodium fluoride | Na^+ | F ⁻ | NaF |
| boron iodide | \mathbf{B}^{3+} | I. | BI_3 |
| calcium phosphide | Ca ²⁺ | P ³⁻ | Ca ₃ P ₂ |
| magnesium oxide | $\frac{\mathrm{Mg}^{2^{+}}}{\mathrm{K}^{+}}$ | O^{2-} | MgO |
| potassium chloride | | Cl | KCl |
| beryllium sulfide | Be^{2+} | S^{2-} | BeS |
| barium nitride | Ba ²⁺ | N^{3-} | Be_3N_2 |
| aluminum sulfide | Al^{3+} | S^{2-} | Al ₂ S ₃ |
| lithium phosphide | $\mathrm{Li}^{\scriptscriptstyle +}$ | P ³⁻ | Li ₃ P |
| potassium sulfide | \mathbf{K}^{+} | S^{2-} | K ₂ S |
| boron oxide | \mathbf{B}^{3+} | O^{2-} | B_2O_3 |
| calcium fluoride | Ca ²⁺ | $\mathbf{F}^{\text{-}}$ | CaF ₂ |

Practice Table #4: Names and Formulas of Covalent Compounds

| Chemical Name | Chemical Name Formula | | Formula |
|--|-----------------------|------------------------|------------------|
| nitrogen monoxide | NO | sulfur dichloride | SCl ₂ |
| silicon dioxide | SiO ₂ | sulfur dioxide | SO_2 |
| sulfur trioxide | SO_3 | nitrogen monoxide | NO |
| carbon tetrachloride | CCl ₄ | silicon disulfide | SiS ₂ |
| diarsenic trioxide As ₂ O ₃ | | phosphorus trioxide | PO ₃ |
| phosphorus pentabromide | PBr ₅ | phosphorus trifluoride | PF ₃ |
| nitrogen dioxide NO ₂ | | carbon tetrabromide | CBr ₄ |
| sulfur hexafluoride | SF ₆ | nitrogen trichloride | NCl ₃ |
| selenium dioxide SeO ₂ | | silicon trioxide | SiO ₃ |
| dinitrogen tetroxide N ₂ O ₄ | | phosphorus trichloride | PCl ₃ |
| sulfur dioxide SO ₂ | | carbon disulfide | CS ₂ |

Practice Table #5: Writing Formulas with Transition Metals

| Compound Name | Metal Ion | Non-metal Ion | Formula |
|-----------------------|------------------|----------------|--------------------------------|
| gold (I) chloride | Au ⁺ | Cl | AuCl |
| nickel (III) sulfide | Ni ³⁺ | S^{2-} | Ni ₂ S ₃ |
| cobalt (II) oxide | Со | 0 | CoO |
| iron (III) phosphide | Fe | P | FeP |
| mercury (IV) fluoride | Hg ⁴⁺ | F ⁻ | HgF ₄ |
| nickel (II) nitride | Ni ²⁺ | N^{3-} | Ni ₃ N ₂ |
| gold (III) sulfide | Au ³⁺ | S^{2-} | Au_2S_3 |
| copper (I) oxide | Cu ⁺ | O^{2-} | Cu ₂ O |

Practice Table #6: Naming Ionic Compounds with Transition Metals

| Formula | Reverse Crossover Predicted Charges | | Name |
|--------------------------------|--|---------------|------------------------|
| | Metal Ion | Non-Metal Ion | |
| CoS | 1+ (X2) | 1- (X2) | cobalt (II) sulfide |
| NiO | 1+ (X2) | 1- (X2) | nickel (II) oxide |
| HgI_4 | 4+ | 1- | mercury (IV) iodide |
| FeF ₂ | 2+ | 1- | iron (II) fluoride |
| Fe ₂ O ₃ | 3+ | 2- | iron (III) oxide |
| CuCl ₂ | 2+ | 1- | copper (II) chloride |
| HgF_2 | 2+ | 1- | mercury (II) fluoride |
| CoN | 1+ (X3) | 1- (X3) | cobalt (III) nitride |
| NiP | 1+ (X3) | 1- (X3) | nickel (III) phosphide |
| FeS | 1+ (X2) | 1- (X2) | iron (II) sulfide |
| Cu ₂ O ₃ | 3+ | 2- | copper (III) oxide |

Practice Table #7: Writing Formulas with Polyatomic Ions

| Compound Name | Positive Ion | Negative Ion | Formula |
|---------------------------|------------------------------|-------------------------------|---|
| sodium carbonate | Na^{+} | CO_3^{2-} | Na ₂ CO ₃ |
| calcium nitrate | Ca ²⁺ | NO ₃ | Ca(NO ₃) ₂ |
| manganese (V) sulfate | Mn ⁵⁺ | SO ₄ ²⁻ | Mn ₂ (SO ₄) ₅ |
| aluminum hydrogen | Al^{3+} | HCO ₃ - | Al(HCO ₃) ₃ |
| carbonate | | | |
| potassium phosphate | K ⁺ | PO ₄ ³⁻ | K ₃ PO ₄ |
| beryllium hydroxide | Be ²⁺ | OH. | Be(OH) ₂ |
| gold (I) hydrogen sulfate | \mathbf{Au}^{+} | HSO ₄ | AuHSO ₄ |
| ammonium chloride | $\mathrm{NH_4}^+$ | Cl | NH ₄ Cl |
| nickel (II) phosphate | Ni ²⁺ | PO ₄ ³⁻ | Ni ₃ (PO ₄) ₂ |
| mercury (I) sulfate | Hg ⁺ | SO ₄ ²⁻ | Hg ₂ SO ₄ |
| ammonium carbonate | NH ₄ ⁺ | CO_3^{2-} | (NH ₄) ₂ CO ₃ |

Practice Table #8: Naming Compounds with Polyatomic Ions

| FORMULA | NAME OF COMPOUND |
|------------------------------------|------------------------------|
| Fe(OH) ₂ | iron (II) hydroxide |
| CaCO ₃ | calcium carbonate |
| NH ₄ Cl | ammonium chloride |
| LiHCO ₃ | lithium hydrogen carbonate |
| Al(NO ₃) ₃ | aluminum nitrate |
| $Be_3(PO_4)_2$ | beryllium phosphate |
| Cu(HSO ₄) ₂ | copper (II) hydrogen sulfate |
| $(NH_4)_3N$ | ammonium nitride |

Review: Naming Chemical Compounds

| Element #1 | Element #2 | Type of | Formula | Name |
|--|-------------------------------|-----------|-----------------------------------|-----------------------|
| (or ion and | (or ion and | Compound | | |
| | charge) | - · · · · | | |
| charge) Be ²⁺ | F | Ionic | BeF ₂ | beryllium fluoride |
| Na ⁺ | Cl | Ionic | NaCl | sodium chloride |
| Ni ³⁺ | 02- | Ionic | Ni ₂ O ₃ | nickel (III) oxide |
| Cl | 0 | Covalent | Cl ₂ O | dichlorine monoxide |
| Na ⁺ | CO ₃ ⁻² | Ionic | Na ₂ CO ₃ | sodium carbonate |
| Na ⁺ | PO ₄ ³⁻ | Ionic | Na ₃ PO ₄ | sodium phosphate |
| Ca ²⁺ | Cl | Ionic | CaCl ₂ | calcium chloride |
| NH ₄ ⁺ Ni ²⁺ | F- S ²⁻ | Ionic | NH ₄ F | ammonium fluoride |
| Ni ²⁺ | S ²⁻ | Ionic | NiS | nickel (II) sulfide |
| Ca ²⁺ | NO ³⁻ | Ionic | Ca(NO ₃) ₂ | calcium nitrate |
| N Au ³⁺ | F | Covalent | NF ₃ | nitrogen trifluoride |
| Au ³⁺ | I- | Ionic | AuI ₃ | gold (III) iodide |
| Co | F - | Ionic | CoF ₂ | cobalt(II) fluoride |
| K ⁺ | HSO ₄ | Ionic | KHSO ₄ | potassium hydrogen |
| | | | | sulfate |
| K ⁺ | Cl | Ionic | KCl | potassium chloride |
| Cu ²⁺ | OH- | Ionic | Cu(OH) ₂ | copper (II) hydroxide |
| Hg^{2+} | SO ₄ ²⁻ | Ionic | HgSO ₄ | mercury (II) sulfate |
| C | \mathbf{O} | Covalent | CO | carbon monoxide |
| Fe ³⁺ | O ²⁻ | Ionic | Fe ₂ O ₃ | iron (III) oxide |
| Pb ⁴⁺ | SO ₄ ²⁻ | Ionic | Pb(SO ₄) ₂ | lead (IV) sulfate |