| Name |  |
|------|--|
|      |  |




## **Dissection Instructions**

- 1. Place the frog in the dissecting pan ventral side up.
- 2. Use scissors to lift the abdominal muscles away from the body cavity. Cut along the midline of the body from the pelvic to the pectoral girdle.
- 3. Make transverse (horizontal) cuts near the arms and legs.
- 4. Lift the flaps of the body wall and pin back.

\*If your specimen is a female, the body may be filled with eggs and an enlarged ovary. You may need to remove these eggs to view the organs.

## Digestive, Circulatory and Respiratory Systems



Locate each of the organs. **Check the box** to indicate that you found the organs.

| frog, these fat bodies may need to be removed to see the other structures.   |  |
|--|--|
| <b>Peritoneum</b> A spider web like membrane that covers many of the organs, you may have to carefully pick it off to get a clear view   |  |
| <b>Liver</b> The largest structure of the body cavity. This brown colored organ is composed of three parts, or lobes. The <b>right lobe</b> , the <b>left anterior lobe</b> , and the <b>left posterior lobe</b> . The liver is not primarily an organ of digestion; it does secrete a digestive juice called bile. Bile is needed for the proper digestion of fats. Bile is emptied into the gall bladder which then empties into the duodenum. |  |
| <b>Heart</b> - at the top of the liver, the heart is a triangular structure. The <b>left and right atrium</b> can be found at the top of the heart. A single <b>ventricle</b> located at the bottom of the heart. The large vessel that extends out from the heart is the <b>conus arteriosis</b> which supplies blood to the body.  |  |
| <b>Lungs</b> - Locate the lungs by looking underneath and behind the heart and liver. They are two spongy organs. Lungs attach to the <b>trachea</b> via tubes called bronchi.   |  |
| <b>Gall bladder</b> Lift the lobes of the liver, there will be a small green sac under the liver. This is the gall bladder, which stores bile. (Hint: it kind of looks like a booger.) The gall bladder stores bile and then releases it into the duodenum via the <b>bile duct</b> . The bile duct may be too small to see.   |  |
| <b>Stomach</b> Curving from underneath the liver is the stomach. The stomach is the first major site of chemical digestion. Frogs swallow their meals whole. Follow the stomach to where it turns into the small intestine. The <b>pyloric sphincter valve</b> regulates the exit of food from the stomach   |  |
| <b>Pancreas –</b> This glandular organ is located within the curve of the stomach. On preserved frogs it may not be easy to find, as the gland breaks down. It secretes insulin, which is needed for the proper breakdown of sugar.  |  |
| <b>Small Intestine</b> Leading from the stomach. The first straight portion of the small intestine is called the <b>duodenum</b> , the curled portion is the <b>ileum</b> . A membrane called the <b>mesentery</b> holds the ileum together. Note the blood vessels running through the mesentery; they will carry absorbed nutrients away from the intestine. Absorption of digested nutrients occurs in the small intestine.                   |  |
| <b>Large Intestine</b> As you follow the small intestine down, it will widen into the large intestine. The large intestine is also known as the <b>cloaca</b> in the frog. The cloaca is the last stop before wastes, sperm, or urine exit the frog's body. (The word "cloaca" means sewer.) Locate the <b>anus</b> .  |  |
| <b>Spleen</b> Return to the folds of the mesentery, this dark red spherical object serves as a holding area for blood, where harmful particles can be filtered out for the immune system.  |  |

| <b>Esophagus</b> Return to the stomach and follow it upward, where it gets smaller is the beginning of the esophagus. The esophagus is the tube that leads from the frog's mouth to the stomach. Open the frog's mouth   |
|--|
| and find the esophagus, poke your probe into it and see where it leads.  |
| CTODI 16 have not been also be of the annual above the not continued   |
| STOP! If you have not located each of the organs above, do not continue!   |
| Removal of the Stomach & Intestine   |
| Cut the stomach out of the frog and open it up. You may find what remains of the frog's last meal in there. Look at the texture of the stomach on the inside. Note the ridges on the walls of the stomach called <b>rugae</b> . Rugae help to break down food. What did you find in the stomach?   |
| Measuring the Small intestine: Remove the small intestine and stretch it out and measure it. Now measure your frog. Record the measurements below in centimeters.  Frog length: cm   |
| Removal of the Heart   |
| Carefully cut out the heart from its position above the liver. The vessel on the front of the heart is the <b>conus arteriosis</b> , which sends blood to the body. On the back you can find the openings for the anterior and posterior <b>vena cava</b> , which return blood to the heart. How many chambers does the frog heart have? |
| <b>Urogenital System-</b> The frog's reproductive and excretory system is combined into one system called the urogenital system. You will need know the structures for both the male and female frog,  |
| <b>Kidneys</b> – flattened bean shaped organs located at the lower back of the frog, near the spine. They are often a dark color. The kidneys filter wastes from the blood. Often <b>fat bodies</b> are attached to the kidney.  |
| Testes – in male frogs, these organs are located at the top of the kidneys, they are pale colored and round.   |
| Oviducts – females do not have testes, though you may see a curly-q type structure around the outside of the kidney, these are the oviducts. Oviducts are where eggs are produced. Males can have structures that look similar, but serve no actual purpose. In males, they are called vestigial oviducts.                               |
| <b>Bladder</b> – An empty sac located at the lowest part of the body cavity. The bladder stores urine. <b>Cloaca</b> – mentioned again as part of the urogenital system – urine, sperm and eggs exit here.   |
|  |
| 9w/99 ivingstone @ BIODIDAC  |

Livingstone @ BIODIDAC

to

## **Post Lab Questions**

| 1               | The membrane holds the coils of the small intestine together:             | V 2              |
|-----------------|---|------------------|
|                 | This organ is found under the liver, it stores bile:                      | The many         |
|                 | Name the 3 lobes of the liver:,,,   | 00 0             |
|                 | The organ that is the first major site of chemical digestion:             |                  |
|                 | Eggs, sperm, urine and wastes all empty into this structure, the "sewer": |                  |
|                 | The small intestine leads to the:   | <del></del>      |
|                 | Blood leaves the heart through what large vessel?                         |                  |
|                 | Yellowish structures that serve as an energy reserve:                     |                  |
|                 | The first part of the small intestine (straight part):                    |                  |
|                 | . This pair of organs filters wastes from the blood:                      | _                |
|                 | . A spiderweb like membrane that covers the organs:                       |                  |
|                 | . Regulates the exit of partially digested food from the stomach:         |                  |
|                 | . The large intestine (cloaca) leads to the (the opening to the outside ) | <del></del>      |
|                 | . Organ found within the mesentery that stores blood:                     |                  |
|                 | -   |                  |
|                 | . The largest organ in the body cavity:                                   |                  |
|                 | . Holding area for blood and also has a function in the immune system:    |                  |
|                 | . The esophagus leads to the, the glottis leads to the                    |                  |
|                 | Bile moves from the gall bladder to the duodenum through the duct.        |                  |
|                 | . The organ located near the stomach that makes insulin:                  |                  |
| 20              | . What structure is found above the kidneys but only in male frogs?       |                  |
| ء ا             | abel the Diagram  |                  |
| LC              | nder the Diagram  | 0-               |
| _               | $S_{i}$ / $N_{i}$ /   | all              |
|                 |   | 2 1 A            |
| В.              |   | P) _ [           |
| C.              |   |                  |
| D.              | G G   | < ₽              |
| Ε.              | H   | \ B              |
| F.              |   | \ _              |
| G.              |   | — <del> </del> C |
| Η.              | K++++++++++++++++++++++++++++++++   | $\sim$           |
| l               |   | <u>√</u> υ       |
| J. <sub>-</sub> |   | < _ E            |
| Κ.              |   | $\rightarrow$ F  |
| L               |   |                  |
| M.              |   | )                |
| N.              |   | - 1              |
| Ρ.              | \ \ M   | / /              |