

Hitachi HCP data collector

Cloud Insights

Tony Lavoie May 11, 2021

This PDF was generated from https://docs.netapp.com/us-en/cloudinsights/task_dc_hds_hcp.html on October 26, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Hita	chi HCP data collector	1
Te	erminology	1
Ir	ventory Requirements	1
С	onfiguration	1
Α	dvanced configuration	1

Hitachi HCP data collector

This data collector supports the Hitachi Content Platform (HCP) using the HCP Management API.

Terminology

Cloud Insights acquires the following inventory information from the Hitachi HCP data collector. For each asset type acquired by Cloud Insights, the most common terminology used for this asset is shown. When viewing or troubleshooting this data collector, keep the following terminology in mind:

Vendor/Model Term	Cloud Insights Term
HCP Cluster	Storage
Tenant	Storage Pool
	Namespace
Internal Volume	Node

Note: These are common terminology mappings only and might not represent every case for this data collector.

Inventory Requirements

You must have the following in order to collect inventory data:

- · IP address of the HCP server
- Read-only user name and password for the HCP software and peer privileges

Configuration

Field	Description
HCP Host	IP address or fully-qualified domain name of the HCP host
HCP Port	Default is 9090
HCP User ID	User name for the HCP host.
HCP Password	Password used for the HCP host.
HCP Authentication Type	Choose HCP_LOCAL or ACTIVE_DIRECTORY

Advanced configuration

Field	Description
Inventory Poll Interval (min)	Interval between inventory polls. The default is 60.

,	Interval between performance polls. The default is 900.

Additional information may be found from the Support page or in the Data Collector Support Matrix.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.