


```
cl_move_base_z::backward  
_local_planner::BackwardLocalPlanner  
::initialize
```



```
graph LR; A["cl_move_base_z::backward  
_local_planner::BackwardLocalPlanner  
::initialize"] --> B["cl_move_base_z::backward  
_local_planner::BackwardLocalPlanner  
::initialize"]; B --> C["cl_move_base_z::backward  
_local_planner::BackwardLocalPlanner  
::reconfigCB"]
```

The diagram consists of three rectangular boxes connected by blue arrows pointing from left to right. The first box on the left contains the text 'cl_move_base_z::backward', '_local_planner::BackwardLocalPlanner', and '::initialize'. A blue arrow points from the right side of this box to the left side of the second box in the middle. The second box contains the text 'cl_move_base_z::backward', '_local_planner::BackwardLocalPlanner', and '::initialize'. Another blue arrow points from the right side of the second box to the left side of the third box on the right. The third box is shaded gray and contains the text 'cl_move_base_z::backward', '_local_planner::BackwardLocalPlanner', and '::reconfigCB'.

```
cl_move_base_z::backward  
_local_planner::BackwardLocalPlanner  
::initialize
```

```
cl_move_base_z::backward  
_local_planner::BackwardLocalPlanner  
::reconfigCB
```