```
# components_

    stateMachine

orthogonal_
+ ISmaccClient()
+ ~ISmaccClient()
+ configureEventSourceTypes()
+ initialize()
+ getName()
+ postEvent()
+ postEvent()
+ getComponent()
+ getComponent()
+ getType()
+ getStateMachine()
+ connectSignal()
+ requiresClient()
+ getComponents()
# createComponent()
# createNamedComponent()
# setStateMachine()
# setOrthogonal()
                    smacc::client_bases
                    ::SmaccSubscriberClient
                          < MessageType >
                    + topicName
                    + queueSize
                    + onFirstMessageReceived_
                    + onMessageReceived_
                    + postMessageEvent
                    + postInitialMessageEvent
                    # nh_
                    - sub
                    firstMessage_

    initialized

                    + SmaccSubscriberClient()
                    + SmaccSubscriberClient()
                    + ~SmaccSubscriberClient()
                    + onMessageReceived()
                    + onFirstMessageReceived()
                    + configureEventSourceTypes()
                    + initialize()
                    messageCallback()
                   < sensor_msgs::Temperature >
smacc::client_bases
::SmaccSubscriberClient
< sensor_msgs::Temperature >
                                      cl_multirole_sensor
+ topicName
                                      ::CIMultiroleSensor
+ queueSize
                                             < MessageType >
+ onFirstMessageReceived_
+ onMessageReceived_
                                      + onMessageTimeout_
+ postMessageEvent
                                      + postTimeoutMessageEvent
+ postInitialMessageEvent
                                      + timeout
# nh_

    timeoutTimer_

- sub
                                      - initialized
firstMessage_
- initialized
                                      + ClMultiroleSensor()
                                      + onMessageTimeout()
 + SmaccSubscriberClient()
                                      + configureEventSourceTypes()
+ SmaccSubscriberClient()
                                      + initialize()
+ ~SmaccSubscriberClient()
                                      # resetTimer()
+ onMessageReceived()
                                      timeoutCallback()
+ onFirstMessageReceived()
 + configureEventSourceTypes()
+ initialize()
- messageCallback()
                                            < sensor_msgs::Temperature >
                   cl multirole sensor
                   ::CIMultiroleSensor
                   < sensor_msgs::Temperature >
                   + onMessageTimeout_
                   + postTimeoutMessageEvent
                   + timeout

    timeoutTimer

    initialized

                   + ClMultiroleSensor()
                   + onMessageTimeout()
                   + configureEventSourceTypes()
                   + initialize()
                   # resetTimer()
                   timeoutCallback()
                   sm_dance_bot::cl_temperature _sensor::ClTemperatureSensor
```

+ ClTemperatureSensor()

smacc::ISmaccClient