

CSCI 127: Joy and Beauty of Data

Lecture 11: Dictionaries

Reese Pearsall

Snowmester 2020

<https://reeseep.github.io/classes/127/main.html>

Announcements

Lab 7 due **tomorrow** (Tuesday 11:59 PM)

- After today, you will be able to finish it


Program 3 due Wednesday @ 11:59 PM

- No class on Thursday and Friday

"the best way to learn a language
is to speak to natives"
the guy learning Python:



Dictionaries




Dictionaries

An unordered collection of key-value pairs

'dict' data type


Denoted by curly brackets {}



Adding a key-value pair:

```
homeruns = {}
```

```
homeruns["Babe Ruth"] = 713
```


key


value

Updating an item

```
homeruns["Babe Ruth"] = 714
```

Deleting an item

```
del homeruns["Babe Ruth"]
```

Determining Number of Items in dictionary

```
print(len(homeruns))
```

To retrieve all keys in dictionary named inventory

```
inventory.keys()  
  
print(list(inventory.keys()))
```

To retrieve all keys one at a time (for loop)

```
for each_key in inventory:  
    print(each_key)
```

To check in a key named “kiwi” exists

```
If “kiwi” in inventory:
```

To retrieve all values in dictionary named inventory

```
inventory.values()  
  
print(list(inventory.values()))
```

To retrieve all values one at a time (for loop)

```
for each_val in inventory.values():  
    print(each_val)
```

To retrieve a specific value, producing a runtime error if the key is not present:

```
inventory[key-name]
```

NO runtime error if the key is not present:

```
inventory.get(key-name)
```

```
inventory.get(key-name, value-to-return-if-key-not-present)
```

To retrieve all key-value pairs in dictionary named inventory

```
inventory.items()
```

```
print(list(inventory.items()))
```

To retrieve all items one at a time (for loop)

```
for key, val in inventory.items():  
    print(key, val)
```


Dictionary Examples

Write a program that will count the number of times each word occurs in some text file

Write a function named `translator` that takes a parameter containing a sentence in English (no punctuation and all words in lowercase) and returns that sentence translated to Pirate.
For example, the sentence “hello there students” should be translated to “avast there swabbies”.

Announcements

Lab 7 due **tonight** (Tuesday 11:59 PM)

Program 3 due **tomorrow** @ 11:59 PM

- No class on Thursday and Friday

Closing all the tabs after solving a pesky programming bug



More Examples

Using `video_games.csv`, write a python function that uses a dictionary to print out the number of video games that received a review score of 90-100, 80 – 89, 70 – 79, 60- 69, etc.

Then, modify the code so that it prints out the number of games that are rated E, T, M for each of the categories you found above

For examples, in the games rated between 90-100: 10 were rated E, 7 rated M, etc