# **SPRING BOOT 3 REST API JPA DATA**

JAVA ACADEMY - XIDERAL

SEPTEMBER 6, 2024 **AUTHOR: REGINA RODRIGUEZ CAMPO GARRIDO** 

### Introduction

Spring Boot is a tool that simplifies the creation of Java applications by automatically configuring many aspects. JPA is a specification for managing data persistence in databases. To make working with JPA even easier, we use Spring Data JPA, which extends JPA's capabilities by providing a simpler and more efficient way to interact with the database.

Spring Data JPA simplifies repository implementation by allowing the creation of interfaces for data access without having to write SQL or JPQL queries manually. Additionally, it automatically handles common operations such as storing, retrieving, and deleting entities, which reduces boilerplate code and enhances project maintainability.

In the following project, using Spring Boot and Spring Data JPA, we created a library system that will allow us to:

- 1. Show all the books we have.
- 2. Add books.
- 3. Delete books.
- 4. Search for books by ID.
- 5. Count the number of books we have by category.
- 6. Show whether the book is in stock or not

#### **Database Schema**

Cree una tabla con el nombre de "buk".

```
1 • DROP DATABASE bookstoreDB;
 2 • CREATE DATABASE bookstoreDB;
 4 • USE bookstoreDB;
      -- Create the books table
7 • 

CREATE TABLE buk (
8
         id INT AUTO_INCREMENT PRIMARY KEY,
          title VARCHAR(100) NOT NULL,
9
         author VARCHAR(100) NOT NULL,
10
         genre VARCHAR(50)NOT NULL,
11
12
        price int(6) NOT NULL,
        published int(4) NOT NULL,
13
          stock int(3) NOT NULL
    )ENGINE=InnoDB AUTO_INCREMENT=1 DEFAULT CHARSET=latin1;
17 • INSERT INTO buk (title, author, genre, price, published, stock)
     ('To Kill a Mockingbird', 'Harper Lee', 'Fiction', 12, 1960,57),
     ('1984', 'George Orwell', 'Dystopian', 14, 1984, 0),
       ('The Great Gatsby', 'F. Scott Fitzgerald', 'Fiction', 10, 1925, 15),
       ('The Catcher in the Rye', 'J.D. Salinger', 'Fiction', 9,1951, 7 ),
       ('Moby-Dick', 'Herman Melville', 'Adventure', 15, 1851, 13 );
25 • SELECT * FROM buk
```

# **Application**

# **Entity**

The Book class represents the Book entity. It uses JPA annotations to map the class to a table in the database and Lombok annotations to reduce code.

# Repository BookRepository extends JpaRepository

```
package spring.jpa.dao;

import org.springframework.data.jpa.repository.JpaRepository;
import spring.jpa.entity.Book;

public interface BookRepository extends JpaRepository<Book, Integer> {
}
```

Spring Boot 3 REST API JPA DATA September 6, 2024

#### Service Interface

The BookService interface defines the business logic methods for managing books.

```
package spring.jpa.service;

import java.util.List;

public interface BookService {
    List<Book> findAll();//List Book
    Book findById(int theId);//Find book by ID

    Book save(Book theBook);//Add new book
    long countByGenre(String genre);//Book counter by genre
    boolean IsStock(int theId);// The boos is available or not
    void deleteById(int theId);//Delete book
}
```

### Service Implementation

The BookServiceImpl class implements the BookService interface. Now here we

add all the logic that we want our methods to have.

```
package spring.jpa.service;

import spring.jpa.dao.BookRepository;

#Service
public class BookServiceImpl implements BookService {

#PersistenceContext
private EntityManager entityManager;
private BookRepository bookrepository;

#Autowired
public BookServiceImpl(BookRepository thebookrepository) {
    bookrepository = thebookrepository;
}

#Override
public List<Book> findAll() { //find all books
    return bookrepository.findAll();
}

#Override
public Book findById(int theId) { //find by ID
    Optional<Book> result = bookrepository.findById(theId);
    return result.orElse(null);
}

#Override
public long countByGenre(String genre) { //count books by genre
    String jpql = "SELECT COUNT(b) FROM Book b WHERE b.genre = :genre";
    TypedQuery<Long> query = entityManager.createQuery(jpql, Long.class);
    query.setParameter("genre", genre);
    return query.getSingleResult();
}
```

# Spring Boot 3 REST API JPA DATA September 6, 2024

```
@Override
public boolean IsStock(int bookId) { //Checks if a book is in stock
    Book book = entityManager.find(Book.class, bookId);
    return book != null && book.getStock() > 0 ;
}

@Transactional
@Override
public Book save(Book theBook) { //Add new book or update of one
    return bookrepository.save(theBook);
}

@Transactional
@Override
public void deleteById(int theId) {//Delete book
    bookrepository.deleteById(theId);
}
```

#### Rest Controller

The BookController serves as the REST controller, handling HTTP requests related to book management.

```
package spring.jpa.rest;
import spring.jpa.entity.Book;
 @RestController
     private final BookService bookService;
     public BookController(BookService theBookService) {
          bookService = theBookService;
     @GetMapping("/books")// Get the list of all books
public List<Book> findAll() {
          return bookService.findAll();
     @GetMapping("/books/{bookId}") //Get the book by id
public Book getBook(@PathVariable int bookId) {
          Book theBook = bookService.findById(bookId);
          if (theBook == null) {
   throw new RuntimeException("Book id not found - " + bookId);
           return theBook;
     @GetMapping("/books/genre/{genre}") //Number of books by genre
public long countBooksByGenre(@PathVariable String genre) {
          return bookService.countByGenre(genre);
     @GetMapping("/books/{bookId}/stock")//Books available
      public String IsStock(@PathVariable int bookId) {
          boolean inStock = bookService.IsStock(bookId);
               String message = inStock ? "Book available" : "Book not available";
               return message ;
     @PostMapping("/books") //add new post
public Book addBook(@RequestBody Book theBook) {
          theBook.setId(0);
          return bookService.save(theBook);
     @PutMapping("/books") //update a book
public Book updateBook(@RequestBody Book theBook) {
          return bookService.save(theBook);
```

# Spring Boot 3 REST API JPA DATA September 6, 2024

```
@DeleteMapping("/books/{bookId}")//delete books
public String deleteBook(@PathVariable int bookId) {
    Book tempBook = bookService.findById(bookId);
    if (tempBook == null) {
        throw new RuntimeException("Book id not found - " + bookId);
    }
    bookService.deleteById(bookId);
    return "Deleted book id - " + bookId;
}
```

# **Outputs**

#### localhost:9092/rest/books

```
"id": 5,
   "title": "Moby-Dick",
   "author": "Herman Melville",
   "genre": "Adventure",
   "price": 15,
   "published": 1851,
   "stock": 13
},
{
   "id": 3,
   "title": "The Great Gatsby",
   "author": "F. Scott Fitzgerald",
   "genre": "Fiction",
   "price": 10,
   "published": 1925,
   "stock": 15
},
{
   "id": 4,
   "title": "The Catcher in the Rye",
   "author": "J.D. Salinger",
   "genre": "Fiction",
   "price": 9,
   "published": 1951,
   "stock": 7
},
{
   "id": 1,
   "title": "To Kill a Mockingbird",
   "author": "Harper Lee",
   "genre": "Fiction",
   "price": 12,
   "published": 1960,
   "stock": 57
},
{
   "id": 2,
   "title": "1984",
   "author": "George Orwell",
   "genre": "Dystopian",
   "price": 14,
   "published": 1984,
   "stock": 0
}
```

#### localhost:9092/rest/books/1

```
{
  "id": 1,
  "title": "To Kill a Mockingbird",
  "author": "Harper Lee",
  "genre": "Fiction",
  "price": 12,
  "published": 1960,
  "stock": 57
}
```

#### localhost:9092/rest/books/genre/Fiction



localhost:9092/rest/books/1/stock

Book available