

# Introduction to L<sup>A</sup>T<sub>E</sub>X

Harvey Gould

*Clark University, Department of Physics, Worcester, MA 01610 and  
Boston University, Department of Physics, Boston, MA 02215*

(Dated: 16 June 2013)

We give a brief introduction to the use of L<sup>A</sup>T<sub>E</sub>X in the context of REVTeX 4.1.

## I. INTRODUCTION

L<sup>A</sup>T<sub>E</sub>X looks more difficult than it is. It is almost as easy as  $\pi$ . See how easy it is to make special symbols such as  $\alpha$ ,  $\beta$ ,  $\gamma$ ,  $\delta$ ,  $\sin x$ ,  $\hbar$ ,  $\lambda$ , . . . . We also can make subscripts,  $A_x$ ,  $A_{xy}$ , and superscripts,  $e^x$ ,  $e^{x^2}$ , and  $e^{a^b}$ . We will use L<sup>A</sup>T<sub>E</sub>X, which is based on T<sub>E</sub>X and has many higher-level commands (macros) for formatting, making tables, etc. More information can be found in Refs. 1 and 2.

We just made a new paragraph. Extra lines and spaces make no difference. Note that all formulas are enclosed by  $\$$  and occur in *math mode*.

The default font is Computer Modern. It includes *italics*, **boldface**, *slanted*, and monospaced fonts.

## II. EQUATIONS

Let us see how easy it is to write equations.

$$\Delta = \sum_{i=1}^N w_i (x_i - \bar{x})^2. \quad (1)$$

It is a good idea to number equations, but we can have a equation without a number:

$$P(x) = \frac{x-a}{b-a},$$

and

$$g = \frac{1}{2}\sqrt{2\pi}.$$

We can give an equation a label so that we can refer to it later.

$$E = -J \sum_{i=1}^N s_i s_{i+1}, \quad (2)$$

Equation (2) expresses the energy of a configuration of spins in the Ising model.<sup>3</sup>

We can define our own macros to save typing. For example, suppose that we introduce the macros:

```
\newcommand{\lb}{\langle}
\newcommand{\rb}{\rangle}
```

Then we can write the average value of  $x$  as

```
\begin{equation}
\lb x \rb = 3
\end{equation}
```

The result is

$$\langle x \rangle = 3. \quad (3)$$

Examples of more complicated equations:

$$I = \int_{-\infty}^{\infty} f(x) dx. \quad (4)$$

We can do some fine tuning by adding small amounts of horizontal spacing:

`\, small space`      `\! negative space`

as is done in Eq. (4).

We also can align several equations:

$$a = b \quad (5)$$

$$c = d, \quad (6)$$

or number them as subequations:

$$a = b \quad (7a)$$

$$c = d. \quad (7b)$$

We can also have different cases:

$$m(T) = \begin{cases} 0 & (T > T_c) \\ (1 - [\sinh 2\beta J]^{-4})^{1/8} & (T < T_c), \end{cases} \quad (8)$$

write matrices

$$\begin{aligned} \mathbf{T} &= \begin{pmatrix} T_{++} & T_{+-} \\ T_{-+} & T_{--} \end{pmatrix}, \\ &= \begin{pmatrix} e^{\beta(J+B)} & e^{-\beta J} \\ e^{-\beta J} & e^{\beta(J-B)} \end{pmatrix}. \end{aligned} \quad (9)$$

and

$$\sum_i \vec{A} \cdot \vec{B} = -P \int \mathbf{r} \cdot \hat{\mathbf{n}} dA = P \int \vec{\nabla} \cdot \mathbf{r} dV. \quad (10)$$

### III. TABLES

Tables are a little more difficult. TeX automatically calculates the width of the columns.

lattice	$d$	$q$	$T_{\text{mf}}/T_c$
square	2	4	1.763
triangular	2	6	1.648
simple cubic	3	6	1.330
bcc	3	8	1.260
fcc	3	12	1.225

TABLE I. Comparison of mean-field predictions for the critical temperature of the Ising model with exact results and the best known estimates for different dimensions and lattice symmetries.

### IV. LISTS

Some example of formatted lists include the following:

1. bread
2. cheese

- Tom
- Dick

### V. FIGURES

We can make figures bigger or smaller by scaling them. Figure 1 has been scaled by 60%.

### VI. LITERAL TEXT

It is desirable to print program code as it is typed in a monospaced font. Use `\begin{verbatim}` and `\end{verbatim}` as in the following example:

```
double y0 = 10; // example of declaration and assignment
double v0 = 0; // initial velocity
```




FIG. 1. Show me a sine.

```
double t = 0;    // time
double dt = 0.01; // time step
double y = y0;
```

The command `\verbatiminput{programs/Square.java}` allows you to list the file `Square.java` in the directory `programs`.

## VII. SPECIAL SYMBOLS

### A. Common Greek letters

These commands may be used only in math mode. Only the most common letters are included here.

$\alpha, \beta, \gamma, \Gamma, \delta, \Delta, \epsilon, \zeta, \eta, \theta, \Theta, \kappa, \lambda, \Lambda, \mu, \nu, \xi, \Xi, \pi, \Pi, \rho, \sigma, \tau, \phi, \Phi, \chi, \psi, \Psi, \omega, \Omega$

### B. Special symbols

The derivative is defined as

$$\frac{dy}{dx} = \lim_{\Delta x \rightarrow 0} \frac{\Delta y}{\Delta x} \quad (11)$$

$$f(x) \rightarrow y \quad \text{as} \quad x \rightarrow x_0 \quad (12)$$

$$f(x) \xrightarrow{x \rightarrow x_0} y \quad (13)$$

Order of magnitude:

$$\log_{10} f \simeq n \quad (14)$$

$$f(x) \sim 10^n \quad (15)$$

Approximate equality:

$$f(x) \simeq g(x) \quad (16)$$

$\text{\LaTeX}$  is simple if we keep everything in proportion:

$$f(x) \propto x^3. \quad (17)$$

Finally we can skip some space by using com-

mands such as

```
\bigskip    \medskip    \smallskip    \vspace{1pc}
```

The space can be negative.


## VIII. USE OF COLOR

We can change colors for emphasis, but who is going pay for the ink?


## IX. SUBFIGURES

As soon as many users start becoming comfortable using  $\text{\LaTeX}$ , they want to use some of its advanced features. So we will show you how to place two figures side by side.

We first have to include the package, `\usepackage{subfigure}`, which has to go in the preamble (before `\begin{document}`). It sometimes can be difficult to place a figure in the desired place.



(a) Real and imaginary.



(b) Amplitude and phase.

FIG. 2. Two representations of complex wave functions.

Your LaTeX document can be easily modified to make a poster or a screen presentation similar to (and better than) PowerPoint. Conversion to HTML is straightforward.

---

<sup>1</sup> Helmut Kopka and Patrick W. Daly, *A Guide to L<sup>A</sup>T<sub>E</sub>X: Document Preparation for Beginners and Advanced Users* (Addison-Wesley, 2004), 4th ed.

<sup>2</sup> Some useful links are given at .

<sup>3</sup> REVTeX 4.1 places the footnotes in the bibliography. It is necessary to run BibTEX for footnotes to appear.