Dryweight per species (g)

Litterfall project - MyDiv

Elisabeth Bönisch

<u> </u>					T				4		~			is. 61			
other (g)	0.18	0.22	0.06	1.51	2.56	3.12	1.16	0.98	0.024	0.21	172.1	96.0	0.44	1.02	3.18	0.42	0.26
Tilia platyphyllos (g)	29.89	27.31	8.75				43.88	34.43	54.82	7.39	99.6	7.16					
Sorbus aucuparia (g)	•		***Newfilth	1.19	2.94	2.16	-	-	_	•		1			T-	9.13	6.87
Quercus petraea (g)	T		_				5.23	2.96	0.3	-	a .					0.87	4.04
Prunus avíum (g)	38.16	41.28	27.68	90.9	15.4	8.79	and the state of t			_						18.4	15.91
Fraxinus excelsior (g)	1		**************************************	26.34	20.19	28.23						-					
Fagus sylvatica (g)				-						0.31	90.0	0	1.15	0.12	2.29		
Carpinus betulus (g)		-	_	-		_	7			4.38	5.68	4.37	48.7	41.85	68.63	•	
Betula pendula (g)		•	_	-		<u> </u>	•		,	22.65	. 29.9	32.31	vangogonie			27.4	20.09
Acer Aesculus pseudoplatan hippocastanum us (g) (g)		1		16.49	12.74	4.9		_		_	-	_					
Acer pseudoplatan us (g)		,		1	1	-	Ţ	-	-		_	~		_	7	-	,
Trap ID	A	മ	C	А	æ	C	А	В	Ú	А	В	C	Ą	മ	C	А	æ
Plot ID	1.AE2	1.AE2	1.AE2	10.A4	10.A4	10.44	11.52	71.52	11.E2	12.E4	12.54	12.E4	13.E2	13.E2	13.E2	14.AE4	14.AE4
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

Dryweight per species (g) (other = contaminants)

2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	Sampling date (YYYY-MM- DD)
2.E1	19.A1	19.A1	19.41	18.AE2	18.AE2	18.AE2	17.41	17.A1	17.A1	16.AE4	16.AE4	16.AE4	15 AE2	15.AE2	15.AE2	14.AE4	Plot ID
A	С	æ	Þ	С	B	A	С	Сю	Α	С	œ	Þ	C	83	А	С	Trap ID
	117.13	121.46	× 105.03	74.64	75.48	65.98	m .			20.21	37.62	18.2		•			Acer pseudoplatan us (g)
1	1	Aller Scale	•	•	_	-	_			⊚9.39	7.15	8.32	_		T.	7	Acer Aesculus pseudoplatan hippocastanum us (g) (g)
1			**************************************	0.62	1.28	2.74	•			21.73	18.61	22.36				24.59	Betula pendula (g)
-	•		7		i i		-	-	The design of the second	2	1.34	4.64	34.08	42.67	26.58		Carpinus betulus (g)
18.67		•		_	-	_	-		-		7		7				Fagus sylvatica (g)
		-	1	-	•	-		7			_		32.38	34.19	55.99	_	Fraxinus excelsior (g)
	_	-		•	-	_	-		_			-	7			18.62	Prunus avium (g)
)	,	_	_	_	_	200 S.	- 4	Ξ	-	-	7	=	-	-	0.1	Quercus petraea (g)
•		1	-	-	_		48.03	46.5	55.94	_				_		4.06	Sorbus aucuparia (g)
*	7	ľ	7	-	-	- **	_			-		-	1	_	-		Tilia platyphyllos (g)
1.71	2.69	1.97	2.04	0.035	0.25	0.5	1.05	4.57	3.58	0.64	0.59	0.69	2.34	0.76	0.08	1.29	other (g)

Dryweight per species (g)

(other = contaminants)

Litterfall project - MyDiv

Elisabeth Bönisch

other (g)	1.83	2.65	2.87	6. 8.	7.92	0.03	1.2	0.6	4.0	2.97	1.96	0.04	••	1.58	0.57	1.25	0.12
Tilia platyphyllos (g)			40.2	64.9	62.47										24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Sorbus aucuparia (g)						0	2.2	9.0							2.34	2.44	2.91
Quercus petraea (g)	•		1	-	-	- 0		and the second s									
Prunus avium (g)	•				-	22.4	46.2	39.1	7			-		-	_		
Fraxinus excelsior (g)) 37.6	22.1	35.1							105.44	81.75	73.68
Fagus sylvatica (g)	21.05	38.58				-			- C.		n september sept	11.03	1.39	3.33	0.01	I,O	0.08
Carpinus betulus (g)						-	_		68.28	57.38	37.支援				3.96	6.53	6.07
Betula pendula (g)				7	_		_		_	Ingga (15	-				_		
Acer Aesculus pseudoplatan hippocastanum us (g) (g)				-			_		-	-		43.37	109.66	75	_	_	-
Acer pseudoplatan us (g)				-	-	21.8	24.8	51.1	_	_	_	_					_
Trap ID	В	C	A	æ	٠	Α .	В	J	Ą	В	O sometre.	A	В	С	Ø	æ	Ü
Plot ID	2,51	2,51	20.E1	20.51	20.E1	21.44	21.44	21.A4	22,51	22.E1	22.E1	23.AE2	23.AE2	23.AE2	24.AE4	24.AE4	24.AE4
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	Sampling date (YYYY-MM- DD)
3.A2	3.A2	29.E2	29 E2	29.E2	28.AE4	28.AE4	28.AE4	27.E1	27.E1	27.E1	26.A4	26.A4	1 26.A4	1 25.A2	1 25.A2	1 25.A2	te - Plot ID
B	A	C	В	Α	С	œ	A	С	80	A	С		А	C	œ	A	Trap ID
1	J		1			,	1	4	1		56.6	37.81	77.41	•		1	Acer pseudoplatan us (g)
1	1	1		1	9.21	13.32	3.24	_	•	-	1.54	6.29	0.52	_			Aesculus hippocastanum (B)
		-			1	T.	"Urostaline"	42.5	42.3	36.6	A CONTRACTOR OF THE CONTRACTOR				G		Betula pendula (g)
	1			-	-	_	į.		_	1	-	•	-	-	-		Carpinus betulus (g)
1		2.59	4.28	2.08	The second secon	alippoitégenetes	÷	7	-	-	_	-	1	-	-	-	Fagus sylvatica (g)
70.77	71.45				47.81	42.46	64.47	and the second		-		,	1	1	-		Fraxinus excelsior (g)
					_		_	7	-		47.54	60.95	40.7	56.6	47.6	74.6	Prunus avium (g)
j					2.19	2.49	0.59	-	•	_	-	_	1	•			Quercus petraea (g)
3.23	0.46	—			-				•		3.82	2.68	2.74	11.3	10	10.3	Sorbus aucuparia (g)
ļ		46.02	32.02	44.76	22.99	22.74	21.25			,		_	-	•		_	Tilia platyphyllos (g)
0.57	0.17	3.6	1.68	1.82	3.4	1.03	0.56	₩1.6%	1-4	0.4		0.27	1	6.9	ω	0.5	other (g)

Dryweight per species (g) (other = contaminants)

other (g)	0.59	1.475 1.475 1.416 1.416 1.416 1.416 1.416 1.416	l.		6.0	6,0	2.6	0.74	4.52	9.26	1.04	0.25	1.3	0.19	1.26	1.16	0.789
Tilia platyphyllos (g)		15.54	21.25	19.17	T. Carlotte	-								24.97	39.07	28.1	
Sorbus aucuparia (g)	2.08		•											•			
Quercus petraea (g)	•	6.5	1.75	0.2		-	7	0.73	12.0	96.0	-			2.27	5.77	1.32	
Prunus avium (g)	•	-			75.8	57.2	47.7			_		-					_
Fraxinus excelsior (g)	7.0.7	www.companystation.com			-						4					Ξ	
Fagus sylvatica (g)		6.27	0.38	683	_	_		0	0,19	0.05				0.72	0.64	1.19	
Carpinus betulus (g)		_	_	-	_	-	-	15.22	12.56	7.1	-		-	14.83	19.3	23,43	
Betula pendula (g)	-	12.5	8.6	11:2				30.4	30.87	29.18	_	_				_	
Aesculus hippocastanum (g)		-	~	-	-	-		-	_	interior.	65.68	17.13	71.11		_	_	7.88
Acer pseudoplatan us (g)	1	-	,	J		-		_	1	_	1	_	i.		_	1	81.51
TrapilD	U	A	8	C	A	8	J	A	æ	C	A	В	C	A	മ	Ú	۷
Blot ID	3.A2	30.E4	30.E4	30.E4	31.A1	31.A1	31.A1	32.E4	32.E4	32.E4	33.A1	33.A1	33.A1	34.E4	34.54	34.E4	35.A2
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

Dryweight per species (g) (other = contaminants)

2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	Sampling date (YYYY-MM- DD)
4.E1	4.E1	4.E1	39.A2	39,A2	39.A2	38.AE2	38.AE2	38.AE2	37.E2	37.E2	37.E2	36.AE4	36.AE4	36.AE4	35.A2	35.A2	Plot ID
C	В	A	С	В	Α	С	₿	A	С	æ	Α	С	В	Α	С	В	Trap ID
			-	•	7	•	_		•	•		23.11	25.39	41.61	132.72	133.75	Acer pseudoplatan us (g)
**************************************	3.0	•	1.12	7.16	5.44	-						-		-	2.9	0.923	Aesculus hippocastanum (g)
- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									14.15	22.84	32.5	•		_		_	Betula pendula (g)
-		- "	_	-	-	_	,		6.54	5.55	5.73	+	_	j		-	Carpinus betulus (g)
				-	-	-	_			-		0.026	0.145	0	-		Fagus sylvatica (g)
	_	•	51.07	83.16	38.2				-				_	•	•	_	Fraxinus excelsior (g)
	_		-		7	_	-	_				9.66	19.88	27.29	**************************************	1	Prunus avium (g)
25.93	24.9	50.6			- Simus Sixonia	1.69	15.42	20.98		7			7		F	,	Quercus petraea (g)
1	-	1	-	1	1	31.71	26.62	24						1	T	-	Sorbus aucuparia (g)
T)	-	_	,		_			2.29	4.39	14.44		-	Tilia platyphyllos (g)
	0.43	0.13	0.67	0,84	0.14	4.97	1.46	ee.0	8.2	3.75	0.31	0.07	0.061	0.177	0.566	0.42	other (g)

Dryweight per species (g)

(other = contaminants)

Litterfall project - MyDiv Elisabeth Bönisch

other (g)	0.21	0.41	0.09	0.21	1.45		0.65	Ħ Ħ	4.5	0.76	0.68	1.6	0.46	1.45	1.05	0.54	0.36
Tilia platyphyllos (g)				1					7	13.49	15.38	13.81	0			0 27.72	20.99
Sorbus aucuparia (g)										**Sections		•	4.02	8.29	87.4		-
Quercus petraea (g)	-	ļ			=	-	5.06	0.28	0.31	_		_		-		0.58	0.24
Prunus avium (g)	21.21	28.46	34.37	18.1	14.22	15.83	30.4	32.16	39.86	and the second s		•	46.64	52.95	34.88	1	•
Fraxinus excelsior (g)	51.18	34.76	41	-	_		34.69	39.87	74.04	Andrew Comment			30.8	42.41	59.33		1
Fagus sylvatica (g)							0	0.16	0.06			_				-	_
Carpinus betulus (g)					_	_	_	_		_	_	_	_	_		2.2	1.88
Betula pendula (g)				8.56	3.41	3.53			_	22.83	22.61	23.93		,	. Trees September 1	21.35	25.26
Acer Aesculus pseudoplatan hippocastanum us (g) (g)	0.81	0.22	0.71		***			=			***************************************		2.21	5.89	0.81		_
Acer pseudoplatan us (g)	27.91	55.99	42.11						-					-		_	_
Trap ID	А	В	C	Ą	В	C	√	В	C	А	В	C	А	В	C	А	В
Plot ID	40.A4	40.A4	40.A4	41.AE2	41.AE2	41.AE2	42.AE4	42.AE4	42.AE4	43.E2	43.E2	43.E2	44.A4	44.A4	44.A4	45.E4	45.E4
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

Dryweight per species (g) (other = contaminants)

2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	Sampling date (YYYY-MM- DD)
50.A1	5.E2	5.E2	5.E2	49.AE4	49.AE4	49.AE4	48.E4	48.E4	48.E4	47.E1	47.E1	47.E1	46.A1	46.A1	46.A1	45 E4	e Plot ID
А	С	æ	A	C	B	Þ	C	œ	A	C	œ	A	С	œ	Þ	С	Trap ID
							1			•			69.27	95.51	63.83	- 100 mm	Acer pseudoplatan us (g)
54.47	edestribution (1999)			6.63	9.11	7.09	4		•	1		• • • • • • • • • • • • • • • • • • •	_			•	Aesculus hippocastanum (g)
	24.68	30.52	53.99	19.46	21.78	19.11	18.6	24.94	19.17							17.34	Betula pendula (g)
)	_	AN HELDON					2.41	1.77	1.64					_	-	3	Carpinus betulus (g)
1	_			0.07	0.1 2	0.56	0.1	0.55	0.11						-		Fagus sylvatica (g)
1		T				*	_	T								Nicoland Control of Co	Fraxinus excelsior (g)
9	9	ì			1	_	_	7			m T						Prunus avium (g)
-	4.41	0.69	0.14	-erasifikatur-	-	_	-		_	30.06	43.03	31.52	and the second s	•	TO STATE OF THE PERSON NAMED IN COLUMN NAMED I	0.51	Quercus petraea (g)
	1	1		10.25	9.94	8.22			_				-	•	*		Sorbus aucuparia (g)
*		1		-	-	"Hadishindijah	5.99	9.49	6.06					7		12.54	Tilia piatyphyllos (g)
1.04	ı	1	1	3.12	0.377	0.18	0.71	0.59	0.07	6.4	1.35	0.72	0.04	1		1.46	other (g)

Dryweight per species (g)

Litterfall project - MyDiv

Elisabeth Bönisch

	1	germanner gener	* 884										-				927 -9394111111111
other (g)	1.12	1.95		0.17		0.48	1	0.28	-	•	0.02	-	0.47	0.55	0.08	0.27	90.0
Tilia platyphyllos (g)	•	•				•	•			•	-		430000000000	-	13.06	5.56	12.41
Sorbus aucuparia (g)						-					_	3.52	2.24	5.12			7
Quercus petraea (g)	-		2.66	2.69	2.43		•		_		-	_	1	-	_	-	,
Prunus avium (g)			-	•	-			•	19.95	23.2	27.62	-	-	-	39.35	20.98	21.82
Fraxinus excelsior (g)					11+FMAGGANIBGGGIT	24.05	45.8	32.89	18.19	39.95	27.54	and the state of t	_			-	
Fagus sylvatica (g)	Ė	-			-					_			_		j	_	,
Carpinus betulus (g)			18.1	18.35	20.43	-	_	_		_	7		_	_	2.28	1.5	3.04
Betula pendula (g)	-	-		Т		_	-		•	_	-	_	-	-			
Acer Aesculus pseudoplatan hippocastanum us (g) (g)	88.4	65.61	established to the		-			_	0.65	0.11	2.33	Services	_		0.97 🦱	3 0	0.15
Acer pseudoplatan I us (g)	•		-	7		92.61	48.11	75	48.85	26.73	33.52	117.06	122.21	98.87	-	-	1
Trap ID	В	C	А	В	C	A	В	C	A	В	C	A	æ	2	⋖	æ	C
Plot ID	50.A1	50.A1	51.E2	51.E2	51.E2	52.A2	52.A2	52.A2	53,A4	53,44	53.A4	54.A2	54,A2	54.A2	55.AE4	55.AE4	55.AE4
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

Litterfall project - MyDiv Elisabeth Bönisch

Dryweight per species (g) (other = contaminants)

<u> </u>	2023-11-01 60.AE4	2023-11-01 60.AE4	2023-11-01 6.A4	2023-11-01 6.44	2023-11-01 6.44	2023-11-01 59.44	2023-11-01 59,44	2023-11-01 59.44	2023-11-01 58.E4	2023-11-01 58,E4	2023-11-01 58/E4	2023-11-01 57.AE2	2023-11-01 57.AE2	2023-11-01 57,AE2	2023-11-01 56.E1	2023-11-01 56,E1	2023-11-01 56.E1	Sampling date (YYYY-MM- Plot ID DD)
	E4 8	Æ4 A	4 C	В	Α Α	A4 C	A.4 B	Α4 Α	E4 C	E4 B	E4 A	(E2) C	E2 8	λE2 A	C	co	E1 A	:ID Trap ID
20,00	20 OZ	25.5	41.5	54.38	81.19	36.95	37.45	36.69								•	-	Acer pseudoplatan us (g)
		-	4.3	6.44	1.84	0.05	2.59	1.19	¬ Link(des dessari			11.19	19.51	14.36	_	7	_	Aesculus hippocastanum (g)
20.02	F 02	5.86						_									•	Betula pendula (g)
1		-		7	_	*	7		9.44	12.23	11.25		_			-	7	Carpinus betulus (g)
			-	-	-		a Social National	_	0.14	0.22	1.2	_	_	1 200	45.7	42.11	27.43	Fagus sylvatica (g)
14.38		35.08	27.2	51	34.91	38.61	29.76	36.91			7		_	j	_	7		Fraxinus excelsior (g)
		C	Α.	-	ļ	-	SERVICE STATE	1	-	-12230064946	_		- J		-			Prunus avium (g)
-		ţ			-	_	-	_	6,29	4.99	0.71	13.96	7.04	12.64	1	-	-	Quercus petraea (g)
•		1	12.3	2.13	0.88	1.54	0.56	0.4		7	•	T	_	1	1		_	Sorbus aucuparia (g)
2.54	No.	18.19		-					20.05	27.14	36.95	J	•	T	_		-	Tilia platyphyllos (g)
0.71) !	0.37	4.3	1.95	0.5	0.18	0.9	0.31	0.46	2.08	0.92	0.7	2.07	0.55	5.69	2.99		other (g)

other (g)	70T	0.29	0 7	1.92	69.0	0.42	0.7	1.04	e7.7	0.56	2.8	4.4 4.4	, 6.7	96.0	2.89	7.8	° 0.27
Tilia platyphyllos (g)	9.93	-	-		32.31	27.96	26.7								-		
Sorbus aucuparia (g)										-			-	12.03	16.17	17.24	0.41
Quercus petraea (g)	j	•		-	•	J	_				_		_	-	-		-
Prunus avium (g)	-			-	-	•					62.3	46.7	40.7				14.83
Fraxinus excelsior (g)	12.99	47.32	74.89	49.11	oossidelliidddaan ja		-										14.05
Fagus sylvatica (g)			_		_	_		1.25	0.42	0.75	-		_	_			
Carpinus betulus (g)	-				4.55	9.55	13.97		- Table 1				_	30.93	31.27	30.19	voodstAtAtinings
Betula pendula (g)	3.06	-	_	-	_	-	•	10.79	15.11	6.93	_		_				-
Aesculus Nippocastanum (g)									7		14.9	12.2	20.2	_			
Acer Aesculus pseudoplatan hippocastanum us (g) (g)	35.85		_	_	-		_				_	1	_		7		46.99
Trap ID	U	А	В	C	Þ	В	Ú	⋖	മ	C	٧	В	C	٧	æ	Ú	۷
Plot.ID	60.AE4	61.A1	61.A1	61.41	62.E2	62.E2	62.E2	63.E2	63.EZ	63.E2	64.A2	64.A2	64.A2	65.AE2	65.AE2	65.AE2	66.A4
ampling date (YYYY-MIM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

Litterfall project - MyDiv Elisabeth Bönisch

Dryweight per species (g) (other = contaminants)

	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	Sampling date (YYYY-MM- DD)
	70.E1	70.E1	70.E1	7.E4	7.E4	7.E4	69.AZ	69.A2	69.A2	68.41	68.41	68.A1	67.AE2	67.AE2	67.AE2	66.A4	66.A4	Plot ID
	C	œ	Þ	С	89	Α	C	8	A	С	В	A	C	В	Α	C	В	Trap ID
	***************************************	1	1	1	V		**************************************	3			1		19 V V V V V V V V V V V V V V V V V V V			55.35	73.03	Acer pseudoplatan us (g)
			-	1		1	-	•	12 (12 (12 (12 (12 (12 (12 (12 (12 (12 (1	•						Acer Aesculus pseudoplatan hippocastanum (g)
		-	-	19.26	23.93	9.81	AMERICAN CONTRACTOR				\$	#	•	•	**************************************	-		Betula pendula (g)
	-		-	14.8	12.45	8.13	, and designations on the second											Carpinus betulus (g)
		_	-										0.1	0,02	0.52		•	Fagus sylvatica (g)
	1	1		-			24.75	45.34	40.51	±	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		65.5	56.27	69.96	31.85	23.5	Fraxinus excelsior (g)
	1		-	-	_	-	15.75	49.61	39.68						-	15.5	23.21	Prunus avium (g)
,	į	1	1	1.05	0.41	0.86	sos Mildelle Vitalista	-				-	•	•			1	Quercus petraea (g)
	-									60.8	35	45.1	•	** *** *** *** *** *** *** *** *** ***		0.34	0.3	Sorbus aucuparia (g)
	59.8	52.6	67.9	9.45	12.4	18.75											-	Tilia platyphyllos (g)
		1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		0.63	0.46	1.07	3.44	0.09	0,11	7.6	2.8	2.7		1000	0.03	0.16	+	other (g)

Dryweight per species (g)

Litterfall project - MyDiv

Elisabeth Bönisch

other (g)	6.0	1.85	6.78	1	0 .4	1.5	60.0	99.0	0.16		\$10 .	0,11	96.0	m	4.04	0.13	∭. }
Tilia platyphyllos (g)			***************************************								-						
Sorbus aucuparia (g)				m	_		6.12	10.4	11.06	5.19	4.41	6.11	0.24	1.49	2.25	-	
Quercus petraea (g)	0.2	3.12	0.55	_				_	_		_	_	0	60.0	0.05		
Prunus avium (g)	-	_		_			_		_	36.63	44.81	28.31					
Fraxinus excelsior (g)			-	,									All Control		_		
Fagus sylvatica (g)	0	1	0.25		magagarine	-			_	<u> </u>		1		-	1		
Carpinus betulus (g)	9.84	12.44	7.09	35.8	35.6	47.6	_	_	-	_	_	- configuration	6.61	2.06	3.76	.	
Betula pendula (g)	13.12	7.79	6.21		_		_	ille in	_			-	_	_	_	7.72	7.03
Acer Aesculus pseudoplatan hippocastanum us (g) (g)		en e		_	-		76.99	56.75	31.73	2.38	2.14	5.87	_	-	_	1	
Acer pseudoplatan us (g)	_	1		1	_	_	_	\$600E	,	63.52	31.84	. 68.21	71.68	91.48	85.34	-	
Trap ID	А	മ	၁	А	В	Ų	А	В	C	A	В	Э :	å A	В	C	А	В
Plot ID	71 E4	71.E4	71.E4	72.E1	72.ET	72.E1	73.A2	73.A2	73.A2	74.A4	74.A4	74.A4	75.AE4	75.AE4	75.AE4	76.E1	76.E1
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01

Litterfall project - MyDiv Elisabeth Bönisch

Dryweight per species (g) (other = contaminants)

2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	2023-11-01	Sampling date (YYYY-MM- DD)
9.A2	80.E2	80.E2	80.E2	8.A1	8.A1	8.41	79.E4	79.E4	79.E4	78.AE2	78.AE2	78.AE2	77.A1	77.A1	77.AI	76.E1	PiotID
А	C	В	A	С	В	Α	C	В	A	С	Ф	A	С	œ	Α	С	TrapID
71.32	i i decembration	*	•				-			45	47.05	52.11	-				Acer pseudoplatan us (g)
-									AUDIO I			_		_		1	Aesculus hippocastanum (g)
1						-	4.32	2	3.17						-	5.48	Betula pendula (g)
1	<u>-</u>							•				_	-	•		-	Carpinus betulus (g)
	13.79	8.58	47.98	- Andrews Company			0.51	0.66	0.82		7	_	7	1	=		Fagus sylvatica (g)
ŧ	-	-	_	88.7	108.55	84.2	-				_		*			_	Fraxinus excelsior (g)
7.74	· · · · · · · · · · · · · · · · · · ·	1	1	•	-			_		1	•	_	42.02	61,43	62.32		Prunus avium (g)
J	11.9	16.1	7.99			1	0.08	0.06	0.07	•	•		-				Quercus petraea (g)
,			***	1	-	1	•						1			-	Sorbus aucuparia (g)
-		4	T.		1	•	19.75	11.68	31.65	15.05	15.79	8.21	•	<u> </u>			Tilia platyphyllos (g)
2.8	0.85	0.46	0.81	0.87	0.012	1.36				11.4	4.76	1.47	3.79	1.71	0.85	-	other (g)

Dryweight per species (g)

other (g)	86.	ŧ
Tilia ot platyphyllos ^{ot} (g) ⁽	0	
Sorbus aucuparia (g)		
Quercus petraea (g)		
Carpinus Fagus Fraxinus Prunus avium betulus (g) sylvatica (g) excelsior (g) (g)	15.75	71.8
Fraxinus excelsior (g)	1	
Fagus sylvatica (g)		
Carpinus betulus (g)		
Betula pendula (g)		
npling date YYY-MM- DD) Acer Aesculus		
Acer pseudoplatan us (g)	66.38	36.61
Trap ID	В	U
Plot ID	9.A2	9.A2
Sampling date (YYYY-MM- DD)	2023-11-01	2023-11-01 9.AZ