(g)
species
per s
Dryweight

(other = contaminants)

other (g)	0.00.0	0.00.0	0.000	0.000	0.000	0.000	0.00.0	0.000	0.00.0	0.499	0.128	0.043	0.158	0.000	0.00.0	0.000	0.00.0	0.00.0	000
Tilía platyphyllos (g)	0.000	0.431	0.000	\$			0.000	0.000	0.000	0.000	0.000	0.000			1		1	1	
Sorbus aucuparia (g)				0.000	0.000	0.000						**************************************	*	- - - - - - - - - - - - - - - - - - -		0.000	0.000	0.000	
Quercus petraea (g)			1			1000	0.048	0.000	0.000							0.000	0.000	0.000	
Prunus avium (g)	0.000	0.000	0.000	0.000	0.000	0.000	***	1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1	<b>.</b> 1, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,	1978 1973 2072 2072	•	14.0 14.0 2.4.0 2.4.0	1 1	1 % 5	1	0.000	0.000	0.000	
Fraxinus excelsior (g)			100	0.000	0.000	0.000													0.00
Fagus sylvatica (g)										0.037	0.034	0.000	0.113	0.112	0:030				
Carpinus betulus (g)										0.020	0.000	0.000	0.517	0.104	0.040				0220
Betula pendula (g)										0000	0.038	0.007				0.00.0	0.000	0.000	
Aesculus hippocastanu m (g)		<b>-</b>		0.000	0.000	0.000													
Plot ID Trap ID pseudoplatan hippocastanu us (g) m (g)																			
Trap D	A	В	C	A	В	Ú	A	æ	C	A	മ	J	А	m	ပ	А	ω	C	<
***************************************	1.AE2	1.AE2	1.AE2	10.A4	10.A4	10.A4	11.E2	11.E2	11.E2	12.E4	12.E4	12.E4	13.E2	13.E2	13.E2	14.AE4	14.AE4	14.AE4	15 AF2
Sampling date (YYYY- MM-DD)																			

Litterfall project - MyDiv

Elisabeth Bönisch

Dryweight per species (g) (other = contaminants)

Sampling date (YYYY- Plot ID Trap ID pseudoplatan hippocastanu pendula (g) betulus (g) sylvatica (g) excelsior (g) avium (g) p	15.AE2 B - 0.124 0.000	15.AE2 C - 0.286 0.000	16.AE4 A 0.000 0.000 0.017 0.049	16.AE4 B 0.000 0.000 0.000	16.AE4 C 0.000 0.000 0.386	17.A1 A -	17.A1 B CARLES AND A CARLES AND	17.A1 C	18.AE2 A 0.000 - 0.000	18.AE2 B 0.000 - 0.000 -	18.AE2 C 0.000 0.000 -	A 0.000	LYAL A U.UU CAA-AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	B 0.000	C 0.000	B 0.000 1.015	B 0.000 1.015 0.998 0.998	B 0.000 - 1 1.015 1 1.015 1 C 0.998 C - 0.521 - 0.521	B 0.000 1 1.015 A 1.015 A 0.998 A - 0.998 A - 0.998 A - 0.521 A - 0.521 A - 0.521
	0.124																		
	0.000	0.000																	
								The state of the second											
Quercus petraea (g)				1			は我をはるのである												
Sorbus aucuparia (g)																			
Tilia platyphyllos (g)							### ### ### ### ###												
other (g)	0.000	0.000	0.000	0.000	0.000	12.73		3. 3. • .		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000

_
(gg)
species (
per
<b>Oryweight</b>

(other = contaminants)

other (g)	0.000	0.000	0.108	0.036	0.000	0.000	0.000	0.557	0.000	0.497	0.000	0.032	0.000	0.092	0.000	0.023	0.00.0	0.000	0.010
Tilia platyphyllos ot	0.000	f .	-	,		1	-	1	-	ŧ	-	-	) -	1	#	-	1	) -	) -
Sorbus aucuparia (g)		0.000	0.000	0.000	1		# 10 A A A A A A A A A A A A A A A A A A		* * * * * * * * * * * * * * * * * * *		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.018
Quercus petraea (g)														7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A, 1, 1, 5, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	20 A 20 A 20 A 20 A 20 A 20 A 20 A 20 A	74 474, A1 474, A1 474		10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (
Prunus avium (g)		0.000	0.000	0.000	18 5 3 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			æ	• • • • • • • • • • • • • • • • • • •	**************************************		<b>.</b>	1	0.000	0.000	0.000	0.000	0.000	0.000
Fraxinus excelsior (g)		0.000	0.000	0.000							0.000	0.000	0.000						
Fagus sylvatica (g)								0.264	0.000	0.000	0.100	0.000	0.007	10 10 10 10 10 10 10 10 10 10 10 10 10 1					
Carpinus betulus (g)					0.000	0.000	0.040		**************************************	4 . A.	0.144	0.000	0.111		•	-		100	
Betula pendula (g)			1								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1			Section 3			
Aesculus hippocastanu m (g)								0.000	0.000	0.000	**************************************	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1			0.000	0.000	0.002
Acer pseudoplatan us (g)		0.000	0.000	0.000							# 1						0.000	0.000	0.000
Plot ID Trap ID	U	۲	മ	C	A	B	J	A	В	C	A	ш	U	А	В	C	А	83	C
25/15/25/20 (1994) (1995) (1995) (1995) (1995)	20.E1	21.A4	21.A4	21.A4	22.E1	22.E1	22.E1	23.AE2	23.AE2	23.AE2	24.AE4	24.AE4	24.AE4	25.A2	25.A2	25.A2	26.A4	26.A4	26.A4
Sampling date (YYYY- MIM-DD)																			

Litterfall project - MyDiv Elisabeth Bönisch

Dryweight per species (g) (other = contaminants)

		1	T	T	T	1	-	1	T	r		T	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	T	1	I	ī .	1	
																			Sampling date (YYYY- MM-DD)
32.E4	31.A1	31.A1	31.A1	30.E4	30.E4	30.E4	3.A2	3.A2	3.A2	29.E2	29.E2	29.E2	28.AE4	28.AE4	28.AE4	27.E1	27.E1	27.E1	Plot ID
А	C	В.	Þ	C	œ	A	C	₿	⊳	С	œ	Þ	C	В	Þ	C	В	Þ	Trap ID
			100 mm	Park Solid United	•	U g	1	1		1	ţ	<b>*</b>	<b>1</b>	<b>1</b>	<b>I</b>	: •	1	-	Acer Aesculus pseudoplatan hippocastanu us (g) m (g)
							1 (1) 1 (1)		- 10 miles	100 100 100 100 100 100 100 100 100 100			0.000	0.000	0.023				Aesculus hippocastanu m (g)
0.023				0.000	0.000	0.095			- A	.1.	**************************************	•	The state of the s	Les per	##(## 	0.000	0.062	0.000	Betula pendula (g)
0.212										* (1) * (2) (3) (4)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 (1) 1 (1) 1 (1) 1 (1) 1 (1) 1 (1) 1 (1)		*	-		Carpinus betulus (g)
0.000		7	1	0.000	0.000	0.000				0.000	0.110	0.334			20 A		1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1		Fagus sylvatica (g)
							0.000	0.000	0.000				0.000	0.056	0.000				Fraxinus excelsior (g)
	0.000	0.000	0.000									\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	**************************************	1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Prunus avium (g)
0.000			-	0.164	0.051	0.204							0.000	0.000	0.000				Quercus petraea (g)
							0.000	0.000	0.000										Sorbus aucuparia (g)
				0.000	0.000	0.000				0.176	0.000	0.000	0.000	0.285	0.000	*	1 1 1	- 23	Tilia platyphyllos (g)
0.000	0.142	0.031	0.032	0.000	0.000	0.000	0.127	0.116	0.000	0.183	0.000	0.350	0.000	0.000	0.054	0.000	0.000	0.000	other (g)

Dryweight per species (g)

Litterfall project - MyDiv

Elisabeth Bönisch

			T	T	T	i .	T	1	T	1		<u> </u>	T	T	T		T	i e	1
other (g)	0.000	0.000	0.000	0.000	0.075	0.000	0.000	0.000	0.000	0.000	0.086	0.000	0.000	0.000	0.159	0.274	0.000	0.050	0.000
Tilia platyphyilos (g)	1		1			0.000	0.000	0.000		‡	ı	0.000	0.000	0.000		#	*	*	
Sorbus aucuparia (g)					1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	1		1	- 12 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	•	**************************************			*	ŧ .	0.008	0.035
Quercus petraea (g)	0.056	0.000		1.00		0.094	0.000	0.000									•	1.204	0.356
Prunus avium (g)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*	1 1 1 1 1 1 1	<b>!</b>	•	N 12	1	1 · .	# 	1	0.000	0.000	0.000	<b>.</b>	_	_		
Fraxinus excelsior (g)				1		1 A A A A A A A A A A A A A A A A A A A													_
Fagus sylvatica (g)	0.033	0.061				0.000	0.000	0.000				0.000	0.000	0.000		-			•
Carpinus betulus (g)	0.000	0.000				0.165	0.000	0.000			100 - 100 M				0.169	690.0	0.159		
Betula pendula (g)	0.009	0.000	1.0							<b>1</b>	1 00	• • • • • • • • • • • • • • • • • • •		• 1	0.172	0.065	0.000		
Aesculus hippocastanu m (g)			0.087	0.000	0.000				0.000	0.000	0.000				**************************************				j
Acer Aesculus pseudoplatan hippocastanu us (g) m (g)									0.000	0.000	0.000	0.000	0.000	0.000					,
	മ	U	A	Ш	υ	A	æ	Ú	A	В	U	A	В	U	А	മ	C	A	മ
Plot ID Trap ID	32.E4	32.E4	33.A1	33.A1	33.A1	34.E4	34.E4	34.E4	35.A2	35.A2	35.A2	36.AE4	36.AE4	36.AE4	37.E2	37.E2	37.E2	38.AE2	38.AE2
Sampling date (YYYY- MM-DD)																		- any effe	- 1

Dryweight per species (g) (other = contaminants)

JANUARY 2024

Dryweight per species (g)

Litterfall project - MyDiv

Y 2(	60			Ī	]_													<del> </del>		
JANUARY 20	other (g)	0.043	0.053	0.223	0.000	0.000	0.000	0.000	0.013	0.000	0.000	0.114	0.000	0.000	0.504	0.463	0.000	0.039	0.000	0.000
\$	Tilia platyphyllos (g)	•	1	1	0.000	0.000	0.000		ą	-		100		0.000	0.068	0.000	•	1	1 2000 2000 2000 2000	1
	Sorbus aucuparia (g)	0.000	0.000	0.000		<b>I</b>	1	# 10 mm	1	ı		•	1				0.000	0.000	0.000	•
	Quercus petraea (g)				0.000	0.022	0.000				0.683	0.816	1.514	*	-		-			0.261
	Prunus avium (g)	0.000	0.000	0.000		1 %	- W		<b>)</b>	ŧ										
pecies (g) minants)	Fraxinus excelsior (g)	0.000	0.000	0.000																
(other = contaminants)	Fagus sylvatica (g)								**************************************					0.00.0	0.019	0.000	0.173	0.063	0.042	
0)	Carpinus betulus (g)				0.000	0.107	0.000		1	7 (8) V				0.000	0.047	0.000				
	Betula pendula (g)				0.000	0.000	0.000							0.000	0.007	0.103	0.000	0.066	0.056	0.000
	Aesculus hippocastanu m (g)	0.000	0.000	0.000				* 1				•	•	1			0.000	0.000	0.000	
	Acer Aesculus pseudoplatan hippocastanu us (g) m (g)							0.000	0.000	0.000		1	1		•					
	Plot ID Trap ID	А	ω	U	А	В	U	A	83	U	∢ .	മ	U	٧	ш	υ	⋖	В	U	4
önisch		44.A4	44.A4	44.A4	45.E4	45.E4	45.E4	46.A1	46.A1	46.A1	47.E1	47.E1	47.E1	48.E4	48.E4	48.E4	49.AE4	49.AE4	49.AE4	5.62
Elisabeth Bönisch	Sampling date (YYYY- MIM-DD)	NAMES AND ASSESSED BY							ATTACA MARKANIA										oxo-ueomemi	

Dryweight per species (g) (other = contaminants)

																, .			Sampling date (YYYY- MM-DD)
55.AE4	55.AE4	54.A2	54.A2	54.A2	53.A4	53.A4	53.A4	52.A2	52.A2	52.A2	51.E2	51.E2	51.E2	50.A1	50.A1	50.A1	5.E2	5.E2	Plot ID
œ	А	С	8	Α	С	В	А	С	В	Α	С	В	А	С	В	А	<sup>⊕</sup> С	В	Пгар ID
	- 100 mm m	0.000	0.000	0.000	0.048	0.000	0.000	0.000	000.0	0.000	1	ŀ	-	ì	l .	-	<b>*</b>	1	Acer pseudoplatan us (g)
0.000	0.000				0.000	0.000	0.000				- 100 mm	*		0.027	0.000	0.383		- 449	Aesculus hippocastanu m (g)
				•						- -		an and a second	_	_	=	**************************************	0.000	0.000	Betula pendula (g)
0.075	0.000	1		1					1. A		0.121	0.541	0.473			- 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12	* 1	•	Carpinus betulus (g)
																		-	Fagus sylvatica (g)
					0.000	0.189	0.806	0.000	0.000	0.000		-	4.00 m						Fraxinus excelsior (g)
0.000	0.000		11 14 14 14 14 14 14 14 14 14 14 14 14 1		0.000	0.000	0.000		1	•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	± 1	• 10	***************************************			•		Prunus avium (g)
•											0.039	0.279	0.583			- Constitution of the cons	0.217	0.896	Quercus petraea (g)
1		0.000	0.000	0.000								**************************************							Sorbus aucuparia (g)
0.000	0.000	-								*		• • • • • • • • • • • • • • • • • • •					**************************************	**************************************	Tilia platyphyllos (g)
0.000	0.021	0.000	0.000	0.000	0.022	0.000	0.207	0.248	0.079	, 0.907	0.000	0.000	0.000	0.269	0.000	0.000	0.000	0.000	other (g)

(S)
ecies (
per sp
ight p
Drywe

JANUARY 20	other (g)	0.000	0.000	0.029	0.112	0.041	0.000	0.231	0.000	0.000	0.000	0.000	0.000	0.000	0.065	0.008	0.144	0.700	0.000	0.000
JAN	Tilia platyphyllos (g)	0.000	1	\$	\$	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			0.000	0.000	0.000	1 1 2 1213 2 1213 2 1213	The same of the sa		1	ŧ	ı	0.000	0.000	0.000
	Sorbus aucuparia (g)			1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (1.00 (		-		•				0.000	0.000	0.000	0.000	0.000	0.004	- 1	13 41 22 3 - 13 1 - 13	
	Quercus petraea (g)				-	2.065	0.826	0.854	0.062	0.554	0.000									
	Prunus avium (g)	0.000	<b>-</b>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•			7							-	-	-			
species (g) minants)	Fraxinus excelsior (g)		_				1					0.000	0.000	0.000	0.000	0.000	0.000	0.081	0.236	0.032
Dryweight per species (g) (other = contaminants)	Fagus sylvatica (g)	-	T.353	0.263	0.317			_	0.000	0.118	0.000									
o)	Carpinus betulus (g)	0.000		1. L					0.149	0.020	0.258						**************************************	1 0	Table	
	Betula pendula (g)																**************************************	0.026	0.000	0.000
	Aesculus hippocastanu m (g)	0.000				0:000	0000	0.000			•	0.000	0.000	0.000	0.000	0.000	0.000			
	Plot ID Trap ID pseudoplatan hippocastanu us (g) m (g)									T.		0.000	0.000	0.000	0.126	0.000	0.000	0.000	0.000	0.000
MyDiv	Trap ID	U	A	В	U	А	В	C	∢	Ф	C	۲	Ф	U	A	മ	U	∢	ш	υ
roject - 3önisch		55.AE4	26.E1	26.E1	56.E1	57.AE2	57.AE2	57.AE2	58.E4	58.E4	58.E4	59.A4	59.A4	59.A4	6.A4	6.A4	6.A4	60.AE4	60.AE4	60.AE4
Litterfall project - MyDiv Elisabeth Bönisch	Sampling date (YYYY- MM-DD)	10 local Antique per anni de	- Company of the Comp	NO COMPANY AND THE REAL PROPERTY AND THE PROPER												- Annua				

Dryweight per species (g) (other = contaminants)

																			Sampling date (YYYY-MM-DD)
67.AE2	66.A4	66.A4	66.A4	65.AE2	65.AE2	65.AE2	64.A2	64.A2	64.A2	63.E2	63.E2	63.E2	62.E2	62.E2	62.E2	61.A1	61.A1	61.A1	/- Plot ID
A	C	В	A	С	В	Α	. с	В	Þ	С	В	≻	С	. 03	А	С	Б	А	Trap ID
	0.000	0.000	0.000			4.4 1.45 2.34 1.45 1.45 2.45 4.45 4.45	1. A		- 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Ē	1	-	t	ı		Acer pseudoplatan us (g)
)				-			0.000	0.000	0.000					*	100	- 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	*		Aesculus hippocastanu m (g)
		- 4		# ************************************		**************************************	+ ii		- 100 mg	0.005	0.050	0.056		-	::::A	*	-		Betula pendula (g)
				0.064	0.256	0.296						***************************************	0.000	0.000	0.129	1 1 1 1 1 1 1 1 1	, S		Carpinus betulus (g)
0.141										0.060	0.158	0.041		- 2					Fagus sylvatica (g)
0.079	0.000	0.000	0.055								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			<b>1</b>		0.000	0.000	0.000	Fraxinus excelsior (g)
	0.000	0.000	0.000	1			0.000	0.000	0.000					-					Prunus avium (g)
		1 (1)				•												= 1	Quercus petraea (g)
	0.011	0.000	0.000	0.000	0.000	0.000							- 1	A					Sorbus aucuparia (g)
											-	********	0.000	0.000	0.000	•			Tilia platyphyllos (g)
0.000	0.000	0.000	0.000	0.000	0.025	0.000	0.000	0.000	0.084	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	other (g)

JANUARY 2024

Dryweight per species (g) (other = contaminants)

Litterfall project - MyDiv

7			T	1		n'innedan'indélalar	1023/2			***************************************			5-1000000000000000000000000000000000000	your name and			<del> </del>		v22360000000000000	
JANUARY 20	other (g)	0.000	0.000	0.000	0.020	0.237	0.053	0.000	0.022	0.031	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.392	0.241
JAN	Tilia platyphyilos (g)					-	-		ş	0.000	0.000	0.000	0.000	0.000	0.000	Į.		J		1
	Sorbus aucuparia (g)	**************************************	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.084	960.0	0.000	- N.	1	1		- - - - - - - - - - - - - - - - - - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<b>-</b>	<b>1</b>			1		-
	Quercus petraea (g)	•								0.107	0.000	0.311				0.164	0.000	0.000		
	Prunus avium (g)	**************************************		* 		- 10 A	0.000	0.000	0.000	•	_	-	<b>4</b>		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1	<b>1</b>	l
ninants)	Fraxinus excelsior (g)	0.000	0.000				0.000	0.062	0.000								***			
(other = contaminants)	Fagus sylvatica (g)	0.100	0.078													0.147	0.032	0.461		
0)	Carpinus betulus (g)									0.124	0.000	0.174		* AA		0.066	0.010	0.216	0.168	0.084
	Betula pendula (g)					4 L				0.031	0.000	0.000		1		0.100	0.055	0.000		•
	Aesculus hippocastanu m (g)									•										* 10 miles
	Acer Aesculus pseudoplatan hippocastanu us (g) m (g)																			# 1 m
,	Trap ID	В	U	A	æ	U	А	В	U	А	æ	၁	А	Ф	Ú	A	В	ပ	A	В
önisch	Plot ID Trap ID	67.AE2	67.AE2	68.A1	68.A1	68.A1	69.A2	69.A2	69.A2	7.E4	7.E4	7.E4	70.E1	70.E1	70.E1	71.E4	71.E4	71.E4	72.E1	72.E1
Elisabeth Bönisch	Sampling date (YYYY- MM-DD)						www.wiew	CNO STORY						UNITED IN COLUMN TO SERVICE OF THE SERVICE OF						

Dryweight per species (g) (other = contaminants)

																			Sampling date (YYYY-MM-DD)
78.AE2	78.AE2	78.AE2	77.A1	77.A1	77.A1	76.E1	76.E1	76.E1	75.AE4	75.AE4	75.AE4	74.A4	74.A4	74.A4	73.A2	73.A2	73.A2	72.E1	Y- Plot ID
С	B	۵	С	В	Þ	С	В	А	С	В	Α	C	œ	Þ	С	В	А	С	TrapilD
0.000	0.000	0.000				- 13 - 13 - 13 - 13 - 13 - 13 - 13 - 13			0.000	0.000	0.000	0.000	0.000	0.000	)	<b>!</b>	-		Acer pseudoplatan us (g)
1									_			0.000	0.000	0.000	0.000	0.000	0.000		Aesculus hippocastanu m (g)
	-	-		**************************************		0.015	0.045	0.000	•		-	**************************************	**************************************	* ************************************	*	*		- -	Betula pendula (g)
									0.135	0.083	0.077						1	0.053	Carpinus betulus (g)
																	1		Fagus sylvatica (g)
																1			Fraxinus excelsior (g)
			0.000	0.000	0.000							0.000	0.000	0.000	1	#	1 (1) 4 (2) 4 (3) 5 (4) 1 (4) 1 (4)		Prunus avium (g)
									0.000	0.000	0.000	**************************************							Quercus petraea (g)
						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			0.000	0.100	0.000	0.000	0.000	0.000	0.000	0.377	0.000		Sorbus aucuparia (g)
0.000	0.000	0.000		1								*		-		- 1		***************************************	Tilia platyphyllos (g)
0.036	0.058	0.032	0.000	0.353	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.029	0.000	0.000	0.000	0.000	0.212	other (g)

(g)
Dryweight per species

Litterfall project - MyDiv

Elisabeth Bönisch

	F	·	**		***************************************	7						
other (g)	0.000	0.000	0.000	0.000	0.000	0.179	0.000	0.000	0.555	0.000	0.000	0.000
Tilia platyphyllos (g)	0.000	0.000	0.000	ı	1	-	-	1	,		2	<b>‡</b>
Sorbus aucuparia (g)	1	1	ŧ			-	-	1	1	-	dia .	ŧ
Quercus petraea (g)	0.038	0.000	0.000		2.3 2.3 2.4 (2.3) 2.4 (2.3)	1	0.098	0.234	0.250	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		
Prunus avium (g)	<b>.</b>	1	*		t .	ŧ	1	-	ı	0.000	0.000	0.000
Fraxinus excelsior (g)			* 1	0.000	0.000	0.031	N. + 	1		_		-
Fagus sylvatica (g)	0.000	0.000	0.136	•	**************************************		0.079	0.115	0.197		*	•
Carpinus betulus (g)		•		•	ı	*	•		-	•	**************************************	
Betula pendula (g)	0.000	0.031	0.000	**************************************		•	•	ì	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
Aesculus hippocastanu m (g)		***************************************			4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	- - -	- 1		n Same I was			-
Sampling date (YYYY- MM-DD)  Sampling Acer Aesculus adate (YYYY- Plot ID Trap ID pseudoplatan hippocastanu us (g) m (g)						Section of the section of			And the foundation of the first	0.000	0.000	0.000
Trap 1D	А	В	U	А	മ	C	А	В	C	А	æ	C
Plot ID	79.E4	79.E4	79.E4	8.A1	8.A1	8.A1	80.E2	80.E2	80.E2	9.A2	9.A2	9.A2
Sampling date (YYYY- MM-DD)		1										

