Conv	olutions	and	noolina
COLIV	Olutions	anu	poomi

	$\overline{}$		
1 () i i	estion	1

Choose correct statements about convolutional layer:

- () Convolutional layer doesn't need a bias term
- (X) Convolutional layer works the same way for every input patch

Correct

Because kernel parameters are shared!

- () Convolutional layer provides translation invariance
- (X) Convolutional layer is a special case of a fully-connected layer

Correct

Convolutional layer can be viewed as a special case of a fully connected layer when all the weights outside the local receptive field of each output neuron equal 0 and kernel parameters are shared between neurons

1 / 1 point

2.Question 2

Choose correct statements about pooling layer:

- () Pooling layer is strictly differentiable
- (X) Pooling layer provides translation invariance

Correct

Remember the slash classifier example? Taking maximum gave us translation invariance.

- () Pooling layer reduces the number of convolutional filters
- (X) Pooling layer can reduce spatial dimensions (width and height of the input volume)

Correct

When used with stride > 1

1 / 1 point

3. Question 3

Back-propagation for convolutional layer first calculates the gradients as if the kernel parameters were not shared and then...

- () Takes a mean of the gradients for each shared parameter
- (X) Takes a sum of gradients for each shared parameter
- () Takes a maximum gradient for each shared parameter
- () Takes a minimum gradient for each shared parameter

Correct

That's it!

1 / 1 point

4. Question 4

Suppose you have a 10x10x3 colour image input and you want to stack two convolutional layers with kernel size 3x3 with 10 and 20 filters respectively. How many parameters do you have to train for these two layers? Don't forget bias terms!

Preview

2100

(3*3*3+1)*10+(3*3*10+1)*20

Correct

(3*3*3+1)*10 + (3*3*10+1)*20

1 / 1 point

5.Question 5

What receptive field do we have after stacking n convolutional layers with kernel size kxk and stride 1? Layers numeration starts with 1. The resulting receptive field will be a square, input its side as an answer.

Preview

kn-n+1

(k - s) * n + 1

k*n-n+1

Correct

1 / 1 point