Models on the Peer Models Network

Amin Adibi, Stephanie Harvard, Mohsen Sadatsafavi

2020 - 06 - 19

Contents

1	Introduction	5
2	ACCEPT	7
3	BODE	9
4	CFMortality	11
5	CHDWilson	13
6	CODEX	15
7	COVIDSEIR	17
8	CVDAnderson	19
9	EPIC	21
10	FEV1	23
11	QRISK3	25
12	API Users' Guide	27
	12.1 ACCEPT	27
	10.0 FFEM	20

4 CONTENTS

Introduction

This user guide includes information about models hosted on the Peer Models Network.

ACCEPT

Field	Value
Model Name	Acute COPD Exacerbation Prediction Tool (ACCEPT)
Modelling Team	RESP
Publication	doi:10.1016/S2213-2600(19)30397-2
Purpose	Predict probability, rate, and severity of COPD exacerbations
Video	The ACCEPT Model in 90 Seconds
Interviews	Amin Adibi on ACCEPT
Media	COPD exacerbations: finally, a more than ACCEPTable risk score
Web App	ACCEPT web App
R Package	accept
Excel Sheet	Being Updated
API User Guide	Link

BODE

Field	Value
Model Name	The Body-Mass Index, Airflow
	Obstruction, Dyspnea, and Exercise
	Capacity Index
Modelling Team	Celli et al.
Publication	$10.1056/{ m NEJMoa}021322$
Outcome	Mortality Risk
R Package	bode
API User Guide	Link

CFMortality

Field	Value
Model Name	Mortality prediction models in cystic fibrosis
Modelling Team	Stanojevic et al.
Publication	10.1183/13993003.00224-2019
Outcome	Mortality Risk
Video	·
R Package	cfmortality
API User Guide	Link

CHDWilson

Field	Value
Model Name	Prediction of Coronary Heart Disease
	Using Risk Factor Categories
Modelling Team	Wilson et al.
Publication	10.1161/01.CIR.97.18.1837
Outcome	Coronary Heart Disease
R Package	chdwilson
API User Guide	Link

CODEX

Field	Value
Model Name	The CODEX (comorbidity,
	obstruction, dyspnea, and previous
	severe exacerbations) Index
Modelling Team	Almagro et al.
Publication	10.1378/chest.13-1328
Outcome	Survival and readmission at both 3
	months and 1 year after hospital
	discharge for a COPD exacerbation
R Package	covidseir
API User Guide	Link

COVIDSEIR

Field	Value
Model Name	Bayesian SEIR model to estimate physical-distancing effects
Modelling Team	Anderson et al.
Publication	10.1101/2020.04.17.20070086
Outcome	COVID-19 Cases
R Package	covidseir
API User Guide	Link

CVDAnderson

Field	Value
Model Name	Prediction of Coronary Heart Disease Using Risk Factor Categories
Modelling Team	Anderson et al.
Publication	10.1016/0002-8703(91)90861-B
Outcome	CHD, MI, CHD Mortality, Stroke,
	CVD, CVD Mortalitye
R Package	cvdanderson
API User Guide	Link

EPIC

Field	Value
Model Name	Evaluation Platform in COPD (EPIC)
Modelling Team	RESP
Publication	doi:10.1177%2F0272989X18824098
Outcome	Patient-level outcomes, as well as
	mortality, prevalence, QALYs, costs,
	etc.
Video	The EPIC Model in 2 Minutes
R Package	m epic R
Excel Sheet	Being Updated
API User Guide	Link

FEV1

Field	Value
Model Name Modelling Team	Individualized prediction of lung-function decline in COPD RESP
Publication Outcome Video	doi:10.1503/cmaj.151483 fev1
Web App R Package API User Guide	FEV1 web App fev1 Link

QRISK3

Field	Value
Model Name	10-Year Cardiovascular Disease Risk Calculator
Modelling Team	Hippisley-Cox et al.
Publication	10.1136/bmj.j2099
Outcome	10-yr risk of heart attack/stroke
R Package	QRISK3
API User Guide	Link

API Users' Guide

12.1 ACCEPT

Cloud Access through R

User's can access models on the Peer Models Network using the peermodels R package, available on GitHub. The following code snippet illustrates how you can run the model for example patients provided in the accept package:

```
remotes::install_github (resplab/peermodels)
library(peermodels)
connect_to_model("accept", api_key = YOUR_API_KEY)
input <- get_default_input()
results <- model_run(input)</pre>
```

Cloud Access through Python

```
import json
import requests
url = 'https://prism.peermodelsnetwork.com/route/accept/run'
headers = {'x-prism-auth-user': YOUR_API_KEY}
model_run = requests.post(url, headers=headers,
json = {"func":["prism_model_run"],"model_input":[{"ID": "10001","male": 1,"age": 57,"smoker": 0,
print(model_run)
results = json.loads(model_run.text)
print(results)
```

Cloud Access through Linux Bash

In Ubuntu, you can call the API with curl:

```
curl \
-X POST \
-H "x-prism-auth-user: REPLACE_WITH_API_KEY" \
-H "Content-Type: application/json" \
-d '{"func":["prism_model_run"],"model_input":[{"ID": "10001","male": 1,"age": 57,"smointtps://prism.peermodelsnetwork.com/route/accept/run
```

12.2 FEV1

Cloud Access through Linux Bash

In Ubuntu, you can call the API with curl:

```
curl \
-X POST \
-H "x-prism-auth-user: REPLACE_WITH_API_KEY" \
-H "Content-Type: application/json" \
-d '{"func":["prism_model_run"],"model_input":[{"male":1,"age":70,"smoker":1,"FEV1":2.1
https://prism.peermodelsnetwork.com/route/fev1/run
```