

Positioning a Scene's Origin Within its View

Try the different ways to configure the scene's origin inside its view.

Overview


You use the scene's `anchorPoint` to orient the default screen position of its nodes. For example, setting the scene's `anchorPoint` to $(0,0)$ makes child nodes with a position of $(0,0)$ display at the bottom-left corner of the scene. However, setting the scene's `anchorPoint` to $(0.5,0.5)$ makes child nodes with a position of $(0,0)$ display in the center of the scene. You only use the scene's `anchorPoint` for scene's that don't have a camera. If, however, you set a scene's camera, then the `camera` drives which portion of the scene is visible at any given time, and the `anchorPoint` is ignored.

Set the Scene's Origin to the Bottom-Left of its View

By default, a scene's origin is placed in the lower-left corner of the view, as shown in the figure below. A scene initialized with a height of 1024 and a width of 768 has the origin $(0,0)$ in the lower-left corner, and the $(1024,768)$ coordinate in the upper-right corner. The `frame` property holds $(0,0)-(1024,768)$.

A scene's `position` property is ignored by Scene Kit because the scene is always the root node for a node tree. Its default value is `zero` and you can't change it. However, you can move the scene's origin by setting its `anchorPoint` property. The anchor point is specified in the unit coordinate space and chooses a point in the enclosing view.

FIGURE 1 DEFAULT ANCHOR FOR A SCENE IS IN THE LOWER-LEFT CORNER OF THE VIEW




The default value for the anchor point is `zero`, which places it at the lower-left corner. The scene's visible coordinate space is $(0,0)$ to $(width,height)$. The default anchor point is most useful for games that do not scroll a scene's content.

Center the Scene's Origin Within its View

The second-most common anchor point value is $(0.5,0.5)$, which centers the scene's origin in the middle of the view as shown in the figure below. The scene's visible coordinate space is $(-width/2,-height/2)$ to $(width/2,height/2)$. Centering the scene on its anchor point is most useful when you want to easily position nodes relative to the center of the screen, such as in a scrolling game. However, this effect is better achieved using a `SKCameraNode`.

FIGURE 2 MOVING THE ANCHOR POINT TO THE CENTER OF THE VIEW



As a result of setting the `anchorPoint` and `size`, you indirectly set the scene's frame, which determines the portion of the scene that's visible to the user.