adenocarcinoma Indometrioid, Nos 8380/3 Site: Indometriem, NOS C.54.1 pu

UUID:BE7CC54D-8220-4AC6-9F8D-016DE4167B35 TCGA-BG-A0W1-01A-PR Redacted

PATIENT HISTORY:

LMP: Not provided. Not provided. PRE-OP DIAGNOSIS: Endometrial cancer.

POST-OP DIAGNOSIS: Same.

PROCEDURE: Exploratory laparotomy, total abdominal hysterectomy, bilateral salpingo-oophorectomy, omentectomy, lymph node

SYNOPTIC - PRIMARY UTERINE ENDOMETRIAL TUMORS: HYSTERECTOMY SPECIMENS

TUMOR TYPE:

Endometroid adenocarcinoma, NO6

HISTOLOGIC GRADE (epithelial neoplasm) [combined architectural and nuclear]:

ARCHITECTURAL GRADE:

Moderately differentiated (FIGO 2) Moderately differentiated

**NUCLEAR GRADE:** 

Grade 2

**TUMOR SIZE:** 

Maximum dimension: 4.6 cm

PERCENT OF ENDOMETRIAL SURFACE INVOLVEMENT:

DEPTH OF INVASION\*\*:

Anterior endomyometrium: 75 %, Posterior endomyometrium: 75 % Less than 1/2 thickness of myometrium

STRUCTURES INVOLVED:

Endocervical glands

MARGINS OF RESECTION:

ANGIOLYMPHATIC INVASION: PRE-NEOPLASTIC CONDITIONS: Vaginal margin is negative for tumor, Parametrium margin is negative for tumor No

Simple endometrial hyperplasia with atypia, Complex endometrial hyperplasia without atypia

(epithelial, smooth muscle, others), Adenomyosis, Leiomyoma

OTHER: MITOTIC RATE:

Mitotic rate: 15 / 10 HPF

LYMPH NODES POSITIVE:

Number of lymph nodes positive:: 0

LYMPH NODES EXAMINED:

EXTRANODAL EXTENSION:

Total number of lymph nodes examined: 12

DISTANT METASTASES (Excludes metastases to vagina, pelvic serosa, and adnexa. Includes lymph nodes other than regional lymph nodes.):

Absent

T STAGE, PATHOLOGIC:

pT2a

N STAGE, PATHOLOGIC:

pN0

M STAGE, PATHOLOGIC:

pMX

\

FIGO STAGE:

IJΑ

**RESIDUAL TUMOR:** 

RX

Comment:

Peritoneal washing

is reported as negative for malignant cells.

Criteria Diagnosis Discrepancy Granal / Tumor Site Discrepancy EEAM Discrepancy Prior Malignancy History Dual/Synchronous Primary No Case is (circle):