FINAL DIAGNOSIS:

PART 1: LYMPH NODES, RIGHT PERIAORTIC, BIOPSY -

TWO LYMPH NODES, NEGATIVE FOR METASTATIC TUMOR (0/2).

PART 2: LYMPH NODES, RIGHT COMMON ILIAC, BIOPSY -ONE LYMPH NODE, NEGATIVE FOR METASTATIC TUMOR (0/1).

PART 3: LYMPH NODES, LEFT COMMON ILIAC, BIOPSY -

A. BENIGN FIBROADIPOSE TISSUE. B. NO LYMPHOID TISSUE IS SEEN.

PART 4: LYMPH NODES, LEFT PERIAORTIC, BIOPSY -ONE LYMPH NODE, NEGATIVE FOR METASTATIC TUMOR (0/1).

PART 5: LYMPH NODES, LEFT EXTERNAL ILIAC, BIOPSY -FIVE LYMPH NODES, NEGATIVE FOR METASTATIC TUMOR (0/5).

PART 6: LYMPH NODES, LEFT OBTURATOR, BIOPSY -FOUR LYMPH NODES, NEGATIVE FOR METASTATIC TUMOR (0/4).

PART 7: LYMPH NODES, RIGHT EXTERNAL ILIAC, BIOPSY -FOUR LYMPH NODES, NEGATIVE FOR METASTATIC TUMOR (0/4).

PART 8: LYMPH NODES, RIGHT OBTURATOR, BIOPSY -

A. BENIGN FIBROADIPOSE TISSUE.

B. NO LYMPHOID TISSUE IS SEEN.

PART 9: UTERUS, CERVIX, BILATERAL OVARIES AND FALLOPIAN TUBES, VAGINAL HYSTERECTOMY AND BILATERAL SALPINGO-OOPHORECTOMY -

A. ENDOMETRIAL ADENOCARCINOMA, MIXED ENDOMETRIOID AND CLEAR CELL TYPE, FIGO GRADE 3, **NUCLEAR GRADE 3.**

TUMOR SIZE IS 3.6 CM.

C. TUMOR INVADES LESS THAN 5 % OF THE MYOMETRIAL THICKNESS.

D. TUMOR INVOLVES 60% OF THE ENDOMETRIAL SURFACE (100% OF THE ANTERIOR SURFACE AND 20% OF THE POSTERIOR SURFACE).

E. TUMOR INVOLVES LOWER UTERINE SEGMENT.

NO ENDOCERVICAL INVOLVEMENT IS SEEN. F.

G. NO LYMPHOVASCULAR SPACE INVASION IS SEEN.

H. ADENOMYOSIS.

LEIOMYOMA, 1.0 CM.

J. RIGHT OVARY WITH PHYSIOLOGIC CHANGES. K. RIGHT FALLOPIAN TUBE WITH NO SIGNIFICANT PATHOLOGIC CHANGES.

LEFT OVARY WITH PHYSIOLOGIC CHANGES.

M. LEFT FALLOPIAN TUBE WITH DETACHED TUMOR WITHIN THE LUMEN.



The companion pelvic wash cytology specimen described is negative for malignant cells.

CASE SYNOPSIS:

SYNOPTIC - PRIMARY UTERINE ENDOMETRIAL TUMORS: HYSTERECTOMY SPECIMENS Endometroid adenocarcinoma, NOS, Clear cell carcinoma - 9% pw TSS HISTOLOGIC GRADE (epithelial neoplasm) [combined architectural and nuclear]: -cmail \$/10/10

Poorly differentiated (FIGO 3)

ARCHITECTURAL GRADE:

Poorly differentiated

Grade 3

NUCLEAR GRADE:

Maximum dimension: 3.6 cm

TUMOR SIZE:

PERCENT OF ENDOMETRIAL SURFACE INVOLVEMENT: Anterior endomyometrium: 100 %, Posterior endomyometrium: 20 %

Less than 1/2 thickness of myometrium

DEPTH OF INVASION**:

ANGIOLYMPHATIC INVASION:

(epithelial, smooth muscle, others), Adenomyosis, Leiomyoma

Number of lymph nodes positive:: 0 OTHER:

LYMPH NODES POSITIVE: Total number of lymph nodes examined: 17

LYMPH NODES EXAMINED: pT1b T STAGE, PATHOLOGIC: pN0 N STAGE, PATHOLOGIC:

pMX M STAGE, PATHOLOGIC: İΒ

FIGO STAGE:



adenocación ma, endometrio de (m) clear all -9%) 8380/3

Site: indonetrium C541

Ju 5/3/11



