

Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
HIPAA Discrepancy		
Prior Malignancy History		
Dual/Synchronous Primary Noted		
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	22	5/11/11

ICD-0-3

Adenocarcinoma, Endometrioid, NOS 8380/3

Site: Endometrium C54.1 h 5/11

UUID: 657466BC-3CA2-4568-BF64-2905571C3666  
TCGA-B5-A0V6-01A-PR

Redacted



## Surgical Pathology Report

Patient Name: [REDACTED]  
Med Rec No: [REDACTED]  
DOB: [REDACTED]  
Gender: F  
Physician(s): [REDACTED]  
cc: [REDACTED]

Location: [REDACTED]  
Pt. Phone no: [REDACTED]

Accession #: [REDACTED]  
Taken: [REDACTED]  
Received: [REDACTED]  
Reported: [REDACTED]

History/Clinical Dx: Endometrial adenocarcinoma, Grade 1

Postoperative Dx: Pending pathology exam

### Specimen(s) Received:

- A: Uterus, cervix, bilateral tubes and ovaries
- B: Left pelvic lymph node
- C: Left aortic lymph node
- D: Right pelvic lymph node
- E: Right aortic lymph node

### DIAGNOSIS:

A. Uterus, cervix, bilateral tubes and ovaries:

ENDOMETRIAL ADENOCARCINOMA

#### Tumor Information:

Operative procedure:	TAH-BSO with staging
Histologic type:	Endometrioid
Histologic grade(FIGO):	Grade 1
Nuclear grade:	2
Tumor size:	3.5 cm
Extent of invasion:	Less than 50% of myometrium (1mm invasion; 18mm myometrial thickness)
Lympho/vascular invasion:	Not identified
Serosa:	Free of tumor
Parametrium:	Free of tumor
Cervical involvement:	Absent
Right adnexa:	Free of tumor
Left adnexa:	Free of tumor
Other findings:	Intramural leiomyomata
Special studies:	On request
Staging information:	T1b, N0

B. Left pelvic lymph nodes:

Twelve lymph nodes negative for metastasis (0/12)

C. Left aortic lymph nodes:

Three lymph nodes negative for metastasis (0/3)

D. Right pelvic lymph nodes:

Ten lymph nodes negative for metastasis (0/10)

#### Procedures Statement:

The following statement may be applicable to some of the tests performed on this specimen. This test was developed and its performance characteristics determined by the manufacturer and approved by the U.S. Food and Drug Administration. The FDA has determined that such evidence of approval is not necessary. This test is used for research purposes. It is not intended for use in clinical practice. The laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) as qualified to perform high complexity clinical laboratory testing.

**Surgical Pathology Report**

**E. Right aortic lymph nodes:**

**Five lymph nodes negative for metastasis (0/5)**

**Gross Description**

- A. Received: In formalin are three pieces of unoriented, previously opened soft tan tissue
- Labeled: "cervix, uterus, bil. tubes and ovaries"
- Weight: 95.0 gms
- Size:
- Uterus: 8.6 x 6.5 x 4.0 cm
  - Right ovary: 2.6 x 1.5 x 0.7 cm
  - Left ovary (blue): 2.2 x 1.7 x 0.8 cm
- Appearance
- Tumor
- Location: Circumferential, body and fundus of uterus
  - Size: 3.5 x 1.1 x 0.6 cm
  - Appearance: Fungating, circumferential, friable, white
  - Depth of invasion: Superficial, does not appear to involve more than 1/2 of the myometrium
  - Invasion of contiguous structures: None identified
  - Distance from margins: 3.9 cm from the cervical margin
- Cervix: Smooth, shiny, with no lesions
- Endometrium: 0.2 cm, smooth, shiny with areas of mucoid material
- Myometrium: 2.1 cm. No areas of adenomyosis identified
- Right tube and ovary: The right tube measures 5.0 x 0.8 x 0.7 cm, is grossly unremarkable, with no paratubal cystic structures identified. The right ovary cut surface is smooth, homogeneous, tan to white with no cystic structures
- Left tube and ovary (blue): Left tube is 5.7 x 0.5 x 0.4 cm, is grossly unremarkable, with no paratubal cystic structures. The left cut surface is smooth, homogeneous, white, with no cystic structures
- Lymph nodes: None identified
- Special studies: Pending
- Other: 3 well-circumscribed, white with whorled cut surface myomas, largest up to 1.7 x 1.5 x 1.1 cm.

**KEY TO CASSETTES:**

- A1 - Cervix
- A2 - Lower uterine segment
- A3-A12 - endomyometrium, with tumor in A6, A7, and A8
- A13 - Right and left parametrium (right inked black, left inked blue)
- A14 - Representative of myomas
- A15 - Right and left adnexa (left adnexa inked blue)

- B. Received in formalin labeled [redacted] left pelvic lymph node" is a fragment of yellow-tan fatty soft tissue, 10.0 grams, 4.0 x 3.0 x 2.0 cm. By palpation, there are multiple distinct nodes, pink-tan in color, 2.5 cm in greatest dimension. Submitted in toto, blocks B1-B5.

**KEY TO CASSETTES:**

- B1-B2 - One lymph node
- B3 - Five lymph nodes
- B4-B5 - Remainder of sample

- C. Received in formalin labeled [redacted] left aortic lymph node" is a fragment of yellow-tan fatty soft tissue, 1.0 grams, 1.0 x 1.0 x 0.5 cm. By palpation, there is one distinct node, pink-tan in color, 1.0 cm in greatest dimension. Submitted in toto, blocks C1-C2.

**KEY TO CASSETTES:**

- C1 - One lymph node
- C2 - Remainder of sample

## Surgical Pathology Report

- D. Received in formalin labeled "[REDACTED] right pelvic lymph node" are multiple fragments of soft tan to yellow tissue, 5.0 gms, aggregating up to 3.6 x 3.0 x 1.5 cm. There are six lymph nodes identified, largest up to 1.0 x 0.5 x 0.4 cm (inked blue). Submitted in toto in two cassettes, with six lymph nodes in D1 (largest inked blue) and rest of specimen in D2.
- E. Received in formalin labeled "[REDACTED] right aortic lymph node" is a fragment of yellow-tan fatty soft tissue, 2.0 grams, 3.0 x 2.0 x 0.5 cm. By palpation, there are multiple distinct nodes, pink-tan in color, 0.5 cm in greatest dimension. Submitted in toto, blocks E1-E2.

### KEY TO CASSETTES:

E1 - Four lymph nodes  
E2 - Remainder of sample

### Microscopic Description

The microscopic findings support the above diagnosis.

\*\*\*Electronically Signed Out [REDACTED]