Adeno carcinoma, Endometrioid, NOS 8380/3 12/9/10

Site Code: Endometrium CS4.1

Surgical Pathology

DIAGNOSIS:

A. Uterus, hysterectomy: Endometrial adenocarcinoma, endometrioid

type, FIGO grade 1 (of 3) is identified forming a mass $(4.7 \times 3.9 \times 10^{-2})$

1.9 cm) circumferentially involving the endometrial cavity. The $\,$

tumor invades 0.5 cm into the myometrium (total myometrial thickness, 2.1 cm). A separate nodule of invasive adenocarcinoma is

seen in the superficial endocervical canal. The ectocervical margin

is negative by $1.5 \, \text{cm}$. Lymphovascular space invasion is not

identified. [AJCC pT 2a NO MO].

- B. Ovary and fallopian tube, right, salpingooophorectomy: Without
 diagnostic abnormality. Frozen section histologic
 interpretation
 performed by:
- C. Ovary and fallopian tube, left, salpingo-oophorectomy: Without diagnostic abnormality. Frozen section histologic interpretation performed by:
- D. Lymph nodes, right pelvic, biopsy: Multiple (8) right pelvic lymph nodes are negative for tumor. Frozen section histologic interpretation performed by:
- E. Lymph nodes, left pelvic, biopsy: Multiple (5) left pelvic lymph nodes are negative for tumor. Frozen section histologic interpretation performed by:
- F. Lymph nodes, left pelvic, biopsy: Multiple (2) left pelvic lymph nodes are negative for tumor. Frozen section histologic interpretation performed by:



This final pathology report is based on the gross/macroscopic examination and frozen section histologic evaluation of the specimen(s). Revision based on review of H&E permanent section(s).

AMENDMENTS: (Previous Signout Date: Revision Description: Case was inappropriately staged at time of frozen section.Original Diagnosis.... A. Uterus, hysterectomy: Endometrial adenocarcinoma, endometrioid type, FIGO grade 1 (of 3) is identified forming a mass $(4.7 \times 3.9 \times$ 1.9 cm) circumferentially involving the endometrial cavity. The tumor invades 0.5 cm into the myometrium (total myometrial thickness, 2.1 cm). A separate nodule of invasive adenocarcinoma is seen in the superficial endocervical canal. ectocervical margin is negative by 1.5 cm. Lymphovascular space invasion is identified. [AJCC pT1b N0 M0].

- B. Ovary and fallopian tube, right, salpingooophorectomy: Without
 diagnostic abnormality. Frozen section histologic
 interpretation
 performed by:
- C. Ovary and fallopian tube, left, salpingo-oophorectomy: Without diagnostic abnormality. Frozen section histologic interpretation performed by:
- D. Lymph nodes, right pelvic, biopsy: Multiple (8) right pelvic
 lymph nodes are negative for tumor. Frozen section histologic
 interpretation performed by:

E. Lymph nodes, left pelvic, biopsy: Multiple (5) left pelvic

lymph nodes are negative for tumor. Frozen section histologic

interpretation performed by:

F. Lymph nodes, left pelvic, biopsy: Multiple (2) left pelvic

lymph nodes are negative for tumor. Frozen section histologic

interpretation performed by:

This final pathology report is based on the gross/macroscopic

examination and frozen section histologic evaluation of

specimen(s).

GROSS DESCRIPTION:

A. Received fresh labeled "uterus" is a 160.0 gram uterus with

attached cervix. The uterine serosa has focal fibrous adhesions.

There is a 4.7 x 3.9 x 1.9 cm mass circumferentially involving the

endometrium with a 2.1 cm myometrial thickness. There are

leiomyomas. A separate 0.7 cm nodule is seen in the endocervical

canal, 1.5 cm from the endocervical margin.

Representative sections

are submitted.

B. Received fresh labeled "right fallopian tube and ovary" is a 2.1

 \times 1.4 \times 1.0 cm ovary with a 2.9 \times 0.9 cm attached fallopian tube.

The ovary has a smooth outer surface and a solid cut surface.

Representative sections submitted.

C. Received fresh labeled "left fallopian tube and ovary" is a 2.2

x 1.4 x 1.1 cm ovary with a 4.2 x 0.8 cm attached fallopian tube.

The ovary has a smooth outer surface and a solid cut surface.

Representative sections submitted.

- D. Received fresh labeled "right pelvic lymph nodes" is a 7.4×6.9
- \times 1.7 cm aggregate of adipose and lymphatic tissue. All lymphatic

tissue submitted.

- E. Received fresh labeled "left pelvic lymph nodes" is a 4.5×4.5
- imes 1.8 cm aggregate of adipose and lymphatic tissue. All lymphatic

tissue submitted.

- F. Received fresh labeled "additional left pelvic lymph nodes" is a
- $1.1 \times 1.0 \times 0.9$ cm aggregate of adipose and lymphatic tissue. All

lymphatic tissue submitted.

BLOCK SUMMARY:

Part A: Uterus

- 1 Cervix
- 2 Lower uterine segment
- 3 Endometrium mass 1
- 4 Endometrium mass 2
- 5 Myometrium full thickness
- 6 Endometrium full thickness
- 7 Posterior uterine serosa
- 8 Cervix 12:00

Part B: Right fallopian tube and ovary

- 1 Rt ovary
- 2 Rt fallopian tube

Part C: Left fallopian tube and ovary

- 1 Lt ovary
- 2 Lt fallopian tube

Part D: Right Pelvic Lymph Nodes

- 1 Right pelvic lns 4 (D1)
- 2 Rt pelvic lns 1of2(D2)
- 3 Rt pelvic lns 2of2 (D2)
- 4 Right pelvic lns 3 (D3)
- 5 Right pelvic lns 2 (D4)

6 Right pelvic lns 1 (D5)

Part E: Left Pelvic Lymph Nodes

- 1 Left pelvic lns 1 (E1)
- 2 Left pelvic lns 3 (E2)
- 3 Left pelvic lns 1 (E3)

Part F: Additional left pelvic lymph nodes

- 1 Additiona Lt pelvic LN 2(F1)
- 2 Additional Lt pelvic LN 1(F2

V	Í
——————————————————————————————————————	No
 -	
	1-
	
- C	
WOLLED !	<u> </u>
	Yes