

Criteria	Yes	No
Diagnosis Discrepancy		<input checked="" type="checkbox"/>
Primary Tumor Site Discrepancy		<input checked="" type="checkbox"/>
HIPAA Discrepancy		<input checked="" type="checkbox"/>
Prior Malignancy History		<input checked="" type="checkbox"/>
Qual/Synchronous Primary Noted		<input checked="" type="checkbox"/>
Case is (circle): QUALIFIED / DISQUALIFIED		
Reviewer Initials: <i>BS</i>	Date Reviewed: <i>10/27/11</i>	

UUID: 17D921D9-F2ED-4F8E-8C6F-729C9A0FE5B0
TCGA-BS-A0TJ-01A-PR



Redacted

Surgical Pathology Report

Patient Name: [REDACTED]
Med Rec No: [REDACTED]
DOB: [REDACTED]
Gender: *F*
Physician(s): [REDACTED]
cc: [REDACTED]

Accession #:
Taken:
Received:
Reported:

History/Clinical Dx: Adenocarcinoma of the uterus

Postoperative Dx: Pending pathology examination

1c6-0-3

Specimen(s) Received:

- A: Uterus, cervix, tubes and ovaries
- B: Left pelvic lymph node
- C: Left aortic lymph node
- D: Right pelvic lymph node
- E: Right caval lymph node

adenocarcinoma, endometrioid, nos 8380/3

Site: Endometrium C54.1

10/27/11

DIAGNOSIS:

A. Uterus, cervix, tubes and ovaries:

ENDOMETRIAL ADENOCARCINOMA

Tumor Information:

Operative procedure:	TAH-BSO with staging
Histologic type:	Endometrioid with squamous differentiation <i>ok/lw</i>
Histologic grade(FIGO):	Grade 3
Nuclear grade:	2
Tumor size:	3.8 cm
Extent of invasion:	Greater than 50% of myometrial thickness (15mm invasion, myometrial thickness of 28mm)
Lympho/vascular invasion:	Present
Serosa:	Free of tumor
Parametrium:	Free of tumor
Cervical involvement:	Absent
Right adnexa:	Free of tumor
Left adnexa:	Free of tumor
Other findings:	Adenomyosis
Special studies:	On request
Staging information:	T1c, N0

B. Left pelvic lymph nodes:

Fifteen lymph nodes negative for metastasis (0/15)

C. Left aortic lymph nodes:

Two lymph nodes negative for metastasis (0/2)

D. Right pelvic lymph nodes:

Nineteen lymph nodes negative for metastasis (0/19)

This report is for informational purposes only. It is not intended to be used for legal or financial purposes. The information contained herein is the property of the hospital and is to be used only for the patient's care. The hospital assumes no responsibility for the use of this information for any other purpose. The information contained herein is to be used only for the patient's care. The hospital assumes no responsibility for the use of this information for any other purpose.

Surgical Pathology Report

E. Right caval lymph nodes:

Seven lymph nodes negative for metastasis (0/7)

Gross Description

A. Received: In formalin is a single piece of previously opened unoriented soft tan tissue

Labeled: "uterus, cervix, bilateral fallopian tubes and ovaries"

Weight: 160.0 gms

Size:

Uterus: 10.7 x 5.9 x 4.5 cm

Right ovary: 2.7 x 1.5 x 1.4 cm

Left ovary: 2.3 x 2.1 x 1.4 cm

Appearance

Tumor

Location: Circumferential, body of uterus

Configuration: Tan, friable, fungating

Size: 3.8 x 2.6 x 1.5 cm

Depth of invasion: Superficial, with <1/2 of involvement of the myometrium

Invasion of contiguous structures: None grossly identified

Distance from margins: 4.3 cm from the cervical margin

Cervix: Smooth, shiny, white with no lesions

Endometrium: 0.2 cm, smooth, shiny

Myometrium: 2.6 cm, with no areas of adenomyosis

Right tube and ovary (black): The right tube measures 4.2 x 0.4 x 0.4 cm, and is grossly unremarkable, with paratubal cystic structures. The cut surface of the ovary is homogeneous, tan to white, with no cystic structures.

Left tube and ovary: The left tube measures 4.6 x 0.5 x 0.4 cm, and is grossly unremarkable, with no paratubal cystic structures. The cut surface of the ovary is homogeneous, tan to white with no lesions. The left adnexa is inked blue.

Lymph nodes: None grossly identified

Special studies: Pending

Other: Multiple well-circumscribed, white with whorled cut surfaces myomas, largest up to 1.0 x 1.0 x 0.9 cm.

KEY TO CASSETTES:

- A1 - Cervix
- A2 - Lower uterine segment, full-thickness
- A3-A10 - Tumor and underlying myometrium
- A11 - Right parametrium (black)
- A12 - Left parametrium (blue)
- A13 - Right adnexa (black)
- A14 - Left adnexa (blue)

- B. Received in formalin labeled "left pelvic lymph node" are multiple fragments of soft tan to yellow tissue, 15.0 gms, aggregating up to 4.8 x 4.0 x 1.6 cm. There are 12 lymph nodes identified, largest up to 2.3 x 1.0 x 0.4 cm (inked black). Submitted in toto in six cassettes, with largest lymph node (black) in B1. Five lymph nodes in B2. Five lymph node in B3. One lymph node (yellow) in B4. Rest of specimen in B5 and B6.
- C. Received in formalin labeled "left aortic lymph nodes" are multiple fragments of soft tan yellow tissue, 2.0 gms, aggregating up to 2.0 x 1.5 x 0.3 cm. There are two lymph nodes, largest up to 1.4 x 0.6 x 0.3 cm (blue). Submitted in toto in one cassette.
- D. Received in formalin labeled "right pelvic lymph node" are multiple pieces of soft tan to yellow tissue, 22.0 gms, aggregating up to 5.8 x 5.3 x 2.4 cm. There are 13 lymph nodes, largest up to 2.5 x 0.6 x 0.3 cm (blue). Submitted in toto in five cassettes, with five lymph nodes in D1. Five lymph nodes in D2. Three lymph nodes in D3 (largest inked blue). Rest of specimen in D4 and D5.
- E. Received in formalin labeled "right caval lymph node" are four fragments of soft tan yellow tissue, 3.0 gms, aggregating up to 2.6 x 2.5 x 1.3 cm. There are seven lymph nodes, largest up to 1.4 x 0.5 x 0.3 cm (inked blue). Submitted in toto in two cassettes, with five lymph nodes in E1. And rest of specimen in E2 (largest lymph node inked blue).

Surgical Pathology Report

Microscopic Description

The microscopic findings support the above diagnosis.