Adeno careimona, Endometriaid, NOS 8380|3 /2/9/10

Surgical Pathology Site Code: Endometrium C54.1 INTISSUE DESCRIPTION:

A1 A2 A3 A4 A5 A6 A7 A8 A9 A10 A11 B1 B2 B3 B4 B5 B6 B7 B8

B9 C1 C2 C3 C4 C5 C6 D1 E1 F1 G1 H1 I1

Uterus, right ovary (2.3 x 1.0 x 0.6 cm) with 6.5 cm segment of

right fallopian tube, and left ovary (2.4 \times 1.0 \times 0.7 cm) with 6.2

cm segment of left fallopian tube together weighing 135.0 grams,

separately submitted right and left pelvic lymph nodes, separately

submitted right and left para-aortic lymph nodes above and below the

inferior mesenteric artery, right gonadal vessels (7.2 cm in length)

and left gonadal vessels (1.3 \times 0.8 \times 0.5 cm).

DIAGNOSIS:

Uterus, bilateral ovaries, and fallopian tubes; total abdominal

hysterectomy and bilateral salpingo-oophorectomy: Endometrioid

adenocarcinoma, FIGO II (of III) forming a mass (3.2 x 2.7 x 1.9 cm)

in the upper endometrial cavity. The tumor invades into the

myometrium to a maximum depth of 1.3 cm (total myometrial thickness,

2.3 cm). Lymphatic vascular invasion is not identified. The cervix

shows acute and chronic cervicitis with erosion.

Ovaries and fallopian tubes, right and left salpingooophorectomies:

No diagnostic abnormalities.

Lymph nodes, right pelvic, excision: Multiple (2 internal iliac, 2

common iliac, 1 external iliac and 2 obturator) right pelvic lymph

nodes are negative for tumor.



Lymph nodes, left pelvic, excision: Multiple (5 common iliac, 4

external iliac and 2 obturator) left pelvic lymph nodes are negative

for tumor. A specimen submitted as "left internal iliac pelvic

lymph nodes" contained no nodal tissue.

Lymph nodes, right and left para-aortic, excision: Multiple (3 left

above IMA, 4 left below IMA, 2 right above IMA, and 3 right below

IMA) para-aortic lymph nodes are negative for tumor.

Gonadal vessels, excision: Left and right gonadal vessels are

negative for tumor.

