

Likelihood ratio and decision thresholds

Marcello Di Bello and Rafal Urbaniak

SAMLE CHAPTER PLAN UPDATE

I am now realizing that perhaps the structure of the chapter could be further broken down into three chapters:

1. A chapter that shows how probabilistic thresholds are good as analytical tools, despite implementation or practical difficulties with them. This chapter would include discussions of expected utility, minimizing errors, signal detection theory, etc. A lot of this stuff is already in the extended version of the SEP entry. So main claim of this chapter is: yes, probabilistic thresholds are not good practically, but they can still be good as analytical tools. Title: "Probability Thresholds as Analytical Models of Trial Decision Making"
2. Two chapters that look at the two theoretical difficulties (naked stats and conjunction paradox, and also problem of priors). One chapter on naked statistical evidence and our informal solutions to it, based either on LR or on specific narratives (this should be followed by another chapter with the formal details).
3. Another chapter on conjunction paradox and our informal solution to it, maybe in terms of LR, BF or narratives (followed by another chapter in which the formal details are spelled out).
4. A chapter that formally addresses the two theoretical difficulties, perhaps using Bayesian Networks. This need not be included in the sample chapters we sent out. Title: "Addressing the Proof Paradoxes with Bayesian Networks".

SAMPLE CHAPTER PLAN

In rethinking the sample chapter, we should perhaps stick to a simpler structure, trying to offer a more focused and compelling argument. Right now I think we have too many possible accounts under consideration, and the structure is not very tight or cohesive. It feels more like a literature review, especially the first few sections.

So here is how I proposed we do it:

1. Begin by stating the simplest probabilistic account based on a threshold for the posterior probability of guilt/liability. The threshold can be variable or not. Add brief description of decision-theoretic ways to fix the threshold. (Perhaps here we can also talk about intervals of posterior probabilities or imprecise probabilities.)
2. Formulate two common theoretical difficulties against this posterior probability threshold view: (a) naked statistical evidence and (b) conjunction. (We should state these difficulties before we get into alternative probabilistic accounts, or else the reader might wonder why so many different variants are offered of probabilistic accounts).

R: Yes. That's what I thought.

We might also want to add a third difficulty: (c) the problem of priors (if priors cannot be agreed upon then the posterior probability threshold is not functionally operative). Dahlman I think has quite a bit of stuff on the problem of priors.

3. As a first response to the difficulties, articulate the likelihood ratio account. This is the account I favor in my mind paper. Kaplow seems to do something similar. So does Sullivan. So it's a popular view, worth discussing in its own right. You say that Cheng account is one particular variant of this account, so we can talk about Cheng here, as well.
4. Examine how the likelihood ratio account fares against the two/three difficulties above. One could make an argument (not necessarily a correct one) that the likelihood ratio account can address all

- the two/three difficulties. So we should say why one might think so, even though the argument will ultimately fail. I think this will help grab the reader's attention. This is what I have in mind:
- 4a: the LR approach solves the naked stat problem because $LR=1$ (Cheng, Sullivan) or $L1=unknown$ (Di Bello).
- 4b: the LR approach solves the conjunction problem because – well this is Dawid's point that we will have to make sense of the best we can
- 4c: the LR approach solves the priors problem b/c LR do not have priors.
5. Next, poke holes in the likelihood ratio account:
- against 4a: you do not believe $LR=1$ or $LR=unknown$, so we should talk about this
- against 4b: this is your cool argument against Dawid
- against 4c: do you believe the argument in 4c? we should talk about this
- In general, we will have to talk to see where we stand. As of now, I tentatively believe that the likelihood ratio account can solve (a) and (c), and you seem to disagree with that. Even if I am right, the account is still not good enough because it cannot solve (b).
6. Articulate (or just sketch?) a better probabilistic account overall. Use Bayesian networks, narratives, etc. I am not sure if this should be another paper. That will depend on how much we'll have to say here.

Contents

1 SAMPLE CHAPTER TITLE - "Probability Thresholds as Analytical Models of Trial Decision Making"	3
2 Introduction	3
3 Probability thresholds	4
3.1 The basic idea	4
3.2 Mixed reactions from legal practitioners	4
3.3 Implementation and idealization	6
3.4 Minimizing expected costs: higher cost ratio, higher threshold	7
3.5 Beyond just costs: the benefits of correct decisions	9
3.6 SUGGESTION	12
3.7 Minimizing overall errors	12
3.8 Interval thresholds (Finkelstein)	16
4 Theoretical challenges - NEW CHAPTER WOULD START HERE	16
4.1 The problem of priors	17
4.2 Naked statistical evidence	17
5 Conjunction paradox – NEW CHAPTER HERE DEVOTED TO PROBABILITY BASED SOLUTIONS	18
5.1 The problem	18
5.2 A closer look at the conjunction principle	19
5.3 Aggregating hypotheses and evidence	20
5.4 Bayes factor threshold	21
5.5 Likelihood ratio threshold	24
5.6 The comparative strategy	27
5.7 Rejecting the conjunction principle?	28
5.8 Specific Narratives [IDEAS OF A SOLUTION]	28
6 The likelihood strategy	29
6.1 Kaplow	30
6.2 Dawid	31
6.3 Likelihood and DAC	31
6.4 Kaplow	34

7 Challenges (again)	35
7.1 Likelihood ratio and the problem of the priors	35
7.2 Dawid's likelihood strategy doesn't help	35
7.3 Problem's with Kaplow's stuff	38
8 Probabilistic Thresholds Revised	42
8.1 Likelihood ratios and naked statistical evidence	42
8.2 Conjunction paradox and Bayesian networks	42
9 Conclusions	42
References	43

1 SAMPLE CHAPETR TITLE - "Probability Thresholds as Analytical Models of Trial Decision Making"

2 Introduction

After the evidence has been presented, examined and cross-examined at trial, trained judges or lay jurors must reach a decision. In many countries, the decision criterion is defined by law and consists of a standard of proof, also called the burden of persuasion. So long as the evidence against the defendant meets the requisite proof standard, the defendant should be found liable.

In criminal proceedings, the governing standard is 'proof beyond a reasonable doubt.' If the decision makers are persuaded beyond a reasonable doubt that the defendant is guilty, they should convict, or else they should acquit. In civil cases, the standard is typically 'preponderance of the evidence.' The latter is less demanding than the former, so the same body of evidence may meet the preponderance standard, but not meet the beyond a reasonable doubt standard. A vivid example of this difference is the 1995 trial of O.J. Simpson, who was charged with the murder of his wife. He was acquitted of the criminal charges, but when the family of the victim brought a lawsuit against him, they prevailed. O.J. Simpson did not kill his wife according to the beyond a reasonable doubt standard, but he did according to the preponderance standard. An intermediate standard, called 'clear and convincing evidence,' is sometimes used for civil proceedings in which the decision is particularly weighty, for example, a decision whether someone should be committed to a hospital facility.

How to define standards of proof—and whether they should be even defined in the first place—remains contentious (Diamond, 1990; Horowitz & Kirkpatrick, 1996; Laudan, 2006; Newman, 1993; Walen, 2015). Judicial opinions offer different, sometimes conflicting, paraphrases of what these standards mean. The meaning of 'proof beyond a reasonable doubt' is the most controversial. It has been equated with 'moral certainty' or 'abiding conviction' (Commonwealth v. Webster, 59 Mass. 295, 320, 1850) or with 'proof of such a convincing character that a reasonable person would not hesitate to rely and act upon it in the most important of his own affairs' (US Federal Jury Practice and Instructions, 12.10, at 354, 4th ed. 1987). But courts have also cautioned that there is no need to define the term because 'jurors know what is reasonable and are quite familiar with the meaning of doubt' and attempts to define it only 'muddy the water' (U.S. v. Glass, 846 F.2d 386, 1988).

To further complicate things, differences between countries and legal traditions exist. The tripartite distinction of proof standards—beyond a reasonable doubt; preponderance; clear and convincing evidence—is common in Anglo-american jurisprudence. It is not universal, however. Different countries may use different standards. France, for example, uses the standard of 'intimate conviction' for both civil and criminal proceedings. Judges deciding cases 'must search their conscience in good faith and silently and thoughtfully ask themselves what impression the evidence given against the accused and the defence's arguments have made upon them' (French Code of Criminal Procedure, art. 353). German law is similar. Germany's Code of Civil Procedure, Sec. 286, states that 'it is for the court to decide, based on its personal conviction, whether a factual claim is indeed true or not.'

While there are inevitable differences between legal traditions, the question of how strong the evidence should be to warrant a finding of civil or criminal liability has universal appeal. Any system of adjudication whose decisions are informed by evidence will confront this question in one way or another. Not all legal systems will explicitly formulate standards of proof for trial decisions. Some legal

Not sure if it is clear what you mean by this.

R: check the formulation in Poland

systems may specify rules about how evidence should be weighed without formulating decision criteria such as standards of proof. But even without explicit proof standards, the triers of facts, judges or jurors, will have to decide whether the evidence is sufficient to judge the defendant legally liable.

Need to revise this when the chapter is done.

We will not survey the extensive legal literature and case law about proof standards. We will instead examine whether or not probability theory can bring conceptual clarity to an otherwise heterogeneous legal doctrine. This chapter outlines different probabilistic approaches, formulates the most common challenges against them, and offers a number of responses from the perspective of legal probabilism. The legal and philosophical literature has focused on the theoretical and analytical challenges. We will do the same here. We will focus on two key theoretical challenges that have galvanized the philosophical literature: the problem of naked statistical evidence and the conjunction paradox. One reason to choose these two in particular is that it would be desirable to be able to handle basic conceptual difficulties before turning to more complex issues or attempting to implement probabilistic standards of proof in trial proceedings.

Here you sound like you're gonna list a bunch of reasons but you give only one. Consider adding reasons or reformulating this bit.

3 Probability thresholds

Imagine you are a trier of fact, say a judge or a juror, who is expected to make a decision about the guilt of a defendant who faces criminal charges. The prosecution presents evidence to support its accusation, and the defense offers counterevidence. As a trier of fact, you are confronted with the question whether the totality of the evidence presented at trial warrants a conviction. More specifically, the question is whether the evidence as a whole establishes the defendant's guilt beyond a reasonable doubt.

3.1 The basic idea

Legal probabilists have proposed to interpret proof beyond a reasonable doubt as the requirement that the defendant's probability of guilt, given the evidence presented at trial, meet a threshold (see Bernoulli, 1713; Dekay, 1996; Kaplan, 1968; Kaye, 1979a; Laplace, 1814; Laudan, 2006). On this interpretation, so long as the defendant's guilt is established with a sufficiently high probability, say 95%, guilt is proven beyond a reasonable doubt and the defendant should be convicted. If the probability of guilt does not reach the requisite threshold, the defendant should be acquitted. This interpretation can be spelled out more formally by means of conditional probabilities. That is, a body of evidence E establishes guilt G beyond a reasonable doubt if and only if $P(G|E)$ is above the threshold.

This interpretation is, in many respects, plausible. From a legal standpoint, the requirement that guilt be established with high probability, still short of 100%, accords with the principle that proof beyond a reasonable doubt is the most stringent standard but does not require—as the Supreme Court of Canada put it—‘proof to an absolute certainty’ and thus ‘it is not proof beyond any doubt’ (*R v Lifchus*, 1997, 3 SCR 320, 335). The plausibility of a probabilistic interpretation is further attested by the fact that such an interpretation is tacitly assumed in empirical studies about people's understanding of proof beyond a reasonable doubt (Dhimi, Lundrigan, & Mueller-Johnson, 2015). This research examines where decision-makers set the bar for convictions, say at 80% or 90% probability, but does not question the assumption that standards of proof function as probabilistic thresholds of some kind.

Reliance on probability is even more explicit in the standard ‘preponderance of the evidence’—also called ‘balance of probabilities’—which governs decisions in civil disputes. This standard can be interpreted as the requirement that the plaintiff—the party making the complaint against the defendant in a civil case—establish their version of the facts with greater than 50% probability. The 50% threshold, as opposed to a more stringent threshold of 95% for criminal cases, reflects the fact that preponderance is less demanding than proof beyond a reasonable doubt. The intermediate standard ‘clear and convincing evidence’ is more stringent than the preponderance standard but not as stringent as the beyond a reasonable doubt standard. Since it lies in between the other two, it can be interpreted as the requirement that the plaintiff establish their versions of the facts with, say, 75-80% probability.

3.2 Mixed reactions from legal practitioners

When appellate courts have examined the question whether standards of proof can be quantified using probabilities, they have often answered in the negative. One of the clearest opposition to quantification was formulated by Germany's Supreme Court, the Federal Court of Justice, in the case of Anna Anderson

who claimed to be a descendant of the Tsar family. In 1967, the Regional Court of Hamburg ruled that Anderson failed to present sufficient evidence to establish that she was Grand Duchess Anastasia Nikolayevna, the youngest daughter of Tsar Nicholas II, who allegedly escaped the murder of the Tsar family by the Bolsheviks in 1918. (Incidentally, DNA testing later demonstrated that Anna Anderson had no relationship with the Tsar family.) Anderson appealed to Germany's Federal Court, complaining that the Regional Court had set too demanding a proof standard. Siding with the lower court, the Federal Court made clear that '[t]he law does not presuppose a belief free of all doubts', thus recognizing the inevitable fallibility of trial decisions. The Court warned, however, that it would be 'wrong' to think that a trial decision could rest on 'a probability bordering on certainty' (Federal Court of Justice, February 17, 1970; III ZR 139/67).

The Anderson decision is all the more interesting as it applies to a civil case. The German court did not think trial decisions could rest on a probability, not even in a civil case. The same conclusion would be less surprising if it applied to a criminal case. For example, Buchak (2014) has argued that an attribution of criminal culpability is an ascription of blame which requires a full belief in someone's guilt, and a proposition that is highly probable on the evidence, no matter how high its probability, cannot amount to a full belief. One is left wondering, however. If a high probability of guilt short of 100% isn't enough and certainty cannot be required either, how else could the standard of proof be met? The question becomes more pressing in civil cases if we replace 'guilt' with 'civil liability'. Anticipating this worry, Germany's Federal Court in the Anderson case endorsed a conception of proof standards that acknowledges the inevitable fallibility of trial decisions while at the same time maintaining the need for certainty. The Federal Court wrote that a judge's decision must satisfy 'a degree of certainty which is useful for practical life and which makes the doubts silent without completely excluding them' (Federal Court of Justice, February 17, 1970; III ZR 139/67).

The words of Germany's Federal Court echo dilemmas that bedeviled early theorists of probability and evidence law. When Jacob Bernoulli—one of the pioneers of probability theory—discusses the requirement for a criminal conviction in his *Ars Conjectandi* (1713), he writes that 'it might be determined whether 99/100 of probability suffices or whether 999/1000 is required' (part IV). This is one of the earliest suggestions that the criminal standard of proof be equated with a threshold probability of guilt. A few decades later, the Italian legal penologist Cesare Beccaria in his celebrated treatise *On Crimes and Punishments* (1764) remarks that the certainty needed to convict is 'nothing but a probability, though a probability of such a sort to be called certainty' (chapter 14). This suggestive yet admittedly elusive remark indicates that the standard of decision in criminal trials should be a blend of probability and certainty. But what this blend of probability and certainty should be like is unclear. At best, Beccaria's suggestion brings us back to paraphrases of proof beyond a reasonable doubt such as 'moral certainty' or 'abiding conviction'.

Not all legal practitioners, however, resist a probabilistic interpretation of standards of proof. Some actually find such interpretation plausible, even obvious. For example, Justice Harlan of the United States Supreme Court writes:

... in a judicial proceeding in which there is a dispute about the facts of some earlier event, the factfinder cannot acquire unassailably accurate knowledge of what happened. Instead, all the factfinder can acquire is a belief of what probably happened. The intensity of this belief – the degree to which a factfinder is convinced that a given act actually occurred – can, of course, vary. In this regard, a standard of proof represents an attempt to instruct the factfinder concerning the degree of confidence our society thinks he should have in the correctness of factual conclusions for a particular type of adjudication.¹

After this methodological premise, Justice Harlan explicitly endorses a probabilistic interpretation of standards of proof, using the expression 'degree of confidence' instead of 'probability':

Although the phrases 'preponderance of the evidence' and 'proof beyond a reasonable doubt' are quantitatively imprecise, they do communicate to the finder of fact different notions concerning the degree of confidence he is expected to have in the correctness of his factual conclusions.

Justice Newman of United States Court of Appeals for the Second Circuit proposes a similar definition. He worries that words such as 'probability' or 'likelihood' may confuse jurors, as these words often qualify predictions about future events that may or may not occur. Instead, Newman prefers the

¹In *re Winship*, 397 U.S. 358, 370 (1970). This is a landmark decision by the United States Supreme Court establishing that the beyond a reasonable doubt standard must be applied to both adults and juvenile defendants.

expression ‘degree of certainty’. In characterizing proof beyond a reasonable doubt, he writes:

Were I the trier of fact, I would think about my own degree of certainty about the defendant’s guilt, and, with a scale of 0 to 100 in mind, not vote to convict unless my degree of certainty exceeded 95 on that scale (p. 269) CITED FROM: Jon O. Newman (2006), Quantifying the standard of proof beyond a reasonable doubt: a comment on three comments. *Law, Probability and Risk*, 5, pp. 267-269

OTHER EXAMPLES TO CHECK. SEE REFERENCES BELOW:

FRANKLIN, J. (2006) Case Comment-United States v. Copeland, 369 F. Supp. 2d 365 (E.D.N.Y. 2005): quantification of the ‘proof beyond reasonable doubt’ standard. *Law, Probability and Risk*, 5, 159-165.

TILLERS, P. and GOTTFRIED, J. (2006) Case Comment-United States v. Copeland, 369 F. Supp. 2d 365 (E.D.N.Y. 2005): A Collateral Attack on the Legal Maxim That Proof Beyond a Reasonable Doubt Is Unquantifiable? *Law, Probability and Risk*, 5, 135-157.

WEINSTEIN, J. B. and DEWSBURY, I. (2006) Comment on the meaning of ‘proof beyond a reasonable doubt’. *Law, Probability and Risk*, 5, 167-173.

You only talk about Harlan; it would be nice to have more examples of people embracing probabilistic explications. M: GOOD POINT. ADDED MORE. NEED TO ADD EVEN MORE.

3.3 Implementation and idealization

The remarks by Justice Harlan, Newman and others notwithstanding, legal practitioners seem in general opposed to quantifying standards of proof probabilistically. This resistance has many causes. One key factor is the conviction that a probabilistic interpretation of legal standards of proof is unrealistic because its implementation would face unsurmountable challenges. How can the relevant probabilities—such as the probability of someone’s guilt—be quantified? How will the triers of facts apply probabilistic thresholds? Should the application of the thresholds be automatic—that is, if the evidence meets the threshold, the triers of fact should find against the defendant (say, convict in a criminal trial) and otherwise find in favor of the defendant? The challenge, in general, is to articulate how probabilistic thresholds can be operationalized as part of trial decisions. This is by no means obvious. Judges and jurors do not weigh evidence in an explicitly probabilistic manner. Nor do they explicitly use probability thresholds to guide their decisions. CITE EMPIRICAL EVIDENCE HERE FOR NARRATIVE AND PLAUSIBILITY THEORY AGAINST PROBABILISTIC APPROACH. And even if judges and jurors were to change the way they assess, and reason about, the evidence presented at trial there would remain the problem of computational tractability. How could all the variables needed to assess the relevant probabilities be taken into account in a computationally tractable way? CITE ALLEN. SAY MORE ABOUT COMPUTATIONAL TRACTABILITY EVEN FOR BAYESIAN NETWORK.

To alleviate the force of these worries, the probabilistic interpretation of proof standards can be broken down into two separate claims, what we might call the ‘quantification claim’ and the ‘threshold claim’. In a criminal trial, these claims would look as follows:

QUANTIFICATION CLAIM	a probabilistic quantification of the defendant’s guilt can be given through an appropriate weighing of all the evidence available (that is, of all the evidence against, and of all the evidence in defense of, the accused).
THRESHOLD CLAIM	an appropriately high threshold guilt probability, say 95%, should be the decision criterion for criminal convictions.

Those worried about implementation might reason thusly. If guilt cannot be quantified probabilistically—for example, in terms of the conditional probability of G given the total evidence E —no probabilistic threshold could ever be used as a decision criterion. Since the quantification claim is unfeasible and the threshold claim rests on the quantification claim, the threshold claim should be rejected.

One way to answer this objection is to bite the bullet. Legal probabilists can admit that probabilistic thresholds constitute a revisionist theory. If they are to be implemented in trial proceedings, they will require changes. Jurors and judges will have to become familiar with probabilistic ideas. They will have to evaluate the strength of the evidence numerically, even for evidence that is not, on its face, quantitative in nature. But this response will simply heighten the resistance toward a probabilistic interpretation of proof standards, or at least, the likelihood of success of such a program of radical reform of trial proceedings is uncertain. But there is a less radical way for legal probabilists to respond, one that admits that legal probabilism tacitly assumes a certain degree of idealization.

Legal probabilists can admit they are not—at least, not yet—engaged with implementation or trial

reform. More specifically, the quantification claim can be interpreted in at least two different ways. One interpretation is that a quantification of guilt—understood as an actual reasoning process—can be effectively carried out by the fact-finders. The quantification claim can also be understood as an idealization or a regulative ideal. For instance, the authors of a book on probabilistic inference in forensic science write:

the ... [probabilistic] formalism should primarily be considered as an aid to structure and guide one's inferences under uncertainty, rather than a way to reach precise numerical assessments. . . . (Taroni, Biedermann, Bozza, Garbolino, & Aitken, 2014, (p. xv))

Even from a probabilist standpoint, the quantification of guilt can well be an idealization which has, primarily, a heuristic role. MAYBE ALSO ADD THAT RONALD ALLEN WOULD NOT OBJECT TO THIS, AS HE THINKS THAT PROBABILITY ARE TOOLS IN PLAUSIBILITY REASONING. ADD CITATION.

Just as the quantification claim can be interpreted in two different ways, the same can be said of the threshold claim. For one thing, we can interpret it as describing an effective decision procedure, as though the fact-finders were required to mechanically convict whenever the defendant's probability of guilt happened to meet the desired probabilistic threshold. But there is a second, and less mechanistic, interpretation of the threshold claim. On the second interpretation, the threshold claim would only describe a way to understand, or theorize about, the standard of proof or the rule of decision. The second interpretation of the threshold claim—which fits well with the 'idealization interpretation' of the quantification claim—is less likely to encounter resistance.

Lawrence Tribe, in his famous 1971 article 'Trial by Mathematics', expresses disdain for a trial process that were mechanically governed by numbers and probabilities. He claims that under this scenario judges and jurors would forget their humanizing function. He writes:

Guided and perhaps *intimidated by the seeming inexorability of numbers*, induced by the persuasive force of formulas and the precision of decimal points to perceive themselves as performing a largely mechanical and automatic role, *few jurors ... could be relied upon to recall, let alone to perform, [their] humanizing function.* (Tribe, 1971)

But this worry does not apply if we interpret the threshold claim in a non-mechanistic way. This is the interpretation we shall adopt in this chapter. To avoid setting the bar for legal probabilism too high, we will not be concerned with practical issues that arise if we wanted to deploy a probabilistic threshold directly. We will grant that, at least for now, successful implementation of such thresholds is not viable. For the time being, probabilistic thresholds are best understood as offering a theoretical, analytical model of trial decisions. The fact that this theoretical model cannot be easily operationalized does not mean that the model is pointless. There are multiple ways in which such a model, even if unfit for direct deployment in trial proceedings, can offer insights into trial decision-making.

3.4 Minimizing expected costs: higher cost ratio, higher threshold

Let's start with the simplest illustration of how the probabilistic interpretation of proof standards can serve as a theoretical, analytical tool for conceptual clarification. Standards of proof are usually ranked from the least demanding, such as preponderance of the evidence, to the most demanding, such as proof beyond a reasonable doubt, even though this distinction has not always been around.² Can we give a principled justification for the use of multiple standards and their ranking? A common argument is that more is at stake in a criminal trial than in a civil trial. A mistaken conviction will unjustly deprive the defendant of basic liberties or even life. Instead, a mistaken decision in a civil trial would not encroach upon someone's basic liberties since decisions in civil trials are mostly about imposing monetary compensation. This difference in the stakes warrants different standards of proof, more stringent for criminal than civil cases. This informal argument can be made precise by pairing probability thresholds with expected utility theory, a well-established paradigm of rational decision-making used in psychology and economic theory.

At its simplest, decision theory based on the maximization of expected utility states that between a number of alternative courses of action, the one with the highest expected utility (or with the lowest expected cost) should be preferred. This theory can be applied to a variety of situations, including civil

²See e.g. *United States v. Feinberg*, 140 F.2d 592 (2d Cir. 1944): "to distinguish between the evidence which should satisfy reasonable men, and the evidence which should satisfy reasonable men beyond a reasonable doubt. While at times it may be practicable to deal with these as separate without unreal refinements, in the long run the line between them is too thin for day to day use" (594).

or criminal trials. To see how this works, note that trial decisions can be factually erroneous in two ways. A trial decision can be a false positive—i.e. a decision to hold the defendant liable (to convict, in a criminal case) even though the defendant committed no wrong (or committed no crime). A trial decision can also be a false negative—i.e. a decision not to hold the defendant liable (or to acquit, in a criminal case) even though the defendant did commit the wrong (or committed the crime). Let $\text{cost}(CI)$ and $\text{cost}(AG)$ be the costs associated with the two decisional errors that can be made in a criminal trial, convicting an innocent (CI) and acquitting a guilty defendant (AG). Let $P(G|E)$ and $P(I|E)$ be the guilt probability and the innocence probability estimated on the basis of the evidence presented at trial. Given a simple decision-theoretic model (Kaplan, 1968), a conviction should be preferred to an acquittal whenever the expected cost resulting from a mistaken conviction—namely, $P(I|E) \cdot \text{cost}(CI)$ —is lower than the expected cost resulting from a mistaken acquittal—namely, $P(G|E) \cdot \text{cost}(AG)$. That is,

$$\text{convict provided } \frac{\text{cost}(CI)}{\text{cost}(AG)} < \frac{P(G|E)}{P(I|E)}.^3$$

For the inequality to hold, the ratio of posterior probabilities $\frac{P(G|E)}{P(I|E)}$ should exceed the cost ratio $\frac{\text{cost}(CI)}{\text{cost}(AG)}$. So long as the costs can be quantified, the probability threshold can be determined. For example, suppose mistaken conviction is nine times as costly as a mistaken acquittal. The corresponding probability threshold will be 90%. On this reading, in order to meet the standard of proof beyond a reasonable doubt, the prosecution should provide evidence that establishes the defendant's guilt with at least 90% probability, or in formulas, $P(G|E) > 90\%$. The higher the cost ratio $\frac{\text{cost}(CI)}{\text{cost}(AG)}$, the higher the requisite threshold. The lower the cost ratio, the lower the requisite threshold. For example, if the cost ratio is 99, the threshold would be as high as 99%, but if the cost ratio is 2, the threshold would only be 75%.

The same line of argument applies to civil cases. Let a false attribution of liability FL be a decision to find the defendant liable when the defendant committed no civil wrong (analogous to the conviction of an innocent in a criminal case). Let a false attribution of non-liability FNL be a decision not to find the defendant liable when the defendant did commit the civil wrong (analogous to the acquittal of a factually guilty defendant in a criminal case). Let $P(L|E)$ and $P(NL|E)$ be the liability probability and the non-liability probability given the evidence presented at trial. So long as the objective is to minimize the costs of erroneous decisions, the rule of decision would be as follows:

$$\text{find the defendant civilly liable provided } \frac{\text{cost}(FL)}{\text{cost}(FNL)} < \frac{P(L|E)}{P(NL|E)}.^4$$

If the cost ratio $\frac{\text{cost}(FL)}{\text{cost}(FNL)}$ is set to 1, the threshold for liability judgments should equal 50%, a common interpretation of the preponderance standard in civil cases. This means that $P(L|E)$ should be at least 50% for a defendant to be found civilly liable.

The difference between proof standards in civil and criminal cases lies in the different cost ratios. The cost ratio in civil cases, $\frac{\text{cost}(FL)}{\text{cost}(FNL)}$, is typically lower than the cost ratio in criminal cases, $\frac{\text{cost}(CI)}{\text{cost}(AG)}$, because a false positive in a criminal trial (a mistaken conviction) is considered a more harmful error than a false positive in a civil trial (a mistaken attribution of civil liability). This difference in the cost ratio can have a consequentialist or a retributivist justification (Walen, 2015). From a consequentialist perspective, the loss of personal freedom or even life can be considered a greater loss than being forced to pay an undue monetary compensation. From a retributivist perspective, the moral wrong that results from the mistaken conviction of an innocent person can be regarded as more egregious than the moral wrong that results from the mistaken attribution of civil liability. This difference in consequences or moral wrongs can be captured by positing a higher cost ratio in criminal than civil cases.

Along similar lines, Justice Harlan of the United Supreme Court draws a clear difference in the cost ratio between criminal and civil litigation:

In a civil suit between two private parties for money damages, for example, we view it as no more serious in general for there to be an erroneous verdict in the defendant's favor than for there to be an erroneous verdict in the plaintiff's favor . . . In a criminal case, on the other hand, we do not view the social disutility of convicting an innocent man as equivalent to the disutility of acquitting someone who is guilty. In *Re Winship* (1970), 397 U. S. 358, 371.

³This follows from $P(I|E) \cdot \text{cost}(CI) < P(G|E) \cdot \text{cost}(AG)$.

⁴This follows from $P(NL|E) \cdot \text{cost}(FL) < P(L|E) \cdot \text{cost}(FNL)$

To underscore the differences in the cost ratios, Harlan cites an earlier decision of the United States Supreme Court that emphasizes how a defendant's liberty has a transcending value:

[t]here is always in litigation a margin of error . . . , representing error in factfinding, which both parties must take into account . . . [w]here one party has at stake an interest of transcending value – as a criminal defendant his liberty – . . . this margin of error is *reduced* as to him by the process of placing on the other party [i.e. the prosecutor] the standard of . . . persuading the factfinder at the conclusion of the trial of his guilt beyond a reasonable doubt. *Speiser v. Randall* (1958), 357 U.S. 513, 525-26.

Justice Newman of the United States Court of Appeals for the Second Circuit made a similar point by linking directly the ratio of errors and the degree of certainty required for a conviction:

... all must recognize that factfinders are fallible and that any system of adjudicating guilt will inevitably run some risk of both convicting the innocent and acquitting the guilty....Whatever ratio [of false conviction to false acquittals] we find acceptable, one of the major variables in achieving that ratio is the degree of certainty we impose on factfinders. (p. 980) QUOTED FROM: Jon O. Newman (1993), *Beyond Reasonable Doubt*, New York University Law Review, 68(5), pp. 979-1002

3.5 Beyond just costs: the benefits of correct decisions

The analysis provided so far is limited since it only weighs the costs of mistaken decisions, but leaves out the benefits of correct decisions. A more comprehensive analysis should consider both. Even though the basic idea is the same—that is, trial decision-making is viewed as an instrument for maximizing overall social welfare (Dekay, 1996; Laudan, 2016; Posner, 1973)—a more comprehensive analysis would afford a more nuanced understanding. It is therefore instructive to explore the implications of weighing the costs of incorrect decisions as well as the benefits of correct decisions.

For simplicity, we will quantify costs and benefits with units of utility using the abbreviation $ut(\dots)$. Benefits will correspond to positive numbers and costs to negative numbers. In a criminal trial, the (negative) utility of a mistaken conviction should be weighed together the (negative) utility of an incorrect acquittal: $ut(CI)$ v. $ut(AG)$. In addition, the (positive) utility of a correct conviction should be weighed together with the (positive) utility of a correct acquittal: $ut(CG)$ v. $ut(AI)$. Given this set-up, a conviction would be justified provided its expected utility—that is, $P(G|E) \cdot ut(CG) + P(I|E) \cdot ut(CI)$ —exceeds the expected utility of an acquittal—that is, $P(G|E) \cdot ut(AG) + P(I|E) \cdot ut(AI)$. By elementary algebraic steps, the threshold is identified by the equation:

$$P(G|E) > \frac{1}{1 + \frac{ut(CG) - ut(AG)}{ut(AI) - ut(CI)}}.^5$$

In a number of cases, this new formula returns the same threshold as the earlier one. If the benefits of convictions and acquittals are zero, this inequality identifies the same threshold as the earlier inequality that only considered costs. For example, if the costs of a mistaken conviction is nine times the cost of a mistaken acquittal, that is, $\frac{ut(CI)}{ut(AG)} = 9$, while the benefits are zero, the decision threshold should be a guilt probability of $\frac{1}{1+(1/9)} = 0.9$, as before. Or suppose the magnitude of the benefits resulting from acquitting an innocent defendant (say +9 units of utility) is the same as the magnitude of the costs resulting from convicting an innocent (-9 units of utility). Similarly, suppose the magnitude of the benefits resulting from convicting a guilty defendant (say +1 unit of utility) is the same as the magnitude of the cost resulting from acquitting a guilty defendant (say -1 unit of utility). Again, the threshold would be $\frac{1}{1+(1+1)/(9+9)} = 0.9$.

But consider now the following utility assignments: $ut(CI) = -9$, $ut(AG) = -1$, $ut(CG) = 5$, and $ut(AI) = 5$. The corresponding threshold would be $\frac{1}{1+(5+1)/(5+9)} = 0.7$, significantly below the 90% threshold. If the benefits of correct decisions are further increased, say at 7 units of utility each, the threshold would be lowered further to 66% since $\frac{1}{1+(7+1)/(7+9)} = 0.66$. So the the benefits of correct decisions are not at all inconsequential. In order to keep the threshold for criminal convictions relatively high the benefit of correct conviction would have to be close to zero (as seen before) or alternatively, the benefit of a correct acquittals would have to be significantly higher than the benefit of correct

⁵SHOW COMPUTATIONS HERE

conviction. Say $ut(CG) = 2$ but $ut(AI) = 18$, while still $ut(CI) = -9, ut(AG) = -1$, the threshold would be $\frac{1}{1+(2+1)/(18+9)} = 0.9$.

The new inequality shows that the threshold depends on the ratio of the difference between utilities, not so much the cost ratio or the benefit ratio. A given cost and benefit ratio may correspond to different thresholds. In the examples above, even though the cost ratio was fixed at 9:1 and the benefit ratio at 1:1, the threshold was 70% in one case and 66% in the other. The difference in the threshold is due to the difference in the absolute magnitude of the benefits resulting from correct decisions, increased from +5 units of utility to +7 units of utility.

A question suggests itself. How should utilities be assigned? The assignments may be a moral question (what the right conception of justice dictates), an empirical question (what the majority thinks the utilities should be), or a political question (how political ideologies affect utility assignments). For one thing, elected officials should set the appropriate assignments of utilities, and elected officials should represent the will of the people. On other hand, it is curious that the standard of proof should be allowed to vary depending on the political party who is in charge at the moment. Perhaps, standards of proof should be part of a country's constitution and not vary depending on the political party in power.

We will now explore different strategies for assigning utility to correct and incorrect trial decisions. One strategy is to identify the main sources of harm and the main sources of benefits resulting from trial decision. The weight placed on each different harm or benefit is likely to be a matter of political ideology.

Let's start with a politically neutral assignment of utilities. Consider the loss resulting from convicting an innocent defendant. This loss includes: the inappropriate assignment of culpability (-1); damaged reputation (-1); loss of income (-1); severance from family members (-1); putting other citizens at risk of victimization by failing to convict the actual perpetrator (-1); weakening the deterrence function of the trial system by failing to apprehend the perpetrator (-1). This is a total utility loss of -6. What about the correct acquittal of an innocent? There would be no inappropriate assignment of culpability (0); no reputational damage (0); no loss of income (0); no severance from family members (0). The actual perpetrator, however, could still victimize others (-1) and deterrence would be weakened (-1). The innocent defendant who is acquitted could still experience damaged reputation and other harms, but we shall leave these details aside. All in all, trying an innocent defendant, no matter the final decision, carries the baseline costs of failing to identify the true perpetrator (-1) and putting other citizens at risk of victimization (-1). This baseline cost increases when an innocent person is wrongly convicted. So, by adding everything up, $ut(AI) - ut(CI) = -2 + 6 = +4$. Next, consider the loss resulting from acquitting a guilty defendant. This will include putting other citizens at risk of victimization by the perpetrator who is not convicted (-1) and possibly weaken the deterrence function of the trial system (-1). There would be no inappropriate assignment of culpability (0); no damaged reputation (0); no loss of income (0); no severance from family members (0). What about the conviction of a guilty defendant? The defendant would still experience damaged reputation (-1); loss of income (-1); severance from family members (-1). However, citizens would enjoy a lower risk of victimization (+1) and the deterrence function of the trial system would be reaffirmed (+1). There would also be no incorrect assertions about the citizen's culpability (0). All things considered, $ut(CG) - ut(AG) = -1 + 2 = +1$. So, assuming the utilities are correctly assigned, the threshold for a criminal conviction should be $\frac{1}{1+\frac{1}{4}} = 0.8$, lower than the earlier 90% threshold. (Incidentally, if the correct assignment of culpability is counted as a positive benefit (say +1) from a correct conviction, then $ut(CG) - ut(AG) = 0 + 2 = +2$ and the threshold would be $\frac{1}{1+\frac{2}{4}} = 0.6666$, an even lower threshold.)

The above analysis is—arguably—politically neutral because it takes into account the costs of a conviction, even for those who are factually guilty, such as loss of income and severance from family members. These are issues often emphasized by those on the left who are wary of the costs of criminalization and punitiveness, even for those who, strictly speaking, did commit a crime. At the same time, the above analysis also takes into account the negative consequences that result from failing to apprehend the actual perpetrator, such as heightened crime victimization for others, a point often made by people on the right who are concerned with so-called “law and order”.

Suppose someone is extremely concerned about risk of victimization for different reasons, such as more conservative political views or having grown up in a high crime area. Suppose the costs resulting from the risk of victimization resulting from a false acquittal or the trial of an innocent are increased from -1 to -3. Conversely, the benefits resulting from lower risk of victimization associated with a correct conviction are also increased from +1 to +2. Then, $ut(AI) - ut(CI) = +4$, as before,

but $ut(CG) - ut(AG) = 0 + 3 = +3$. The threshold would be $\frac{1}{1+\frac{3}{4}} = 0.57$, significantly lower than before. Unsurprisingly, someone who is very concerned with the risk of victimization will favor a lower threshold for conviction in criminal cases. (CITE LAUDAN and SAUNDERS HERE).

Let's now explore the view of someone—perhaps more progressive, liberal and left-leaning—who is more concerned about negative effects of criminalization, such as loss of income and severance from family members. Suppose the utility loss is increased from -1 to -2 for each of these items. Then, $ut(AI) - ut(CI) = -2 + 8 = +6$, as before, but $ut(CG) - ut(AG) = -3 + 2 = -1$. The threshold would be $\frac{1}{1+\frac{-1}{6}} = 1.2$. Interestingly, under this assignment of utilities, convicting a defendant never maximizes expected utility unless the evidence establishes guilt with 120% probability. This is clearly impossible. In other words, if the costs of criminalization are so high, convicting anyone is never justified, not even someone whose guilt is 100% probable.

This conclusion could show one of two things. First, it could show that the assignment of utility above is non-sensical, because it leads to the non-sensical conclusion that no one should ever be convicted. Alternatively, those who stand by that assignment of utilities (or one like that) will be committed to say that the practice of convicting people as we know it should be abolished, at least until the cost of criminalization become less burdensome. The latter view is by no means a non-starter, as it agrees with radical proposals about prison abolition. (CITE APPROPRIATE REFERENCES ABOUT PRISON ABOLITION).

As the above discussion shows, probabilistic thresholds, when paired with expected utility theory, provide an analytical framework to justify, or at least meaningfully debate, different degrees of stringency necessary for decision criteria—i.e. legal proof standards—in criminal trials. The same discussion could be had for civil trials.

This analytical framework allows for even finer distinctions, not explicitly codified in the law. The law typically makes coarse distinctions between standards of proof, such as 'proof beyond a reasonable doubt' for criminal cases, 'preponderance of the evidence' for civil cases and 'clear and convincing evidence' for a narrow subset of civil cases in which the accusation against the defendant is particularly serious. But for rather different crimes, associated with rather different punishments, say murder and grand theft, the same standard of proof is applied for both. It is not obvious why this should be so, except that a finer distinction may cause more confusion than there need be. If the probability required for a conviction or a finding of civil liability against the defendant is a function of weighing the costs and benefits that would result from true and false positives (as well as true and false negatives), the stringency of the threshold should depend on costs and benefits, and thus different cases may require different thresholds. Cases in which the charge is more serious than others—say, murder compared to grand theft—may require higher thresholds so long as the cost of a mistaken decision against the defendant is more significant. In countries that allow for the death penalty or life imprisonment for certain crimes but not others, the cost of a mistaken conviction would be more serious for crimes with harsher punishments, other things being equal. Thus, the threshold should be placed appropriately higher. We could even think that the threshold should vary across individual cases even for defendants charged with the exact same crime, provided the costs are different for different individuals. However, whether or not standards of proof should vary in this way is debated (Kaplow, 2012; Picinali, 2013). Ultimately, the question is what considerations should be admissible in the calculus of costs and benefits.

The discussion so far might have proceeded from the wrong assumption. To weigh the costs and benefits of convictions and acquittals, correct and incorrect, is one thing. It is another to weigh the costs and benefits of punishment. So perhaps the calculus should only strictly apply to trial decisions, not to what flows from them.

NEEDS MORE EXPLANATION HERE

- 1) OTHER QUESTION TO ADDRESS IS WHAT COST AND BENEFITS? MAYBE ONLY COSTS AND BENEFIT OF A CONVICTION (BLAME ATTRIBUTION), NOT EVERYTHING THAT FOLLOWS FROM A CONVICTION.
- 2) RELATED POINT. SOME COSTS AND BENEFITS ARE ASSOCIATED WITH LITIGATION PER SE, OTHERS WITH PUNISHMENT, SO IN TALKING ABOUT COSTS AND BENEFITS OF TRIAL DECISION PERHAPS WE SHOULD TAKE A MORE NARROW APPROACH. WHAT ARE THE UNIQUE COSTS AND BENEFITS OF TRIAL DECISION?
- 3) SOME COSTS AND BENEFITS ARE SHARED BY MULTIPLE TYPES OF DECISIONS. E.G. CONVICTION ALL DEPRIVE THE DEFENDANT OF INCOME AND FAMILY TIES, WHETHER THE DEFENDANT IS GUILTY OR INNOCENT. DOES THIS MEAN THESE

COSTS AND BENEFITS ARE IRRELEVANT FOR THE CALCULUS OF UTILITY?

- 4) WHAT THE ANALYSIS IS MISSING A LARGER LOOK AT THE CONTEXT OF THE TRIAL, PLEA BARGAINING, THE CRIMINAL JUSTICE SYSTEM AND SOCIETY MORE GENERALLY. MULTI STAGE ANALYSIS. THE MAXIMIZATION OF EXP UTILITY FRAMEWORK OBSCURES THIS COMPLEXITY.
- 5) COMPLEXITY PROBLEM. ALLEN.

3.6 SUGGESTION

MARCELLO: IF WE END UP DIVIDING THIS CHAPTER INTO TWO OR THREE SEPARATE CHAPTERS, WE COULD CONTINUE THE DISCUSSION OF THE ANALYTICAL POWER OF THE PROBABILISTIC APPROACH MORE IN DETAIL HERE, DRAWING ON SOME OF THE MATERIALS ALREADY IN THE LONGER VERSION OF THE SEP ENTRY.


HERE IS A TENTATIVE IDEA OF WHAT TO DISCUSS:

- (1) SIMPLE EXPECTED UTILITY MODEL - **DONE, SEE ABOVE**
- (2) LAUDAN MODEL, THIS IS A MORE COMPLICATED EXPECTED UTILITY MODEL, PARTLY BORROWED FROM LAPLACE - **YET TO BE DONE**
- (3) SIGNAL DETECTION THEORY MODEL - **YET TO BE DONE, ONLY PARTLY DONE**
- (4) HAMER MODEL AND KAYE MODEL FOR ERROR MINIMIZATION (DISCUSSED IN THE SEP ENTRY, INTEGRALS, DERIVATIVES, ETC.) - **DONE SEE BELOW**
- (5) GOOD AND BAD THINGS ABOUT THESE MODELS, BUT OVERALL THEY SHOW THAT THE PROBABILISTIC FRAMEWORK IS A RICH ANALYTICAL TOOL **YET TO BE DONE**

3.7 Minimizing overall errors

Instead of maximizing expected utility (or minimizing expected costs), standards of proof can be analyzed as decision criteria that have long term effects on the epistemic performance of the trial system. Think about the criminal justice as a whole, making decisions about the guilt and innocence of thousands of defendants facing trial. The system will make a number of decisional errors, committing type I and type II errors. Viewing standards of proof as probability thresholds helps to understand how decisional errors are managed and allocated at this systemic level.

Consider an idealized model of the criminal trial system. Each defendant is assigned a probability x of criminal liability (or guilt) based on the evidence presented at trial. As is customary, this probability ranges between 0 and 1, or 0% and 100%. Since over a period of time many defendants face charges, the guilt probability will have its own distribution. Extreme guilty probabilities set at 0% or 100%, presumably, are assigned rarely in trials if ever, while values between 40% and 80% are more common. A rigorous way to express this distribution is by means of a probability density function, call it $f(x)$. The figure below uses a right skewed distribution, for example, $\text{beta}(18,3)$.




What does the distribution represent? Does it represent the probability of guilt assigned to defendants at the beginning or the end of the trial? There should be a difference between the two—hopefully—or else trial proceedings would be useless. Suppose that the distribution represents the guilt probabilities as

they are assigned to defendants at the end of the trial, once all the evidence, counterevidence, arguments and counterarguments have been proffered and weighed appropriately.

The choice of the distribution is for illustrative purposes only. There are no empirical data suggesting this is the right distribution to use. But its choice is not arbitrary either. The right skew of the distribution reflects the assumption that defendants in criminal cases are prosecuted only if the incriminating evidence against them is strong. It should be no surprise that most defendants are assigned a high probability of guilt. This is plausible in principle. For people should not be prosecuted if the evidence against them is weak. The distribution of the probability of liability in civil cases over a period of time might look quite different, perhaps centered around 50% or 60%.

In the figure above, the threshold for conviction is set at $> 80\%$, and the area under the curve to the right of the threshold is about .79. According to this model, 79% of defendants on trial are convicted and 21% acquitted. These figures are close to the rates of conviction and acquittal in many countries (REFERENCES?). Since $f(x)$ is a probability density, the total area under the curve adds up to 1, encompassing all defendants, both convicted and acquitted defendants.

If the threshold becomes more stringent—for example, it moves up to 85%—the rate of conviction would decrease. This holds provided the underlying distribution does not change. But, if the threshold is set higher, those who are prosecuted will tend to face comparatively stronger evidence and thus the distribution will become more skewed toward the right—say $\text{beta}(25,3)$. As a consequence, the rate of conviction could still be about 79% even with a more stringent threshold of 85%.



The two graphs above depict the rate of conviction among those who are facing trial, not the rate of conviction in the general population overall. As just shown, the rate of conviction could remain the same even if the probability threshold is made more stringent. But, the rate of conviction in the general population is likely to diminish so long as higher thresholds, by acting as deterrents against prosecution, make it less likely that people would be prosecuted.

This formal model does not yet make any distinction between factually guilty and factually innocent defendants. But, presumably, some defendants committed the acts they are accused of and others did not. This is not a clear-cut distinction, however. Some defendants may have committed the acts they are accused of to some extent, but not to the full extent they are accused of, while others may be completely innocent of any crime whatsoever. Leaving this subtlety aside, the formal model can be refined to distinguish between factually innocent and guilty defendants.

The simplest refinement would create two separate distributions, one distribution for the factually innocent defendants and the other for the factually guilty defendants. The problem with this is that we have little idea about what these distributions should look like in the first place. Hopefully, the innocent distribution will be more left skewed and the guilty distribution more right skewed. Guilty defendants should be assigned, on average, higher guilt probabilities than innocent defendants. The two distributions could still overlap to some extent as some guilty defendants could be assigned as low guilt probabilities as some innocent defendants and conversely some innocent defendants could be assigned as high guilt probabilities as some guilty defendants. This is unfortunate, but also an inevitable consequence of the fallibility of the trial system.


A more principled way to add two separate distributions to the model, one for guilty and another for innocent defendants, would be to derive them from the overall distribution of defendants. This can be done by following the simple principle that, among those defendants who are assigned a probability of,

say, 80%, there should be a corresponding proportion of 80% guilty people and 20% innocent people. These are of course expected values, not actual values. Say you are throwing a fair six-faced die. In the long run, you would expect that in 1/6 of the throws the die would land, say on “4”.

The expected proportion of guilty and innocent defendants on trial, out of all defendants, can be inferred from the density distribution $f(x)$ under certain assumptions. Suppose each defendant is assigned a guilt probability based on the best and most complete evidence. From the perspective of judges and jurors (or anyone who has access to the evidence and evaluates it the same way), $x\%$ of defendants who are assigned $x\%$ guilt probability are expected to be guilty and $(1 - x)\%$ innocent. For example, 85% of defendants who are assigned a 85% guilt probability are expected to be guilty and 15% innocent; 90% of defendants who are assigned a 90% guilt probability are expected to be guilty and 10% innocent; and so on.


So the expected guilty distribution as a function of x will be $xf(x)$, while the expected innocent distribution will be $(1 - x)f(x)$. In other words, the function $xf(x)$ describes the (expected) assignment of guilt probabilities for guilty defendants, and similarly, $(1 - x)f(x)$ the (expected) assignment of guilt probabilities for innocent defendants. Neither of these functions is a probability density, since $\int_0^1 xf(x) dx = 0.86$ and $\int_0^1 (1 - x)f(x) dx = 0.14$. These numbers express the (expected) proportion of guilty and innocent defendants out of all defendants on trial, respectively 86% and 14%.

The rates of incorrect decisions—false convictions and false acquittals or more generally false positives and false negatives—can be inferred from this model as a function of the threshold t (Hamer, 2004, 2014). The integral $\int_0^t xf(x) dx$ equals the expected rate of false acquittals, or in other words, the expected proportion of guilty defendants who fall below threshold t (out of all defendants), and the integral $\int_t^1 (1 - x)f(x) dx$ equals the expected rate of false convictions, or in other words, the expected proportion of innocent defendants who fall above threshold t (out of all defendants). The rates of correct decisions—true convictions and true acquittals or more generally true positives and true negatives—can be inferred in a similar manner. The integral $\int_t^1 xf(x) dx$ equals the expected rate of true convictions and $\int_0^t (1 - x)f(x) dx$ the expected rate of true acquittals. In the figure below, the regions shaded in gray correspond to false negatives (false acquittals) and false positives (false convictions). The remaining white regions within the solid black curve correspond to true positives (true convictions) and true negatives (true acquittals). Note that the dotted blue curve is the original overall distribution for all defendants.



Assignment of x to the innocent

$$\int_{.8}^1 (1-x)f(x) dx \approx .09, \quad \int_0^{.8} (1-x)f(x) dx \approx .05, \quad \int_0^1 (1-x)f(x) dx \approx .14$$




The size of the grey regions in the figures above—which correspond to false positives and false negatives—is affected by the location of threshold t . As t moves upwards, the rate of false positives decreases but the rate of false negatives increases. Conversely, as t moves downwards, the rate of false positives increases but the rate of false negatives decreases. This trade-off is inescapable so long as the underlying distribution is fixed. We have already remarked on the possibility that the distribution would change in shape as a result of changes in the probability threshold. We will return to this point later in the chapter.

Below are both error rates—false positives and false negatives—and their sum plotted against a choice of t , while holding fixed the density function `binom(18,3)`. The graph shows that any threshold that is no greater than 50% would minimize the total error rate (comprising false positives and false negatives). A more stringent threshold, say $> 90\%$, would instead significantly reduce the rate of false positives but also significantly increase the rate of false negatives, as expected.

Expected error rates

Starting with `beta(18,3)`



In general, the threshold that minimizes the expected rate of incorrect decisions overall, no matter the underlying distribution, lies at 50%. The claim that setting threshold at $t = .5$ minimizes the expected error rate holds given the distribution $f(x) = \text{beta}(18,3)$ as well as any other distribution (???). To show this, let $E(t)$ be the sum of rates of false positive and false negative decisions:

$$E(t) = \int_0^t x f(x) dx + \int_t^1 (1-x) f(x) dx.$$

The overall rate of error is minimized when $E(t)$ is the lowest. To determine the value of t for which $E(t)$ is the lowest, set the derivative of $E(t)$ to zero, that is, $\frac{d}{dt} E(t) = 0$. By calculus, $t = 1/2$.⁶ This claim holds when the two decisional errors are assigned the same weight, or in other words, the

⁶Note that $\frac{d}{dt} E(t)$ is the sum of the derivatives of $\int_0^t x f(x) dx$ and

costs of false positives and false negatives are symmetric. The $> 50\%$ threshold therefore should be most suitable for civil trials. In criminal trials, however, false convictions are typically considered significantly more costly than false acquittals, say a cost ratio of 9:1 (but see (Epps, 2015)). The sum of the two error rates can be weighted by their respective costs:

$$E(t) = \int_0^t xf(x)dx + 9 \int_t^1 (1-x)f(x)dx.$$

Given a cost ratio of 9:1, the optimal threshold that minimizes the (weighted) overall rate of error is no longer $1/2$, but rather, $t = 9/10 = 90\%$.⁷

Whenever the decision threshold is more stringent than $> 50\%$, the overall (unweighted) error minimization may be sacrificed to pursue other goals, for example, protecting more innocents against mistaken convictions, even at the cost of making a larger number of mistaken trial decisions overall.

The standard ‘proof beyond a reasonable doubt’ is often paired with the Blackstone ratio, the principle that it is better that ten guilty defendants go free rather than even just one innocent be convicted. The exact ratio is a matter of controversy (Volkov, 1997). It is tempting to think that, say, a 99% threshold guarantees a 1:99 ratio between false convictions and false acquittals. But this would be hasty for at least two reasons. First, probabilistic thresholds affect the expected rate of mistaken decisions. The actual rate may deviate from its expected value (???-). Second, if the threshold is 99%, *at most* 1% of decision against defendants are expected to be mistaken (false convictions) and *at most* 99% of the decisions in favor of the defendant are expected to be mistaken (false acquittals). The exact ratio will depend on the probabilities assigned to defendants and how they are distributed (?). The (expected) rate of false positives and false negatives—and thus their ratio—depend on where the threshold is located but also on the distribution of the liability probability as given by the density function $f(x)$.

3.8 Interval thresholds (Finkelstein)

The prior probability cannot be easily determined (Friedman, 2000). Even if it can be determined, arriving at a posterior probability might be impractical because of lack of adequate quantitative information. Perhaps, decision thresholds should not rely on a unique posterior probability but on an interval of admissible probabilities given the evidence (Finkelstein & Fairley, 1970). Perhaps, the assessment of the posterior probability of guilt can be viewed as an idealized process, a regulative ideal which can improve the precision of legal reasoning. (CITE BIEDERMAN TARONI).

→

4 Theoretical challenges - NEW CHAPTER WOULD START HERE

Let’s take stock. We briefly examined difficulties in implementation for probabilistic standards of proof and set those aside. We then offered a few illustrations how probabilistic standards can be used as analytical tools to theorize about decision-making at trial. But even if probabilistic thresholds are used solely as analytical tools, legal probabilists are not yet out of the woods. Even if the practical problems can be addressed or set aside, theoretical difficulties remain. We will focus on three in particular:

$\int_t^1 (1-x)f(x)dx$, that is,

$$\frac{d}{dt}E(t) = \frac{d}{dt} \int_0^t xf(x)dx + \frac{d}{dt} \int_t^1 (1-x)f(x)dx.$$

By the fundamental theorem of calculus,

$$\frac{d}{dt} \int_0^t xf(x)dx = tf(t) \text{ and } \frac{d}{dt} \int_t^1 (1-x)f(x)dx = -(1-t)f(t).$$

By plugging in the values,

$$\frac{d}{dt}E(t) = tf(t) - (1-t)f(t).$$

Since $\frac{d}{dt}E(t) = 0$, then $tf(t) = (1-t)f(t)$ and thus $t = 1-t$, so $t = 1/2$ or a $> 50\%$ threshold.

⁷The proof is the same as before. Since $tf(t) = 9(1-t)f(t)$, it follows that $t = 9/10$.

the problem of priors; naked statistical evidence; and the difficulty about conjunction, also called the conjunction paradox. The latter two are difficulties that any theory of the standard of proof – not just a probabilistic theory – should be able to address. The first difficulty is peculiar to the probabilistic interpretation of standards of proof. We will examine each difficulty in turn and then examine a promising line of response within legal probabilism based on likelihood ratios instead of posterior probabilities.

4.1 The problem of priors

4.2 Naked statistical evidence

Suppose one hundred, identically dressed prisoners are out in a yard during recreation. Suddenly, ninety-nine of them assault and kill the guard on duty. We know that this is what happened from a video recording, but we do not know the identity of the ninety-nine killers. After the fact, a prisoner is picked at random and tried. Since he is one of the prisoners who were in the yard, the probability of his guilt would be 99%. But despite the high probability, many have the intuition that this is not enough to establish guilt beyond a reasonable doubt. Hypothetical scenarios of this sort suggest that a high probability of guilt, while perhaps necessary, is not sufficient to establish guilt beyond a reasonable doubt.

Perhaps, the resistance in the prisoner scenario lies in the fact that the prisoner was picked at random, and that any prisoner would be 99% likely to be one of the killers. Since the statistics cannot single out the one innocent prisoner, they are bad evidence. But consider this case. Suppose two people enter a department store. There are no other customers in the store. After they exit the store, a member of the staff finds that an item of merchandise is missing. Since no staff member could be culpable—they are strictly surveilled—the culprit must be one of the customers. One of the customers, John, has scored high in a compulsivity test and has been arrested for stealing in department stores several times in the past. The other customer, Rick, has never been arrested for stealing in a department store and shows no sign of high compulsivity. Statistics show that people with a high degree of compulsivity and who have stolen merchandise in department stores before are more likely than others to steal merchandise if they are unsupervised. So John is most likely the culprit. Suppose studies show that people like John, when unsupervised, will steal 99 times out of 100 times. Instead, people like Rick, when unsupervised, will only steal 1 time out of 100 times. So John is 99 times more likely than Rick to have stolen the merchandise. Can these statistics be enough to convict John? Again, it seems not. There is no evidence against him specifically, say, no merchandise was found on him that could link him to the crime. Many would feel uneasy about convicting John despite the fact that, between the two suspects, he is the one who is most likely the culprit.

A similar hypothetical can be constructed for civil cases. Suppose a bus company, Blue-Bus, operates 90% of the buses in town on a certain day, while Red-Bus only 10%. That day a bus injures a pedestrian. Although the buses of the two companies can be easily recognized because they are respectively painted blue and red, the pedestrian who was injured cannot remember the color of the bus involved in the accident. No other witness was around. Still, given the statistics about the market shares of the two companies, it is 90% probable that a Blue-Bus bus was involved in the accident. This is a high probability, well above the 50% threshold. Yet the 90% probability that a Blue-Bus bus was involved in the accident would seem—at least intuitively—insufficient for a judgment of liability against Blue-Bus. This intuition challenges the idea that the preponderance standard in civil cases only requires that the plaintiff establish the facts with a probability greater than 50%.

Confronted with these hypotheticals, legal probabilists could push back. Hypotheticals rely on intuitive judgments, for example, that the high probability of the prisoners's guilt in the scenario above does not amount to proof beyond a reasonable doubt. But suppose we changed the numbers and imagined there were one thousand prisoners of whom nine hundred and ninety-nine killed the guard. The guilt probability of a prisoner picked at random would be 99.9%. Even in this situation, many would insist that guilt has not been proven beyond a reasonable doubt despite the extremely high probability of guilt. But others might say that when the guilt probability reaches such extreme values, values as high as 99.9% or higher, people's intuitive resistance to convicting should subside (Roth, 2010). A more general problem is that intuitions in such hypothetical scenarios are removed from real cases and thus are potentially unreliable as a guide to theorize about standards of proof (Allen & Leiter, 2001; Hedden & Colyvan, 2019; Lempert, 1986).

Another reason to be suspicious of these hypotheticals is that they seem to amplify biases in human reasoning. Say an eyewitness was present during the accident and testified that a Blue-Bus bus was involved. Intuitively, the testimony would be considered enough to rule against Blue-Bus, at least provided the witness survived cross-examination. We exhibit, in other words, an intuitive preference for judgments of liability based on testimonial evidence compared to judgments based on statistical evidence. This preference has been experimentally verified (Arkes, Shoots-Reinhard, & Mayes, 2012; Niedermeier, Kerr, & Messeé, 1999; Wells, 1992) and exists outside the law (Ebert, Smith, & Durbach, 2018; Friedman & Turri, 2015; Sykes & Johnson, 1999). But testimonial evidence is no less prone to error than statistical evidence. In fact, it may well be more prone to error. The unreliability of eyewitness testimony is well-known, especially when the environmental conditions are not optimal (Loftus, 1996). So are we justified in exhibiting an intuitive preference for eyewitness testimony as opposed to statistical evidence, or is this preference a cognitive bias to avoid?

These reservations notwithstanding, the puzzles about naked statistical evidence cannot be easily dismissed. Puzzles about statistical evidence in legal proof have been around for a while (Cohen, 1977; Kaye, 1979b; Nesson, 1979; Thomson, 1986). Philosophers and legal scholars have shown a renewed interest in both criminal and civil cases (Blome-Tillmann, 2017; Bolinger, 2018; Cheng, 2012; Di Bello, 2019b; Enoch, Spectre, & Fisher, 2012; Ho, 2008; Moss, 2018; Nunn, 2015; Pardo, 2018; Pritchard, 2005; Pundik, 2017; Redmayne, 2008; Roth, 2010; Smith, 2018; Stein, 2005; Wasserman, 1991). Given the growing interest in the topic, legal probabilism cannot be a defensible theoretical position without offering a story about naked statistical evidence.

5 Conjunction paradox – NEW CHAPTER HERE DEVOTED TO PROBABILITY BASED SOLUTIONS

Another theoretical difficulty that any theory of the standard of proof should address is the the conjunction paradox or difficulty about conjunction. First formulated by Cohen (1977), the difficulty about conjunction has enjoyed a great deal of scholarly attention every since (Allen, 1986; Allen & Stein, 2013; Allen & Pardo, 2019; Haack, 2014; Schwartz & Sober, 2017; Stein, 2005). This difficulty arises when an accusation of wrongdoing, in a civil or criminal proceeding, is broken down into its constituent elements. The basic problem is that the probability of a conjunction is often lower than the probability of the conjuncts. Thus, even if each conjunct meets the requisite probability threshold, the conjunction does not. This chapter examines the difficulty about conjunction and how legal probabilists can respond.

5.1 The problem

Suppose that in order to prevail in a criminal trial, the prosecution should establish by the required standard, first, that the defendant caused harm to the victim (call it claim *A*), and second, that the defendant had premeditated the harmful act (call it claim *B*). Cohen (1977) argues that common law systems subscribe to a conjunction principle, that is, if *A* and *B* are established according to the governing standard of proof, so is their conjunction (and vice versa). If the conjunction principle holds, the following must be equivalent, where *S* is a placeholder for the standard of proof:

Separate	<i>A</i> is established according to <i>S</i> and <i>B</i> is established according to <i>S</i>
Overall	The conjunction $A \wedge B$ is established according to <i>S</i>

Let $S[X]$ mean that claim or hypothesis *X* is established according to standard *S*. Then, in other words, the conjunction principles requires that:

$$S[A \wedge B] \Leftrightarrow S[A] \wedge S[B].$$

The conjunction principle is consistent with—perhaps even required by—the case law. For example, the United States Supreme Court writes that in criminal cases

the accused [is protected] against conviction except upon proof beyond a reasonable doubt of *every fact* necessary to constitute the crime with which he is charged. In re Winship (1970), 397 U.S. 358, 364.

A plausible way to interpret this quotation is to posit this identity: to establish someone's guilt beyond a reasonable doubt *just is* to establish each element of the crime beyond a reasonable doubt. Thus,

$$\text{BARD}[A_1 \wedge \dots \wedge A_n] \Leftrightarrow \text{BARD}[A_1] \wedge \dots \wedge \text{BARD}[A_n],$$

where the conjunction $A_1 \wedge \dots \wedge A_n$ comprises all the material facts that, according to the applicable law, constitute the crime with which the accused is charged.

The problem for the legal probabilist is that the conjunction principle conflicts with a threshold-based probabilistic interpretation of the standard of proof. For suppose the prosecution presents evidence that establishes claims A and B , separately, to the required probability, say about 95% each. Has the prosecution met the burden of proof? Each claim was established to the requisite probability threshold, and thus it was established to the requisite standard (assuming the threshold-based interpretation of the standard of proof). And if each claim was established to the requisite standard, then (i) guilt as a whole was established to the requisite standard (assuming the conjunction principle). But even though each claim was established to the requisite probability threshold, the probability of their conjunction—assuming the two claims are independent—is only $95\% \times 95\% = 90.25\%$, below the required 95% threshold. So (ii) guilt as a whole was *not* established to the requisite standard (assuming a threshold-based probabilistic interpretation of the standard). Hence, we arrive at two contradictory conclusions: (i) that the prosecution met its burden of proof and (ii) that it did not meet its burden.

The difficulty about conjunction—the fact that a probabilistic interpretation of the standard of proof conflicts with the conjunction principle—does not subside when the number of constituent claims increases. If anything, the difficulty becomes more apparent. Say the prosecution has established three separate claims to 95% probability. Their conjunction—again if the claims are independent—would be about 85% probable, even further below the 95% threshold. Nor does the difficulty about conjunction subside if the claims are no longer regarded as independent. The probability of the conjunction $A \wedge B$, without the assumption of independence, equals $P(A|B) \times P(B)$. But if claims A and B , separately, have been established to 95% probability, enough for each to meet the threshold, the probability of $A \wedge B$ could still be below the 95% threshold unless $P(A|B) = 100\%$. For example, that someone premeditated a harmful act against another (claim B) makes it more likely that they did cause harm in the end (claim A). Since $P(A|B) > P(A)$, the two claims are not independent. Still, premeditation does not always lead to harm, so $P(A|B)$ should be below 100%. Consequently, in this case, the probability of the conjunction $A \wedge B$ would be below the 95% threshold.

How could a supporter of legal probabilism respond? The conjunction paradox is a difficult problem, as the vast literature on the topic attests. Before we offer our solution to it, we will explore a number of probability-based proposals, and understand why they, albeit promising, ultimately fail.

5.2 A closer look at the conjunction principle

The conjunction paradox would not arise without the conjunction principle. So could legal probabilists reject this principle and let the paradox disappear? In current discussions in epistemology, an analogous principle about knowledge or justification has been contested because it appears to deny the fact that risks of error accumulate (CITE). If one is justifiably sure about the truth of each claim considered separately, one should not be equally sure of their conjunction. You have checked each page of a book and found no error. So, for each page, you are nearly sure there is no error. Having checked each page and found no error, can you be sure that the book as a whole contains no error? Not really. As the number of pages grow, it becomes virtually certain that there is at least one error in the book you have overlooked, although for each page you are nearly sure there is no error. (ADD CITATION ABOUT PREFACE PARADOX) The same applies to other contexts, say product quality control. You may be sure, for each product you checked, that it is free from defects. But you cannot, on this basis alone, be sure that all products you checked are free from defects. Since the risks of error accumulate, you must have missed at least one defective product.

Suppose the legal probabilist does away with the conjunction principle. Now what? How should they define standards of proof? Two immediate options come to mind, but neither is without problems. One option stipulates that, in order to establish the defendant's guilt beyond a reasonable doubt (or civil liability by preponderance of the evidence), the party making the accusation should establish each claim, separately, to the requisite probability, say at least 95%, without needing to establish the conjunction to the requisite probability. Call this the *atomistic account*. On this view, the prosecution could be in a position to establish guilt beyond a reasonable doubt without establishing the conjunction of different

False in whole generality, give a counterexample with more specific numbers. M: I changed things a bit. Maybe not it's clear now. The counterexample is basically $P(A)=P(B)=0.95$, but $P(AB)=Pr(A)*P(A|B)$ and since $P(A|B)$ is below 1, then $P(AB)$ is below 0.95.

Hey, we can quote a paper that's out by Alicja!:) Also, I guess you want me to find the right refs? M: Yes, if you can

claims with a sufficiently high probability. This account would allow convictions in cases in which the probability of the defendant's guilt, call it G , is low, just because G is a conjunction of several independent claims that separately satisfy the standard of proof. This is counterintuitive as it would allow convictions when the defendant is most likely innocent.

The other option is to require that the prosecution in a criminal case (or the plaintiff in a civil case) establish the accusation as a whole—say the conjunction of A and B —to the requisite probability. Call this the *holistic account*. This account is not without problems either. The proof of $A \wedge B$ would impose a higher requirement on the separate probabilities of the conjuncts. If the conjunction $A \wedge B$ is to be proven with at least 95% probability, the individual conjuncts should be established with probability higher than the 95% threshold. So the more conjuncts, the higher their required probability. Moreover, the standard that applies to one of the conjuncts would depend on what has been achieved for the other conjuncts. For instance, assuming independence, if $P(A)$ is 96%, then $P(B)$ must be at least 99% so that $P(A \wedge B)$ is above a 95% threshold. But if $P(A)$ is 99.99%, then $P(B)$ must only be greater than 95% to reach the same threshold. Thus, the holistic account would require that the elements of an accusation be proven to different probabilities depending on how well other claims have been established.

Denying the conjunction principle, then, is not without difficulties of its own. Legal probabilists should still explain how individual claims relate to larger claims in the process of legal proof. So it is worth exploring in some detail whether legal probabilists, instead of rejecting it, could in fact vindicate on probabilistic grounds the conjunction principle.

5.3 Aggregating hypotheses and evidence

So far the discussion proceeded without mentioning explicitly the evidence proffered in support of the different claims that constitute the allegation of wrongdoing. This is, however, a simplification. Say evidence a supports claim A and other evidence b supports a distinct claim B . The question now is whether the combination of a and b supports the conjunction $A \wedge B$, and viceversa. In other words, the question is whether the following conjunction principle holds:

$$S[a, A] \text{ and } S[b, B] \text{ iff } S[a \wedge b, A \wedge B],$$

where $S[e, H]$ means that evidence e supports hypothesis H by standard S . This conjunction principle differs from the earlier one since it mentions explicitly the supporting evidence a and b .

If we think of evidential support in terms of conditional probability, the conjunction principle above would fail in some cases. For suppose that $P(A|a) > t$ and $P(B|b) > t$, for a threshold t , or in other words, given the supporting evidence a and b , both A and B are sufficiently probable (for a fixed threshold). It does not generally follow that $A \wedge B$ is sufficiently probable given the combined evidence $a \wedge b$. By the probability calculus,

$$\begin{aligned} P(A \wedge B|a \wedge b) &= P(A|a \wedge b) \times P(B|a \wedge b \wedge A) \\ &= P(A|a) \times P(B|b) \end{aligned}$$

The second equality holds assuming certain relationships of independence, specifically, the independence of A from b given a , and of B from $a \wedge A$ given b . These relationships of independence do not always hold, but they do sometimes. For example, in an aggravated assault case, evidence a could be a witness testimony that the defendant physically injured the victim (claim A), and b evidence that the defendant knew that the victim was a firefighter (claim B), for example, another testimony that the defendant earlier called the firefighter for help. Presumably, $P(A|a) = P(A|a \wedge b)$ because the fact that the defendant called a firefighter for help (b) does not make it more (or less) likely that he would physically injure him (A).

Further, $P(B|b) = P(B|a \wedge b \wedge A)$ because the fact that the defendant injured the victim (A) and there is a testimony to that effect (a) does not make it more (or less) likely that the victim was a firefighter (B). Given these assumptions, if—as is normally the case—neither $P(A|a)$ nor $P(B|b)$ equal 1, then

$$P(A \wedge B|a \wedge b) < P(A|a) \text{ \& } P(A \wedge B|a \wedge b) < P(B|b).$$

This is another manifestation of the difficulty about conjunction. If each piece of evidence a and b supports claims A and B with 95% probability, the combined evidence $a \wedge b$ need not support the conjunction $A \wedge B$ with 95% probability. The conjunction principle fails here.

Interestingly, even if the independence assumptions are dropped, the difficulty about conjunction still arises in a number of circumstances. Suppose evidence $a \wedge b$ establishes claim A and also claim B , separately, right above the probability threshold t . Since $P(A \wedge B|a \wedge b) = P(A|a \wedge b) \times P(B|a \wedge b \wedge A)$, it follows that $P(A \wedge B|a \wedge b)$ would be below t so long as $P(B|a \wedge b \wedge A)$ is below 100%, which would often be the case since (i) evidence is fallible and (ii) one hypothesis does not usually entail the other. So even though A and B are established to the required probability, the conjunction is not.

But something has gone unnoticed so far. The support of a piece of evidence E in favor of a hypothesis H should not be understood as a function of the conditional probability $P(H|E)$. We discussed this point in earlier chapters (REFER TO EARLIER CHAPTERS) and we should keep it in mind while examining the difficulty about conjunction. In this vein, Dawid (1987) offers one of the earlier attempts at a solution using probability theory:

When the problem is analysed carefully, the ‘paradox’ evaporates: suitably measured, the support supplied by the conjunction of several independent testimonies exceeds that supplied by any of its constituents.

Although Dawid does not provide a proof, his strategy is clear: replace posterior probabilities with probabilistic measures of evidential support, such as the Bayes factor or the likelihood ratio. Does this strategy work? By using the theory of Bayesian networks, we will first verify under what conditions Dawid’s claim holds. Next, we will show – perhaps surprisingly – that the difficulty about conjunction will not go away even after switching from posterior probabilities to measures of evidential support.

5.4 Bayes factor threshold

A common probabilistic measure of the support of E in favor of H is the Bayes factor $P(E|H)/P(E)$. If the Bayes factor is greater than one, E positively supports H , and the greater the Bayes factor (for values above one), the stronger the support of E in favor of H . Putting aside reservations about this measure of evidential support (discussed earlier in Chapter CROSSREF), the Bayes factor $P(E|H)/P(E)$, unlike the conditional probability $P(H|E)$, offers a potential way to overcome the difficulty about conjunction.

Say a supports A and b supports B , to degree s_A and s_B , that is, $P(a|A)/P(a) = s_A$ and $P(b|B)/P(b) = s_B$, where both s_A and s_B are greater than one. Does $a \wedge b$ provide at least as much support in favor of $A \wedge B$ as the individual support by a and b in favor of A and B ? The support of $a \wedge b$ in favor of $A \wedge B$ should be measured by the combined Bayes factor $P(a \wedge b|A \wedge B)/P(a \wedge b)$. Under suitable independence assumptions, combined support s_{AB} equals the product $s_A \times s_B$ of the individual supports. By the probability calculus,

$$\begin{aligned}
 \frac{P(a \wedge b|A \wedge B)}{P(a \wedge b)} &= \frac{P(A \wedge B|a \wedge b)}{P(A \wedge B)} \\
 &= \frac{\frac{P(A \wedge B \wedge a \wedge b)}{P(a \wedge b)}}{P(A \wedge B)} \\
 &= \frac{\frac{P(A) \times P(B|A) \times P(a|A \wedge B) \times P(b|A \wedge B \wedge a)}{P(a) \times P(b|a)}}{P(A \wedge B)} \\
 &= \frac{\frac{P(A) \times P(B) \times P(a|A) \times P(b|B)}{P(a) \times P(b)}}{P(A) \times P(B)} \\
 &= \frac{P(a|A)}{P(a)} \times \frac{P(b|B)}{P(b)} \\
 s_{AB} &= s_A \times s_B
 \end{aligned}$$

Since $s_{AB} = s_A \times s_B$, the combined support s_{AB} will always be higher than the individual support so long as s_A and s_B are greater than one. The step marked by the asterisk in the derivation above rests on a number of independence assumptions codified in the Bayesian network in Figure 1 (top). The structure of the network is rather natural because each piece of evidence bears on its own hypothesis. The arrows go from nodes A and B toward their respective evidence nodes a and b . One might wonder, however, why the arrows go from A and B into the node representing the conjunction $A \wedge B$. This setting ensures

To properly list all the independence assumptions you need to explicitly rewrite in terms of chain rule and then eliminate explicitly.

How about without independence? Can we find a counterexample? M: I dropped independence of hypotheses in Figure 1 (bottom). Check.

that claims A and B are probabilistically independent, an assumption often made in the formulation of the conjunction paradox.⁸ However, to drop the independence of A and B , an arrow can be drawn between them. The resulting Bayesian network is depicted in Figure 1 (bottom). Given this network, the following holds:

$$\begin{aligned}
\frac{P(a \wedge b | A \wedge B)}{P(a \wedge b)} &= \frac{P(A \wedge B | a \wedge b)}{P(A \wedge B)} \\
&= \frac{\frac{P(A \wedge B \wedge a \wedge b)}{P(a \wedge b)}}{P(A \wedge B)} \\
&= \frac{\frac{P(A) \times P(B|A) \times P(a|A \wedge B) \times P(b|A \wedge B \wedge a)}{P(a) \times P(b|a)}}{P(A \wedge B)} \\
&= \frac{\frac{P(A) \times P(B|A) \times P(a|A) \times P(b|B)}{P(a) \times P(b|a)}}{P(A) \times P(B|A)} \\
&= \frac{P(a|A)}{P(a)} \times \frac{P(b|B)}{P(b|a)} \\
s'_{AB} &= s_A \times s'_B
\end{aligned}$$

Note that factor $s_B = \frac{P(b|B)}{P(b)}$ was replaced by $s'_B = \frac{P(b|B)}{P(b|a)}$. Arguably, s'_B is usually lower than s_B because $P(b|a) > P(b)$ (assuming, at least, a and b are convergent pieces of evidence; SEE DISCUSSION IN EARLIER CHAPTERS). But s'_B should still be greater than one since b , by assumption, positively supports B even in combination with a .⁹ Thus, the combined support s_{AB} or s'_{AB} should exceed the support supplied by the individual pieces of evidence whether or not A and B are probabilistically independent. This result can easily be generalized beyond two pieces of evidence and therefore holds generally.¹⁰




Figure 1: Two Bayesian networks for two pieces of evidence and a combined hypothesis.

The argument so far vindicates Dawid's claim that 'the support supplied by the conjunction of several independent testimonies exceeds that supplied by any of its constituents'. Relying on the Bayes factor as a measure of evidential support, Dawid's claim holds in a sufficiently large class of cases, characterized

⁸ Another reason why the arrow is incoming into node $A \wedge B$ is that this setting can capture the meaning of the conjunction. The constraint that, for the conjunction to be true, both A and B have to be true, can be defined using conditional probability tables.

⁹ Note that $\frac{P(b|B)}{P(b|a)} = \frac{P(b|B \wedge a)}{P(b|a)}$ (by the probabilistic independence of a and b given B). So the claim that $\frac{P(b|B)}{P(b|a)} > 1$ is equivalent

$P(B|b \wedge a) > P(B|a)$ since by Bayes' theorem $P(B|b \wedge a) = \frac{P(b|B \wedge a)}{P(b|a)} \times P(B|a)$. Presumably, evidence b should still raise the probability of B even in conjunction with a , or else b would be useless evidence. **M: THIS CLAIM NEEDS TO BE PROVEN MORE RIGOROUSLY BUT I THINK IT'S CORRECT. BASIC INTUITION IS THAT EVIDENCE a RAISES THE PROBABILITY OF CLAIM A (OR B) AND THEN EVIDENCE b FURTHER RAISES THE PROBABILITY OF CLAIM A (OR B). THIS HAPPENS WHEN WE HAVE CONVERGENT EVIDENCE.**

¹⁰ M: DOES THIS NEED A FORMAL PROOF OR IS GOOD ENOUGH?

by the relationships of probabilistic independence encoded in the two Bayesian networks in Figure 1. Both networks capture the fact that a and b are independent lines of evidence that support claim A and B respectively. The only difference between the two networks is whether A and B should be thought as probabilistically independent or not.

If the combined support equals $s_A \times s_B$ or $s_A \times s'_B$ —where the individual support are all greater than one—does the difficulty about conjunction evaporate, as Dawid thought? One hurdle here is that, for the Bayes factor strategy to work, the standard of proof should no longer be formalized as a posterior probability threshold, but instead as a threshold about the Bayes factor. In criminal trials, for example, the rule of decision would be: Guilt is proven beyond a reasonable doubt if and only if the evidential support in favor of G —as measured by the Bayes factor $\frac{P(E|G)}{P(E)}$ —meets a suitably high threshold t . The threshold will no longer be a probability between 0% and 100%, but rather a number somewhere above 1. The greater this number, the more stringent the standard of proof, for any value above one. The obvious question at this point is, how do we identify the appropriate threshold?¹¹ We will not discuss this question for now. As it turns out, even if this question can be satisfactorily answered, this approach gives rise to a complication that proves fatal.

At issue here is whether the conjunction principle can be formalized in a plausible manner using Bayes factor. Unfortunately, the answer to this question is negative. To see why, first recall the conjunction principle, as stated earlier:

$$S[a, A] \text{ and } S[b, B] \text{ iff } S[a \wedge b, A \wedge B],$$

where $S[E, H]$ means that evidence E supports hypothesis H by standard S . If the standard of proof is formalized using the Bayes factor, the conjunction principle would boil down to:

$$\frac{P(a|A)}{P(a)} > t \text{ and } \frac{P(b|B)}{P(b)} > t \text{ iff } \frac{P(a \wedge b|A \wedge B)}{P(a \wedge b)} > t$$

The left-to-right direction—call it aggregation—is likely to hold for any threshold t greater than one. As shown earlier, the combined evidential support is greater than the individual evidential support because $\frac{P(a \wedge b|A \wedge B)}{P(a \wedge b)}$ usually equals $\frac{P(a|A)}{P(a)} \times \frac{P(b|B)}{P(b)}$. Aggregation escaped formalization using the posterior probabilities $P(A|a)$ and $P(B|b)$. So it is certainly an advantage of the Bayes factor that it can justify this direction of the conjunction principle.

However, the right-to-left direction—call it extrapolation—has now become problematic. For suppose the combined evidential support, $\frac{P(a \wedge b|A \wedge B)}{P(a \wedge b)}$, barely meets the threshold. This implies that the individual support, say $\frac{P(a|A)}{P(a)}$, would often be below the threshold unless $\frac{P(b|B)}{P(b)} = 1$ (which should not happen if b positively supports B). So, curiously, there would be cases in which, even though the conjunction $A \wedge B$ is established to the desired standard of proof, the individual claims still fail to meet the standard. This is odd. Call this the extrapolation paradox.

The problem is harder than it might appear. The extrapolation paradox is puzzling because, intuitively, if one has good reasons to believe $A \wedge B$ —or has established the conjunction by the applicable standard of proof—one should have good reasons to believe one of the conjuncts. To be sure, this formulation neglects to mention the supporting evidence. If the supporting evidence is explicitly mentioned, would the paradox disappear? Perhaps so because our intuitions are less straightforward once the supporting evidence is mentioned. Specifically, we might be willing to give up the following extrapolation principle:

$$\text{If } S[a \wedge b, A \wedge B], \text{ then } S[a, A] \text{ and } S[b, B]. \quad (\text{EXT1})$$

The key here is that, since the body of evidence is not held constant, the combined support supplied by $a \wedge b$ could be stronger than the support supplied by a and b individually. So even though the conjunction $A \wedge B$ was established to the requisite standard given the combined evidence $a \wedge b$, it might still be that A was not established to the requisite standard (given evidence a) or B was not established to the requisite standard (given evidence b). But this way of explaining away the aggregation paradox does not lead us very far. If the evidence is held constant, one would not want to deny the following:

¹¹QUESTION: CAN DECISION THEORY BE APPLIED TO THE BAYESIAN FACTOR OR IS IT ALWAYS ABOUT POSTERIOR PROBABILITIES? IF THERE IS NO DECISION THEORY APPLICABLE HERE, THAT WOULD BE A FURTHER DIFFICULTY.

good question, will think about it, will need to take a look at "Bayesian Choice", also need to think about a counterexample

Not always true; just give a specific numerical counterexample. M: I added 'often'. Is this enough?

$$\text{If } S[a \wedge b, A \wedge B], \text{ then } S[a \wedge b, A] \text{ and } S[b \wedge b, B]. \quad (\text{EXT2})$$

That is, one would not want to claim that, holding fixed evidence $a \wedge b$, establishing the conjunction might not be enough for establishing one of the conjuncts. It would be odd if one would be willing to assent to the conjunction without being willing to assent to one of the conjuncts against a fixed body of evidence. Certainly any formalization of the standard of proof should obey the extrapolation principle (EXT2) above. And yet, it is this very principle that we should deny if we understand the standard of proof using the Bayes factor. To see why, note that given the Bayesian network in Figure 1 (top), the following equalities hold:

$$S[a \wedge b, A] = S[a, A] \text{ and } S[a \wedge b, B] = S[b, B].$$

These equalities hold so long as the two pieces of evidence a and b are (unconditionally) independent of one another.¹² If so, (EXT1) and (EXT2) are equivalent, and denying one extrapolation principle implies denying the other. Thus, if the standard of proof is formalized using Bayes factor, the extremely plausible, almost undeniable, extrapolation principle (EXT2) would have to go. This is a high price.

If we drop the unconditional independence of a and b —and thus switch to the Bayesian network in Figure 1 (bottom)—then evidential support of $a \wedge b$ in favor of A (and the same would apply for B) would typically be *stronger* than the evidential support of a alone in favor of A , as expected.¹³ Still, the plausible extrapolation principle (EXT2) would also fail.¹⁴

M: What if we use the second Bayesian network in which a and b are not unconditionally independent?

5.5 Likelihood ratio threshold

Let's now replace the Bayes factor with the likelihood ratio, another probabilistic measure of evidential support. The conjunction paradox redux arises again. Say both individual likelihood ratios $\frac{P(a|A)}{P(a|\neg A)}$ and $\frac{P(b|B)}{P(b|\neg B)}$ are above the requisite threshold t for meeting the standard of proof. Will the combined likelihood ratio $\frac{P(a \wedge b|A \wedge B)}{P(a \wedge b|\neg(A \wedge B))}$ also be above the threshold?

Let's consider numerator and denominator separately. The numerator can be computed easily:

$$\begin{aligned} P(a \wedge b|A \wedge B) &= \frac{P(A \wedge B \wedge a \wedge b)}{P(A \wedge B)} \\ &= \frac{P(A) \times P(B|A) \times P(a|A \wedge B) \times P(b|A \wedge B \wedge a)}{P(A) \times P(B|A)} \\ &=^* \frac{P(A) \times P(B|A) \times P(a|A) \times P(b|B)}{P(A) \times P(B|A)} \\ &= P(a|A) \times P(b|B) \end{aligned}$$

The equality requires the independence assumptions codified in either one of the Bayesian networks in Figure 1. The asterisk marks the step that requires the independence assumptions. Let $P(a|A) = x$ and $P(b|B) = y$, so the numerator simply equals xy . The denominator is more involved:

$$\begin{aligned} P(a \wedge b|\neg(A \wedge B)) &= \frac{P(a \wedge b \wedge \neg(A \wedge B))}{P(\neg(A \wedge B))} \\ &= \frac{P(a \wedge b \wedge \neg A \wedge B) + P(a \wedge b \wedge A \wedge \neg B) + P(a \wedge b \wedge \neg A \wedge \neg B)}{P(\neg A \wedge B) + P(A \wedge \neg B) + P(\neg A \wedge \neg B)} \\ &=^* \frac{P(\neg A)P(B|\neg A)P(a|\neg A)P(b|B) + P(A)P(\neg B|A)P(a|\neg A)P(b|\neg B) + P(\neg A)P(\neg B|\neg A)P(a|\neg A)P(b|\neg B)}{P(\neg A)P(B|\neg A) + P(A)P(\neg B|A) + P(\neg A)P(\neg B|\neg A)} \end{aligned}$$

¹²To show that $S[a \wedge b, A] = S[a, A]$, note that $S[a, A] = \frac{P(a|A)}{P(a)} = \frac{P(a|A) \times P(b)}{P(a) \times P(b)} = \frac{P(a|A) \times P(b|A \wedge a)}{P(a) \times P(b|a)} = \frac{P(a \wedge b|A)}{P(a \wedge b)} = S[a \wedge b, A]$. The key step here is the unconditional probabilistic independence of a and b encoded in the Bayesian network in Figure 1 (top).

The same reasoning applies for B . A related claim is that $S[a, A] = S[a, A \wedge B]$ because $S[a, A] = \frac{P(a|A)}{P(a)} = \frac{P(a|A \wedge B)}{P(a)} = S[a, A]$, and simil for $S[b, B] = S[b, A \wedge B]$

¹³EXPLAIN.

¹⁴EXPLAIN

The same independence assumptions invoked before are needed here again, marked by the asterisk in the derivation. For simplicity, we make two further assumptions. First, we assume that the sensitivity of a piece of evidence, say $P(a|A)$, is the same as its specificity, $P(\neg a|\neg A)$. Since $P(a|A) = x$ and $P(b|B) = y$, then $P(a|\neg A) = 1 - x$ and $P(b|\neg B) = 1 - y$. The second assumption we make is that claims A and B are independent of one another. This is a common in discussion about the difficulty about conjunction as noted before. If we let $P(A) = k$ and $P(B) = t$, we have:

$$P(a \wedge b | \neg(A \wedge B)) = \frac{(1-k)t(1-x)y + k(1-t)x(1-y) + (1-k)(1-t)(1-x)(1-y)}{(1-k)t + (1-t)k + (1-k)(1-t)}$$

The combined likelihood ratio is therefore:

$$\frac{P(a \wedge b | A \wedge B)}{P(a \wedge b | \neg(A \wedge B))} = \frac{xy}{\frac{(1-k)t(1-x)y + k(1-t)x(1-y) + (1-k)(1-t)(1-x)(1-y)}{(1-k)t + (1-t)k + (1-k)(1-t)}} \quad (1)$$

If we make a further simplification, namely $x = y$, individual and combined likelihood ratios can be plotted against x . Equation (1) reduces to:

$$\frac{P(a \wedge b | A \wedge B)}{P(a \wedge b | \neg(A \wedge B))} = \frac{xx}{\frac{(1-k)t(1-x)x + k(1-t)x(1-x) + (1-k)(1-t)(1-x)(1-x)}{(1-k)t + (1-t)k + (1-k)(1-t)}}$$

The graph of the combined likelihood ratio can be plotted against the single likelihood ratios, $x/(1-x)$ for $\frac{P(a|A)}{P(a|\neg A)}$ or $y/(1-y)$ for $\frac{P(b|B)}{P(b|\neg B)}$. Note we are assuming that the sensitivity and specificity of a piece of evidence are the same. Consider first the case in which the individual likelihoods are the same $x/(1-x) = y/(1-y)$. Even though the combined likelihood ratio varies depending on the prior probabilities $P(A)$ and $P(B)$, it always exceeds the individual likelihood ratios as Figure 5.5 shows:




Figure 2: Add caption.

Next consider a more common case. Since pieces of evidence will often differ in reliability, their likelihood ratio will also be different. The combined likelihood ratio is not always greater than the individual ratios, but it is always greater than the smallest of the two provided x is greater than 0.5 (which ensures that the individual likelihood ratios are greater than 1 as desired). **M: How do we know this is the case from the graphs? The graphs don't tell us that, right?**

This is all well and good, but the likelihood ratio still fails to capture the conjunction principle. For suppose that evidence $a \wedge b$ supports $A \wedge B$ to the required threshold t . If evidential support is measured

I am not convinced, we should be more careful here. M: It'd be great to run the program that checks for independencies, though I am pretty sure.

I'm not sure the other one brought much additional information.

by the likelihood ratio, the threshold in this case should be some order of magnitude greater than one. If the combined likelihood ratio meets the threshold t , one of the individual likelihood ratio may well be below the threshold. So—if the standard of proof is interpreted using evidential support measured by the likelihood ratio—even though the conjunction $A \wedge B$ was proven according to the desired standard, one of individual claims might not. The right-to-left direction of the conjunction principle—that is, if $S[a \wedge b, A \wedge B]$, then $S[a, A] \wedge S[b, B]$ —fails. This is again the conjunction paradox redux.

POINT TO ADDRESS:

- (1) THE ARGUMENT IN THIS SECTION CONFLICTS WITH RAFAL'S CRITIQUE OF THE LR SOLUTION. MY HUNCH IS THAT RAFAL'S PAPER IS WRONG BECAUSE IT GIVES THE WRONG FORMULA FOR THE COMBINED LR. NEED TO DISCUSS, BUT SEE BELOW QUOTATION FROM RAFAL'S PAPER:

We have:

$$\begin{aligned} LR(a|A) &= \frac{P(a|A)}{P(a|\neg A)} \\ &= \frac{P(a|A)}{P(\neg a|A)} \\ &= \frac{a}{1-a}. \end{aligned}$$

where the substitution in the denominator is legitimate only because witness' sensitivity is identical to their specificity.

With the joint likelihood, the reasoning is just a bit more tricky. We will need to know what $P(a \wedge b | \neg(A \wedge B))$ is. There are three disjoint possible conditions in which the condition holds: $A \wedge \neg B$, $\neg A \wedge B$, and $\neg A \wedge \neg B$. The probabilities of $a \wedge b$ in these three scenarios are respectively $a(1-b)$, $(1-a)b$, $(1-a)(1-b)$ (again, the assumption of independence is important), and so on the assumption $\neg(A \wedge B)$ the probability of $a \wedge b$ is:

$$\begin{aligned} P(a \wedge b | \neg(A \wedge B)) &= a(1-b) + (1-a)b + (1-a)(1-b) \\ &= a(1-b) + (1-a)(b+1-b) \\ &= a(1-b) + (1-a) \\ &= a - ab + 1 - a = 1 - ab \end{aligned}$$

MARCELLO: THE ABOVE, AS FAR AS I CAN TELL, GIVES THE PROBABILITY OF THE CONJUNCTION $a \wedge b \wedge \neg(A \wedge B)$, NOT THE PROBABILITY OF THE CONDITIONAL PROBABILITY. SO THE CLAIM THAT THE JOINT LIKELIHOOD IS LOWER THAN THE INDIVIDUAL ONES DOES NOT FOLLOW. CHECK!

So, on the assumption of witness independence, we have:

$$\begin{aligned} LR(a \wedge b | A \wedge B) &= \frac{P(a \wedge b | A \wedge B)}{P(a \wedge b | \neg(A \wedge B))} \\ &= \frac{ab}{1-ab} \end{aligned}$$

With $0 < a, b < 1$ we have $ab < a$, $1 - ab > 1 - a$, and consequently:

$$\frac{ab}{1-ab} < \frac{a}{1-a}$$

which means that the joint likelihood is going to be lower than any of the individual ones.

- (2) USE BNS FROM MY CROSS EXAMINATION TO MAKE SENSE OF DEPENDENCE BETWEEN EVIDENCE AND HYPOTHESES.
- (3) But the conjunction paradox redux is perhaps an overly uncharitable reading of what has been proposed so far. The proper version of the conjunction principle might be the following:

$$S[a \wedge b, A] \text{ and } S[a \wedge b, B] \text{ iff } S[a \wedge b, A \wedge B],$$

Each of the claim must be proven give the entire body of evidence available if and only if the conjunction is proven given the entire body of evidence available.

DOES THIS MAKE ANY DIFFERENCE?

5.6 The comparative strategy

Instead of thinking in terms of absolute probability threshold, standard of proof can be understood comparatively (Cheng, 2012). Say the prosecutor or the plaintiff puts forward a hypothesis H_p about what happened. The defense offers an alternative hypothesis about what happened, call H_d . This may be more common in civil than criminal trials. On this approach, rather than directly evaluating the probability of H_{Π} given the evidence and comparing it to a threshold, we compare the support that the evidence provides for these hypotheses, and decide for the one for which the evidence provides better support. More specifically, given a body of evidence E and two competing hypotheses H_p and H_d , the probability $P(H_p|E)$ should be suitably higher than $P(H_d|E)$, or in other words, the ratio $\frac{P(H_p|E)}{P(H_d|E)}$ should be above a suitable threshold. Presumably, the ratio threshold should be higher for criminal than civil cases. In fact, in civil cases it seems enough to require that the ratio $\frac{P(H_p|E)}{P(H_d|E)}$ be above 1, or in other words, $P(H_p|E)$ should be higher than $P(H_d|E)$. Note that H_p and H_d need not be one the negation of the other. If they are one the negation of the other, then $\frac{P(H_p|E)}{P(H_d|E)} > 1$ implies that $P(H_p|E) > 50\%$, the standard probabilistic interpretation of the preponderance standard.

Cheng motivates this approach by the following considerations. Suppose that if the decision is correct, no costs result, but incorrect decisions have their price. Let us say that if the defendant is right and we find against them, the cost is c_1 , and if the plaintiff is right and we find against them, the cost is c_2 :

		Decision	
		D_{Δ}	D_{Π}
Truth	H_{Δ}	0	c_1
	H_{Π}	c_2	0

Intuitively, it seems that we want a decision rule which minimizes the expected cost. Say that given our total evidence E the relevant conditional probabilities are:

$$p_{\Delta} = P(H_{\Delta}|E)$$

$$p_{\Pi} = P(H_{\Pi}|E)$$

The expected costs for deciding that H_{Δ} and H_{Π} , respectively, are:

$$E(D_{\Delta}) = p_{\Delta}0 + p_{\Pi}c_2 = c_2p_{\Pi}$$

$$E(D_{\Pi}) = p_{\Delta}c_1 + p_{\Pi}0 = c_1p_{\Delta}$$

For this reason, on these assumptions, we would like to choose H_{Π} just in case $E(D_{\Pi}) < E(D_{\Delta})$. This condition is equivalent to:

$$\begin{aligned} c_1p_{\Delta} &< c_2p_{\Pi} \\ c_1 &< \frac{c_2p_{\Pi}}{p_{\Delta}} \\ \frac{c_1}{c_2} &< \frac{p_{\Pi}}{p_{\Delta}} \end{aligned} \tag{2}$$

Cheng (2012) (1261) notes:

At the same time, in a civil trial, the legal system expresses no preference between finding erroneously for the plaintiff (false positives) and finding erroneously for the defendant (false negatives). The costs c_1 and c_2 are thus equal...

If we grant this assumption, $c_1 = c_2$, (2) reduces to:

$$\begin{aligned} 1 &< \frac{p_{\Pi}}{p_{\Delta}} \\ p_{\Pi} &> p_{\Delta} \end{aligned} \tag{3}$$

That is, in standard civil litigation we are to find for the plaintiff just in case H_{Π} is more probable given the evidence than H_{Δ} , which seems plausible.

This instruction is somewhat more general than the usual suggestion of the preponderance standard in civil litigation, according to which the court should find for the plaintiff just in case $P(H_{\Pi}|E) > 0.5$. This threshold, however, results from (3) if it so happens that H_{Δ} is $\neg H_{\Pi}$, that is, if the defendant's claim is simply the negation of the plaintiff's thesis. By no means, Cheng argues, this is always the case.

How is RLP supposed to handle DAC? Consider an imaginary case, used by Cheng to discuss this issue. In it, the plaintiff claims that the defendant was speeding (S) and that the crash caused her neck injury (C). Thus, H_{Π} is $S \wedge C$. Suppose that given total evidence E , the conjuncts, taken separately, meet the decision standard of RLP:

$$\frac{P(S|E)}{P(\neg S|E)} > 1 \qquad \frac{P(C|E)}{P(\neg C|E)} > 1$$

The question, clearly, is whether $\frac{P(S \wedge C|E)}{P(H_{\Delta}|E)} > 1$. But to answer it, we have to decide what H_{Δ} is. This is the point where Cheng's remark that H_{Δ} isn't normally simply $\neg H_{\Pi}$. Instead, he insists, there are three alternative defense scenarios: $H_{\Delta_1} = S \wedge \neg C$, $H_{\Delta_2} = \neg S \wedge C$, and $H_{\Delta_3} = \neg S \wedge \neg C$. How does H_{Π} compare to each of them? Cheng (assuming independence) argues:

$$\begin{aligned} \frac{P(S \wedge C|E)}{P(S \wedge \neg C|E)} &= \frac{P(S|E)P(C|E)}{P(S|E)P(\neg C|E)} = \frac{P(C|E)}{P(\neg C|E)} > 1 \\ \frac{P(S \wedge C|E)}{P(\neg S \wedge C|E)} &= \frac{P(S|E)P(C|E)}{P(\neg S|E)P(C|E)} = \frac{P(S|E)}{P(\neg S|E)} > 1 \\ \frac{P(S \wedge C|E)}{P(\neg S \wedge \neg C|E)} &= \frac{P(S|E)P(C|E)}{P(\neg S|E)P(\neg C|E)} > 1 \end{aligned} \tag{4}$$

It seems that whatever the defense story is, it is less plausible than the plaintiff's claim. So, at least in this case, whenever elements of a plaintiff's claim satisfy the decision standard proposed by RLP, then so does their conjunction.

Much of the heavy lifting here is done by the strategic splitting of the defense line into multiple scenarios. The result is rather paradoxical. For suppose $P(H_{\Pi}|E) = 0.37$ and the probability of each of the defense lines given E is 0.21. This means that H_{Π} wins with each of the scenarios, so, according to RLP, we should find for the plaintiff. On the other hand, how eager are we to convict once we notice that given the evidence, the accusation is rather false, because $P(\neg H_{\Pi}|E) = 0.63$?

The problem generalizes. If, as here, we individualize scenarios by boolean combinations of elements of a case, the more elements there are, into more scenarios $\neg H_{\Pi}$ needs to be divided. This normally would lead to the probability of each of them being even lower (because now $P(\neg H_{\Pi})$ needs to be "split" between more different scenarios). So, if we take this approach seriously, the more elements a case has, the more at disadvantage the defense is. This seems undesirable.

5.7 Rejecting the conjunction principle?

For the legal probabilist, it is perhaps time to reject the conjunction principle altogether. Before doing that, however, we should seek plausible reasons to reject it—reasons that are not simply a stubborn defense of legal probabilism.

POINTS TO ADDRESS:

- (1) EVEN IF THE SOLUTIONS WITH BF AND LR WORK, THIS DOES NOT SEEM AN ADEQUATE SOLUTION YET. DO WE NEED A HOLISTIC ASSESSMENT OF THE EVIDENCE. IS THIS RIGHT?

5.8 Specific Narratives [IDEAS OF A SOLUTION]

So far we have assumed the most natural probabilistic interpretation of proof standards, one that posits a threshold on the posterior probabilities of a generic hypothesis such as guilt or civil liability. In criminal cases, the requirement is formulated as follows: guilt is proven beyond a reasonable doubt provided $\Pr(G|E)$ is above a suitable threshold, say 95%. The threshold is lower in civil trials. Civil liability is proven by preponderance provided $\Pr(L|E)$ is above a suitable threshold, say 50%. The claim that the defendant is guilty or civilly liable can be replaced by a more fine-grained hypothesis, call it H_p , the hypothesis put forward by the prosecutor (or the plaintiff in a civil case), for example, the hypothesis that the defendant killed the victim with a firearm while burglarizing the victim's apartment. H_p can be any hypothesis which, if true, would entail the defendant is civilly or criminally liable (according to the governing law). Hypothesis H_p is a more precise description of what happened that establishes, if true, the defendant's guilt or civil liability. In defining proof standards, instead of saying – somewhat

generically – that $P(G|E)$ or $P(L|E)$ should be above a suitable threshold, a probabilistic interpretation could read: civil or criminal liability is proven beyond a reasonable doubt provided $\Pr(H_d|E)$ is above a suitable threshold.

This variation may appear inconsequential. But we argue – perhaps surprisingly – it can address the naked statistical evidence problem and the difficulty about conjunction. Consider the prisoner hypothetical. It is true that the naked statistics make him 99% likely to be guilty, that is, $P(G|E_s)$. It is 99% likely that he is one of the prisoners who attacked and killed the guard. Notice that this is a generic claim. It is odd for the prosecution to simply assert that the prisoner was one of those who killed the guard, without saying what he did, how he partook in the killing, what role he played in the attack, etc. If the prosecution offered a more specific incriminating hypothesis, call it H_p , the probability $P(H_p|E_s)$ of this hypothesis based on the naked statistical evidence E_s would be well below 99%, even though $P(G|E_s) = 99\%$. The fact the prisoner on trial is most likely guilty is an artifact of the choice of a generic hypothesis G . When this hypothesis is made more specific – as it should be – this probability drops significantly. A more detailed defense of this argument is provided in CHAPTER XYZ.

Consider now the difficulty about conjunction, focusing again on criminal cases for the sake of concreteness. This difficulty assumes that prosecutors should establish each element of a crime in isolation. If they manage to prove each element to the desired standard, they have met their burden. This is an artificial view of legal proof. Consider a Washington statute about negligent driving:

(1)(a) A person is guilty of negligent driving in the first degree if he or she operates a motor vehicle in a manner that is both negligent and endangers or is likely to endanger any person or property, and exhibits the effects of having consumed liquor or marijuana or any drug or exhibits the effects of having inhaled or ingested any chemical, whether or not a legal substance, for its intoxicating or hallucinatory effects. RCW 46.61.5249

In other words, a prosecutor who wishes to establish beyond a reasonable doubt that the defendant is guilty of negligent driving should establish:

(a) the defendant operated a vehicle (b) that, in operating a vehicle, the defendant did so in a negligent manner (c) that, in operating a vehicle, the defendant did so in a manner likely to endanger a person or property (d) that the defendant – presumably, immediately after the incident – exhibited the signs of intoxication by liquor or drugs

These four claims form a common narrative about what happened. NEED TO COMPLETE THIS. BASIC IDEA IS THAT, FIRST, YOU ESTABLISH THE NARRATIVES, AND, SECOND, THE NARRATIVE IF TRUE PROVES EACH ELEMENT. SO TO PROVE EACH ELEMENT SIMPLY MEANS TO PROVE A NARRATIVE FROM WHICH ALL ELEMENTS FOLLOW DEDUCTIVELY. THERE IS NO POINT IN THINKING ABOUT WHETHER EACH ELEMENT HAS BEEN PROVEN.

6 The likelihood strategy

Focusing on posterior probabilities is not the only approach that legal probabilists can pursue. By Bayes' theorem, the following holds, using G and I as competing hypotheses:

$$\frac{\Pr(G|E)}{\Pr(I|E)} = \frac{\Pr(E|G)}{\Pr(E|I)} \times \frac{\Pr(G)}{\Pr(I)},$$

or using H_p and H_d as competing hypotheses,

$$\frac{\Pr(H_p|E)}{\Pr(H_d|E)} = \frac{\Pr(E|H_p)}{\Pr(E|H_d)} \times \frac{\Pr(H_p)}{\Pr(H_d)},$$

or in words

$$\text{posterior odds} = \text{likelihood ratio} \times \text{prior odds}.$$

A difficult problem is to assign numbers to the prior probabilities such as $\Pr(G)$ or $\Pr(H_p)$, or prior odds such as $\frac{\Pr(G)}{\Pr(I)}$ or $\frac{\Pr(H_p)}{\Pr(H_d)}$.

DISCUSS DIFFICULTIES ABOUT ASSIGNING PRIORS! WHERE? CAN WE USE IMPRECISE PROBABILITIES TO TALK ABOUT PRIORS – I.E. LOW PRIORS = TOTAL IGNORANCE = VERY IMPRECISE (LARGE INTERVAL) PRIORS? THE PROBLEM WITH THIS WOULD BE THAT

THERE IS NO UPDSATING POSSIBLE. ALL UPDATING WOULD STILL GET BACK TO THE STARTING POINT. DO YOU HAVE AN ANSWER TO THAT? WOULD BE INTERESTING TO DISCUSS THIS!

Given these difficulties, both practical and theoretical, one option is to dispense with priors altogether. This is not implausible. Legal disputes in both criminal and civil trials should be decided on the basis of the evidence presented by the litigants. But it is the likelihood ratio – not the prior ratio – that offers the best measure of the overall strength of the evidence presented. So it is all too natural to focus on likelihood ratios and leave the priors out of the picture. If this is the right, the question is, how would a probabilistic interpretation of standards of proof based on the likelihood ratio look like? At its simplest, this strategy will look as follows. Recall our discussion of expected utility theory:

$$\text{convict provided } \frac{\text{cost}(CI)}{\text{cost}(AG)} < \frac{\Pr(H_p|E)}{\Pr(H_d|E)},$$

which is equivalent to

$$\text{convict provided } \frac{\text{cost}(CI)}{\text{cost}(AG)} < \frac{\Pr(E|H_p)}{\Pr(E|H_d)} \times \frac{\Pr(H_p)}{\Pr(H_d)}.$$

By rearranging the terms,

$$\text{convict provided } \frac{\Pr(E|H_p)}{\Pr(E|H_d)} > \frac{\Pr(H_d)}{\Pr(H_p)} \times \frac{\text{cost}(CI)}{\text{cost}(AG)}.$$

Then, on this interpretation, the likelihood ratio should be above a suitable threshold that is a function of the cost ratio and the prior ratio. The outstanding question is how this threshold is to be determined.

6.1 Kaplow

Quite independently, a similar approach to juridical decisions has been proposed by Kaplow (2014) – we'll call it **decision-theoretic legal probabilism (DTLP)**. It turns out that Cheng's suggestion is a particular case of this more general approach. Let $LR(E) = P(E|H_{\Pi})/P(E|H_{\Delta})$. In whole generality, DTLP invites us to convict just in case $LR(E) > LR^*$, where LR^* is some critical value of the likelihood ratio.

Say we want to formulate the usual preponderance rule: convict iff $P(H_{\Pi}|E) > 0.5$, that is, iff $\frac{P(H_{\Pi}|E)}{P(H_{\Delta}|E)} > 1$. By Bayes' Theorem we have:

$$\begin{aligned} \frac{P(H_{\Pi}|E)}{P(H_{\Delta}|E)} &= \frac{P(H_{\Pi})}{P(H_{\Delta})} \times \frac{P(E|H_{\Pi})}{P(E|H_{\Delta})} > 1 \Leftrightarrow \\ &\Leftrightarrow \frac{P(E|H_{\Pi})}{P(E|H_{\Delta})} > \frac{P(H_{\Delta})}{P(H_{\Pi})} \end{aligned}$$

So, as expected, LR^* is not unique and depends on priors. Analogous reformulations are available for thresholds other than 0.5.

Kaplow's point is not that we can reformulate threshold decision rules in terms of priors-sensitive likelihood ratio thresholds. Rather, he insists, when we make a decision, we should factor in its consequences. Let G represent potential gain from correct conviction, and L stand for the potential loss resulting from mistaken conviction. Taking them into account, Kaplow suggests, we should convict if and only if:

$$P(H_{\Pi}|E) \times G > P(H_{\Delta}|E) \times L \tag{5}$$

Now, (5) is equivalent to:

$$\begin{aligned} \frac{P(H_{\Pi}|E)}{P(H_{\Delta}|E)} &> \frac{L}{G} \\ \frac{P(H_{\Pi})}{P(H_{\Delta})} \times \frac{P(E|H_{\Pi})}{P(E|H_{\Delta})} &> \frac{L}{G} \\ \frac{P(E|H_{\Pi})}{P(E|H_{\Delta})} &> \frac{P(H_{\Delta})}{P(H_{\Pi})} \times \frac{L}{G} \\ LR(E) &> \frac{P(H_{\Delta})}{P(H_{\Pi})} \times \frac{L}{G} \end{aligned} \tag{6}$$

This is the general format of Kaplow's decision standard.

6.2 Dawid

Here is a slightly different perspective, due to Dawid (1987), that also suggests that juridical decisions should be likelihood-based. The focus is on witnesses for the sake of simplicity. Imagine the plaintiff produces two independent witnesses: W_A attesting to A , and W_B attesting to B . Say the witnesses are regarded as 70% reliable and A and B are probabilistically independent, so we infer $P(A) = P(B) = 0.7$ and $P(A \wedge B) = 0.7^2 = 0.49$.

But, Dawid argues, this is misleading, because to reach this result we misrepresented the reliability of the witnesses: 70% reliability of a witness, he continues, does not mean that if the witness testifies that A , we should believe that $P(A) = 0.7$. To see his point, consider two potential testimonies:

-
- A_1 The sun rose today.
 A_2 The sun moved backwards through the sky today.
-

Intuitively, after hearing them, we would still take $P(A_1)$ to be close to 1 and $P(A_2)$ to be close to 0, because we already have fairly strong convictions about the issues at hand. In general, how we should revise our beliefs in light of a testimony depends not only on the reliability of the witness, but also on our prior convictions.¹⁵ And this is as it should be: as indicated by Bayes' Theorem, one and the same testimony with different priors might lead to different posterior probabilities.

So far so good. But how should we represent evidence (or testimony) strength then? Well, one pretty standard way to go is to focus on how much it contributes to the change in our beliefs in a way independent of any particular choice of prior beliefs. Let a be the event that the witness testified that A . It is useful to think about the problem in terms of *odds*, *conditional odds* (O) and *likelihood ratios* (LR):

$$\begin{aligned} O(A) &= \frac{P(A)}{P(\neg A)} \\ O(A|a) &= \frac{P(A|a)}{P(\neg A|a)} \\ LR(a|A) &= \frac{P(a|A)}{P(a|\neg A)}. \end{aligned}$$

Suppose our prior beliefs and background knowledge, before hearing a testimony, are captured by the prior probability measure $P_{prior}(\cdot)$, and the only thing that we learn is a . We're interested in what our *posterior* probability measure, $P_{posterior}(\cdot)$, and posterior odds should then be. If we're to proceed with Bayesian updating, we should have:

$$\frac{P_{posterior}(A)}{P_{posterior}(\neg A)} = \frac{P_{prior}(A|a)}{P_{prior}(\neg A|a)} = \frac{P_{prior}(a|A)}{P_{prior}(a|\neg A)} \times \frac{P_{prior}(A)}{P_{prior}(\neg A)}$$

that is,

$$O_{posterior}(A) = O_{prior}(A|a) = \underbrace{LR_{prior}(a|A)}_{\text{conditional likelihood ratio}} \times O_{prior}(A) \quad (7)$$

The conditional likelihood ratio seems to be a much more direct measure of the value of a , independent of our priors regarding A itself. In general, the posterior probability of an event will equal to the witness's reliability in the sense introduced above only if the prior is 1/2.¹⁶

6.3 Likelihood and DAC

But how does our preference for the likelihood ratio as a measure of evidence strength relate to DAC? Let's go through Dawid's reasoning.

¹⁵ An issue that Dawid does not bring up is the interplay between our priors and our assessment of the reliability of the witnesses. Clearly, our posterior assessment of the credibility of the witness who testified A_2 will be lower than that of the other witness.

¹⁶ Dawid gives no general argument, but it is not too hard to give one. Let $rel(a) = P(a|A) = P(\neg a|\neg A)$. We have in the background $P(a|\neg A) = 1 - P(\neg a|\neg A) = 1 - rel(a)$. We want to find the condition under which $P(A|a) = P(a|A)$. Set $P(A) = p$ and start

A sensible way to probabilistically interpret the 70% reliability of a witness who testifies that A is to take it to consist in the fact that the probability of a positive testimony if A is the case, just as the probability of a negative testimony (that is, testimony that A is false) if A isn't the case, is 0.7:¹⁷

$$P_{prior}(a|A) = P_{prior}(\neg a|\neg A) = 0.7.$$

$P_{prior}(a|\neg A) = 1 - P_{prior}(\neg a|\neg A) = 0.3$, and so the same information is encoded in the appropriate likelihood ratio:

$$LR_{prior}(a|A) = \frac{P_{prior}(a|A)}{P_{prior}(a|\neg A)} = \frac{0.7}{0.3}$$

Let's say that a provides (positive) support for A in case

$$O_{posterior}(A) = O_{prior}(A|a) > O_{prior}(A)$$

that is, a testimony a supports A just in case the posterior odds of A given a are greater than the prior odds of A (this happens just in case $P_{posterior}(A) > P_{prior}(A)$). By (7), this will be the case if and only if $LR_{prior}(a|A) > 1$.

One question that Dawid addresses is this: assuming reliability of witnesses 0.7, and assuming that a and b , taken separately, provide positive support for their respective claims, does it follow that $a \wedge b$ provides positive support for $A \wedge B$?

Assuming the independence of the witnesses, this will hold in non-degenerate cases that do not involve extreme probabilities, on the assumption of independence of a and b conditional on all combinations: $A \wedge B$, $A \wedge \neg B$, $\neg A \wedge B$ and $\neg A \wedge \neg B$.^{18, ~19}

Let us see why the above claim holds. The calculations are my reconstruction and are not due to Dawid. The reader might be annoyed with me working out the mundane details of Dawid's claims, but it turns out that in the case of Dawid's strategy, the devil is in the details. The independence of witnesses gives us:

$$\begin{aligned} P(a \wedge b|A \wedge B) &= 0.7^2 = 0.49 \\ P(a \wedge b|A \wedge \neg B) &= 0.7 \times 0.3 = 0.21 \\ P(a \wedge b|\neg A \wedge B) &= 0.3 \times 0.7 = 0.21 \\ P(a \wedge b|\neg A \wedge \neg B) &= 0.3 \times 0.3 = 0.09 \end{aligned}$$

Without assuming A and B to be independent, let the probabilities of $A \wedge B$, $\neg A \wedge B$, $A \wedge \neg B$, $\neg A \wedge \neg B$ be $p_{11}, p_{01}, p_{10}, p_{00}$. First, let's see what $P(a \wedge b)$ boils down to.

with Bayes' Theorem and the law of total probability, and go from there:

$$\begin{aligned} P(A|a) &= P(a|A) \\ \frac{P(a|A)p}{P(a|A)p + P(a|\neg A)(1-p)} &= P(a|A) \\ P(a|A)p &= P(a|A)[P(a|A)p + P(a|\neg A)(1-p)] \\ p &= P(a|A)p + P(a|\neg A) - P(a|\neg A)p \\ p &= rel(a)p + 1 - rel(a) - (1 - rel(a))p \\ p &= rel(a)p + 1 - rel(a) - p + rel(a)p \\ 2p &= 2rel(a)p + 1 - rel(a) \\ 2p - 2rel(a)p &= 1 - rel(a) \\ 2p(1 - rel(a)) &= 1 - rel(a) \\ 2p &= 1 \end{aligned}$$

First we multiplied both sides by the denominator. Then we divided both sides by $P(a|A)$ and multiplied on the right side. Then we used our background notation and information. Next, we manipulated the right-hand side algebraically and moved $-p$ to the left-hand side. Move $2rel(a)p$ to the left and manipulate the result algebraically to get to the last line.

¹⁷In general setting, these are called the *sensitivity* and *specificity* of a test (respectively), and they don't have to be equal. For instance, a degenerate test for an illness which always responds positively, diagnoses everyone as ill, and so has sensitivity 1, but specificity 0.

¹⁸Dawid only talks about the independence of witnesses without reference to conditional independence. Conditional independence does not follow from independence, and it is the former that is needed here (also, four non-equivalent different versions of it).

¹⁹In terms of notation and derivation in the optional content that will follow, the claim holds if and only if $28 > 28p_{11} - 12p_{00}$. This inequality is not true for all admissible values of p_{11} and p_{00} . If $p_{11} = 1$ and $p_{00} = 0$, the sides are equal. However, this is a rather degenerate example. Normally, we are interested in cases where $p_{11} < 1$. And indeed, on this assumption, the inequality holds.

By the law of total probability we have:

$$\begin{aligned} P(a \wedge b) &= P(a \wedge b | A \wedge B)P(A \wedge B) + \\ &\quad + P(a \wedge b | A \wedge \neg B)P(A \wedge \neg B) \\ &\quad + P(a \wedge b | \neg A \wedge B)P(\neg A \wedge B) + \\ &\quad + P(a \wedge b | \neg A \wedge \neg B)P(\neg A \wedge \neg B) \end{aligned} \quad (8)$$

which, when we substitute our values and constants, results in:

$$= 0.49p_{11} + 0.21(p_{10} + p_{01}) + 0.09p_{00}$$

Now, note that because p_{ii} s add up to one, we have $p_{10} + p_{01} = 1 - p_{00} - p_{11}$. Let us continue.

$$\begin{aligned} &= 0.49p_{11} + 0.21(1 - p_{00} - p_{11}) + 0.09p_{00} \\ &= 0.21 + 0.28p_{11} - 0.12p_{00} \end{aligned}$$

Next, we ask what the posterior of $A \wedge B$ given $a \wedge b$ is (in the last line, we also multiply the numerator and the denominator by 100).

$$\begin{aligned} P(A \wedge B | a \wedge b) &= \frac{P(a \wedge b | A \wedge B)P(A \wedge B)}{P(a \wedge b)} \\ &= \frac{49p_{11}}{21 + 28p_{11} - 12p_{00}} \end{aligned}$$

In this particular case, then, our question whether $P(A \wedge B | a \wedge b) > P(A \wedge B)$ boils down to asking whether

$$\frac{49p_{11}}{21 + 28p_{11} - 12p_{00}} > p_{11}$$

that is, whether $28 > 28p_{11} - 12p_{00}$ (just divide both sides by p_{11} , multiply by the denominator, and manipulate algebraically).

Dawid continues working with particular choices of values and provides neither a general statement of the fact that the above considerations instantiate nor a proof of it. In the middle of the paper he says:

Even under prior dependence, the combined support is always positive, in the sense that the posterior probability of the case always exceeds its prior probability... When the problem is analysed carefully, the ‘paradox’ evaporates [pp. 95-7]

where he still means the case with the particular values that he has given, but he seems to suggest that the claim generalizes to a large array of cases.

The paper does not contain a precise statement making the conditions required explicit and, *a fortiori*, does not contain a proof of it. Given the example above and Dawid’s informal reading, let us develop a more precise statement of the claim and a proof thereof.

Fact 1. *Suppose that $rel(a), rel(b) > 0.5$ and witnesses are independent conditional on all Boolean combinations of A and B (in a sense to be specified), and that none of the Boolean combinations of A and B has an extreme probability (of 0 or 1). It follows that $P(A \wedge B | a \wedge b) > P(A \wedge B)$. (Independence of A and B is not required.)*

Roughly, the theorem says that if independent and reliable witnesses provide positive support of their separate claims, their joint testimony provides positive support of the conjunction of their claims.

Let us see why the claim holds. First, we introduce an abbreviation for witness reliability:

$$\begin{aligned} \mathbf{a} &= rel(a) = P(a|A) = P(\neg a|\neg A) > 0.5 \\ \mathbf{b} &= rel(b) = P(b|B) = P(\neg b|\neg B) > 0.5 \end{aligned}$$

Our independence assumption means:

$$\begin{aligned} P(a \wedge b | A \wedge B) &= \mathbf{a}\mathbf{b} \\ P(a \wedge b | A \wedge \neg B) &= \mathbf{a}(1 - \mathbf{b}) \\ P(a \wedge b | \neg A \wedge B) &= (1 - \mathbf{a})\mathbf{b} \\ P(a \wedge b | \neg A \wedge \neg B) &= (1 - \mathbf{a})(1 - \mathbf{b}) \end{aligned}$$

Abbreviate the probabilities the way we already did:

$$\begin{aligned} P(A \wedge B) &= p_{11} & P(A \wedge \neg B) &= p_{10} \\ P(\neg A \wedge B) &= p_{01} & P(\neg A \wedge \neg B) &= p_{00} \end{aligned}$$

Our assumptions entail $0 \neq p_{ij} \neq 1$ for $i, j \in \{0, 1\}$ and:

$$p_{11} + p_{10} + p_{01} + p_{00} = 1 \quad (9)$$

So, we can use this with (8) to get:

$$\begin{aligned} P(a \wedge b) &= \mathbf{a}b p_{11} + \mathbf{a}(1 - \mathbf{b})p_{10} + (1 - \mathbf{a})\mathbf{b}p_{01} + (1 - \mathbf{a})(1 - \mathbf{b})p_{00} \\ &= p_{11}\mathbf{a}b + p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b) \end{aligned} \quad (10)$$

Let's now work out what the posterior of $A \wedge B$ will be, starting with an application of the Bayes' Theorem:

$$\begin{aligned} P(A \wedge B | a \wedge b) &= \frac{P(a \wedge b | A \wedge B)P(A \wedge B)}{P(a \wedge b)} \\ &= \frac{\mathbf{a}b p_{11}}{p_{11}\mathbf{a}b + p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)} \end{aligned} \quad (11)$$

To answer our question we therefore have to compare the content of (11) to p_{11} and our claim holds just in case:

$$\begin{aligned} \frac{\mathbf{a}b p_{11}}{p_{11}\mathbf{a}b + p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)} &> p_{11} \\ \frac{\mathbf{a}b}{p_{11}\mathbf{a}b + p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)} &> 1 \\ p_{11}\mathbf{a}b + p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b) &< \mathbf{a}b \end{aligned} \quad (12)$$

Proving (12) is therefore our goal for now. This is achieved by the following reasoning:²⁰

- | | | |
|-----|--|---|
| 1. | $\mathbf{b} > 0.5, \mathbf{a} > 0.5$ | assumption |
| 2. | $2\mathbf{b} > 1, 2\mathbf{a} > 1$ | from 1. |
| 3. | $2\mathbf{a}b > \mathbf{a}, 2\mathbf{a}b > \mathbf{b}$ | multiplying by \mathbf{a} and \mathbf{b} respectively |
| 4. | $p_{10}2\mathbf{a}b > p_{10}\mathbf{a}, p_{01}2\mathbf{a}b > p_{01}\mathbf{b}$ | multiplying by p_{10} and p_{01} respectively |
| 5. | $p_{10}2\mathbf{a}b + p_{01}2\mathbf{a}b > p_{10}\mathbf{a} + p_{01}\mathbf{b}$ | adding by sides, 3., 4. |
| 6. | $1 - \mathbf{b} - \mathbf{a} < 0$ | from 1. |
| 7. | $p_{00}(1 - \mathbf{b} - \mathbf{a}) < 0$ | From 6., because $p_{00} > 0$ |
| 8. | $p_{10}2\mathbf{a}b + p_{01}2\mathbf{a}b > p_{10}\mathbf{a} + p_{01}\mathbf{b} + p_{00}(1 - \mathbf{b} - \mathbf{a})$ | from 5. and 7. |
| 9. | $p_{10}\mathbf{a}b + p_{10}\mathbf{a}b + p_{01}\mathbf{a}b + p_{01}\mathbf{a}b + p_{00}\mathbf{a}b - p_{00}\mathbf{a}b > p_{10}\mathbf{a} + p_{01}\mathbf{b} + p_{00}(1 - \mathbf{b} - \mathbf{a})$ | 8., rewriting left-hand side |
| 10. | $p_{10}\mathbf{a}b + p_{01}\mathbf{a}b + p_{00}\mathbf{a}b > -p_{10}\mathbf{a}b - p_{01}\mathbf{a}b + p_{00}\mathbf{a}b + p_{10}\mathbf{a} + p_{01}\mathbf{b} + p_{00}(1 - \mathbf{b} - \mathbf{a})$ | 9., moving from left to right |
| 11. | $\mathbf{a}b(p_{10} + p_{01} + p_{00}) > p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)$ | 10., algebraic manipulation |
| 12. | $\mathbf{a}b(1 - p_{11}) > p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)$ | 11. and equation (9) |
| 13. | $\mathbf{a}b - \mathbf{a}b p_{11} > p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)$ | 12., algebraic manipulation |
| 14. | $\mathbf{a}b > \mathbf{a}b p_{11} + p_{10}(\mathbf{a} - \mathbf{a}b) + p_{01}(\mathbf{b} - \mathbf{a}b) + p_{00}(1 - \mathbf{b} - \mathbf{a} + \mathbf{a}b)$ | 13., moving from left to right |

The last line is what we have been after.

OPTIONAL CONTENT ENDS

Now that we have as a theorem an explication of what Dawid informally suggested, let's see whether it helps the probabilist handling of DAC.

6.4 Kaplow

On RLP, at least in certain cases, the decision rule leads us to (??), which tells us to decide the case based on whether the likelihood ratio is greater than 1.

²¹ While Kaplow did not discuss DAC or the gatecrasher paradox, it is only fair to evaluate Kaplow's proposal from the perspective of these difficulties.

Add here stuff from Marcello's Mind paper about the prisoner hypothetical. Then, discuss Rafal's critique of the likelihood ratio threshold and see where we end up.

²⁰ Thanks to Pawel Pawlowski for working on this proof with me.

²¹ Again, the name of the view is by no means standard, it is just a term I coined to refer to various types of legal probabilism in a fairly uniform manner.

7 Challenges (again)

7.1 Likelihood ratio and the problem of the priors

7.2 Dawid's likelihood strategy doesn't help

Recall that DAC was a problem posed for the decision standard proposed by TLP, and the real question is how the information resulting from Fact 1 can help to avoid that problem. Dawid does not mention any decision standard, and so addresses quite a different question, and so it is not clear that ‘the paradox’ evaporates”, as Dawid suggests.

What Dawid correctly suggests (and we establish in general as Fact 1) is that the support of the conjunction by two witnesses will be positive as soon as their separate support for the conjuncts is positive. That is, that the posterior of the conjunction will be higher than its prior. But the critic of probabilism never denied that the conjunction of testimonies might raise the probability of the conjunction if the testimonies taken separately support the conjuncts taken separately. Such a critic can still insist that Fact 1 does nothing to alleviate her concern. After all, at least *prima facie* it still might be the case that:

- the posterior probabilities of the conjuncts are above a given threshold,
- the posterior probability of the conjunction is higher than the prior probability of the conjunction,
- the posterior probability of the conjunction is still below the threshold.

That is, Fact 1 does not entail that once the conjuncts satisfy a decision standard, so does the conjunction.

At some point, Dawid makes a general claim that is somewhat stronger than the one already cited:

When the problem is analysed carefully, the ‘paradox’ evaporates: suitably measured, the support supplied by the conjunction of several independent testimonies exceeds that supplied by any of its constituents.

[p. 97]

This is quite a different claim from the content of Fact 1, because previously the joint probability was claimed only to increase as compared to the prior, and here it is claimed to increase above the level of the separate increases provided by separate testimonies. Regarding this issue Dawid elaborates (we still use the p_{ij} -notation that we’ve already introduced):

“More generally, let $P(a|A)/P(a|\neg A) = \lambda$, $P(b|B)/P(b|\neg B) = \mu$, with $\lambda, \mu > 0.7$, as might arise, for example, when there are several available testimonies. If the witnesses are independent, then

$$P(A \wedge B|a \wedge b) = \lambda\mu p_{11}/(\lambda\mu p_{11} + \lambda p_{10} + \mu p_{01} + p_{00})$$

which increases with each of λ and μ , and is never less than the larger of $\lambda p_{11}/(1 - p_{11} + \lambda p_{11})$, $\mu p_{11}/(1 - p_{11} + \mu p_{11})$, the posterior probabilities appropriate to the individual testimonies.” [p. 95]

This claim, however, is false.

OPTIONAL CONTENT STARTS

Let us see why. The quoted passage is a bit dense. It contains four claims for which no arguments are given in the paper. The first three are listed below as (13), the fourth is that if the conditions in (13) hold, $P(A \wedge B|a \wedge b) > \max(P(A|a), P(B|b))$. Notice that $\lambda = LR(a|A)$ and $\mu = LR(b|B)$. Suppose the first three claims hold, that is:

$$P(A \wedge B|a \wedge b) = \lambda\mu p_{11}/(\lambda\mu p_{11} + \lambda p_{10} + \mu p_{01} + p_{00}) \tag{13}$$

$$P(A|a) = \frac{\lambda p_{11}}{1 - p_{11} + \lambda p_{11}}$$

$$P(B|b) = \frac{\mu p_{11}}{1 - p_{11} + \mu p_{11}}$$

Is it really the case that $P(A \wedge B|a \wedge b) > P(A|a), P(B|b)$? It does not seem so. Let $\mathbf{a} = \mathbf{b} = 0.6$, $pr = \langle p_{11}, p_{10}, p_{01}, p_{00} \rangle = \langle 0.1, 0.7, 0.1, 0.1 \rangle$. Then, $\lambda = \mu = 1.5 > 0.7$ so the assumption is satisfied. Then we have $P(A) = p_{11} + p_{10} = 0.8$, $P(B) = p_{11} + p_{01} = 0.2$. We can also easily compute $P(a) = \mathbf{a}P(A) + (1 - \mathbf{a})P(\neg A) = 0.56$ and $P(b) = \mathbf{b}P(B) + (1 - \mathbf{b})P(\neg B) = 0.44$. Yet:

$$\begin{aligned}
P(A|a) &= \frac{P(a|A)P(A)}{P(a)} = \frac{0.6 \times 0.8}{0.6 \times 0.8 + 0.4 \times 0.2} \approx 0.8571 \\
P(B|b) &= \frac{P(b|B)P(B)}{P(b)} = \frac{0.6 \times 0.2}{0.6 \times 0.2 + 0.4 \times 0.8} \approx 0.272 \\
P(A \wedge B|a \wedge b) &= \frac{P(a \wedge b|A \wedge B)P(A \wedge B)}{P(a \wedge b|A \wedge B)P(A \wedge B) + P(a \wedge b|A \wedge \neg B)P(A \wedge \neg B) + \\
&\quad + P(a \wedge b|\neg A \wedge B)P(\neg A \wedge B) + P(a \wedge b|\neg A \wedge \neg B)P(\neg A \wedge \neg B)} \\
&= \frac{\mathbf{a}\mathbf{b}p_{11}}{\mathbf{a}\mathbf{b}p_{11} + \mathbf{a}(1-\mathbf{b})p_{10} + (1-\mathbf{a})\mathbf{b}p_{01} + (1-\mathbf{a})(1-\mathbf{b})p_{00}} \approx 0.147
\end{aligned}$$

The posterior probability of $A \wedge B$ is not only lower than the larger of the individual posteriors, but also lower than any of them!

So what went wrong in Dawid's calculations in (13)? Well, the first formula is correct. However, let us take a look at what the second one says (the problem with the third one is pretty much the same):

$$P(A|a) = \frac{\frac{P(a|A)}{P(\neg a|A)} \times P(A \wedge B)}{P(\neg(A \wedge B)) + \frac{P(a|A)}{P(\neg a|A)} \times P(A \wedge B)}$$

Quite surprisingly, in Dawid's formula for $P(A|a)$, the probability of $A \wedge B$ plays a role. To see that it should not take any B that excludes A and the formula will lead to the conclusion that *always* $P(A|a)$ is undefined. The problem with Dawid's formula is that instead of $p_{11} = P(A \wedge B)$ he should have used $P(A) = p_{11} + p_{10}$, in which case the formula would rather say this:

$$\begin{aligned}
P(A|a) &= \frac{\frac{P(a|A)}{P(\neg a|A)} \times P(A)}{P(\neg A) + \frac{P(a|A)}{P(\neg a|A)} \times P(A)} \\
&= \frac{\frac{P(a|A)P(A)}{P(\neg a|A)}}{\frac{P(\neg a|A)P(\neg A)}{P(\neg A)} + \frac{P(a|A)P(A)}{P(\neg a|A)}} \\
&= \frac{P(a|A)P(A)}{P(\neg a|A)P(\neg A) + P(a|A)P(A)}
\end{aligned}$$

Now, on the assumption that witness' sensitivity is equal to their specificity, we have $P(a|\neg A) = P(\neg a|A)$ and can substitute this in the denominator:

$$= \frac{P(a|A)P(A)}{P(a|\neg A)P(\neg A) + P(a|A)P(A)}$$

and this would be a formulation of Bayes' theorem. And indeed with $P(A) = p_{11} + p_{10}$ the formula works (albeit its adequacy rests on the identity of $P(a|\neg A)$ and $P(\neg a|A)$), and yields the result that we already obtained:

$$\begin{aligned}
P(A|a) &= \frac{\lambda(p_{11} + p_{10})}{1 - (p_{11} + p_{10}) + \lambda(p_{11} + p_{10})} \\
&= \frac{1.5 \times 0.8}{1 - 0.8 + 1.5 \times 0.8} \approx 0.8571
\end{aligned}$$

The situation cannot be much improved by taking \mathbf{a} and \mathbf{b} to be high. For instance, if they're both 0.9 and $pr = \langle 0.1, 0.7, 0.1, 0.1 \rangle$, the posterior of A is ≈ 0.972 , the posterior of B is ≈ 0.692 , and yet the joint posterior of $A \wedge B$ is 0.525.

The situation cannot also be improved by saying that at least if the threshold is 0.5, then as soon as \mathbf{a} and \mathbf{b} are above 0.7 (and, *a fortiori*, so are λ and μ), the individual posteriors being above 0.5 entails the joint posterior being above 0.5 as well. For instance, for $\mathbf{a} = 0.7$ and $\mathbf{b} = 0.9$ with $pr = \langle 0.1, 0.3, 0.5, 0.1 \rangle$, the individual posteriors of A and B are ≈ 0.608 and ≈ 0.931 respectively, while the joint posterior of $A \wedge B$ is ≈ 0.283 .

The situation cannot be improved by saying that what was meant was rather that the joint likelihood is going to be at least as high as the maximum of the individual likelihoods, because quite the opposite is the case: the joint likelihood is going to be lower than any of the individual ones.

OPTIONAL CONTENT STARTS

Let us make sure this is the case. We have:

$$\begin{aligned} LR(a|A) &= \frac{P(a|A)}{P(a|\neg A)} \\ &= \frac{P(a|A)}{P(\neg a|A)} \\ &= \frac{a}{1-a}. \end{aligned}$$

where the substitution in the denominator is legitimate only because witness' sensitivity is identical to their specificity.

With the joint likelihood, the reasoning is just a bit more tricky. We will need to know what $P(a \wedge b | \neg(A \wedge B))$ is. There are three disjoint possible conditions in which the condition holds: $A \wedge \neg B$, $\neg A \wedge B$, and $\neg A \wedge \neg B$. The probabilities of $a \wedge b$ in these three scenarios are respectively $a(1-b)$, $(1-a)b$, $(1-a)(1-b)$ (again, the assumption of independence is important), and so on the assumption $\neg(A \wedge B)$ the probability of $a \wedge b$ is:

$$\begin{aligned} P(a \wedge b | \neg(A \wedge B)) &= a(1-b) + (1-a)b + (1-a)(1-b) \\ &= a(1-b) + (1-a)(b+1-b) \\ &= a(1-b) + (1-a) \\ &= a - ab + 1 - a = 1 - ab \end{aligned}$$

So, on the assumption of witness independence, we have:

$$\begin{aligned} LR(a \wedge b | A \wedge B) &= \frac{P(a \wedge b | A \wedge B)}{P(a \wedge b | \neg(A \wedge B))} \\ &= \frac{ab}{1-ab} \end{aligned}$$

With $0 < a, b < 1$ we have $ab < a$, $1 - ab > 1 - a$, and consequently:

$$\frac{ab}{1-ab} < \frac{a}{1-a}$$

which means that the joint likelihood is going to be lower than any of the individual ones.

OPTIONAL CONTENT ENDS

Fact 1 is so far the most optimistic reading of the claim that if witnesses are independent and fairly reliable, their testimonies are going to provide positive support for the conjunction.^{Footnote{And this is the reading that Dawid in passing suggests: "the combined support is always positive, in the sense that the posterior probability of the case always exceeds its prior probability." (Dawid, 1987: 95) and any stronger reading of Dawid's suggestions fails. But Fact 1 is not too exciting when it comes to answering the original DAC. The original question focused on the adjudication model according to which the deciding agents are to evaluate the posterior probability of the whole case conditional on all evidence, and to convict if it is above a certain threshold. The problem, generally, is that it might be the case that the pieces of evidence for particular elements of the claim can have high likelihood and posterior probabilities of particular elements can be above the threshold while the posterior joint probability will still fail to meet the threshold. The fact that the joint posterior will be higher than the joint prior does not help much. For instance, if $a = b = 0.7$, $pr = \langle 0.1, 0.5, 0.3, 0.1 \rangle$, the posterior of A is ≈ 0.777 , the posterior of B is ≈ 0.608 and the joint posterior is ≈ 0.216 (yes, it is higher than the joint prior = 0.1, but this does not help the conjunction to satisfy the decision standard).}

To see the extent to which Dawid's strategy is helpful here, perhaps the following analogy might be useful.

Imagine it is winter, the heating does not work in my office and I am quite cold. I pick up the phone and call maintenance. A rather cheerful fellow picks up the phone. I tell him what my problem is, and he reacts:

- Oh, don't worry.
- What do you mean? It's cold in here!
- No no, everything is fine, don't worry.
- It's not fine! I'm cold here!
- Look, sir, my notion of it being warm in your office is that the building provides some improvement to what the situation would be if it wasn't there. And you agree that you're definitely warmer than you'd be if your desk was standing outside, don't you? Your, so to speak, posterior warmth is higher than your prior warmth, right?

Dawid's discussion is in the vein of the above conversation. In response to a problem with the adjudication model under consideration Dawid simply invites us to abandon thinking in terms of it and to abandon requirements crucial for the model. Instead, he puts forward a fairly weak notion of support (analogous to a fairly weak sense of the building providing improvement), according to which, assuming witnesses are fairly reliable, if separate fairly reliable witnesses provide positive support to the conjuncts, then their joint testimony provides positive support for the conjunction.

As far as our assessment of the original adjudication model and dealing with DAC, this leaves us hanging. Yes, if we abandon the model, DAC does not worry us anymore. But should we? And if we do, what should we change it to, if we do not want to be banished from the paradise of probabilistic methods?

Having said this, let me emphasize that Dawid's paper is important in the development of the debate, since it shifts focus on the likelihood ratios, which for various reasons are much better measures of evidential support provided by particular pieces of evidence than mere posterior probabilities.

Before we move to another attempt at a probabilistic formulation of the decision standard, let us introduce the other hero of our story: the gatecrasher paradox. It is against DAC and this paradox that the next model will be judged.

OPTIONAL CONTENT STARTS

In fact, Cohen replied to Dawid's paper (Cohen, 1988). His reply, however, does not have much to do with the workings of Dawid's strategy, and is rather unusual. Cohen's first point is that the calculations of posteriors require odds about unique events, whose meaning is usually given in terms of potential wagers – and the key criticism here is that in practice such wagers cannot be decided. This is not a convincing criticism, because the betting-odds interpretations of subjective probability do not require that on each occasion the bet should really be practically decidable. It rather invites one to imagine a possible situation in which the truth could be found out and asks: how much would we bet on a certain claim in such a situation? In some cases, this assumption is false, but there is nothing in principle wrong with thinking about the consequences of false assumptions.

Second, Cohen says that Dawid's argument works only for testimonial evidence, not for other types thereof. But this claim is simply false – just because Dawid used testimonial evidence as an example that he worked through it by no means follows that the approach cannot be extended. After all, as long as we can talk about sensitivity and specificity of a given piece of evidence, everything that Dawid said about testimonies can be repeated *mutatis mutandis*.

Third, Cohen complains that Dawid in his example worked with rather high priors, which according to Cohen would be too high to correspond to the presumption of innocence. This also is not a very successful rejoinder. Cohen picked his priors in the example for the ease of calculations, and the reasoning can be run with lower priors. Moreover, instead of discussing the conjunction problem, Cohen brings in quite a different problem: how to probabilistically model the presumption of innocence, and what priors of guilt should be appropriate? This, indeed, is an important problem; but it does not have much to do with DAC, and should be discussed separately.

7.3 Problem's with Kaplow's stuff

Kaplow does not discuss the conceptual difficulties that we are concerned with, but this will not stop us from asking whether DTLP can handle them (and answering to the negative). Let us start with DAC.

Say we consider two claims, *A* and *B*. Is it generally the case that if they separately satisfy the

decision rule, then so does $A \wedge B$? That is, do the assumptions:

$$\frac{P(E|A)}{P(E|\neg A)} > \frac{P(\neg A)}{P(A)} \times \frac{L}{G}$$

$$\frac{P(E|B)}{P(E|\neg B)} > \frac{P(\neg B)}{P(B)} \times \frac{L}{G}$$

entail

$$\frac{P(E|A \wedge B)}{P(E|\neg(A \wedge B))} > \frac{P(\neg(A \wedge B))}{P(A \wedge B)} \times \frac{L}{G}?$$

Alas, the answer is negative.

OPTIONAL CONTENT STARTS

This can be seen from the following example. Suppose a random digit from 0-9 is drawn; we do not know the result; we are told that the result is < 7 ($E = \text{'the result is } < 7\text{'}$), and we are to decide whether to accept the following claims:

A	the result is < 5 .
B	the result is an even number.
$A \wedge B$	the result is an even number < 5 .

Suppose that $L = G$ (this is for simplicity only — nothing hinges on this, counterexamples for when this condition fails are analogous). First, notice that A and B taken separately satisfy (6). $P(A) = P(\neg A) = 0.5$, $P(\neg A)/P(A) = 1$ $P(E|A) = 1$, $P(E|\neg A) = 0.4$. (6) tells us to check:

$$\frac{P(E|A)}{P(E|\neg A)} > \frac{L}{G} \times \frac{P(\neg A)}{P(A)}$$

$$\frac{1}{0.4} > 1$$

so, following DTLP, we should accept A .

For analogous reasons, we should also accept B . $P(B) = P(\neg B) = 0.5$, $P(\neg B)/P(B) = 1$ $P(E|B) = 0.8$, $P(E|\neg B) = 0.6$, so we need to check that indeed:

$$\frac{P(E|B)}{P(E|\neg B)} > \frac{L}{G} \times \frac{P(\neg B)}{P(B)}$$

$$\frac{0.8}{0.6} > 1$$

But now, $P(A \wedge B) = 0.3$, $P(\neg(A \wedge B)) = 0.7$, $P(\neg(A \wedge B))/P(A \wedge B) = 2\frac{1}{3}$, $P(E|A \wedge B) = 1$, $P(E|\neg(A \wedge B)) = 4/7$ and it is false that:

$$\frac{P(E|A \wedge B)}{P(E|\neg(A \wedge B))} > \frac{L}{G} \times \frac{P(\neg(A \wedge B))}{P(A \wedge B)}$$

$$\frac{7}{4} > \frac{7}{3}$$

The example was easy, but the conjuncts are probabilistically dependent. One might ask: are there counterexamples that involve claims which are probabilistically independent?²²

Consider an experiment in which someone tosses a six-sided die twice. Let the result of the first toss be X and the result of the second one Y . Your evidence is that the results of both tosses are greater than one ($E =: X > 1 \wedge Y > 1$). Now, let A say that $X < 5$ and B say that $Y < 5$.

The prior probability of A is $2/3$ and the prior probability of $\neg A$ is $1/3$ and so $\frac{P(\neg A)}{P(A)} = 0.5$. Further, $P(E|A) = 0.625$, $P(E|\neg A) = 5/6$ and so $\frac{P(E|A)}{P(E|\neg A)} = 0.75$ Clearly, $0.75 > 0.5$, so A satisfies the decision standard. Since the situation with B is symmetric, so does B .

Now, $P(A \wedge B) = (2/3)^2 = 4/9$ and $P(\neg(A \wedge B)) = 5/9$. So $\frac{P(\neg(A \wedge B))}{P(A \wedge B)} = 5/4$. Out of 16 outcomes for which $A \wedge B$ holds, E holds in 9, so $P(E|A \wedge B) = 9/16$. Out of 20 remaining outcomes for which $A \wedge B$

²²Thanks to Alicja Kowalewska for pressing me on this.

fails, E holds in 16, so $P(E|\neg(A \wedge B)) = 4/5$. Thus, $\frac{P(E|A \wedge B)}{P(E|\neg(A \wedge B))} = 45/64 < 5/4$, so the conjunction does not satisfy the decision standard.

OPTIONAL CONTENT ENDS

Let us turn to the gatecrasher paradox.

Suppose $L = G$ and recall our abbreviations: $P(E) = e$, $P(H_{\Pi}) = \pi$. DTLP tells us to convict just in case:

$$LR(E) > \frac{1 - \pi}{\pi}$$

From (??) we already now that

$$LR(E) = \frac{0.991 - 0.991\pi}{0.009\pi}$$

so we need to see whether there are any $0 < \pi < 1$ for which

$$\frac{0.991 - 0.991\pi}{0.009\pi} > \frac{1 - \pi}{\pi}$$


Multiply both sides first by 0.009π and then by π :

$$0.991\pi - 0.991\pi^2 > 0.09\pi - 0.009\pi^2$$


Simplify and call the resulting function f :

$$f(\pi) = -0.982\pi^2 + 0.982\pi > 0$$

The above condition is satisfied for any $0 < \pi < 1$ (f has two zeros: $\pi = 0$ and $\pi = 1$). Here is a plot of f :



Similarly, $LR(E) > 1$ for any $0 < \pi < 1$. Here is a plot of $LR(E)$ against π :



Notice that $LR(E)$ does not go below 1. This means that for $L = G$ in the gatecrasher scenario DTLP would tell us to convict for any prior probability of guilt $\pi \neq 0, 1$.

One might ask: is the conclusion very sensitive to the choice of L and G ? The answer is, not too much.

OPTIONAL CONTENT STARTS

How sensitive is our analysis to the choice of L/G ? Well, $LR(E)$ does not change at all, only the threshold moves. For instance, if $L/G = 4$, instead of f we end up with

$$f'(\pi) = -0.955\pi^2 + 0.955\pi > 0$$

and the function still takes positive values on the interval $(0, 1)$. In fact, the decision won't change until L/G increases to ≈ 111 . Denote L/G as ρ , and let us start with the general decision standard, plugging in our calculations for $LR(E)$:

$$\begin{aligned} LR(E) &> \frac{P(H_{\Delta})}{P(H_{\Pi})} \rho \\ LR(E) &> \frac{1-\pi}{\pi} \rho \\ \frac{0.991-0.991\pi}{0.009\pi} &> \frac{1-\pi}{\pi} \rho \\ \frac{0.991-0.991\pi}{0.009\pi} \frac{\pi}{1-\pi} &> \rho \\ \frac{0.991\pi-0.991\pi^2}{0.009\pi-0.009\pi^2} &> \rho \\ \frac{\pi(0.991-0.991\pi)}{\pi(0.009-0.009\pi)} &> \rho \\ \frac{0.991-0.991\pi}{0.009-0.009\pi} &> \rho \\ \frac{0.991(1-\pi)}{0.009(1-\pi)} &> \rho \\ \frac{0.991}{0.009} &> \rho \\ 110.1111 &> \rho \end{aligned}$$

OPTIONAL CONTENT ENDS

So, we conclude, in usual circumstances, DTLP does not handle the gatecrasher paradox.

8 Probabilistic Thresholds Revised

8.1 Likelihood ratios and naked statistical evidence

8.2 Conjunction paradox and Bayesian networks

9 Conclusions

Where are we, how did we get here, and where can we go from here? We were looking for a probabilistically explicated condition Ψ such that the trier of fact, at least ideally, should accept any relevant claim (including G) just in case $\Psi(A, E)$.

From the discussion that transpired it should be clear that we were looking for a Ψ satisfying the following desiderata:

conjunction closure If $\Psi(A, E)$ and $\Psi(B, E)$, then $\Psi(A \wedge B, E)$.

naked statistics The account should at least make it possible for convictions based on strong, but naked statistical evidence to be unjustified.

equal treatment the condition should apply to any relevant claim whatsoever (and not just a selected claim, such as G).

Throughout the paper we focused on the first two conditions (formulated in terms of the difficulty about conjunction (DAC), and the gatecrasher paradox), going over various proposals of what Ψ should be like and evaluating how they fare. The results can be summed up in the following table:

View	Convict iff	DAC	Gatecrasher
Threshold-based LP (TLP)	Probability of guilt given the evidence is above a certain threshold	fails	fails
Dawid's likelihood strategy	No condition given, focus on $\frac{P(H E)}{P(H \neg E)}$	<ul style="list-style-type: none"> - If evidence is fairly reliable, the posterior of $A \wedge B$ will be greater than the prior. - The posterior of $A \wedge B$ can still be lower than the posterior of any of A and B. - Joint likelihood, contrary to Dawid's claim, can also be lower than any of the individual likelihoods. 	fails
Cheng's relative LP (RLP)	Posterior of guilt higher than the posterior of any of the defending narrations	The solution assumes equal costs of errors and independence of A and B conditional on E . It also relies on there being multiple defending scenarios individualized in terms of combinations of literals involving A and B .	Assumes that the prior odds of guilt are 1, and that the statistics is not sensitive to guilt (which is dubious). If the latter fails, tells to convict as long as the prior of guilt < 0.991 .
Kaplow's decision-theoretic LP (DTLP)	The likelihood of the evidence is higher than the odds of innocence multiplied by the cost of error ratio	fails	convict if cost ratio < 110.1111

Thus, each account either simply fails to satisfy the desiderata, or succeeds on rather unrealistic assumptions. Does this mean that a probabilistic approach to legal evidence evaluation should be abandoned? No. This only means that if we are to develop a general probabilistic model of legal decision standards, we have to do better. One promising direction is to go back to Cohen's pressure against **Requirement 1** and push against it. A brief paper suggesting this direction is (Di Bello, 2019a), where the idea is that the probabilistic standard (be it a threshold or a comparative wrt. defending narrations) should be applied to the whole claim put forward by the plaintiff, and not to its elements. In such a context, DAC does not arise, but **equal treatment** is violated. Perhaps, there are independent reasons to abandon it, but the issue deserves further discussion. Another strategy might be to go in the direction of employing probabilistic methods to explicate the narration theory of legal decision standards (Urbaniak, 2018), but a discussion of how this approach relates to DAC and the gatecrasher paradox lies beyond the scope of this paper.

References

- Allen, R. J. (1986). A reconceptualization of civil trials. *Boston University Law Review*, 66, 401–437.
- Allen, R. J., & Leiter, B. (2001). Naturalized epistemology and the law of evidence. *Virginia Law Review*, 87(8), 1491–1550.
- Allen, R. J., & Stein, A. (2013). Evidence, probability and the burden of proof. *Arizona Law Journal*, 55, 557–602.
- Allen, R., & Pardo, M. (2019). Relative plausibility and its critics. *The International Journal of Evidence & Proof*, 23(1-2), 5–59. <https://doi.org/10.1177/1365712718813781>
- Arkes, H. R., Shoots-Reinhard, B. L., & Mayes, R. S. (2012). Disjunction between probability and verdict in juror decision making. *Journal of Behavioral Decision Making*, 25(3), 276–294.
- Bernoulli, J. (1713). *Ars conjectandi*.
- Blome-Tillmann, M. (2017). “More likely than not” — Knowledge first and the role of bare statistical evidence in courts of law. In A. Carter, E. Gordon, & B. Jarvi (Eds.), *Knowledge first—approaches in epistemology and mind* (pp. 278–292). Oxford University Press. <https://doi.org/10.1093/oso/9780198716310.003.0014>
- Bolinger, R. (2018). The rational impermissibility of accepting (some) racial generalizations. *Synthese*, 1–17.
- Buchak, L. (2014). Belief, credence, and norms. *Philosophical Studies*, 169(2), 285–311.
- Cheng, E. (2012). Reconceptualizing the burden of proof. *Yale LJ*, 122, 1254.
- Cohen, J. (1977). *The probable and the provable*. Oxford University Press. <https://doi.org/10.2307/2219193>
- Cohen, L. J. (1988). The difficulty about conjunction in forensic proof. *The Statistician*, 37(4/5), 415. <https://doi.org/10.2307/2348767>
- Dawid, A. P. (1987). The difficulty about conjunction. *The Statistician*, 91–97.
- DeKay, M. L. (1996). The difference between Blackstone-like error ratios and probabilistic standards of proof. *Law and Social Inquiry*, 21, 95–132.
- Dhami, M. K., Lundrigan, S., & Mueller-Johnson, K. (2015). Instructions on reasonable doubt: Defining the standard of proof and the jurors task. *Psychology, Public Policy, and Law*, 21(2), 169178, 21(2), 169–178.
- Diamond, H. A. (1990). Reasonable doubt: To define, or not to define. *Columbia Law Review*, 90(6), 1716–1736.
- Di Bello, M. (2019a). Probability and plausibility in juridical proof. *International Journal of Evidence and Proof*.
- Di Bello, M. (2019b). Trial by statistics: Is a high probability of guilt enough to convict? *Mind*.
- Ebert, P. A., Smith, M., & Durbach, I. (2018). Lottery judgments: A philosophical and experimental study. *Philosophical Psychology*, 31(1), 110–138.
- Enoch, D., Spectre, L., & Fisher, T. (2012). Statistical evidence, sensitivity, and the legal value of knowledge. *Philosophy and Public Affairs*, 40(3), 197–224.
- Epps, D. (2015). The consequences of error in criminal justice. *Harvard Law Review*, 128(4), 1065–1151.
- Finkelstein, M. O., & Fairley, W. B. (1970). A bayesian approach to identification evidence. *Harvard Law Review*, 489–517.
- Friedman, O., & Turri, J. (2015). Is probabilistic evidence a source of knowledge? *Cognitive Science*, 39(5), 1062–1080.
- Friedman, R. D. (2000). A presumption of innocence, not of even odds. *Stanford Law Review*, 52(4), 873–887.
- Haack, S. (2014). Legal probabilism: An epistemological dissent. In *Haack2014-HAAEMS* (pp. 47–77).
- Hamer, D. (2004). Probabilistic standards of proof, their complements and the errors that are expected to flow from them. *University of New England Law Journal*, 1(1), 71–107.
- Hamer, D. (2014). Presumptions, standards and burdens: Managing the cost of error. *Law, Probability and Risk*, 13, 221–242.
- Hedden, B., & Colyvan, M. (2019). Legal probabilism: A qualified defence. *Journal of Political Philosophy*, 27(4), 448–468. <https://doi.org/10.1111/jopp.12180>

- Ho, H. L. (2008). *A philosophy of evidence law: Justice in the search for truth*. Oxford University Press.
- Horowitz, I. A., & Kirkpatrick, L. C. (1996). A concept in search of a definition: The effect of reasonable doubt instructions on certainty of guilt standards and jury verdicts. *Law and Human Behaviour*, 20(6), 655–670.
- Kaplan, J. (1968). Decision theory and the fact-finding process. *Stanford Law Review*, 20(6), 1065–1092.
- Kaplow, L. (2012). Burden of proof. *Yale Law Journal*, 121(4), 738–1013.
- Kaplow, L. (2014). Likelihood ratio tests and legal decision rules. *American Law and Economics Review*, 16(1), 1–39.
- Kaye, D. H. (1979a). The laws of probability and the law of the land. *The University of Chicago Law Review*, 47(1), 34–56.
- Kaye, D. H. (1979b). The paradox of the Gatecrasher and other stories. *The Arizona State Law Journal*, 101–110.
- Laplace, P. (1814). *Essai philosophique sur les probabilités*.
- Laudan, L. (2006). *Truth, error, and criminal law: An essay in legal epistemology*. Cambridge University Press.
- Laudan, L. (2016). *The law's flaws: Rethinking trials and errors?* College Publications. Retrieved from <https://books.google.pl/books?id=MvkWvgAACAAJ>
- Lempert, R. O. (1986). The new evidence scholarship: Analysing the process of proof. *Boston University Law Review*, 66, 439–477.
- Loftus, E. F. (1996). *Eyewitness testimony (revised edition)*. Harvard University Press.
- Moss, S. (2018). *Probabilistic knowledge*. Oxford University Press.
- Nesson, C. R. (1979). Reasonable doubt and permissive inferences: The value of complexity. *Harvard Law Review*, 92(6), 1187–1225. <https://doi.org/10.2307/1340444>
- Newman, J. O. (1993). Beyond “reasonable doubt”. *New York University Law Review*, 68(5), 979–1002.
- Niedermeier, K. E., Kerr, N. L., & Messeé, L. A. (1999). Jurors’ use of naked statistical evidence: Exploring bases and implications of the Wells effect. *Journal of Personality and Social Psychology*, 76(4), 533–542.
- Nunn, A. G. (2015). The incompatibility of due process and naked statistical evidence. *Vanderbilt Law Review*, 68(5), 1407–1433.
- Pardo, M. S. (2018). Safety vs. Sensitivity: Possible worlds and the law of evidence. *Legal Theory*, 24(1), 50–75.
- Picinali, F. (2013). Two meanings of “reasonableness”: Dispelling the “floating” reasonable doubt. *Modern Law Review*, 76(5), 845–875.
- Posner, R. (1973). *The economic analysis of law*. Brown & Company.
- Pritchard, D. (2005). *Epistemic luck*. Clarendon Press.
- Pundik, A. (2017). Freedom and generalisation. *Oxford Journal of Legal Studies*, 37(1), 189–216.
- Redmayne, M. (2008). Exploring the proof paradoxes. *Legal Theory*, 14(4), 281–309.
- Roth, A. (2010). Safety in numbers? Deciding when DNA alone is enough to convict. *New York University Law Review*, 85(4), 1130–1185.
- Schwartz, D. S., & Sober, E. R. (2017). The Conjunction Problem and the Logic of Jury Findings. *William & Mary Law Review*, 59(2), 619–692.
- Smith, M. (2018). When does evidence suffice for conviction? *Mind*, 127(508), 1193–1218.
- Stein, A. (2005). *Foundations of evidence law*. Oxford University Press.
- Sykes, D. L., & Johnson, J. T. (1999). Probabilistic evidence versus the representation of an event: The curious case of Mrs. Prob’s dog. *Basic and Applied Social Psychology*, 21(3), 199–212.
- Taroni, F., Biedermann, A., Bozza, S., Garbolino, P., & Aitken, C. (2014). *Bayesian networks for probabilistic inference and decision analysis in forensic science* (2nd ed.). John Wiley & Sons.
- Thomson, J. J. (1986). Liability and individualized evidence. *Law and Contemporary Problems*, 49(3), 199–219.
- Tribe, L. H. (1971). Trial by mathematics: Precision and ritual in the legal process. *Harvard Law Review*, 84(6), 1329–1393.
- Urbaniak, R. (2018). Narration in judiciary fact-finding: A probabilistic explication. *Artificial*

Intelligence and Law, 1–32. <https://doi.org/10.1007/s10506-018-9219-z>

Volokh, A. (1997). N guilty men. *University of Pennsylvania Law Review*, 146(2), 173–216.

Walen, A. (2015). Proof beyond a reasonable doubt: A balanced retributive account. *Louisiana Law Review*, 76(2), 355–446.

Wasserman, D. T. (1991). The morality of statistical proof and the risk of mistaken liability. *Cardozo L. Rev.*, 13, 935.

Wells, G. (1992). Naked statistical evidence of liability: Is subjective probability enough? *Journal of Personality and Social Psychology*, 62(5), 739–752. <https://doi.org/10.1037/0022-3514.62.5.739>