


Austria


location log(scale) log(shape)
Feb 1990--Sep 2007 -0.005613 -1.839 0.7425
Oct 2007--Mar 2010 0.111732 -1.447 0.1644

mean variance skewness
Feb 1990--Sep 2007 0.1635 0.05694 0.6056
Oct 2007--Mar 2010 0.1731 0.16310 0.1691












Belgium


```
| location log(scale) log(shape)
| Feb 1991--Dec 1999 | 0.1536 | -1.9823 | -0.03372
| Jan 2000--Mar 2010 | -0.3575 | -0.4599 | 0.57582
```


mean variance skewness Feb 1991--Dec 1999 0.1459 0.06401 -0.03708 Jan 2000--Mar 2010 0.1768 0.95401 0.50356













CzechRepublic


| location log(scale) log(shape)
| Feb 1995--Jul 1998 -3.7217 -0.7938 9.196
| Aug 1998--Mar 2010 -0.6739 -1.0597 1.965

mean variance skewness
Feb 1995--Jul 1998 0.6969 0.3363 1.139
Aug 1998--Mar 2010 0.1821 0.2156 0.990

Series with Fitted Mean 100 * diff(log(HICP)) 100 * diff(log(HICP)










Denmark


mean variance skewness Feb 1990--Jun 2000 0.1664 0.09078 -0.7425 Jul 2000--Mar 2010 0.1676 0.18758 1.0471

Series with Fitted Mean 100, 401((GOIH)Ob) 1991 1996 2001 2006 Index









Estonia

ī

1997

2000

2003

Index

2009


2006


| location log(scale) log(shape)
| Feb 1996--Mar 1998 | 0.5981 | -0.9008 | 0.4363
| Apr 1998--Mar 2010 | -0.1782 | -1.1372 | 1.1780


mean variance skewness
Feb 1996--Mar 1998 0.8649 0.4196 0.4041
Apr 1998--Mar 2010 0.3328 0.2062 0.8016


Series with Fitted Mean

100 * diff(log(HICP))










Finland


location log(scale) log(shape)
Feb 1990--Mar 2010 0.06863 -1.517 0.2845

mean variance skewness

Feb 1990--Mar 2010 0.1653 0.1321 0.2798

Series with Fitted Mean supLM test Empirical fluctuation process 100 * diff(log(HICP)) 1.0 12 10 -0.5 0.0 0.5 ω 2000 1991 1996 2001 2006 1995 2005 Index Time








France


mean variance skewness
Feb 1990--Dec 2004 0.1588 0.05769 0.1965
Jan 2005--Mar 2010 0.1504 0.13134 -0.7942

Series with Fitted Mean ((GAII(GO)(H)(H)(GO)(H)(GO)(H)(GO)(H)(GO)(H)(GO)(H)(GO)(H)(GO)(H)(GO











Germany


| location log(scale) log(shape) | Feb | 1995--May | 2000 | -0.2840 | -1.718 | 1.6007 | | Jun | 2000--Dec | 2004 | -0.6102 | -1.197 | 1.9785 | | Jan | 2005--Mar | 2010 | 0.3309 | -1.697 | -0.5417 |

mean variance skewness

Feb 1995--May 2000 0.08799 0.06013 0.9219 Jun 2000--Dec 2004 0.14018 0.16352 0.9920 Jan 2005--Mar 2010 0.14183 0.18384 -0.6625








Greece


location log(scale) log(shape)
Feb 1995--Mar 2010 -0.2213 -0.2622 0.4728

mean variance skewness

Feb 1995--Mar 2010 0.3227 1.48 0.4314

Series with Fitted Mean supLM test | ((a) | (b) | (b) | (c) | (c)





Hungary

location log(scale) log(shape)

Feb 1995--May 1998 0.234999 -0.3134 1.4241 Jun 1998--Mar 2010 -0.003007 -0.9508 0.9482


mean variance skewness


Feb 1995--May 1998 1.6064 1.0243 0.8781 Jun 1998--Mar 2010 0.5068 0.3161 0.7095

Series with Fitted Mean


1996 2000 2004 2008 Index


supLM test





Number of breakpoints








Ireland


mean variance skewness Feb 1995--Mar 2008 0.2546 0.2045 -0.6958 Apr 2008--Mar 2010 -0.1313 0.1836 -0.9947

Series with Fitted Mean ((dOIH)00) 0.0 0.0 0.2 1.0 1996 2000 2004 2008 Index











Italy


| Teb | 1990--May | 1996 | 0.06833 | 0.06833 | 0.06834 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06835 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 | 0.06855 |

mean variance skewness

Feb 1990--May 1996 0.4135 0.04129 0.9627 Jun 1996--Dec 2000 0.1676 0.01997 0.7261 Jan 2001--Mar 2010 0.1819 0.32117 -0.2605








Luxemburg


| location log(scale) log(shape)
| Feb 1995--Dec 1998 | 0.05923 | -2.667 | 0.2628
| Jan 1999--Mar 2010 | 0.47143 | -1.090 | -0.4024


mean variance skewness Feb 1995--Dec 1998 0.08761 0.01340 0.2606 Jan 1999--Mar 2010 0.22425 0.53108 -0.4836

Series with Fitted Mean supLM test α Empirical fluctuation process 100 * diff(log(HICP)) 30 20 0 9 7 1996 2000 2004 2008 1998 2002 Index Time

LWZ and Negative Log-Likelihood







2006


Netherlands


location log(scale) log(shape)
Feb 1990--Mar 2010 -0.1915 -1.022 0.7297

mean variance skewness

Feb 1990--Mar 2010 0.1854 0.293 0.5984

Series with Fitted Mean supLM test 1.5 Empirical fluctuation process 100 * diff(log(HICP)) 7 0.5 9 ∞ -0.5 9 -1.5 2000 2005 1991 1996 2001 2006 1995 Index Time





Poland

| location log(scale) log(shape)
| Feb 1996--May 2001 | 0.3215 | -0.8198 | 0.8597 |
| Jun 2001--Mar 2010 | 0.2842 | -1.7542 | -0.2688


mean variance skewness Feb 1996--May 2001 0.8548 0.4212 0.6675


Jun 2001--Mar 2010 0.2024 0.1232 -0.3148

Series with Fitted Mean


1997 2000 2003 2006 2009 Index


supLM test





Number of breakpoints





Portugal

			location	log(scale)	log(shape)
Feb	1990Jul	1992	-2.1533	-1.130	8.7218
Aug	1992Mar	2004	-0.1558	-1.455	1.3781
Anr	2004Mar	2010	-0 1670	-1 098	0 6794


mean variance skewness


Feb	1990Jul	1992	0.8519	0.1718	1.1394
Aug	1992Mar	2004	0.2700	0.1052	0.8653
Apr	2004Mar	2010	0.1605	0.2559	0.5690

Series with Fitted Mean


1991 1996 2001 2006 Index


supLM test






Number of breakpoints








Slovakia


			location	log(scale)	log(shape)
Feb	1995Apr	1997	-1.495	-1.6753	9.971
May	1997Feb	2004	-5.252	-0.6576	10.694
Mar	2004Mar	2010	-2 255	-1 4583	9 916


mean variance skewness


Feb 1995Apr	1997 0.4799	0.05768	1.139
May 1997Feb	2004 0.5872	0.44150	1.140
Mar 2004Mar	2010 0.1865	0.08903	1.139


Index












Slovenia


| location log(scale) log(shape)
| Feb 1996--Jul 2003 0.3190 -1.189 0.7122
| Aug 2003--Mar 2010 0.1694 -1.082 0.1373


 Feb
 1996--Jul
 2003
 0.6309
 0.2108
 0.5883


 Aug
 2003--Mar
 2010
 0.2436
 0.3440
 0.1426

Series with Fitted Mean 100 * diff(log(HICP)) -0.5 0.5 1.0 1.5 -0.5 0.5 1.0 1.5 | Description of the content of the conten











Spain


| location log(scale) log(shape) | Feb | 1992--May | 1996 | -1.3371 | -1.581 | 7.73446 | | Jun | 1996--Dec | 2000 | 0.1969 | -2.200 | 0.01731 | | Jan | 2001--Mar | 2010 | 0.3769 | -1.261 | -0.30659 |

mean variance skewness

Feb 1992--May 1996 0.3724 0.06960 1.13909 Jun 1996--Dec 2000 0.2001 0.03988 0.01874 Jan 2001--Mar 2010 0.2225 0.34215 -0.36200









Sweden


Feb 1990--Jan 1993 -4.7238 -0.5287 8.2433 Feb 1993--Mar 2010 -0.0997 -1.2714 0.6233


 Feb
 1990--Jan
 1993
 0.4748
 0.5715
 1.1393

 Feb
 1993--Mar
 2010
 0.1552
 0.1848
 0.5344









UnitedKingdom

mean variance skewness
Feb 1990--Apr 1992 0.5703 0.3869 1.139
May 1992--Mar 2010 0.1615 0.1490 -1.265

Index

SupLM test Embirical fluctuation brocess 1995 2000 2005 Time

