## rngtools: Unit testing results\*

## Renaud Gaujoux

rngtools version 1.0 as of November 6, 2012

## 1 Details

```
RUNIT TEST PROTOCOL -- Tue Nov 6 14:33:46 2012
****************
Number of test functions: 6
Number of errors: 0
Number of failures: 0
1 Test Suite :
package:rngtools - 6 test functions, 0 errors, 0 failures
Details
*********
Test Suite: package:rngtools
Test function regexp: ^test.
Test file regexp: ^runit.*.[rR]$
Involved directory:
/tmp/tmp.twaDPYK1Yl/rngtools/tests
_____
Test file: /tmp/tmp.twaDPYK1Yl/rngtools/tests/runit.format.r
test.RNGdigest: (30 checks) ... OK (0.02 seconds)
test.RNGtype: (22 checks) ... OK (0.01 seconds)
Test file: /tmp/tmp.twaDPYK1Yl/rngtools/tests/runit.RNG.r
test.getRNG: (18 checks) ... OK (0 seconds)
test.setRNG: (26 checks) ... OK (0.01 seconds)
Test file: /tmp/tmp.twaDPYK1Yl/rngtools/tests/runit.RNGseq.r
test.RNGseq: (51 checks) ... OK (0.02 seconds)
test.RNGseq_seed: (75 checks) ... OK (0.01 seconds)
Total execution time
********
  user system elapsed
 0.240 0.004 0.242
```

 $<sup>^*\</sup>mbox{Vignette}$  computed on Tue Nov 6 14:33:46 2012

## **Session Information**

- R version 2.15.2 (2012-10-26), i686-pc-linux-gnu
- Locale: LC\_CTYPE=en\_ZA.UTF-8, LC\_NUMERIC=C, LC\_TIME=en\_ZA.UTF-8, LC\_COLLATE=en\_ZA.UTF-8, LC\_MONETARY=en\_ZA.UTF-8, LC\_MESSAGES=en\_ZA.UTF-8, LC\_PAPER=C, LC\_NAME=C, LC\_ADDRESS=C, LC\_TELEPHONE=C, LC\_MEASUREMENT=en\_ZA.UTF-8, LC\_IDENTIFICATION=C
- Base packages: base, datasets, graphics, grDevices, methods, parallel, stats, utils
- Other packages: codetools~0.2-8, digest~0.5.2, pkgmaker~0.9.1, rngtools~1.0, RUnit~0.4.26, stringr~0.6.1
- Loaded via a namespace (and not attached): plyr~1.7.1, xtable~1.7-0