

R Package Development: From Idea to CRAN

Complete tutorial for creating your first R package

Table of contents

1 Learning Objectives	1
2 Prerequisites	1
3 Step 1: Development Environment Setup	2
4 Step 2: Create Package Structure	2
5 Step 3: Write Your First Function	2
6 Step 4: Generate Documentation	3
7 Step 5: Testing	3
8 Step 6: Package Checks	3
9 Step 7: Preparing for CRAN	4
10 Next Steps	4
11 Resources	4

1 Learning Objectives

By the end of this tutorial, you will: - Set up a proper R package development environment - Create package structure and documentation - Write and test package functions - Prepare for CRAN submission

2 Prerequisites

- Basic R programming knowledge
- RStudio installed
- Git familiarity (helpful but not required)

3 Step 1: Development Environment Setup

First, install the essential packages for R development:

```
install.packages(c("devtools", "usethis", "roxygen2", "testthat"))
```

Configure your development environment:

```
library(usethis)
use_git_config(user.name = "Your Name", user.email = "your.email@example.com")
```

4 Step 2: Create Package Structure

Create a new package:

```
create_package("~/path/to/mypackage")
```

This creates the standard package directory structure: - R/ - Your R functions - man/ - Documentation files (auto-generated) - DESCRIPTION - Package metadata - NAMESPACE - Exported functions (auto-generated)

5 Step 3: Write Your First Function

Create a new R file in the R/ directory:

```
## Add two numbers together
##
## This function takes two numeric inputs and returns their sum.
##
## @param x A numeric value
## @param y A numeric value
## @return The sum of x and y
## @export
## @examples
## add_numbers(2, 3)
## add_numbers(10, -5)
add_numbers <- function(x, y) {
  if (!is.numeric(x) || !is.numeric(y)) {
    stop("Both inputs must be numeric")
  }
  x + y
}
```

6 Step 4: Generate Documentation

Use roxygen2 to generate documentation:

```
devtools::document()
```

This creates help files in the `man/` directory and updates your `NAMESPACE`.

7 Step 5: Testing

Create unit tests to ensure your functions work correctly:

```
usethis::use_testthat()
usethis::use_test("add_numbers")
```

Write tests in `tests/testthat/test-add_numbers.R`:

```
test_that("add_numbers works correctly", {
  expect_equal(add_numbers(2, 3), 5)
  expect_equal(add_numbers(-1, 1), 0)
  expect_error(add_numbers("a", 1))
})
```

Run tests:

```
devtools::test()
```

8 Step 6: Package Checks

Before submitting to CRAN, run comprehensive checks:

```
devtools::check()
```

This runs R CMD check and identifies potential issues.

9 Step 7: Preparing for CRAN

Update your DESCRIPTION file with proper metadata:

```
Package: mypackage
Title: What the Package Does (One Line, Title Case)
Version: 0.1.0
Authors@R:
  person("First", "Last", , "first.last@example.com", role = c("aut", "cre"))
Description: What the package does (one paragraph).
License: MIT + file LICENSE
Encoding: UTF-8
Roxygen: list(markdown = TRUE)
RoxygenNote: 7.2.3
Suggests:
  testthat (>= 3.0.0)
Config/testthat/edition: 3
```

10 Next Steps

- Add more functions and documentation
- Create vignettes for complex workflows
- Set up continuous integration
- Submit to CRAN when ready

11 Resources

- [R Packages book](#) by Hadley Wickham
- [Writing R Extensions](#) manual
- [CRAN Policy](#)