Problems	1	2	3	4	5	Total		Grade
Points							%	
Out of	36	21	27	10	6	100		

Relax. You have done problems like these before. Even if these problems look a bit different, just do what you can. If you're not sure of something, please ask! You may use your calculator. Please show all of your work and write down as many steps as you can. Don't spend too much time on any one problem. Please leave the following grading key blank for me to use. Do well. And remember, ask me if you're not sure about something.

A few formulas from our book:

Percentage Change Formula

To get the result of increasing an amount by r%, multiply by $1 + \frac{r}{100}$.

To get the result of decreasing an amount by r%, multiply by $1 - \frac{r}{100}$.

The Growth Factor Formula

If an amount is growing exponentially and the amount changes from from P to A in T time periods, then the growth factor g is given by the formula

$$g = \left(\frac{A}{P}\right)^{\left(\frac{1}{T}\right)}$$

Log Divides Formula

The equation $b^T = v$ has solution


$$T = \frac{\log(v)}{\log(b)}$$

1. The Conficker computer virus was feared to cause massive amounts of damage to computers this April 1. Initial estimates indicated that 9 million computers in January were infected with the virus. Through the distribution of antivirus updates, the number of infected computers has been decreasing by 15% each week. From an initial estimate of the 9 million computers involved, it has decreased to V infected computers (in millions) after W weeks since January 1 where

$$V = 9(0.85^W)$$

(a) Make a table of values showing the number of infected computers after 4 weeks, 8 weeks, 12 weeks, and 16 weeks.

(b) Draw a graph illustrating the dependence. Be sure to include all the information given and space your axes evenly.



The problem continues	
(c) When will the virus have affected 1 million computers? your graph and then refine your answer by successive week.	

(d) Now show how to exactly solve the equation to calculate when the virus will have affected 1 million computers.

2.	The number of asthma sufferers worldwide in 1990 was 84 million and 130 million in 2001. Let A be the number of people with asthma sufferers (in millions) and Y the year. Assume that the number of people affected with asthma has been growing at a constant rate.					
	(a)	What is the annual increase in the number of asthma sufferers each year?				
	(b)	Write an equation illustrating this model.				
	(c)	According to this equation, how many people will be affected with asthma in 2015?				
	(d)	What type of equation is being used here?				

3.	Remember from the previous problem that the number of asthma sufferers worldwide 1990 was 84 million and 130 million in 2001. Let A be the number of people with asth sufferers (in millions) and Y the year. This time assume instead that asthma sufferer increasing at a constant percentage rate each year.				
	(a) What is the annual growth factor in the number of asthma sufferers each year?				
	(b) Write an equation illustrating this model.				
	(c) According to this new equation, how many people will be affected with asthma in 2015?				
	2015:				
	(d) What type of equation is being used here?				

4.	I recently changed the cleaning bag on my vacuum cleaner. In the process I wanted to know how many particles of dust were in the bag. The mass of a dust particle is 0.000000000753 kilograms.	-		
	(a) Write the mass of a dust particle in scientific notation.			
	(b) Express dust particle mass as a conversion factor. In other words, complete the following:			
	1 dust particle = kilograms			
	(c) If my vacuum bag weighed 3 pounds, how many dust particles were in the bag? Express your answer in scientific notation. Use the fact that 1 kilogram ≈ 2.2 pounds.			
5.	In 1995 the population of China was 1,210,969,000 people. Today in 2009 the Chinese population is 1,338,612,968. Assuming this increase is exponential, what is the annual percent increase for China's population?			