
TV Power Measurement Report

Model: LG UN55FD

Funded By:



Prepared By:



Table of Contents

1. Test Specifics	4
2. Compliance with Additional Tests	5
2.1 On Mode Tests	5
2.2 Standby	9
3. Supplemental Test Results	10
3.1 Stabilization	10
3.2 APL' vs Power Charts	11
3.2.1 Default PPS: SDR	11
3.2.2 Brightest PPS: SDR	12
3.2.3 Default PPS: HDR	13
3.3 Light Directionality	14
Average Luminance Along TV's Horizontal Axis	14
Average Luminance Along TV's Vertical Axis	15
Luminance Heatmap	16
4. Test Results Table	17
5. Test Result Plots	18
Test 2.1 - stabilization1	18
Test 2.2 - stabilization2	19
Test 7 - default	20
Test 8 - default_100	21
Test 9 - default_35	22
Test 10 - default_12	23
Test 11 - default_3	24
Test 12 - brightest	25
Test 13 - brightest_100	26
Test 14 - brightest_35	27
Test 15 - brightest_12	28
Test 16 - brightest_3	29
Test 17 - hdr10	30
Test 18 - hdr10_100	31
Test 19 - hdr10_35	32

Test 20 - hdr10_12	33
Test 21 - hdr10_3	34
Test 22 - standby	35
Test 24 - standby_echo	36
Test 26 - standby_google	37

1. Test Specifics

Test Start Date	2020-10-17
Test Start Time	16:27:19
Test End Time	21:20:38
Test Duration	0 days 04:53:19
Tester Name	ryan
Lab Name	demo
Lab Address	111 s st
Make	lg
Model	un55fd
Model Year	2020
Serial Number	555ddd
Software Version	1.1.1
Manufacture Year	2020
Manufacture Month	1
Screen Diagonal (inches)	55
Pixel Rows	1080
Pixel Columns	1920
Screen Area (sq in)	1700
TV Technology Type	LED
Humidity (%)	10
Temperature (Celcius)	10

2. Compliance with Additional Tests

2.1 On Mode Tests

Test Name	Preset Picture	ABC	Lux	MDD	Avg Luminance (Nits)	Power Limit (W)	Avg Power (W)	Power/Power Limit
default	aps	off		off	1.5		3.0	
default_100	aps	on	100.0	off	1.5		3.0	
default_35	aps	on	35.0	off	1.5		3.0	
default_12	aps	on	12.0	off	1.5		3.0	
default_3	aps	on	3.0	off	1.5		3.0	
default_measured					1.5	38.8	3.0	0.1
brightest	vivid	off		off	1.8		3.6	
brightest_100	vivid	on	100.0	off	1.8		3.6	
brightest_35	vivid	on	35.0	off	1.8		3.6	
brightest_12	vivid	on	12.0	off	1.8		3.6	
brightest_3	vivid	on	3.0	off	1.8		3.6	
brightest_measured					1.8	33.9	3.6	0.1
average_measured								0.1

Average Measured / Limit must be less than 1.0 to comply

Default PPS Power Limit Function


$$1.05 * ((0.001 * \text{area} + 0.38) * (1.00 * \text{luminance} + 0.00) + 0.01 * \text{area} + 18.12)$$


Brightest PPS Power Limit Function

$$1.05 * ((0.001 * \text{area} + 0.28) * (1.00 * \text{luminance} + 0.00) + 0.01 * \text{area} + 17.11)$$


HDR Default PPS Power Limit Function

$$1.05 * ((0.002 * \text{area} + 0.38) * (1.00 * \text{luminance} + 0.00) + 0.01 * \text{area} + 17.67)$$





POA HDR Default PPS



2.2 Standby


Test Name	QS	Wake Time (s)	Power Limit (W)	Avg Power (W)
standby	off	0.0	2	3.4
standby_echo	oob	0.0	2	3.7
standby_google	oob	0.0	2	2.4

Time to Wake from Standby

standby: 0 seconds

standby_echo: 0 seconds


standby_google: 0 seconds



3. Supplemental Test Results

3.1 Stabilization


Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
stabilization1	600	IEC SDR	34.5	off	aps	off	1.4	2.8
stabilization2	600	IEC SDR	34.5	off	aps	off	1.2	2.4



3.2 APL' vs Power Charts


3.2.1 Default PPS: SDR

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
default	600	IEC SDR	34.5	off	aps	off	1.5	3.0




3.2.2 Brightest PPS: SDR

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
brightest	600	IEC SDR	34.5	off	vivid	off	1.8	3.6




3.2.3 Default PPS: HDR

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
hdr10	300	CLASP HDR10	28.7	off	standard	off	1.9	3.9




3.3 Light Directionality


Average Luminance Along TV's Horizontal Axis



Average Luminance Along TV's Vertical Axis



Luminance Heatmap




4. Test Results Table

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	QS	Wake Time (s)	Avg Luminance (Nits)	Avg Power (W)
stabilization1	600	IEC SDR	34.5	off		aps	off			1.4	2.8
stabilization2	600	IEC SDR	34.5	off		aps	off			1.2	2.4
default	600	IEC SDR	34.5	off		aps	off			1.5	3.0
default_100	600	IEC SDR	34.5	on	100.0	aps	off			1.5	3.0
default_35	600	IEC SDR	34.5	on	35.0	aps	off			1.5	3.0
default_12	600	IEC SDR	34.5	on	12.0	aps	off			1.5	3.0
default_3	600	IEC SDR	34.5	on	3.0	aps	off			1.5	3.0
brightest	600	IEC SDR	34.5	off		vivid	off			1.8	3.6
brightest_100	600	IEC SDR	34.5	on	100.0	vivid	off			1.8	3.6
brightest_35	600	IEC SDR	34.5	on	35.0	vivid	off			1.8	3.6
brightest_12	600	IEC SDR	34.5	on	12.0	vivid	off			1.8	3.6
brightest_3	600	IEC SDR	34.5	on	3.0	vivid	off			1.8	3.6
hdr10	300	CLASP HDR10	28.7	off		standard	off			1.9	3.9
hdr10_100	300	CLASP HDR10	28.7	on	100.0	standard	off			1.9	3.9
hdr10_35	300	CLASP HDR10	28.7	on	35.0	standard	off			1.9	3.9
hdr10_12	300	CLASP HDR10	28.7	on	12.0	standard	off			1.9	3.9
hdr10_3	300	CLASP HDR10	28.7	on	3.0	standard	off			1.9	3.9
standby	2400		0.0					off	0.0	1.7	3.4
standby_echo	2400		0.0					oob	0.0	1.9	3.7
standby_google	2400		0.0					oob	0.0	1.2	2.4

5. Test Result Plots


Test 2.1 - stabilization1

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
stabilization1	600	IEC SDR	34.5	off	aps	off	1.4	2.8




Test 2.2 - stabilization2

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
stabilization2	600	IEC SDR	34.5	off	aps	off	1.2	2.4




Test 7 - default

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
default	600	IEC SDR	34.5	off	aps	off	1.5	3.0




Test 8 - default_100

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
default_100	600	IEC SDR	34.5	on	100.0	aps	off	1.5	3.0




Test 9 - default_35

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
default_35	600	IEC SDR	34.5	on	35.0	aps	off	1.5	3.0




Test 10 - default_12

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
default_12	600	IEC SDR	34.5	on	12.0	aps	off	1.5	3.0




Test 11 - default_3

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
default_3	600	IEC SDR	34.5	on	3.0	aps	off	1.5	3.0




Test 12 - brightest

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
brightest	600	IEC SDR	34.5	off	vivid	off	1.8	3.6




Test 13 - brightest_100

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
brightest_100	600	IEC SDR	34.5	on	100.0	vivid	off	1.8	3.6




Test 14 - brightest_35

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
brightest_35	600	IEC SDR	34.5	on	35.0	vivid	off	1.8	3.6




Test 15 - brightest_12

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
brightest_12	600	IEC SDR	34.5	on	12.0	vivid	off	1.8	3.6




Test 16 - brightest_3

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
brightest_3	600	IEC SDR	34.5	on	3.0	vivid	off	1.8	3.6




Test 17 - hdr10

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
hdr10	300	CLASP HDR10	28.7	off	standard	off	1.9	3.9




Test 18 - hdr10_100

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
hdr10_100	300	CLASP HDR10	28.7	on	100.0	standard	off	1.9	3.9




Test 19 - hdr10_35

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
hdr10_35	300	CLASP HDR10	28.7	on	35.0	standard	off	1.9	3.9




Test 20 - hdr10_12

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
hdr10_12	300	CLASP HDR10	28.7	on	12.0	standard	off	1.9	3.9




Test 21 - hdr10_3

Test Name	Test Time (s)	Video	Avg APL' (%)	ABC	Lux	Preset Picture	MDD	Avg Luminance (Nits)	Avg Power (W)
hdr10_3	300	CLASP HDR10	28.7	on	3.0	standard	off	1.9	3.9




Test 22 - standby

Test Name	Test Time (s)	Avg APL' (%)	QS	Wake Time (s)	Avg Luminance (Nits)	Avg Power (W)
standby	2400	0.0	off	0.0	1.7	3.4



Test 24 - standby_echo

Test Name	Test Time (s)	Avg APL' (%)	QS	Wake Time (s)	Avg Luminance (Nits)	Avg Power (W)
standby_echo	2400	0.0	oob	0.0	1.9	3.7



Test 26 - standby_google

Test Name	Test Time (s)	Avg APL' (%)	QS	Wake Time (s)	Avg Luminance (Nits)	Avg Power (W)
standby_google	2400	0.0	oob	0.0	1.2	2.4

