Windowing management - Boxplots

November 15, 2020

```
In [1]: import pandas as pd
In [2]: results = pd.read_csv('windowing_management.csv')
        openHAB = results[results.Platform.isin(['openHAB'])]
        hass = results[results.Platform.isin(['Hass'])]
        elixir = results[results.Platform.isin(['Elixir'])]
        sparrow = results[results.Platform.isin(['Sparrow'])]
In [3]: openHAB.LoC.describe()
Out[3]: count
                 7.000000
                 2.857143
        mean
        std
                 2.478479
                 0.00000
        min
        25%
                 1.000000
        50%
                 2.000000
        75%
                 5.000000
                 6.000000
        max
        Name: LoC, dtype: float64
In [4]: hass.LoC.describe()
Out[4]: count
                 7.000000
        mean
                 2.142857
        std
                 2.115701
        min
                 0.00000
        25%
                 1.000000
        50%
                 1.000000
        75%
                 3.000000
                 6.000000
        Name: LoC, dtype: float64
In [5]: elixir.LoC.describe()
Out[5]: count
                 7.000000
                 1.714286
        mean
                 1.496026
        std
```

```
min
         0.000000
25%
         0.500000
50%
         2.000000
75%
         2.500000
         4.000000
max
```

Name: LoC, dtype: float64

In [6]: sparrow.LoC.describe()

Out[6]: count 7.00000 1.00000 mean std 0.57735 min 0.00000 25% 1.00000 50% 1.00000 75% 1.00000 2.00000 max

Name: LoC, dtype: float64