

REGISTERED  
CHARITY  
NUMBER 223106

RC  
GP

---

# Research & Surveillance Centre

---

Royal College of General Practitioners

Annual Report 2009

## Weekly Returns Service Annual Report 2009



# WEEKLY RETURNS SERVICE

# 2009

## RCGP Research & Surveillance Centre Staff

Dr Douglas M Fleming	Director
Dr Rajinder Pnaiser	Primary Care Scientist
Mrs Joanne Miles	Centre Manager
Miss Michele A Barley	System Administrator
Mrs Sue J Grant	Administrative Officer
Miss Hayley Durnall	Practice Liaison Officer

FUNDING IS PROVIDED FOR THIS SERVICE BY THE DEPARTMENT OF HEALTH AND THE HEALTH PROTECTION AGENCY
--

Website: [www.rcgp.org.uk/rsc](http://www.rcgp.org.uk/rsc)



## CONTENTS

<b>INTRODUCTION</b> .....	7
Recruitment of new practice update .....	8
<b>PARICIPATING PRACTICES</b> .....	11
<i>Figure 1: Sentinel practice sites</i> .....	11
<i>Table 1: Weekly returns Service population 2009</i> .....	12
<i>Table 2: Health authority representation: WRS population 2009 as a percentage of national population estimate 2008</i> .....	12
<i>Figure 2: Population on which provisional and final weekly reports were based compared with total available population in 2009</i> .....	13
<i>Table 3: Practices and GP principals by the number of weeks in which the data were received</i> .....	14
<b>PRESENTATION OF DATA</b> .....	15
<i>Box 1: Strategic Health Authorities by supra-regional group</i> .....	15
<b>TRENDS IN THE INCIDENCE OF DISEASE</b> .....	17
Acute Respiratory Infections .....	17
<i>Table 4: Mean weekly incidence of common infections (per 100,000 all ages) 2000-2009</i> .....	18
<i>Table 5: Mean weekly incidence of selected additional conditions (per 100,000 all ages) 2000-2009</i> .....	19
<i>Figure 3: Upper Respiratory Tract Infections in four weekly periods 1994-2009</i> .....	20
<i>Figure 4: Lower Respiratory Tract Infections in four weekly periods 1994-2009</i> .....	20
<i>Figure 5: Influenza-like Illness in four weekly periods 1967-2009</i> .....	21
<i>Figure 6: Pneumonia &amp; Pneumonitis in four weekly periods 1967-2009</i> .....	21
Gastro Enteric Disorders .....	21
<i>Figure 7: Acute Appendicitis in four weekly periods 1976-2009</i> .....	22
<i>Figure 8: Duodenal Ulcer in four weekly periods 1976-2009</i> .....	22
<i>Figure 9: Infectious Intestinal Disease in four weekly periods 1967-2009</i> .....	23
<i>Figure 10: Viral Hepatitis in four weekly periods 1967-2009</i> .....	23
<i>Figure 11: Infectious Mononucleosis in four weekly periods 1967-2009</i> .....	24
Virus Exanthemata .....	24
Parasitic Diseases .....	24
Sexually Transmitted Diseases .....	25
Chronic Diseases .....	25
<i>Figure 12: Dorsopathies in four weekly periods 1994-2009</i> .....	25
Conclusion .....	26
<b>PANDEMIC INFLUENZA</b> .....	27
Influenza Swabbing Programme .....	27
Alternative Sources of Primary Care and Allocated Read Codes .....	27
<i>Figure 13: Counts of Influenza Like Illness, Suspected Respiratory Disease &amp; Suspected Swine Flu (All Ages) from Week 40 2008 to week 20 2010</i> .....	29
Incidence of Influenza like Illness (ILI) .....	29
<i>Figure 14: ILI incidence and influenza virology (all ages) 2009</i> .....	30
<i>Table 6: Number of swabs submitted and percentage positives for H1 swine flu in first and second pandemic waves</i> .....	30

Figure 15a): ILI incidence 2008-2009, ages 15-24, 25-44 and 45-64 .....	31
Figure 15b): ILI incidence 2008-2009, ages 65-74 and 75+ .....	31
Figure 15c): ILI incidence 2008-2009, ages <1, 1-4 and 5-15 .....	31
Figure 16a): Excess incidence (per 100,000) in children during the first wave by diagnosis.....	32
Figure 16b): Excess incidence (per 100,000) in children during the second wave by diagnosis .....	32
Figure 17: ILI incidence 2009 (weeks 23-53) in selected regions .....	33
Figure 18: Influenza incidence by week and region (HPA serology model) .....	33
Influenza vaccination .....	34
Conclusion .....	34
<b>MEDIAN CONTACT DAYS</b> .....	35
Table 7: Average annual person contact days per 100 population by age group and gender .....	35
Figure 19: Median contact days per 100 persons by week during 2009 in age groups , 1, 1-4 & 5-14 years .....	35
Figure 20: Median contact days per 100 persons by week during 2009 in age groups 15-24 and 25-44 years .....	35
Figure 21: Median contact days per 100 persons by week during 2009 in age Groups 45-64, 65-74 and 75+ years .....	36
<b>ALERT CONDITIONS</b> .....	36
Figures 22 a-l: Selected alert conditions: incidence per 100,000 per week, all ages, by region in 2009 compared with 10 year average (1999-2008).....	37
<b>VALIDATION OF DIAGNOSIS</b> .....	38
Table 8: Validation of Diagnosis 2009 .....	38
<b>INFLUNZA VACCINATION</b> .....	39
Figure 23: Cumulative Influenza Vaccination Uptake % Comparison between 2008/09 and 2009/10: uptake by week (as percentage of the population) in age groups 0-44, 45-64, 65-74 and 75+ years .....	39
<b>RCGP RESEARCH &amp; SURVEILLANCE CENTRE PUBLICATIONS 2009</b> .....	41
<b>PRACTICES PARTICIPATING IN THE WEEKLY RETURNS SERVICE 2009</b> .....	43
<b>APPENDIX 1</b> .....	45
<b>APPENDIX 2</b> .....	47
<b>APPENDIX 3</b> .....	91
<b>APPENDIX 4</b> .....	113
<b>APPENDIX 5</b> .....	133

## INTRODUCTION

The year 2009 was dominated by the H1N1 virus pandemic and for obvious reasons this has been chosen as the main topic for this report. The pandemic prompted expansion of the influenza swabbing programme to include additional practices and to continue swabbing throughout the summer. During the period May 17<sup>th</sup> to end of the year, Weekly Returns Service (WRS) practices took 4849 swabs for virological investigation with 1322 (27.3%) of these positive for H1N1 virus. In addition, the WRS database has been used to study the effectiveness of pandemic vaccine using two methods. The first was based on a case control design with cases defined as positive swab results and controls as negative results. This demonstrated vaccine effectiveness of 78% (95% confidence intervals 8% to 95%). The second was based on a cohort design and used influenza like-illness as diagnosed by the GPs as the primary outcome. Analysis made adjustments for confounders such as co-morbidity and propensity to consult. This showed 26% effectiveness (95% confidence intervals 8% to 41%). Throughout the winter we were able to monitor vaccine effectiveness on a continuous basis. The quality of recording is fundamental to this type of work and we are grateful to our colleagues in the practices for all their efforts.

From the Research & Surveillance Centre's (RSC) perspective the main preoccupation has been the establishment of the new individualised data extraction routine. This has proved more complex than anticipated, which has resulted in delayed introduction of some additional planned analyses. Nevertheless, we have been able to produce our twice weekly reports consistently throughout the year. We are especially grateful to the staff of Apollo Communications for their co-operation in developing our new analytical procedures.

There have been some changes in our practices, arising mainly because of revised computing arrangements. In particular, we have lost practices that have changed their software supplier to one which does not support the WRS programme for data extraction. The loss resulted in an active recruitment programme and in the course of 2009 we took on board five new practices. An update on the recruitment programme is provided below.

The funding channel for the WRS has been re-routed. Formerly, the Centre was supported by dedicated funding to the RCGP from the Department of Health authorised by the Chief Medical Officer. From April 2009, the Health Protection Agency is to commission the services of the Centre with the commitment of a rolling three year contract. In addition, a steering Committee has been established to supervise the activities of the Centre, rather similar to the committee structure in place during the 1970s and 80s.

In January 2009, Hayley Durnall joined the staff of the Centre as Practice Liaison Officer. Her post was chiefly funded by a European programme on influenza vaccine

effectiveness. As Practice Liaison Officer she was responsible for increasing the level of swabbing for influenza in the network and monitoring the quality of data entry in relation to flu related illnesses, vaccination procedures and investigation results. Throughout the year she has conducted a programme of practice visits and we are pleased to report how well this has been received. It is also gratifying to note that the careful instruction with regard to reporting of influenza virology results has paid dividends in terms of the analytical routines we have adopted to examine influenza vaccine effectiveness. Although the initial period of this project has now come to an end we have secured further funding for this post and Hayley will continue the programme of practice visits.

We were also pleased to welcome Dr Rajinder Pnaiser to the Centre team in 2009 who replaced Dr Alex Elliot in the role of Primary Care Scientist.

In the last two years our sister publication on annual prevalence has not been available. This is because the computer routines necessary to undertake this task are outdated and take a long time to run. Regrettably, this has meant that many practices have had difficulty in running the annual prevalence programme. With the change over to an individualised database in progress we have not pursued revision of this programme but have scheduled the annual prevalence report as a priority in our new analytical routines.

The year 2010 is likely to be particularly busy, revising our analytical programmes and taking advantage of the patient specific information. Our colleagues in Scotland have a very similar database and we look forward to working together on issues of public health importance. However we are both completely dependent on the quality of data entry and in that regard the recording activities of our colleagues in general practice are at the heart of all our activities.

#### Recruitment of new practices update

The WRS has traditionally involved approximately 100 GP practices throughout England and Wales. The Centre introduced a new patient linked database in 2008, which extracts Read code data from practices using Apollo software. The Apollo software used is incompatible with some clinical systems which use hosted servers. The migration of several WRS practices to systems with hosted servers has lead to a depletion of the number of practices included in the WRS patient linked data base. The Centre therefore, has been actively recruiting new WRS GP practices since November 2008 in order to compensate for this reduction. Three strategies have been applied to contact and recruit prospective practices. Firstly, the RCGP Annual Primary Care Conference in Glasgow gave an ideal opportunity to recruit GPs interested in research. Leaflets with contact details were left throughout the exhibition hall and GPs were selected at random for interview and asked to leave



their contact details if interested. This was a highly successful approach and resulted in the direct recruitment of eight new practices which are now on board with the patient linked data base. Secondly, the RCGP have a database of practices which are suitable to be recruited for research projects throughout England. These practices are labelled 'Research Ready' and must meet criteria of basic entry guidelines in primary care research. Several practices from this database have been approached, two of which are now successfully on board, one is pending contracts and a further 10 practices are considering joining us. Thirdly, existing WRS practices that hear new practices are being recruited are often happy to pass on the message to fellow practice managers and GPs from different areas. This method of recruitment has led to three practices being successfully introduced onto the RCGP patient linked database.


In total, these recruitment methods have led to five new practices being taken on board in 2009 with a further eight practices in early 2010. This has increased the WRS population by approximately 125,000 patients with further increases expected. The Centre aims to have 2% coverage of patients in each Strategic Health Authority (SHA) and is focused on recruiting practices from those SHAs which have suffered the biggest loss in practices, namely, the East of England, South West, North West and Yorkshire and Humber.



## PARTICIPATING PRACTICES

During 2009 a total of 101 practices contributed to the WRS (including 5 exclusively to the new system) and these are indicated on the map (Figure 1). Of the 96 practices which contributed to the existing WRS database, these were distributed by computer system as follows; EMIS 58, Torex Synergy 19, Torex GP Premiere 4 and In Practice Systems 15. Five practices migrated to The Phoenix Partnership (TPP) using System One during 2009.

*Figure 1: Sentinel practice sites*



The WRS population under surveillance in the three supra-regional groups (North, Central, and South) is compared with nationally equivalent data (summed from mid-year regional population estimates for 2008 provided by the ONS) in Table 1. In Table 2 we provide information on population representation by health authority region

Table 1: Weekly Returns Service population 2009

N.B. The population data presented in Table 1 is derived from the established historical routine of defining the individual practice population at the mid-point of 2009

WEEKLY RETURN SERVICE POPULATION 2009										
		Total	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
NORTH	Male	86666	879	3911	10254	10847	22900	24370	7884	5621
	%	49.3	0.5	2.2	5.8	6.2	13.0	13.9	4.5	3.2
	Female	89222	841	3715	9773	10379	22892	24287	8622	8713
	%	50.7	0.5	2.1	5.6	5.9	13.0	13.8	4.9	5.0
	Total	175888	1720	7626	20027	21226	45792	48657	16506	14334
	%	100	1.0	4.3	11.4	12.1	26.0	27.7	9.4	8.1
CENTRAL	Male	160130	1820	7583	19037	20272	45141	43370	13133	9774
	%	49.4	0.6	2.3	5.9	6.3	13.9	13.4	4.1	3.0
	Female	163712	1677	7157	17962	19916	44931	42769	14132	15168
	%	50.6	0.5	2.2	5.5	6.1	13.9	13.2	4.4	4.7
	Total	323842	3497	14740	36999	40188	90072	86139	27265	24942
	%	100	1.1	4.6	11.4	12.4	27.8	26.6	8.4	7.7
SOUTH	Male	207036	2484	10676	25044	24797	63258	53059	15582	12136
	%	49.0	0.6	2.5	5.9	5.9	15.0	12.6	3.7	2.9
	Female	215276	2372	10268	23941	25560	65265	52367	17024	18479
	%	51.0	0.6	2.4	5.7	6.1	15.5	12.4	4.0	4.4
	Total	422312	4856	20944	48985	50357	128523	105426	32606	30615
	%	100	1.1	5.0	11.6	11.9	30.4	25.0	7.7	7.2
TOTAL WRS	Male	453832	5183	22170	54335	55916	131299	120799	36599	27531
	%	49.2	0.6	2.4	5.9	6.1	14.2	13.1	4.0	3.0
	Female	468210	4890	21140	51676	55855	133088	119423	39778	42360
	%	50.8	0.5	2.3	5.6	6.1	14.4	13.0	4.3	4.6
	Total	922042	10073	43310	106011	111771	264387	240222	76377	69891
	%	100	1.1	4.7	11.5	12.1	28.7	26.1	8.3	7.6
Mid-2008	Male	26780300	360200	1328600	3198900	3734500	7589100	6715200	2170400	1683300
National	%	49.2	0.7	2.4	5.9	6.9	13.9	12.3	4.0	3.1
Population	Female	27659400	342900	1265900	3051300	3540100	7570400	6918000	2385800	2585100
Estimate	%	50.8	0.6	2.3	5.6	6.5	13.9	12.7	4.4	4.7
	Total	54439700	703100	2594500	6250200	7274600	15159500	13633200	4556200	4268400
	%	100	1.3	4.8	11.5	13.4	27.8	25.0	8.4	7.8


Table 2: Health authority representation: WRS population 2009 as a percentage of national population estimate 2008.

	%	Total	Male	Female
North East	1.5	37650	18412	19238
North West	1.3	88000	43371	44629
Yorkshire & Humber	1.0	50238	24883	25355
East Midlands	2.5	108778	53760	55018
West Midlands	1.8	99850	49134	50716
Eastern	1.5	84266	41918	42348
London	2.1	157353	75562	81791
South East Coast	1.7	71911	35568	36343
South Central	2.0	81818	40173	41645
South West	2.1	111230	55733	55497
Wales	1.0	30948	15318	15630
<b>TOTAL</b>	<b>1.7</b>	<b>922042</b>	<b>453832</b>	<b>468210</b>

Each weekly report is made on the basis of information received within two days after the end of the recording period. Thus for the first weekly report, data received by Wednesday covers the week ending the previous Sunday and for the second report

data received by Friday covers the week ending the previous Wednesday. In addition, the database is subsequently updated with any delayed data thus resulting in three possible population denominators; the population on which the contemporary weekly report is based, the updated population on which the annual report is based and the entire network population which we use to consider the network representativeness by age. These three populations are compared by week in Figure 2. The provisional population and the updated population are very similar in most weeks. There are sometimes problems around major holiday periods when, for example, computers are inadvertently switched off in the practices. Occasionally we encounter technical problems with particular software but these have become much less frequent.

*Figure 2: Population on which provisional and final weekly reports were based compared with total available population in 2009.*



The consistency of reporting is disclosed by the analysis presented in Table 3 which gives the number of practices and GP principals in each region who have contributed to the WRS in 2009. There are always some new recruits and a few practices who are involved in changing their software supplier during the year and thus we would not expect there to be complete recording throughout the 52 weeks. Seventy five of the 96 practices using the existing WRS system were able to deliver data for 50 weeks or more. The Service now provides a second weekly report which has been introduced at no extra cost and we are pleased to report that this service is now regularly based on a population exceeding 600,000. The maximum population reported in the contemporary weekly report occurred in week 28 of 2009 and included 891184 persons.

*Table 3: Practices and GP principals by the number of weeks in which the data were received.*

	<b>Practices</b>	<b>Principals</b>	<b>≤35</b>		<b>36-39</b>		<b>40-44</b>		<b>45-49</b>		<b>50-52</b>	
<b>North</b>	21	98	2	(7)	0	(0)	0	(0)	6	(32)	13	(59)
<b>Central</b>	31	163	3	(18)	1	(5)	0	(0)	2	(11)	25	(129)
<b>South</b>	44	232	2	(12)	2	(7)	2	(9)	1	(7)	37	(197)
<b>TOTAL</b>	<b>96</b>	<b>493</b>	<b>7</b>	<b>(37)</b>	<b>3</b>	<b>(12)</b>	<b>2</b>	<b>(9)</b>	<b>9</b>	<b>(50)</b>	<b>75</b>	<b>(385)</b>

## PRESENTATION OF DATA

The main presentation of results in this report follows that of previous reports and was summarised in the annual report for the year 2000. Appendix 1 contains the time period definitions for the 4-weekly, quarterly and annual periods and the mean weekly population by age and gender. Appendix 2 summarises annual data for the diseases which have been reported for twenty-five years or more in the WRS. Each table in the appendices includes information on the mean weekly incidence over thirteen four-weekly periods, four quarterly periods and the total year. Also included are the number of episodes (categorised first or new) and the number of consultations reported within each age and gender group. Separate data are available for males and females covering the age groups less than 1 year, 1-4 years, 5-14 years, 15-24 years, 25-44 years, 45-64 years, 65-74 years and 75 years and over. For some reported diseases, minor revision of disease titles has resulted in departure from strict alphabetic order. Appendix 3 presents population and incidence data for three regions (North, Central and South) for the selected common diseases included in Appendix 2. These data are restricted to quarterly and annual periods but are otherwise presented in the same detail as those in Appendix 2. The separation into regions North, Central and South has previously been based on lines of separation between Liverpool and Hull; Bristol and Ipswich. This separation into the three supra-regional groupings has been revised to align with the boundaries of Strategic Health Authorities (Box 1). For convenience, Wales is included in the Central region.

*Box 1: Strategic Health Authorities by supra-regional group*

North	Central	South
Northumberland, Tyne & Wear	Trent	North Central London
County Durham & Tees Valley	Leicestershire, Northamptonshire & Rutland	North East London
Cumbria & Lancashire	Birmingham & Black Country	North West London
Cheshire & Merseyside	Shropshire & Staffordshire	South East London
Greater Manchester	West Midlands South	South West London
North & East Yorkshire & North Lincs.	Norfolk, Suffolk & Cambridgeshire	Surrey & Sussex
West Yorkshire	Essex	Kent & Medway
South Yorkshire	Bedford & Hertfordshire	Thames Valley
	Wales	Hampshire & Isle of Wight
		Avon, Gloucestershire & Wiltshire
		Dorset & Somerset
		South West Peninsula

Appendix 4 describes the mean weekly incidence of disease by chapter of the ICD. Disease grouping in this way is a particular advantage for illnesses such as mental disorder where persons can receive multiple entries of very similar Read codes. Appendix 5 provides an analysis of selected diseases illustrating the capacity of the WRS to deliver information on any specified disease.

Those selected span a wide range of disorders and a wide range of disease prevalence and are presented in ICD order.





## TRENDS IN THE INCIDENCE OF DISEASE

Annual trends in the incidence of new disease episodes are summarised in Tables 4 and 5 which present mean weekly incidence rates for all persons in each of the last 10 years. Table 4 includes diseases traditionally reported in the WRS and Table 5, a miscellaneous collection of diseases demonstrating the use of the database to interrogate for any ICD specific condition.

When considering the trends displayed in these tables, it is important to recognise all possible explanations for change, for example;

- True changes in incidence,
- Changes in diagnostic criteria or recording behaviour,
- Changes in health seeking behaviour,
- The effect of demographic change over time (e.g. increasing elderly population).

Diseases are considered here in clinically related groups. In some instances they are amplified by presenting bar charts of mean weekly incidence rates per 100,000 population (all ages, both genders) in four week periods over more extended time periods.

### *Acute Respiratory Infections*

The downward trend of respiratory infections is best seen in the summary data for upper and lower respiratory tract infections (URTI and LRTI). The episode incidence has fallen by approximately 25% over the decade. The trends are shown in greater detail for URTI (figure 3) and LRTI (figure 4) in which the mean weekly incidence in four weekly periods is shown over the period 1994 to 2009. The trends in both series are similar but the absolute all age incidence of URTI is about twice that of LRTI. URTI and LRTI episodes declined gradually over the ten years from 1995 to 2004, but have been stable since. Influenza-like illness (ILI) is included in the LRTI data and the effect of the influenza pandemic is shown in the highlighted bar in the summer of 2009. The incidence of URTI is dominated by common cold and of LRTI by acute bronchitis. Both of these conditions show a similar seasonal trend when examined over the last thirty years with particularly high rates of incidence in the early 90s, but a declining trend up to 2000 and thereafter reasonable stability.


*Table 4: Mean weekly incidence of common infections (per 100,000 all ages) 2000-2009*

<b>DISEASE</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>
Acute Appendicitis	0.53	0.45	0.38	0.35	0.27	0.19	0.24	0.15	0.14	0.14
Asthma	31.2	27.6	27.5	24.8	20.6	17.3	15.4	13.3	13.2	12.5
Bronchitis (acute)	117.8	117.4	114.8	109.9	96.9	100.7	85.2	93.4	88.3	81.8
Cerebrovascular Accident	2.64	2.46	2.18	2.28	1.64	1.24	1.15	1.00	0.97	0.95
Chickenpox	7.99	6.53	8.84	6.90	6.80	6.00	6.50	8.00	5.8	6.4
Common Cold	121.0	129.5	119.8	121.9	98.5	112.5	108.3	121.1	118.9	110.2
Diabetes	8.68	9.75	10.9	12.6	11.6	10.1	8.90	8.70	8.4	8.8
Duodenal Ulcer	0.72	0.62	0.52	0.47	0.36	0.31	0.27	0.22	0.20	0.26
Gastric Ulcer	0.36	0.39	0.39	0.39	0.26	0.25	0.24	0.19	0.20	0.19
Hand, Foot & Mouth Disease	1.01	1.19	1.29	0.57	1.09	0.48	1.04	1.05	1.16	1.23
Hayfever/Allergic Rhinitis	29.4	26.5	24.8	22.4	19.8	21.3	22.5	17.6	19.1	18.0
Hepatitis (viral)	0.17	0.15	0.22	0.17	0.20	0.15	0.18	0.14	0.15	0.15
Herpes Zoster	7.13	7.09	7.12	7.00	6.50	6.30	6.40	5.90	5.8	6.2
Hodgkin's Disease	0.04	0.02	0.05	0.03	0.02	0.03	0.01	0.01	0.01	0.01
Infectious Intestinal Disease	35.9	30.8	29.5	25.4	21.1	19.1	18.9	17.8	17.2	16.3
Influenza/Flu-Like Illness	22.7	19.3	14.0	18.2	8.80	11.7	9.80	10.6	11.1	25.3
Laryngitis & Tracheitis	13.3	14.4	12.6	12.9	8.90	10.0	8.20	8.90	6.8	6.5
Leukaemia (acute)	0.12	0.11	0.11	0.16	0.09	0.13	0.10	0.09	0.13	0.11
Measles	0.05	0.05	0.05	0.04	0.05	0.03	0.03	0.03	0.04	0.04
Meningitis/Encephalitis	0.27	0.24	0.12	0.12	0.07	0.08	0.07	0.10	0.06	0.07
Mononucleosis (Infectious)	0.84	0.81	0.65	0.63	0.49	0.52	0.52	0.48	0.57	0.54
Multiple Sclerosis	0.39	0.35	0.30	0.30	0.30	0.23	0.20	0.16	0.17	0.15
Mumps	0.27	0.16	0.18	0.19	0.58	1.73	0.44	0.18	0.23	0.36
Myocardial Infarction (acute)	1.57	1.28	1.18	1.05	0.79	0.63	0.60	0.62	0.57	0.59
Myxoedema	5.00	4.70	4.70	5.20	4.50	4.90	5.10	4.60	4.5	4.0
Otitis Media (Acute)	48.1	46.8	40.7	40.1	34.4	33.7	32.3	31.9	31.6	30.3
Pleurisy	1.81	1.44	1.45	1.23	1.03	0.93	0.87	0.82	0.80	0.81
Pneumonia & Pneumonitis	2.46	2.23	1.75	1.76	1.59	1.39	1.36	1.22	1.19	1.10
Rheumatoid Arthritis	1.66	1.49	1.15	1.05	0.90	0.95	0.85	0.67	0.68	0.46
Rubella	0.07	0.07	0.10	0.05	0.04	0.03	0.03	0.02	0.02	0.01
Scabies	9.04	6.83	5.74	4.50	3.30	2.40	2.00	1.08	1.5	1.7
Strep. Sore Thrt-Scarlatina & Peritonsillar Abscess	1.44	1.30	1.08	1.12	1.03	0.82	1.02	0.93	0.84	0.86
Sinusitis (acute)	32.4	32.5	28.2	27.9	24.3	23.7	23.2	25.0	22.5	21.7
Spontaneous Abortion (female 15-44)	9.12	8.10	7.88	7.69	7.28	7.39	7.98	8.77	7.83	7.43
Thyrotoxicosis	0.98	1.09	1.05	1.06	1.00	0.86	1.00	0.90	0.91	0.83
Tonsillitis/Sore Throat	95.7	90.5	79.9	80.0	67.5	63.2	63.5	65.7	58.7	58.0
Whooping Cough	0.09	0.10	0.09	0.03	0.02	0.04	0.01	0.02	0.04	0.06
URTI	297.2	299.3	268.8	269.8	224.7	233.1	227.3	243.7	231.7	220.3
LRTI	158.0	154.7	144.7	144.0	117.3	124.7	105.4	115.3	108.2	115.6
Respiratory System Disease	497.3	491.0	456.2	452.2	376.3	389.5	366.0	384.1	367.6	364.7


*Table 5: Mean weekly incidence of selected additional conditions (per 100,000 all ages) 2000-2009*

<b>DISEASE</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>
Tuberculosis	0.11	0.15	0.09	0.10	0.16	0.11	0.12	0.11	0.08	0.07
Erysipelas	0.44	0.29	0.29	0.36	0.28	0.21	0.21	0.20	0.17	0.16
Herpes Simplex	6.16	5.86	5.77	6.00	5.40	5.50	5.20	5.00	5.0	5.4
Molluscum Contagiosum	5.02	4.65	4.76	4.50	4.60	4.20	4.20	4.10	3.4	3.5
Non-Specific Urethritis	0.34	0.25	0.27	0.23	0.23	0.23	0.13	0.13	0.10	0.09
Tinea/Ringworm	26.8	26.8	27.8	26.6	24.6	24.3	25.3	24.7	25.2	26.8
Candidiasis	33.6	30.5	29.5	28.2	25.4	23.0	23.7	23.6	24.0	25.4
Threadworms	2.80	2.18	2.21	2.03	1.93	1.99	1.97	2.23	2.06	2.02
Trichomonas Vaginalis (female rate)	0.30	0.19	0.12	0.17	0.13	0.10	0.12	0.08	0.08	0.09
Pediculosis	4.90	3.25	3.46	3.12	2.83	2.20	1.88	1.60	1.43	1.46
Sarcoidosis	0.09	0.07	0.06	0.07	0.08	0.07	0.06	0.06	0.06	0.08
Carcinoma Breast (female rate)	2.04	1.95	1.82	2.01	1.61	1.43	1.16	1.19	1.27	1.21
Carcinoma Prostate (male rate)	1.95	1.84	2.07	2.42	1.62	1.21	1.05	1.21	1.11	1.15
Gout	6.22	6.08	5.99	6.10	5.30	5.40	5.20	4.90	5.2	5.3
Anxiety states	24.2	24.2	25.5	23.5	22.5	21.1	18.8	18.0	17.6	18.0
Mental Disorder (Depression)	26.8	24.7	23.4	20.4	15.5	11.8	10.6	8.0	6.8	7.3
Migraine	12.5	12.0	11.2	10.1	8.80	8.20	8.00	7.70	7.9	7.8
Cataracts	4.91	4.80	4.36	4.10	3.60	3.10	3.00	2.90	3.0	3.0
Conjunctiva Disorders	61.9	60.1	56.6	53.5	51.9	47.2	42.6	43.4	42.2	40.0
Otitis Externa	27.3	26.1	26.9	27.8	26.5	26.5	27.9	28.4	27.3	26.7
Heart Failure	6.57	5.29	4.31	3.50	2.40	1.70	1.50	1.20	1.2	1.2
Phlebitis & Thrombophlebitis	4.75	4.75	4.51	4.10	3.50	3.50	3.30	3.10	2.9	3.1
Non-infective Enteritis & Colitis	4.98	6.10	7.65	7.30	6.30	6.60	6.70	7.20	6.9	6.9
Abscess of Anal & Rectal regions	1.02	0.96	0.94	0.78	0.73	0.66	0.74	0.77	0.69	0.69
Glomerulonephritis (Acute)	0.03	0.03	0.02	0.02	0.01	0.01	0.01	0.00	0.01	0.02
Urinary Tract Infections (UTI)/Cystitis	61.2	57.3	53.3	49.5	44.9	42.9	42.2	41.9	41.3	41.6
Inflam. Diseases of the Prostate (male rate)	1.74	1.66	1.40	1.49	1.05	1.28	1.28	1.07	1.09	1.34
Orchitis & Epididymitis (male rate)	7.04	6.38	6.07	5.16	4.98	4.51	4.43	4.12	4.04	4.31
Inflam. Diseases of Pelvic Organs (female rate)	17.9	16.2	16.4	15.4	14.6	13.5	10.9	11.2	10.6	10.9
Skin & Subcutaneous Tissue infections	76.0	73.3	72.0	72.4	65.0	61.6	64.5	60.6	65.6	59.2
Atopic Eczema & Dermatitis	21.2	20.7	20.4	25.0	22.1	21.4	21.1	20.3	20.4	19.6
Pityriasis Rosea	1.88	1.70	1.71	1.52	1.59	1.56	1.46	1.48	1.57	1.35
Psoriasis	6.57	6.02	6.13	6.00	5.30	4.80	4.90	4.90	4.9	4.9
Osteoarthritis of Hip	2.21	2.13	1.83	1.36	1.14	0.96	1.25	1.21	1.28	1.39
Dorsopathies	90.8	89.1	91.8	90.9	86.5	85.9	87.8	87.7	87.3	89.8
Ankylosing Spondylitis	0.15	0.18	0.13	0.11	0.11	0.09	0.07	0.07	0.06	0.06
Osteomyelitis, Periostitis & other bone infections	0.22	0.35	0.36	0.25	0.28	0.26	0.38	0.36	0.31	0.38
Burns	2.89	2.56	2.33	2.04	1.82	1.84	1.76	1.66	1.90	1.76
Suicide + Att suicide & self inflicted injuries	0.67	0.63	0.53	0.44	0.36	0.31	0.21	0.22	0.25	0.22

*Figure 3: Upper Respiratory Tract Infections in four weekly periods 1994-2009*




*Figure 4: Lower Respiratory Tract Infections in four weekly periods 1994-2009*




The above pattern is not seen in all respiratory conditions and by contrast the incidence patterns of ILI (figure 5) and pneumonia (figure 6) show a declining incidence with no apparent surge in the early 90s. The recent decrease in the incidence of pneumonia (since 2001) probably relates to the introduction of the 7-valent pneumococcal vaccine. The incidence of asthma episodes viewed over a long period shows a similar pattern to that for acute bronchitis, but in recent years fewer new episodes of asthma have been reported. Trends in the incidence of tonsillitis and acute sinusitis follow the same patterns as acute bronchitis and common cold.

*Figure 5: Influenza-like Illness in four weekly periods 1967-2009*




*Figure 6: Pneumonia & Pneumonitis in four weekly periods 1967-2009*



### *Gastro Enteric Disorders*


The reported incidence of acute appendicitis continues to fall and the reduction in the WRS data is illustrated in figure 7 which shows four weekly incidence data since 1976.

*Figure 7: Acute Appendicitis in four weekly periods 1976-2009*




There has been a dramatic decline in the episodes of duodenal ulcer (figure 8) and to a lesser extent gastric ulcer which is almost certainly the result of better treatment of helicobacter infection.

*Figure 8: Duodenal Ulcer in four weekly periods 1976-2009*



The incidence of infectious intestinal disease continues to fall and is further illustrated in figure 9. Increased incidence rates were seen in the early 90s rather similar to those reported above for upper respiratory tract infections.

*Figure 9: Infectious Intestinal Disease in four weekly periods 1967-2009*



The incidence of viral hepatitis has been constant and at a low level over the last 10 years but it is worth noting the long term trend (figure 10). There has also been a substantial reduction in the incidence of infectious mononucleosis over the last twenty years (figure 11).

*Figure 10: Viral Hepatitis in four weekly periods 1967-2009*





Figure 11: Infectious Mononucleosis in four weekly periods 1967-2009



### *Virus Exanthemata*

Varicella infection manifests itself as chickenpox in children and varies between years and shows seasonality with peak incidence in spring. The incidence of shingles (herpes zoster) however is very constant and shows no seasonal variation. The incidence of herpes simplex is also fairly constant. Reported incidences of measles and rubella remain at very low levels.

Hand, foot and mouth disease is reported with reasonable consistency although there are occasional years with much higher incidence levels.

### *Parasitic Diseases*

The incidence of scabies varies dramatically from year to year. We experienced particularly high rates in the late 1990s, peaking in 1999 with a gradual but fairly sharp decline since then. Incidence of pediculosis has been falling over the last 10 years peaking quite dramatically in 1996. The incidence of molluscum contagiosum varies little from year to year. Threadworm incidence has been constant over the last 10 years but at levels much less than those seen during the 90s.



## *Sexually Transmitted Diseases*


Reported rates of disorders classified as sexually transmitted have shown a decline in recent years. The decline of orchitis/epididymitis, non-specific urethritis, trichomonas vaginitis and of inflammatory diseases of the female pelvic organs illustrate the point. Although not strictly a sexually transmitted disease, the incidence of candidiasis has reduced but this includes both oral thrush and napkin dermatitis. Previous reports from the WRS and a recent publication <sup>[1]</sup> have drawn attention to this decline especially because it does not fit in with widely held opinion about possible increases associated with promiscuous sexual activity. However, conditions such as infectious mononucleosis have also declined which supports evidence of a true declining incidence.

## *Chronic Diseases*

The incidence of new episodes of cerebro-vascular accident, myocardial infarction and episodes of heart failure decreased until approximately 2005, but since then have stabilised.

The incidence of dorsopathies remains very constant (figure 12). Rates of bone infections also remain constant. Osteoarthritis of the hip is reported less frequently now than it was in the year 2000, but the earlier surgical intervention for this condition probably impacts on the record of new episodes of care.

*Figure 12: Dorsopathies in four weekly periods 1994-2009*



In general skin conditions have been fairly stable in their incidence over the last 10 years, perhaps with the exception of skin infections. Episodes of acute atopic eczema and dermatitis and of psoriasis are fairly constant.

Rheumatoid arthritis episodes were reasonably constant over the 80s and 90s but since the year 2000 have fallen. The incidence of thyrotoxicosis has also been fairly constant as are new episodes of diabetes.

## Conclusion

Changing incidence over time invites speculation as to the possible explanations. Whilst there was a common pattern in the incidence of a wide range of respiratory diseases there were some notable exceptions. For example, the comparison between influenza-like illness and pneumonia on the one hand and acute bronchitis and common cold on the other. Also, that of infectious intestinal disease on one hand and glandular fever, appendicitis and viral hepatitis on the other. The general reduction in conditions that are generally regarded as sexually related is also of interest. Of course, there are many people who attend genitourinary medical clinics directly as an alternative to attending a general practitioner, but even when combining the two data sets increased incidence generally seems very unlikely.

Undoubtedly standards of hygiene have played an important role in the reduction of many infectious diseases. Although wide attention has been given to housing conditions and the adverse affect of poor housing, it is difficult to tease out the separate effects of tobacco smoke, overcrowding and standards of hygiene. A lot of credit has been given to central heating and improvement in living conditions which are perhaps not as directly related as some would think. Thus, for example, the wide spread adoption of central heating in houses has bought with it ample supplies of hot water as well as warm houses. This has resulted in a considerable improvement in standards of hygiene. Disposable nappies and impregnated cleansing tissues have also contributed to these improvements, all of which may have had a contributory effect to reducing the spread of infections we report here. The reduced incidence of chronic conditions is also encouraging but probably more related to better clinical management than standards of hygiene. In addition, the importance of reduced smoking should not be underestimated.

## Reference

1. Simms I, Fleming DM, Lowndes CM, Smith GE, Chapman RS. Surveillance of sexually transmitted diseases in general practice: a description of trends in the Royal College of General Practitioners Weekly Returns Service between 1994 and 2001. *Int J STD AIDS* 2006; 17(10):693-8.

## PANDEMIC INFLUENZA

Increased incidence of acute respiratory infections in Mexico in the early months of 2009 led to the identification of a novel influenza virus of swine lineage (H1N1v). Infection spread rapidly, first from Mexico to the United States of America and onwards into Europe and across the world. On June 11<sup>th</sup> 2009 the WHO declared the onset of phase six of the pandemic which is characterised (in addition to criteria specified in earlier phases) by community based outbreaks in at least one other country in a different WHO region. The first cases reported in the UK were in travellers from Mexico and the USA with the first case of domestic transmission being reported at the beginning of May 2009. This was the first year in 43 years of observation that the RCGP surveillance network recorded substantial numbers of clinical cases of influenza-like illness (ILI) in summer.

### Influenza Swabbing Programme

For more than a decade, the RCGP Research & Surveillance Centre has collaborated with the HPA in a programme of routine virological investigation of patients with ILI. Each autumn, practices who participate in the WRS are invited to take nose/throat swabs from patients presenting with ILI symptoms and post them to the HPA where they are examined for influenza and respiratory syncytial virus (RSV). Results, using rapid analysis methods are returned to the practice within 24-48 hours and based on traditional isolation by culture, about 5-7 days later. Full instructions and swabbing kits are provided. The purpose of this virological examination is primarily to identify influenza viruses in order to inform the health service of imminent problems, to check the strain type against previous circulating viruses and strains included in the current vaccine and finally, to assist in decision making with regard to the choice of strain to be included in next year's vaccine.

As a result of the H1N1 pandemic in the 2009/10 season, the RSC was asked to increase the numbers of swabs taken by its network of swabbing practices. This was achieved in two ways. Firstly, existing WRS practices were encouraged to participate in the swabbing programme. Secondly any new WRS practices that were recruited automatically participated in the swabbing scheme. The number of practices participating increased from 54 in January 2009 to 65 in September 2009 and to 79 by February 2010.

### Alternative Sources of Primary Care and Allocated Read Codes

Before reporting and discussing the results of surveillance during the pandemic, two specific points need to be borne in mind. Historically, influenza has been treated

exclusively by general practitioners, but in the last few years there has been an increase in out-of-hours facilities and primary care walk-in centres. The communication of relevant information to the practices and onwards into the medical records has been fraught with difficulties. It is inconsistent and the medical content often too imprecise to be recorded reliably. There is often a delay before the information is returned, thereby preventing timely entry into the electronic patient record. The National flu-line, developed specifically for the pandemic encouraged direct access independent (at least in low health risk cases) of the general practitioner. This provided an avenue for consultation which would inevitably lead to the underestimation of incidence in the routine surveillance programme.


The introduction of new Read codes posed a second source of difficulty. Read codes describing suspected swine flu were first introduced to EMIS software users in June 2009 and established across all systems in October 2009. The term 'suspected swine flu' was not clearly defined and could be applied for several reasons; the patient suspected they had swine flu, the doctor suspected swine flu, or because the patient presented with ILI symptoms at a time when swine flu was prevalent in the area. The suspected swine flu code (1J72.) was a patient encounter code and was not therefore automatically mapped to ICD diagnostic codes. In addition, since it was not a diagnosis code, an episode type could not be attached. It was included in the sub category of suspected respiratory diseases which had previously been used mainly to describe cases of suspected asthma or COPD, pending confirmation from further investigation.

The influence of the suspected swine flu code is illustrated in figure 13 which gives the total number of consultations reported each week for ILI, suspected respiratory disease and suspected swine flu. The first detectable increase of ILI occurred at the beginning of May (weeks 18-20). There was no virological confirmation and this small increase was probably due to a degree of concern in the community after two cases (in patients having returned from Mexico) were reported in the press. Incidence started to increase in England around week 25 rising to a peak in week 30. This five week period of increase is typical of flu epidemics. Incidence was back to typical late summer levels by week 35 followed by a short interval and then a second wave of illness (weeks 41-51) which lasted a little longer but was generally less than that reported in the first wave.

Reports of suspected respiratory disease were at typical low levels until week 27 but then increased concurrently with ILI during the first pandemic wave and numerically totalled about 40% of those for ILI, reappearing again in similar proportions during the second wave. By week 52 they had returned to their usual very low levels. Reports of suspected swine flu first appeared around week 43. This code was added to the Connecting for Health Read code system in the October code release though it had been introduced gradually a little before that in the EMIS system. Prior to this some entries for suspected swine flu could only be recorded as suspected respiratory

disease. The suspected swine flu code attracted a small number of reports between weeks 43 and 52. From the perspective of the WRS surveillance programme this code has produced no benefit. In the interpretation of the data it is difficult to know whether to add these entries to the incidence of ILI or not. We have struggled for a long time with the notion of a clinical definition as to what constitutes a case of ILI and we are now in accord with the definition agreed by ECDC. The addition of this code with its imprecise meaning to cases of ILI is inappropriate and hopefully we can discourage its use.


*Figure 13: Counts of Influenza Like Illness, Suspected Respiratory Disease & Suspected Swine Flu (All Ages) from Week 40 2008 to week 20 2010.*



#### Incidence of Influenza like Illness (ILI)

The clinical incidence of new episodes of ILI reported during 2009 is presented by week in figure 14 together with the virology results from the swabbing programme (number of swabs examined and number positive) and the clinical incidence observed in the year 2008 to provide a recent context. In the first few weeks of 2009, a cluster of H3 swabs were reported with isolated incidence of H1 and a protracted but low level of influenza B reports. The first H1 swine flu variant was reported in week 25 and numbers increased rapidly over the next few weeks. Many more swabs were examined in the second wave than in the first largely because we had been actively recruiting new swabbing practices. The proportion of H1 positive swabs reached highest values of 33% in week 27 in the first wave and 51% in week 44 in the second wave.

Figure 14: ILI incidence and influenza virology (all ages) 2009.



Age specific swabbing results in the two pandemic waves are summarised by age in table 6. In the first wave, 26% of swabs were positive for H1 and 32% in the second wave. In children, the proportion was similar in both waves but in adults 15-24, 25-44 and 45-64 the proportion of positive swabs was higher in the second wave than the first. The proportion was highest in children 5-14 years (more than 50% in both waves) but interestingly the proportion of positive swabs in children 0-4 years was less than in adults 15-24 years. Positivity rates in the age group 65+ were very low. This raises an interesting but currently unanswerable question about what the swab negative patients were suffering from, especially during the first wave. The common respiratory virus infections usually affect children much more than adults.

Table 6: Number of swabs submitted and percentage positives for H1 swine flu in first and second pandemic waves.

	First Wave (Weeks 25-35)		Second Wave (Weeks 41-51)	
	Specimens	% Positive	Specimens	% Positive
<b>0-4</b>	107	27.1	440	23.2
<b>5-14</b>	309	51.4	521	55.5
<b>15-24</b>	198	30.3	348	37.4
<b>25-44</b>	396	21.7	655	29.5
<b>45-64</b>	238	10.1	455	23.5
<b>65+</b>	68	5.9	130	6.0
<b>All ages</b>	1359	26.3	2576	32.4

The incidence of ILI is summarised by age in figures 15a) adults, 15b) the elderly and 15c) children (note the scale differences).

Figure 15a): ILI incidence 2008-2009, ages 15-24, 25-44 and 45-64




Figure 15b): ILI incidence 2008-2009, ages 65-74 and 75+





Figure 15c): ILI incidence 2008-2009, ages <1, 1-4 and 5-14




In all age groups there were two distinct waves of illness the first peaking at a higher level than the second. Figure 15a) shows incidence in the three adult age groups rising together to a peak in week 30, considerably higher than the peak of the preceding winter (2008/9) and a clear age related trend with higher incidence in younger age bands. The flurry of reports around weeks 18-20 is also evident. In figure 15b) the peak was also seen in week 30 and a similar inverse age trend is apparent. Here however the incidence during the pandemic was much less than in the preceding winter. In children (figure 15c) the large increase compared with the previous winter is the most obvious feature. Interestingly, incidence in children less than one year seems to lag about one week behind that in all other age groups. Children under one year are particularly vulnerable to influenza but are not recommended for treatment (or prophylaxis) with neuraminidase inhibitor anti-viral drugs. Household post-exposure prophylaxis following incidence in a parent or older sibling might reduce the likelihood of transmission to such children and we suggest this as the subject for a clinical trial.


We also examined the impact of influenza in both waves of the pandemic on other respiratory diagnoses. In the first wave, ILI was the only diagnosis with substantially increased reported incidence, except for a small increased incidence of common cold (CC). In the second wave, especially in children, there were substantial increases of many other respiratory diagnoses. These two findings are illustrated as stacked bar charts in figures 16a) & b).

*Figures 16a) & b): Excess incidence (per 100,000) in children during the first and second wave by diagnosis.*

*16a) First wave*



*16b) Second wave*





Over the last two years the WRS has reported results in 10 strategic health authority regions and these are presented in figure 17. Swine flu first appeared in London and the West Midlands and reached a higher incidence in these regions than in the rest of the country. Interestingly however there was not much difference in the timing of the peak (week 29, July 13<sup>th</sup> -19<sup>th</sup>). The relative incidence in the first wave did not predict the level of incidence in the second wave.

Using serological data the HPA subsequently made regional estimates of incidence which show the same relative magnitude in timing and regional distribution but derived rates were about twice those reported in the WRS <sup>[1]</sup> (figure 18).

Figure 17: ILI incidence 2009 (weeks 23-53) in selected regions.




Figure 18: Influenza incidence by week and region (HPA serology model)




Figure 4: Incidence of clinical pandemic H1N1 infection in 2009 by week and region  
Data based on Health Protection Agency case estimates.\*

## Influenza vaccination

The WRS routinely reports data on influenza vaccination uptake and data for this year are reported later in this report. A licensed pandemic vaccine became available in late October to allow the introduction of a programme of vaccination of target population groups. However, by that time we were well into the second wave of the pandemic. Nevertheless the swabs provided by the RCGP practices and the background data on clinical incidence and vaccine administration has allowed us to make estimates of the effectiveness of the pandemic vaccine using methods we have previously published. <sup>[2]</sup>

## Conclusion

In the summer of 2009 the UK experienced the first wave of an influenza pandemic virus infection attributed to an influenza A H1N1 virus of novel swine origin. It was described as a pandemic virus by the WHO as it met defined criteria for a pandemic ([http://www.who.int/csr/disease/avian\\_influenza/phase/en/index.html](http://www.who.int/csr/disease/avian_influenza/phase/en/index.html)). However the low clinical incidence in older people and the levels of antibodies seen among them indicates that many had sufficient residual heterologous immunity to give them reasonable protection against clinical influenza. A second smaller, but more prolonged wave was seen later in the winter. The second wave was associated with increased levels of several respiratory infections which commonly occur in early winter. In retrospect it is questionable whether this variant virus strain should truly be described as a completely novel virus. By comparison with recent seasonal influenza epidemics, this was a mild epidemic with relatively few cases experiencing serious illness. The age specific incidence pattern was similar to that usually seen in an influenza B epidemic. The two waves of the epidemic each lasted about 10 weeks which is typical for influenza epidemics. The incidence pattern was concurrent in all age groups but there was some regional variation both in the timing and also in the numbers of people reporting illness. A small delay in the onset of illness in children less than 12 months was observed.

The benefits of combining clinical and virological surveillance data in the same population have been highlighted in this pandemic year. In the long term however, ensuring the completeness of the practice electronic patient record is our major challenge.

## References

1. Incidence of 2009 pandemic influenza A H1N1 infection in England: a cross-sectional serological study. Miller E, Hoschler K, Hardelid P, Stanford E, Andrews N, Zambon M. *Lancet*. 2010 Mar 27;375(9720):1100-8. Epub 2010 Jan 21
2. Fleming DM, Andrews NJ, Ellis JS, Bermingham A, Sebastianpillai P, Elliot AJ, Miller E, Zambon M. Estimating Influenza vaccine effectiveness using routinely collected laboratory data. *J Epidemiol Community Health*. 2009 Nov 12.


## MEDIAN CONTACT DAYS

Contact frequency is described in Table 7 and in Figures 19, 20 & 2. The measure used is the numbers of days on which the 'average' patient makes contact with the practice, for the purpose of consulting a doctor or nurse practitioner. On average, males contact their GP on 6 days per year and females 9 days per year. The increased frequency of contact amongst persons 65 years and over, occurring between weeks 41 and 47 is due to the influenza vaccination program.


*Table 7: Average annual person contact days per 100 population by age group and gender.*

	All ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b>Males</b>	<b>634</b>	<b>1429</b>	<b>593</b>	<b>291</b>	<b>329</b>	<b>407</b>	<b>693</b>	<b>1266</b>	<b>1736</b>
<b>Females</b>	<b>895</b>	<b>1331</b>	<b>563</b>	<b>307</b>	<b>719</b>	<b>830</b>	<b>921</b>	<b>1317</b>	<b>1685</b>


*Figure 19: Median contact days per 100 persons by week during 2009 in age groups <1, 1-4 & 5-14 years*



*Figure 20: Median contact days per 100 persons by week during 2009 in age groups 15-24 and 25-44 years.*



*Figure 21: Median contact days per 100 persons by week during 2009 in age groups 45-64, 65-74 and 75+ years.*



## ALERT CONDITIONS

The regional data shown in Appendix 4 are used in the graphical presentation of data on selected 'alert conditions' which are compared with weekly national average rates over recent years in our routine reporting. These data are organised in groups reflecting:


- Water and food borne disorders
- Environmentally sensitive disorders
- Respiratory infections
- Vaccine sensitive disorders
- Skin contagions
- Disorders affecting the nervous system
- Genito-urinary system disorders

In Figures 22 a-l, a selection of the graphs which are included in our weekly Communicable and Respiratory Disease Report are presented. The full set is published weekly on our website: [www.rcgp.org.uk/rsc](http://www.rcgp.org.uk/rsc)


These data are presented without comment, the graphical presentation being largely self explanatory.

Figures 22 a-l: Selected alert conditions: incidence per 100,000 per week, all ages, by region in 2009 compared with 10 year average (1999-2008)


a: Infectious intestinal (all ages)




b: Infectious intestinal (0-4 yrs)




c: Asthma




d: Hay fever/Allergic rhinitis




e: Respiratory system disease




f: Upper respiratory tract infection




g: Lower respiratory tract infection




h: Influenza-like illness




i: Chickenpox




j: Herpes simplex



k: Infection skin & subcutaneous tissue



l: Disorders peripheral nervous system



10yr Ave



North



Central



South



## VALIDATION OF DIAGNOSIS

Follow up enquiries are made when certain disorders of particular interest are reported, mainly because of their potential to be prevented by vaccination (see Table 8 below). In 2009, a total of 314 such cases were reported; 17 measles, 164 mumps, 5 rubella, 26 whooping cough, 31 meningitis and 71 hepatitis. Replies were received regarding 200 (64%) of all cases. Of these, 9 cases were confirmed by laboratory tests and 146 were not revised, but based on clinical evidence only. There were 2 coding errors reported and 20 patients could not be traced.

The number of reported cases of mumps rose to 164 in 2009 from 110 in 2008. Of the 102 replies received, 5 cases had serological confirmation of mumps, 11 cases were revised to other conditions.

Of the other diseases reported, the total number of cases of measles stayed the same as last year. Whooping cough rose from 21 to 26 cases and meningitis increased from 27 to 31 cases. Reported cases of hepatitis increased from 67 cases in 2008 to 71 in 2009. Of the 48 replies received, 2 were confirmed by laboratory investigation.


*Table 8: Validation of Diagnosis 2009*

	Measles		Mumps		Rubella		Wh. Cough		Meningitis		Hepatitis		TOTAL	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
<b>Reported cases</b>	17	100	164	100	5	100	26	100	31	100	71	100	314	100
<b>Did not reply</b>	5	29	62	38	2	40	14	54	8	26	23	32	114	36
<b>Total replies</b>	12	71	102	62	3	60	12	46	23	74	48	68	200	64
<b>Laboratory confirmed</b>	0	0	5	3	0	0	2	8	0	0	2	3	9	3
<b>Not revised</b>	9	53	72	44	3	60	9	35	17	55	36	51	146	46
<b>Negative test - not revised</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Modified</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Revised</b>	3	18	11	7	0	0	1	4	5	16	3	4	23	7
<b>Patient not traced</b>	0	0	14	9	0	0	0	0	1	3	5	7	20	6
<b>Coding error</b>	0	0	0	0	0	0	0	0	0	0	2	3	2	1

## INFLUENZA VACCINATION

The cumulative weekly data for influenza vaccinations reported in the WRS are shown in Figure 23. Until week 45, these data related solely to routine seasonal influenza vaccination uptake which is shown here to be very similar to that recorded in 2008. From week 45 onward, pandemic H1N1v vaccine was available, initially for a very restricted group of people (healthcare front line workers and those in high risk co-morbidity groups) but gradually became available to further groups especially children. The difference between the 2008 and 2009 update relates to the additional availability of pandemic vaccine. More detailed analyses (not reported here) have allowed us to discriminate between the differing vaccines.

*Figure 23: Cumulative Influenza Vaccination Uptake % Comparison between 2008/09 and 2009/10: uptake by week (as percentage of the population) in age groups 0-44, 45-64, 65-74 and 75+ years*







## RCGP RESEARCH & SURVEILLANCE CENTRE PUBLICATIONS 2009

1. Fleming DM, Andrews NJ, Ellis JS, Bermingham A, Sebastianpillai P, Elliot AJ, Miller E, Zambon M. Estimating Influenza vaccine effectiveness using routinely collected laboratory data. *J Epidemiol Community Health*. 2009 Nov 12.
2. Johnson BF, Wilson LE, Ellis J, Elliot AJ, Barclay WS, Pebody RG, McMenamin J, Fleming DM, Zambon MC. Fatal cases of influenza in childhood. *PLoS One*. 2009 Oct 30;4(10):e7671.
3. Fleming DM, Miles J. The representativeness of sentinel practice networks. *J Public Health (Oxf)*. 2010 Mar;32(1):90-6.
4. Meijer A, Lackenby A, Hungnes O, Lina B, van-der-Werf S, Schweiger B, Opp M, Paget J, van-de-Kasstele J, Hay A, Zambon M; European Influenza. Oseltamivir-resistant influenza virus A (H1N1), Europe, 2007-08 Season. *Emerg Infect Dis*. 2009 Apr;15(4):552-60.
5. Fleming DM, Elliot AJ, Meijer A, Paget WJ. Influenza virus resistance to oseltamivir: what are the implications? *Eur J Public Health*. 2009 Jun;19(3):238-9
6. Elliot AJ, Cross KW, Fleming DM. Seasonality and trends in the incidence and prevalence of gout in England and Wales 1994-2007. *Ann Rheum Dis*. 2009 Nov;68(11):1728-33.
7. Iturriza-Gómara M, Elliot AJ, Dockery C, Fleming DM, Gray JJ. Structured surveillance of infectious intestinal disease in pre-school children in the community: 'The Nappy Study'. *Epidemiol Infect*. 2009 Jul;137(7):922-31.



## PRACTICES PARTICIPATING IN THE WEEKLY RETURNS SERVICE 2009

<b>Practice</b>	<b>Location</b>	<b>Practice</b>	<b>Location</b>
Aberfeldy Practice	London	Marsden Road Health Centre	South Shields
Adelaide Medical Centre	London	Medical Centre	Newark
Aldershot Centre for Health	Aldershot	Mill Hill Surgery	London
Amphill Square Medical Practice	London	Millway Medical Practice	London
Ayleston Surgery	Leicester	Minchinhampton Surgery	Stroud
Backwell & Nailsea Medical Group	Bristol	Monkspath Surgery	Birmingham
Beech House Surgery	Devon	Mountwood Surgery	Northwood
Bishopsgate Medical Centre	Bishop Auckland	Much Wenlock & Cressage Medical Practice	Much Wenlock
Bretton Medical Centre	Peterborough	Nechells Practice	Birmingham
Calcot Medical Centre – Dr Allan & Partners	Gerrards Cross	New Hayesbank Surgery	Ashford
Calcot Medical Centre – The Hall Practice	Gerrards Cross	New Road Surgery	Bromsgrove
Calverton Practice	Nottingham	North Road West Medical Centre	Plymouth
Carnewater Practice	Bodmin	Northfield Medical Centre	Birmingham
Cedar Brook Practice	Hayes	Oak Lodge Medical Centre	Middlesex
Cheddar Medical Centre	Cheddar	Oak Vale Medical Centre	Liverpool
Church Lane Practice	London	Oakenhurst Surgery	Blackburn
Church Street Practice	Wantage	Oakwood Surgery	Leeds
Church Street Surgery	Ware	Padarn Surgery	Aberystwyth
City Road Medical Centre	London	Dr Palacci	Barnes
Clarendon Lodge Medical Practice	Leamington Spa	Parkside Group Practice	South Croydon
Comberton Surgery	Cambs	Pontesbury Medical Practice	Shropshire
Derby Road Surgery	Portsmouth	Portishead Medical Group	Bristol
Devon Square Surgery	Newton Abbott	Portslade Health Centre	Brighton
Eastham Group Practice	Wirral	Riverside Surgery	Brigg, North Lincs
Eaton Socon Health Centre	St Neots	Saddleworth Medical Practice	Oldham
Elm House Surgery	Beckenham	School House Surgery	Stockport

<b>Practice</b>	<b>Location</b>	<b>Practice</b>	<b>Location</b>
Ely Bridge Surgery	Cardiff	South Street Surgery	Bishop's Stortford
Fairwater Health Centre	Cardiff	Southmead Health Centre	Bristol
Frankley Health Centre	Birmingham	St Leonard's Medical Practice	Exeter
Gosforth Valley Medical Centre	Derbyshire	Steyning Health Centre	Steyning
Gosport Health Centre	Gosport	Stokes Medical Centre	Bristol
Grange House Surgery	Hartlepool	Summertown Health Centre	Oxford
Grange Medical Centre	Ramsgate	The Surgery	Bottisham, Cambridge
Drs Greenbury, Rosenthal & Rosenthal	London	The Surgery	Clitheroe
Grove Medical Group	Newcastle-upon-Tyne	Uppingham Surgery	Rutland
Guardian Medical Centre	Warrington	Valley Surgery	Nottingham
Irnham Lodge Surgery	Minehead	Villa Medical Centre	Wirral
James Street Group Practice	Workington	Village Surgery	Rotherham
Killick Street Health Centre	London	Warlingham Green Medical	Warlingham
Lache Health Centre	Chester	Weedon Surgery	Weedon
Lakeside Surgery	Corby	Wellington House Practice	Princes Risborough
Laurel Bank Surgery	Malpas	Wellside Surgery	Huntingdon
Lawrence House Surgery	London	West Common Lane Medical Centre	Scunthorpe
Leek Health Centre	Staffordshire	Weston Grove Research Centre	Aylesbury
Lordswood Medical Practice	Birmingham	White Rose Surgery	Pontefract
Lowdham Medical Centre	Nottingham	Winterton Medical Practice	Scunthorpe
Lowfield Medical Centre	Dartford	Wolstanton Medical Centre	Newcastle-under-Lyme
Maltings Surgery	St Albans	Wonford Green Surgery	Exeter
Manor Health Centre	London	Woodbridge Hill Surgery	Guildford
Market Harborough Medical Centre	Market Harborough	Yaxley Group Practice	Peterborough
Sheepmarket Surgery	Stamford		

## TIME PERIOD DEFINITIONS

Mean weekly incidence per 100,000 population in a 4 weekly, quarterly and annual periods defined as follows:

## 4 weekly periods (2009)

1	29/12/08-25/01/09	6	18/05/09-14/06/09	11	05/10/09-01/11/09
2	26/01/09-22/02/09	7	15/06/09-12/07/09	12	02/11/09-29/11/09
3	23/02/09-22/03/09	8	13/07/09-09/08/09	13	30/11/09-27/12/09
4	23/03/09-19/04/09	9	10/08/09-06/09/09	Week 53	28/12/09-03/01/10
5	20/04/09-17/05/09	10	07/09/09-04/10/09		

## Quarterly Periods

1 <sup>st</sup>	29/12/08-29/03/09	2 <sup>nd</sup>	30/03/09-28/06/09	Week 53	28/12/09-03/01/10
3 <sup>rd</sup>	29/06/09-27/09/09	4 <sup>th</sup>	28/09/09-27/12/09	(data available on request)	

## Annual Period

29/12/08-03/01/10

MEAN WEEKLY POPULATION FOR 2009 = 890004

		<1	1-4	5-14	15-24	25-44	45-64	65-75	75+
MALES	438096	4992	21451	52604	54000	126823	116485	35235	26507
FEMALES	451908	4737	20442	49982	53872	128544	115311	38300	40720



**ANALYSIS FOR DISEASES TRADITIONALLY REPORTED (ALL REGIONS)**

- **Mean weekly incidence by age and sex groupings,  
by illness surveyed, by period: rates per 100,000**
- **Numbers of episodes and consultations reported  
for the full year by age and sex group**
- **Tabular data are presented in alphabetical order of disease**





Mean weekly incidence rate per 100,000 Persons.

ICD9 540~543

### Appendicitis (540~543)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.11	0.23	0.00	0.00	0.00	0.47	0.00	0.20	0.22	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	0.14	0.22	0.05	0.00	0.00	1.40	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	3	0.22	0.28	0.16	0.00	0.00	0.00	0.45	0.00	0.42	0.69	0.92	0.00	0.00	0.00	0.45	0.00	0.00	0.64	0.60	
	4	0.19	0.34	0.05	0.00	0.00	0.93	0.00	0.39	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	
	5	0.06	0.12	0.00	0.00	0.00	0.00	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.17	0.28	0.05	0.00	0.00	0.00	1.36	0.00	0.21	0.70	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.00	0.00	
	7	0.08	0.06	0.11	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.19	0.00	0.00	0.00	
	8	0.25	0.34	0.17	0.00	0.00	0.48	1.39	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.00	
	9	0.14	0.23	0.06	0.00	0.00	0.48	0.00	0.40	0.22	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	
	10	0.11	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.39	0.00	0.64	0.00	
	11	0.23	0.23	0.22	0.00	0.00	0.48	0.47	0.20	0.22	0.00	0.00	0.00	0.00	0.51	0.94	0.00	0.00	0.65	0.00	
	12	0.08	0.11	0.06	0.00	1.16	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	
	13	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.00	
Quarter	1	0.16	0.26	0.07	0.00	0.00	0.72	0.28	0.06	0.26	0.44	0.29	0.00	0.00	0.00	0.14	0.06	0.00	0.20	0.19	
	2	0.11	0.19	0.03	0.00	0.00	0.15	0.42	0.24	0.13	0.22	0.00	0.00	0.00	0.15	0.00	0.00	0.07	0.00	0.00	
	3	0.18	0.19	0.17	0.00	0.00	0.29	0.57	0.12	0.20	0.00	0.00	0.00	0.00	0.15	0.28	0.36	0.00	0.20	0.00	
	4	0.11	0.11	0.10	0.00	0.36	0.30	0.15	0.06	0.07	0.00	0.00	0.00	0.00	0.16	0.59	0.00	0.00	0.20	0.00	
Year	2009	0.14	0.19	0.09	0.00	0.09	0.37	0.36	0.12	0.17	0.16	0.07	0.00	0.00	0.12	0.25	0.10	0.02	0.15	0.05	
Episodes	F N	65	43	22	0	1	10	10	8	10	3	1	0	0	3	7	7	1	3	1	
Number of Consultations		157	85	72	0	1	16	20	21	19	6	2	0	0	6	19	21	18	6	2	

Mean weekly incidence rate per 100,000 Persons.

ICD9 493

### Asthma (493)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	14.0	11.3	16.6	0.0	22.4	16.6	12.1	9.8	10.5	10.1	4.8	0.0	4.9	12.5	19.1	19.0	16.1	23.2	13.6	
	2	11.7	9.5	13.8	4.9	26.5	21.4	10.0	7.7	4.2	7.8	5.7	5.1	14.4	19.1	18.7	13.7	10.7	16.4	8.5	
	3	11.7	10.4	12.9	0.0	30.7	18.4	3.1	7.6	11.2	5.6	11.0	0.0	15.5	15.5	14.4	11.6	15.6	14.0	3.0	
	4	11.1	9.9	12.4	9.8	14.9	27.5	5.0	6.6	8.2	7.0	7.5	15.7	15.7	13.3	14.6	13.9	10.5	9.7	9.1	
	5	12.3	10.9	13.7	10.1	29.6	19.2	10.8	9.6	5.9	9.4	10.5	0.0	14.9	17.2	16.4	11.6	11.2	19.2	14.9	
	6	10.2	9.5	10.9	0.0	31.0	17.7	9.1	5.8	6.5	9.0	10.2	0.0	13.3	12.8	12.3	13.2	11.1	5.8	3.6	
	7	13.1	12.4	13.7	0.0	22.0	31.6	13.7	9.6	6.6	9.8	9.3	0.0	23.1	16.4	10.1	15.5	13.1	12.3	9.1	
	8	11.5	10.4	12.5	5.0	24.7	23.4	12.1	9.1	6.5	4.3	2.8	0.0	13.6	11.6	16.3	14.7	11.1	9.8	8.6	
	9	8.5	7.3	9.6	0.0	23.3	13.8	6.5	6.9	4.1	7.1	0.9	0.0	7.3	10.6	9.7	11.7	10.4	5.2	5.5	
	10	12.9	13.1	12.7	5.0	27.6	37.3	11.9	10.4	7.9	3.5	5.6	0.0	24.1	18.4	15.1	12.6	9.7	11.0	8.5	
	11	15.7	12.7	18.5	0.0	38.6	28.5	8.4	10.8	8.9	7.1	4.7	5.4	17.2	22.9	21.6	20.0	17.5	18.3	9.9	
	12	15.0	13.0	17.0	0.0	41.8	28.3	9.8	11.2	8.4	5.6	6.6	0.0	36.7	17.1	20.2	19.9	14.4	13.6	6.8	
	13	14.8	12.3	17.2	0.0	38.2	25.4	9.4	9.5	8.5	10.4	5.9	5.6	28.5	17.1	19.4	19.1	19.1	9.6	6.5	
Quarter	1	12.4	10.3	14.5	3.0	26.7	19.1	7.9	8.3	8.4	7.9	7.2	6.4	13.0	15.7	17.0	14.7	14.2	17.1	8.8	
	2	11.6	10.7	12.4	4.6	24.3	23.4	9.5	7.9	7.1	9.3	10.4	0.0	15.4	14.5	13.6	13.5	11.4	12.2	8.2	
	3	10.7	10.0	11.3	3.1	25.0	24.3	10.8	8.4	5.5	5.2	3.2	0.0	15.4	12.8	13.5	12.6	10.3	8.2	8.1	
	4	15.3	12.9	17.5	0.0	38.3	28.6	9.4	10.7	9.1	7.3	5.6	3.3	26.8	19.9	19.8	19.6	16.6	14.2	7.9	
Year	2009	12.5	11.0	13.9	2.7	28.5	23.8	9.4	8.8	7.5	7.4	6.6	2.4	17.6	15.7	16.0	15.1	13.1	12.9	8.3	
Episodes	F N	5770	2499	3271	7	318	650	263	580	454	136	91	6	187	408	447	1007	784	257	175	
Number of Consultations		52819	22112	30707	21	1098	4389	2754	5777	5116	1841	1116	14	652	2847	4095	8879	8803	3071	2346	

Mean weekly incidence rate per 100,000 Persons.

ICD9 466 & 490

### Bronchitis (466 & 490)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	148.8	126.2	170.6	391.2	136.8	42.1	34.4	65.3	143.5	281.3	439.7	267.0	161.1	29.9	59.6	101.9	207.7	300.5	478.2	
	2	88.1	79.5	96.5	415.5	150.7	46.5	23.7	45.4	71.0	149.7	251.5	266.9	130.0	39.2	38.3	63.2	109.8	157.4	221.0	
	3	80.1	71.7	88.3	314.5	139.8	40.0	28.3	38.6	69.2	132.0	213.5	209.3	133.2	27.5	44.2	59.2	91.7	140.5	218.5	
	4	77.7	69.5	85.5	317.3	127.5	34.5	25.1	34.4	66.9	137.1	227.5	172.5	83.3	29.5	42.5	55.2	93.7	149.5	215.7	
	5	65.0	55.2	74.5	181.8	82.9	17.8	17.8	33.3	53.6	126.2	177.1	107.8	72.1	22.7	35.7	45.9	77.9	144.0	202.2	
	6	56.2	51.6	60.7	171.2	61.9	23.8	19.1	30.4	51.1	105.0	174.6	78.1	60.3	17.7	29.2	38.8	71.4	106.2	149.7	
	7	49.8	46.7	52.8	138.2	74.1	33.0	18.8	24.8	41.3	92.7	158.0	62.8	51.0	24.3	30.7	41.8	55.1	95.0	105.4	
	8	51.5	43.3	59.4	149.4	82.2	18.2	18.6	28.4	38.6	68.8	149.9	100.3	71.5	17.6	35.3	46.3	60.0	96.6	135.3	
	9	45.7	37.8	53.3	94.6	55.9	15.3	24.1	21.7	37.4	71.5	119.0	57.9	50.2	12.1	34.2	42.6	53.0	99.8	120.7	
	10	70.6	62.6	78.3	245.6	127.4	32.6	39.0	40.3	51.9	97.3	189.5	89.0	90.5	28.4	53.1	61.9	81.0	118.5	171.8	
	11	104.8	89.5	119.7	283.0	187.3	58.0	40.8	52.4	85.5	149.2	248.4	220.3	146.6	50.8	86.9	94.5	125.1	168.6	239.1	
	12	104.4	92.2	116.1	459.8	235.9	51.8	41.0	57.7	78.0	147.4	241.6	293.4	211.6	49.9	64.3	91.8	119.2	163.4	219.5	
	13	124.7	110.5	138.4	825.1	407.0	62.5	35.1	53.9	87.1	165.8	277.8	501.5	367.3	58.8	59.2	89.8	142.3	202.8	261.2	
Quarter	1	104.1	91.2	116.7	382.1	141.8	42.4	29.2	48.7	93.4	183.2	295.2	244.5	140.1	34.1	47.7	73.6	134.2	194.3	299.0	
	2	62.3	55.7	68.6	188.7	86.3	24.7	19.2	31.8	53.2	116.2	188.0	98.9	64.8	21.8	33.2	44.5	74.8	126.7	175.5	
	3	51.6	44.7	58.4	142.5	79.1	24.0	23.3	26.7	39.7	77.8	146.7	85.7	62.8	17.1	37.5	46.0	58.6	100.6	129.3	
	4	109.8	96.0	123.1	508.3	265.8	55.3	40.9	54.7	82.6	152.3	251.2	314.2	231.1	52.5	70.5	92.0	128.0	174.7	237.1	
Year	2009	81.8	71.8	91.6	303.2	142.6	36.5	28.1	40.4	67.2	132.2	220.1	185.1	124.2	31.2	47.0	63.9	98.8	148.9	210.2	
Episodes	F N	37868	16354	21514	787	1591	998	788	2665	4069	2422	3034	456	1320	812	1317	4268	5924	2966	4451	
Number of Consultations		65117	28153	36964	1343	2583	1631	1294	4224	7280	4436	5362	751	2121	1280	2047	6897	10724	5358	7786	

Mean weekly incidence rate per 100,000 Persons.

ICD9 436

### Cerebrovascular Accident + Stroke Unspecif (436)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.01	0.91	1.11	0.00	0.00	0.00	0.00	0.00	1.29	3.61	4.77	0.00	0.00	0.00	0.00	0.00	0.44	1.99	9.24	
	2	0.86	0.84	0.87	0.00	0.00	0.00	0.00	0.19	0.42	1.43	9.46	0.00	0.00	0.00	0.00	0.00	0.64	1.97	6.11	
	3	0.93	0.77	1.07	0.00	0.00	0.00	0.00	0.38	0.21	4.17	4.60	0.00	0.00	0.00	0.00	0.00	0.84	1.92	7.74	
	4	0.86	0.79	0.93	0.00	0.00	0.00	0.00	0.19	0.63	2.11	6.53	0.00	0.00	0.00	0.00	0.00	0.85	1.94	6.04	
	5	0.94	1.10	0.78	0.00	0.00	0.00	0.00	0.20	1.52	3.61	5.74	0.00	0.00	0.00	0.00	0.00	0.22	4.65	3.73	
	6	1.21	1.23	1.19	0.00	0.00	0.00	0.00	0.19	0.84	3.48	11.08	0.00	0.00	0.00	0.00	0.00	0.43	2.56	9.62	
	7	0.92	1.07	0.77	0.00	0.00	0.00	0.00	0.00	0.64	2.81	11.22	0.00	0.00	0.00	0.00	0.19	0.65	1.29	4.88	
	8	0.90	0.86	0.95	0.00	0.00	0.00	0.00	0.00	0.22	4.26	7.54	0.00	0.00	0.00	0.00	0.20	0.65	1.30	6.77	
	9	1.27	1.31	1.22	0.00	0.00	0.00	0.00	0.20	1.72	5.66	5.66	0.00	0.00	0.00	0.00	0.00	0.65	5.22	6.77	
	10	0.92	0.79	1.04	0.00	0.00	0.00	0.00	0.20	1.06	2.80	3.73	0.00	0.00	0.00	0.00	0.19	0.64	4.51	4.87	
	11	0.91	0.87	0.95	0.00	0.00	0.00	0.00	0.00	1.09	4.97	2.84	0.00	0.00	0.00	0.00	0.00	0.44	2.61	6.83	
	12	0.96	0.80	1.11	0.00	0.00	0.00	0.00	0.00	0.65	4.23	4.70	0.00	0.00	0.00	0.00	0.20	0.44	1.30	9.25	
	13	0.60	0.67	0.53	0.00	0.00	0.00	0.00	0.00	0.46	2.97	4.94	0.00	0.00	0.00	0.00	0.00	0.00	2.05	3.89	
Quarter	1	0.94	0.83	1.04	0.00	0.00	0.00	0.00	0.18	0.72	2.84	6.07	0.00	0.00	0.00	0.00	0.00	0.66	2.21	7.66	
	2	0.98	1.05	0.91	0.00	0.00	0.00	0.00	0.18	0.92	3.04	8.36	0.00	0.00	0.00	0.00	0.06	0.53	2.60	6.00	
	3	1.02	1.02	1.02	0.00	0.00	0.00	0.00	0.12	0.86	4.12	6.93	0.00	0.00	0.00	0.00	0.12	0.53	3.39	6.22	
	4	0.85	0.81	0.89	0.00	0.00	0.00	0.00	0.00	0.81	4.20	4.12	0.00	0.00	0.00	0.00	0.06	0.41	2.03	6.56	
Year	2009	0.95	0.93	0.97	0.00	0.00	0.00	0.00	0.12	0.83	3.55	6.38	0.00	0.00	0.00	0.00	0.06	0.53	2.56	6.61	
Episodes	F N	438	211	227	0	0	0	0	8	50	65	88	0	0	0	0	4	32	51	140	
Number of Consultations		4803	2545	2258	0	0	7	0	96	713	777	952	0	0	1	1	132	414	470	1240	

Mean weekly incidence rate per 100,000 Persons.

ICD9 052

### Chickenpox (052)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	6.0	4.8	7.2	15.0	66.0	8.5	2.3	0.4	0.0	0.0	0.0	73.3	91.0	12.5	1.4	1.9	0.9	0.0	0.0	
	2	7.4	7.0	7.8	29.3	94.3	13.5	0.9	0.8	0.2	0.0	0.0	51.3	113.2	13.7	1.8	0.9	0.4	0.0	0.0	
	3	12.3	12.5	12.1	77.4	156.9	21.6	2.7	3.2	0.2	0.7	0.0	86.8	158.1	28.0	3.2	1.7	0.4	0.0	0.0	
	4	11.7	11.4	11.9	68.3	147.1	20.5	2.7	1.5	0.6	0.0	0.0	125.5	166.6	19.6	1.8	2.3	0.2	0.0	0.0	
	5	10.3	10.9	9.8	101.0	132.6	20.7	2.3	1.2	0.4	0.0	0.0	97.1	129.2	14.7	3.3	2.6	0.7	0.0	0.0	
	6	8.8	8.6	9.0	88.1	97.5	16.3	0.9	2.3	0.2	0.0	0.0	109.3	137.4	12.3	0.9	0.4	0.2	0.0	0.0	
	7	7.2	7.0	7.4	79.0	92.6	8.5	1.8	1.0	0.0	0.0	0.0	52.3	104.5	14.9	2.3	0.2	0.2	0.0	0.6	
	8	4.4	3.9	5.0	44.8	49.3	4.3	1.4	1.0	0.0	0.0	0.0	58.1	64.1	8.6	1.4	1.0	0.2	0.0	0.0	
	9	2.9	2.8	2.9	34.9	31.5	4.3	0.9	0.6	0.0	0.7	0.0	31.6	33.1	3.0	1.9	1.6	0.4	0.0	0.0	
	10	2.3	2.6	1.9	15.0	35.6	2.8	0.5	0.8	0.0	0.7	0.0	15.7	27.8	2.5	0.9	0.2	0.2	0.0	0.0	
	11	2.8	2.8	2.7	15.4	37.5	5.3	0.9	0.2	0.0	0.0	0.0	21.5	32.0	6.6	0.9	0.6	0.2	0.0	0.0	
	12	3.7	3.3	4.0	25.5	39.5	6.2	0.9	0.8	0.0	0.0	0.0	26.7	51.4	8.6	1.4	0.6	0.0	1.3	0.0	
	13	3.4	3.5	3.4	5.4	49.3	4.6	0.5	1.1	0.2	0.0	1.0	22.5	42.7	6.4	0.5	1.2	0.2	0.0	0.0	
Quarter	1	8.9	8.5	9.2	49.8	110.2	15.1	2.2	1.4	0.1	0.2	0.0	74.6	122.6	18.6	2.3	1.6	0.5	0.0	0.0	
	2	9.5	9.5	9.5	79.1	115.2	17.7	1.8	1.8	0.4	0.0	0.0	98.9	138.3	14.2	1.6	1.4	0.4	0.0	0.2	
	3	4.0	3.8	4.1	38.3	50.1	4.4	1.0	0.7	0.0	0.4	0.0	40.4	52.6	6.9	1.8	0.9	0.3	0.0	0.0	
	4	3.2	3.2	3.3	17.6	41.6	5.1	0.7	0.7	0.1	0.0	0.3	23.4	41.0	7.0	1.0	0.7	0.1	0.4	0.0	
Year	2009	6.4	6.3	6.6	46.6	79.5	10.6	1.5	1.2	0.1	0.2	0.1	59.7	89.0	11.7	1.7	1.2	0.3	0.1	0.0	
Episodes	F	2975	1429	1546	121	887	291	41	76	9	3	1	147	946	305	47	78	20	2	1	
Number of Consultations		4128	2027	2101	177	1212	426	72	122	14	3	1	188	1235	427	87	118	42	2	2	

Mean weekly incidence rate per 100,000 Persons.

ICD9 460 & 465

### Common Cold & URTI NOS (460 & 465)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	163.2	142.7	183.0	1614.9	564.7	147.7	93.4	81.2	94.2	129.1	145.0	1381.9	579.1	158.6	165.4	150.8	142.7	137.3	156.5	
	2	123.8	110.4	136.9	1442.0	645.3	173.0	58.7	47.3	46.4	52.8	64.3	1488.4	591.1	178.7	116.3	93.6	81.1	70.8	80.6	
	3	119.2	105.8	132.2	1422.4	641.0	163.6	56.6	45.9	41.4	50.0	56.1	1500.5	617.1	162.8	111.4	97.6	65.2	84.3	63.7	
	4	99.6	89.4	109.5	1269.2	521.6	124.6	44.7	37.6	36.9	49.9	68.1	1197.3	533.5	140.5	81.3	73.0	61.7	63.4	64.6	
	5	86.1	74.7	97.2	1075.9	395.4	100.4	48.7	35.9	30.8	44.0	47.9	1083.7	402.6	107.2	87.4	74.6	61.7	47.8	49.8	
	6	73.3	65.6	80.8	958.9	374.0	86.3	33.2	32.3	25.9	37.5	45.3	973.0	349.5	86.4	70.2	63.8	43.1	46.7	42.7	
	7	75.6	67.5	83.4	715.8	386.5	121.7	46.2	32.7	23.2	21.8	44.9	680.3	369.3	142.4	76.6	64.2	40.7	39.4	29.9	
	8	81.2	69.0	93.0	941.3	379.3	96.2	51.0	38.9	23.5	29.1	33.0	791.7	365.0	106.8	98.1	85.2	50.6	41.8	44.3	
	9	44.5	38.1	50.7	557.8	184.1	39.6	32.4	18.8	18.7	24.1	25.5	516.1	196.0	39.7	52.3	42.0	33.0	32.6	29.6	
	10	103.1	90.9	114.9	1503.4	514.3	124.7	58.2	40.5	30.8	48.3	43.9	1465.1	508.3	147.3	109.9	80.9	55.2	65.7	48.7	
	11	149.9	129.4	169.7	1564.3	758.6	222.6	84.8	54.0	49.7	57.6	63.5	1542.1	783.3	224.0	179.4	122.4	90.8	75.2	85.1	
	12	146.8	127.8	165.2	1491.9	805.4	191.3	76.5	57.9	50.3	58.5	65.8	1509.7	920.9	197.2	155.7	112.2	78.7	90.8	84.5	
	13	170.7	150.2	190.4	2089.8	1059.4	231.7	69.3	52.0	48.9	69.9	75.1	2034.3	1202.9	235.2	136.8	119.3	91.0	87.4	86.8	
Quarter	1	133.8	118.2	149.0	1483.1	611.2	162.9	67.7	57.5	58.7	74.4	87.0	1451.0	589.6	168.3	129.0	112.7	94.3	95.2	97.9	
	2	82.1	73.5	90.6	1034.7	419.6	100.2	42.7	33.3	29.5	39.5	52.8	1004.0	417.1	109.0	74.8	65.6	52.1	48.6	46.7	
	3	72.0	62.5	81.1	894.5	343.1	87.4	44.0	31.1	23.1	30.8	32.1	835.8	335.7	95.0	83.1	66.2	42.8	42.7	37.3	
	4	153.8	133.6	173.3	1701.2	848.2	210.3	77.5	54.9	48.7	61.7	67.1	1678.2	936.7	220.5	156.5	118.0	85.8	85.1	84.3	
Year	2009	110.2	96.7	123.2	1274.0	554.1	139.8	57.8	44.2	40.0	51.5	59.7	1239.8	567.9	147.7	110.5	90.5	68.7	67.8	66.5	
Episodes	F N	50993	22037	28956	3307	6181	3823	1624	2913	2422	944	823	3054	6037	3840	3095	6052	4120	1350	1408	
Number of Consultations		77514	33458	44056	4979	9582	5565	2428	4231	3821	1537	1315	4497	9246	5648	4741	8987	6563	2165	2209	

Mean weekly incidence rate per 100,000 Persons.

ICD9 250

### Diabetes Mellitus (250)

		Males											Females									
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		
4 weekly	1	9.4	11.1	7.7	0.0	0.0	0.0	0.9	4.5	19.1	37.5	26.7	0.0	2.5	0.5	1.9	3.1	8.3	28.5	21.6		
	2	8.7	10.3	7.1	0.0	0.0	0.5	0.0	6.7	20.8	25.7	12.3	0.0	0.0	1.0	2.7	4.0	10.1	18.4	16.5		
	3	10.0	11.0	9.0	0.0	0.0	0.9	0.9	4.8	17.5	35.4	32.2	0.0	1.2	0.5	0.9	4.1	12.6	28.1	22.0		
	4	8.4	9.7	7.2	0.0	1.1	0.9	0.5	4.8	16.3	28.8	23.3	0.0	0.0	0.5	0.0	4.4	8.5	20.1	23.0		
	5	9.6	11.2	8.2	0.0	0.0	1.0	1.4	4.8	17.8	38.9	26.8	0.0	0.0	0.0	0.5	3.0	11.6	21.9	27.4		
	6	8.7	9.2	8.1	0.0	0.0	0.5	0.9	3.9	15.3	29.2	24.9	0.0	0.0	0.0	1.4	2.3	14.0	23.0	19.2		
	7	9.2	10.7	7.6	0.0	0.0	0.9	1.8	4.5	16.6	41.4	22.4	0.0	0.0	0.5	0.5	4.1	11.0	18.1	22.5		
	8	8.1	8.7	7.6	0.0	0.0	0.5	0.5	4.0	15.5	26.9	17.9	0.0	0.0	0.5	0.0	4.7	11.6	16.3	20.9		
	9	8.8	9.4	8.3	0.0	0.0	0.5	0.9	4.5	14.4	31.1	25.5	0.0	0.0	0.0	1.4	2.3	12.0	30.7	19.7		
	10	7.9	8.5	7.2	0.0	0.0	0.5	0.9	2.9	13.4	30.1	25.2	0.0	0.0	0.0	0.5	3.1	11.2	16.1	22.5		
	11	8.9	9.4	8.4	0.0	0.0	0.5	1.9	5.4	14.3	29.1	21.8	0.0	0.0	0.0	2.3	3.4	10.5	28.1	23.0		
	12	8.2	9.9	6.5	0.0	0.0	0.5	1.4	4.2	14.0	33.1	33.8	0.0	0.0	1.0	1.9	3.7	6.5	23.3	15.4		
	13	9.1	10.9	7.3	0.0	0.0	1.0	0.5	5.9	18.3	32.7	23.7	0.0	0.0	0.5	0.5	2.1	9.7	24.6	22.0		
Quarter	1	9.3	10.8	7.9	0.0	0.0	0.4	0.7	5.3	19.0	33.4	23.4	0.0	1.1	0.6	1.7	3.8	10.3	25.3	19.4		
	2	9.1	10.2	8.0	0.0	0.4	0.7	0.8	4.6	16.4	33.9	26.0	0.0	0.0	0.3	0.7	3.4	11.6	21.2	24.4		
	3	8.3	9.2	7.5	0.0	0.0	0.6	1.1	4.0	15.0	31.2	21.1	0.0	0.0	0.2	0.4	3.4	11.3	20.8	20.3		
	4	8.6	9.8	7.4	0.0	0.0	0.8	1.2	4.8	15.2	30.7	27.1	0.0	0.0	0.5	1.6	3.0	9.2	24.2	20.6		
Year	2009	8.8	10.0	7.7	0.0	0.1	0.6	1.0	4.7	16.4	32.3	24.4	0.0	0.3	0.4	1.1	3.4	10.6	22.8	21.2		
Episodes	F N	4087	2276	1811	0	1	17	27	309	994	592	336	0	3	10	31	228	635	455	449		
Number of Consultations		83646	46081	37565	0	16	157	614	4772	19862	12072	8588	0	24	158	643	3727	13461	9615	9937		

Mean weekly incidence rate per 100,000 Persons.

ICD9 532

### Duodenal Ulcer (532)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.37	0.46	0.28	0.00	0.00	0.00	0.46	0.20	0.43	0.72	2.86	0.00	0.00	0.00	0.00	0.00	0.22	0.66	1.85	
	2	0.17	0.11	0.22	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.66	0.61	
	3	0.44	0.61	0.27	0.00	0.00	0.00	0.00	0.38	0.62	2.78	1.84	0.00	0.00	0.00	0.00	0.00	0.42	0.64	1.19	
	4	0.08	0.06	0.11	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.60	
	5	0.26	0.40	0.11	0.00	0.00	0.00	0.00	0.20	0.87	1.44	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	
	6	0.33	0.22	0.43	0.00	0.00	0.00	0.00	0.00	0.63	0.70	0.00	0.00	0.00	0.00	0.00	0.38	0.00	0.64	3.01	
	7	0.33	0.51	0.16	0.00	0.00	0.00	0.00	0.39	0.64	2.11	0.93	0.00	0.00	0.00	0.00	0.19	0.00	0.65	0.61	
	8	0.14	0.23	0.06	0.00	0.00	0.00	0.00	0.40	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	
	9	0.34	0.46	0.22	0.00	0.00	0.48	0.00	0.20	0.65	1.42	0.94	0.00	0.00	0.00	0.46	0.39	0.22	0.00	0.00	
	10	0.11	0.23	0.00	0.00	0.00	0.00	0.00	0.20	0.43	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.37	0.40	0.34	0.00	0.00	0.00	0.00	0.00	0.65	1.42	1.90	0.00	0.00	0.00	0.00	0.20	0.22	1.31	1.24	
	12	0.20	0.34	0.06	0.00	0.00	0.00	0.00	0.40	0.43	0.71	0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	
	13	0.21	0.30	0.12	0.00	0.00	0.00	0.00	0.21	0.00	2.23	0.99	0.00	0.00	0.00	0.00	0.00	0.23	0.68	0.00	
Quarter	1	0.31	0.36	0.25	0.00	0.00	0.00	0.14	0.24	0.39	1.09	1.45	0.00	0.00	0.00	0.00	0.06	0.26	0.60	1.31	
	2	0.23	0.24	0.22	0.00	0.00	0.00	0.00	0.12	0.52	0.65	0.29	0.00	0.00	0.00	0.14	0.30	0.00	0.20	1.12	
	3	0.24	0.39	0.10	0.00	0.00	0.15	0.00	0.36	0.59	1.08	0.29	0.00	0.00	0.00	0.14	0.18	0.07	0.20	0.00	
	4	0.25	0.34	0.16	0.00	0.00	0.00	0.00	0.19	0.34	1.55	1.18	0.00	0.00	0.00	0.00	0.06	0.14	0.61	0.58	
Year	2009	0.26	0.33	0.18	0.00	0.00	0.04	0.04	0.23	0.46	1.09	0.80	0.00	0.00	0.00	0.07	0.15	0.12	0.40	0.76	
Episodes	F N	119	76	43	0	0	1	1	15	28	20	11	0	0	0	2	10	7	8	16	
Number of Consultations		871	597	274	0	0	5	6	102	234	132	118	0	0	0	3	14	118	36	103	



Mean weekly incidence rate per 100,000 Persons.

ICD9 531

### Gastric Ulcer (531)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.20	0.23	0.17	0.00	0.00	0.00	0.00	0.00	0.43	0.00	1.91	0.00	0.00	0.00	0.00	0.00	0.22	0.00	1.23	
	2	0.19	0.17	0.22	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.43	1.31	0.00	
	3	0.19	0.11	0.27	0.00	0.00	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	1.28	0.60	
	4	0.17	0.17	0.16	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.65	0.60	
	5	0.37	0.46	0.28	0.00	0.00	0.00	0.00	0.40	0.43	2.16	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.66	2.49	
	6	0.19	0.17	0.22	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.64	1.80	
	7	0.20	0.11	0.27	0.00	0.00	0.00	0.00	0.00	0.21	0.70	0.00	0.00	0.00	0.00	0.00	0.19	0.22	0.65	1.22	
	8	0.11	0.11	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.71	0.94	0.00	0.00	0.00	0.00	0.00	0.22	0.65	0.00	
	9	0.11	0.11	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.89	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.62	
	10	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	
	11	0.17	0.17	0.17	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.44	0.65	0.00	
	12	0.23	0.34	0.11	0.00	0.00	0.00	0.00	0.40	0.43	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.62	
	13	0.24	0.30	0.18	0.00	0.00	0.00	0.00	0.21	0.23	1.49	0.99	0.00	0.00	0.00	0.00	0.21	0.23	0.00	0.65	
Quarter	1	0.21	0.19	0.23	0.00	0.00	0.00	0.00	0.12	0.39	0.00	0.87	0.00	0.00	0.00	0.14	0.00	0.33	1.00	0.56	
	2	0.24	0.23	0.25	0.00	0.00	0.00	0.00	0.12	0.33	0.87	0.58	0.00	0.00	0.00	0.00	0.06	0.07	0.60	1.87	
	3	0.09	0.09	0.09	0.00	0.00	0.00	0.00	0.00	0.07	0.22	0.87	0.00	0.00	0.00	0.00	0.00	0.20	0.20	0.19	
	4	0.20	0.25	0.16	0.00	0.00	0.00	0.00	0.19	0.34	0.88	0.59	0.00	0.00	0.00	0.00	0.06	0.27	0.41	0.39	
Year	2009	0.19	0.19	0.18	0.00	0.00	0.00	0.00	0.11	0.28	0.49	0.73	0.00	0.00	0.00	0.04	0.03	0.22	0.55	0.76	
Episodes	F N	86	43	43	0	0	0	0	7	17	9	10	0	0	0	1	2	13	11	16	
Number of Consultations		540	251	289	0	0	0	4	24	87	71	65	0	0	0	1	20	83	69	116	

Mean weekly incidence rate per 100,000 Persons.

ICD9 074.3

### Hand Foot and Mouth Disease (074.3)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.56	0.57	0.55	10.03	7.07	0.95	0.00	0.00	0.00	0.00	0.00	10.47	4.92	1.50	0.47	0.00	0.00	0.00	0.00	
	2	0.86	0.84	0.87	9.78	12.65	0.47	0.00	0.19	0.00	0.00	0.00	15.40	14.45	0.49	0.00	0.00	0.00	0.00	0.00	
	3	1.17	1.22	1.13	9.68	15.91	1.84	0.00	0.19	0.21	0.00	0.00	5.10	17.83	0.97	0.45	0.19	0.21	0.00	0.00	
	4	0.97	0.95	0.98	19.53	12.64	0.93	0.00	0.00	0.00	0.00	0.00	15.69	13.28	0.49	0.46	0.19	0.00	0.65	0.00	
	5	1.00	1.27	0.73	5.05	17.76	1.92	0.47	0.20	0.00	0.00	0.00	10.78	11.18	0.51	0.00	0.20	0.00	0.00	0.00	
	6	0.80	0.62	0.98	0.00	10.32	0.93	0.00	0.00	0.00	0.00	0.00	0.00	15.67	0.00	0.46	0.57	0.21	0.00	0.00	
	7	1.53	1.36	1.70	9.87	21.99	1.42	0.00	0.00	0.00	0.00	0.00	10.47	21.87	1.49	0.92	0.97	0.22	0.00	0.00	
	8	1.16	1.15	1.17	9.96	18.79	0.48	0.46	0.00	0.00	0.00	0.00	15.83	17.26	1.01	0.47	0.20	0.00	0.00	0.00	
	9	0.73	0.86	0.61	4.98	12.82	0.95	0.00	0.20	0.00	0.00	0.00	5.27	11.02	0.50	0.00	0.00	0.00	0.00	0.00	
	10	0.86	1.13	0.60	10.02	16.07	1.42	0.00	0.20	0.00	0.00	0.00	5.23	9.66	0.99	0.00	0.00	0.00	0.00	0.00	
	11	2.22	2.60	1.85	20.58	40.98	1.45	0.47	0.20	0.22	0.00	0.00	32.24	27.09	2.03	0.00	0.20	0.00	0.00	0.00	
	12	2.63	3.05	2.23	10.22	51.14	3.36	0.00	0.00	0.00	0.00	0.00	5.33	33.02	1.01	0.94	1.38	0.22	0.00	0.00	
	13	1.61	1.58	1.65	10.86	22.20	2.03	0.00	0.42	0.00	0.00	0.00	16.91	25.87	1.07	0.00	0.62	0.00	0.00	0.00	
Quarter	1	0.89	0.93	0.86	12.08	12.79	1.00	0.00	0.12	0.07	0.00	0.00	9.53	12.26	1.06	0.42	0.06	0.07	0.00	0.00	
	2	0.93	0.94	0.93	6.09	14.27	1.16	0.14	0.06	0.00	0.00	0.00	8.11	13.86	0.46	0.14	0.42	0.07	0.20	0.00	
	3	1.02	1.07	0.97	7.66	15.74	1.32	0.14	0.12	0.00	0.00	0.00	11.32	13.91	0.77	0.43	0.24	0.07	0.00	0.00	
	4	2.12	2.36	1.88	14.43	37.56	2.11	0.15	0.19	0.07	0.00	0.00	16.71	28.75	1.42	0.29	0.68	0.07	0.00	0.00	
Year	2009	1.23	1.32	1.15	10.02	19.99	1.39	0.11	0.12	0.03	0.00	0.00	11.37	17.12	0.92	0.32	0.34	0.07	0.05	0.00	
Episodes	F N	571	300	271	26	223	38	3	8	2	0	0	28	182	24	9	23	4	1	0	
Number of Consultations		762	392	370	27	300	47	3	12	3	0	0	35	244	36	16	32	6	1	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 477

### Allergic Rhinitis (477)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	2.7	2.6	2.9	0.0	1.2	4.3	3.7	2.5	2.2	0.7	2.9	0.0	0.0	0.5	4.7	3.3	3.0	4.6	1.8	
	2	3.7	3.9	3.4	0.0	1.2	3.7	5.5	3.7	4.7	2.1	4.7	0.0	0.0	4.4	2.3	4.4	3.0	3.3	3.7	
	3	9.9	9.0	10.8	0.0	5.7	20.2	11.7	7.4	6.9	4.9	8.3	0.0	3.6	11.1	14.0	14.1	9.0	8.9	7.1	
	4	19.1	16.8	21.3	0.0	13.8	38.3	20.1	14.9	12.2	12.0	9.3	0.0	12.1	30.9	26.5	29.5	15.6	12.9	7.9	
	5	40.5	38.2	42.6	10.1	47.4	102.3	50.1	33.1	19.7	20.9	13.4	5.4	24.9	78.9	63.0	49.0	27.9	32.5	14.9	
	6	48.7	44.0	53.3	19.6	61.9	113.8	64.1	38.9	20.2	21.5	13.9	20.8	37.4	91.3	88.0	68.0	28.5	26.2	22.2	
	7	70.2	69.0	71.4	29.6	94.9	188.7	111.6	57.1	24.0	35.8	29.0	10.5	60.7	134.0	118.4	93.0	29.1	39.4	26.8	
	8	12.9	11.9	14.0	0.0	9.4	26.8	13.0	12.5	5.4	14.2	6.6	0.0	8.6	25.7	19.5	14.3	10.9	7.8	9.8	
	9	7.8	8.1	7.5	0.0	8.2	11.9	9.7	6.9	6.5	7.1	12.3	0.0	6.1	9.0	10.2	9.2	4.8	7.2	6.2	
	10	5.9	5.3	6.6	0.0	4.6	9.9	5.5	4.3	4.0	4.9	7.5	0.0	1.2	10.4	9.2	7.2	5.2	5.8	4.9	
	11	4.5	4.6	4.4	0.0	4.7	6.3	4.7	5.4	3.0	4.3	4.7	0.0	2.5	6.1	5.2	5.1	3.1	3.3	5.6	
	12	3.7	3.4	3.9	5.1	2.3	7.7	4.7	2.0	1.7	5.6	4.7	0.0	1.2	7.1	5.2	2.9	3.9	1.3	5.5	
	13	3.2	3.0	3.4	0.0	2.5	4.6	4.0	2.5	2.3	3.0	4.9	0.0	0.0	2.7	4.0	5.8	1.4	4.1	3.2	
Quarter	1	6.3	5.7	6.8	0.0	2.8	11.0	8.0	4.9	4.6	3.7	5.5	0.0	1.9	6.6	7.9	9.4	5.5	6.6	4.7	
	2	46.9	44.1	49.7	15.2	56.7	115.9	66.4	38.2	20.0	22.4	14.7	9.7	36.3	89.4	79.7	62.0	27.0	27.8	18.4	
	3	14.5	14.0	15.0	3.1	16.5	32.5	16.5	12.2	7.7	11.7	11.8	1.6	9.0	25.1	21.7	18.0	9.1	11.2	9.0	
	4	4.0	3.8	4.1	1.6	3.3	6.3	4.1	3.5	2.4	4.4	5.6	0.0	1.5	5.7	4.7	4.7	3.2	2.8	4.8	
Year	2009	18.0	17.0	19.0	5.0	19.9	41.7	23.9	14.8	8.7	10.6	9.4	2.8	12.2	31.9	28.7	23.7	11.2	12.2	9.3	
Episodes	F N	8338	3875	4463	13	222	1140	671	976	529	194	130	7	130	829	803	1582	674	242	196	
Number of Consultations		14954	6985	7969	20	328	1981	1209	1808	1011	401	227	10	172	1301	1471	2874	1373	469	299	

Mean weekly incidence rate per 100,000 Persons.

ICD9 070

### Viral Hepatitis (070)

				Males									Females								
Male & Female			M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.31	0.40	0.22	0.00	0.00	0.00	1.39	0.59	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.66	0.00
	2	0.14	0.17	0.11	0.00	0.00	0.00	0.00	0.19	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00
	3	0.14	0.17	0.11	0.00	0.00	0.00	0.00	0.19	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00
	4	0.08	0.06	0.11	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.49	0.00	0.00	0.21	0.00	0.00
	5	0.17	0.29	0.06	0.00	0.00	0.00	0.00	0.60	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00
	6	0.06	0.06	0.05	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60
	7	0.17	0.28	0.05	0.00	0.00	0.00	0.00	0.39	0.43	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00
	8	0.25	0.23	0.28	0.00	0.00	0.48	0.00	0.00	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.22	0.00	1.23
	9	0.14	0.17	0.11	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.65	0.00
	10	0.08	0.11	0.05	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00
	11	0.17	0.12	0.22	0.00	0.00	0.00	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.66	0.00	0.00
	12	0.25	0.40	0.11	0.00	0.00	0.00	0.00	1.00	0.22	0.71	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.62
	13	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00
Quarter	1	0.19	0.24	0.13	0.00	0.00	0.00	0.42	0.30	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.13	0.20	0.00
	2	0.11	0.14	0.08	0.00	0.00	0.00	0.00	0.30	0.20	0.00	0.00	0.00	0.00	0.15	0.00	0.12	0.07	0.00	0.19	
	3	0.16	0.19	0.14	0.00	0.00	0.15	0.00	0.30	0.26	0.00	0.29	0.00	0.00	0.00	0.00	0.18	0.13	0.20	0.38	
	4	0.15	0.18	0.12	0.00	0.00	0.00	0.00	0.50	0.07	0.22	0.00	0.00	0.00	0.00	0.15	0.12	0.20	0.00	0.19	
Year	2009	0.15	0.19	0.12	0.00	0.00	0.04	0.11	0.35	0.23	0.05	0.07	0.00	0.00	0.04	0.04	0.18	0.13	0.10	0.19	
Episodes	F N	71	43	28	0	0	1	3	23	14	1	1	0	0	1	1	12	8	2	4	
Number of Consultations		504	322	182	0	0	1	9	170	133	6	3	0	0	1	5	91	64	8	13	

Mean weekly incidence rate per 100,000 Persons.

ICD9 053 (Excl 053.1)

### Herpes Zoster (053 Excl 053.1)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	6.5	5.7	7.3	0.0	2.4	3.3	3.7	3.5	5.8	11.5	20.0	0.0	2.5	4.0	3.3	3.3	9.1	17.9	17.3	
	2	6.2	4.8	7.5	0.0	0.0	3.3	2.7	1.7	6.6	14.3	12.3	0.0	0.0	5.4	1.4	4.4	10.3	17.7	15.9	
	3	6.3	4.4	8.2	0.0	4.5	1.4	2.7	1.9	6.9	5.6	13.8	0.0	2.4	6.3	5.0	4.5	8.2	14.0	24.4	
	4	6.6	5.7	7.5	0.0	2.3	3.7	4.1	4.1	4.0	16.9	16.8	0.0	1.2	3.4	4.6	4.0	9.6	14.9	18.7	
	5	6.1	5.0	7.2	0.0	2.4	3.8	2.3	3.2	5.0	14.4	11.5	0.0	3.7	7.6	5.6	2.6	8.3	18.6	11.8	
	6	5.8	4.8	6.8	0.0	4.6	4.2	1.4	2.3	5.3	11.8	13.9	0.0	3.6	5.4	3.2	3.6	8.1	12.8	16.8	
	7	6.6	5.8	7.4	0.0	2.3	2.4	4.6	3.3	5.3	15.4	19.6	0.0	1.2	5.5	1.8	5.2	9.5	14.2	15.2	
	8	6.1	4.4	7.7	5.0	1.2	4.3	2.3	2.2	6.0	6.4	11.3	5.3	3.7	3.5	6.0	4.7	7.6	17.0	18.5	
	9	5.3	4.5	6.0	0.0	1.2	4.3	4.6	3.0	3.4	7.8	16.0	0.0	1.2	3.5	3.2	4.3	5.4	12.4	16.6	
	10	5.9	5.2	6.6	0.0	4.6	1.4	2.3	2.5	4.9	14.7	21.5	0.0	4.8	4.5	3.7	3.1	8.0	7.1	21.3	
	11	6.7	5.1	8.3	0.0	0.0	2.4	2.3	3.0	5.2	13.5	19.0	0.0	2.5	5.1	1.9	4.2	13.8	13.7	17.4	
	12	6.3	5.4	7.1	0.0	1.2	4.8	4.2	3.8	3.2	14.1	18.8	5.3	2.4	2.5	1.4	5.5	8.9	12.3	17.9	
	13	5.8	4.0	7.5	0.0	2.5	2.0	3.5	2.5	4.8	5.2	12.9	0.0	3.9	3.2	3.5	4.2	8.5	16.4	19.4	
Quarter	1	6.4	5.1	7.7	0.0	2.8	3.0	3.0	2.4	6.4	11.4	15.6	0.0	1.5	5.3	3.2	4.1	9.3	16.9	19.4	
	2	6.2	5.2	7.1	0.0	2.5	3.3	3.5	3.5	4.7	13.7	14.4	0.0	3.0	5.6	4.1	3.6	8.7	14.6	15.4	
	3	5.8	4.6	6.9	1.5	1.8	3.4	2.8	2.3	5.0	9.8	16.5	1.6	2.3	3.9	3.8	4.3	7.5	13.0	18.1	
	4	6.3	5.0	7.5	0.0	1.8	3.0	3.2	3.2	4.3	11.9	17.4	1.7	3.4	3.6	2.5	4.4	10.0	13.6	18.3	
Year	2009	6.2	5.0	7.3	0.4	2.2	3.2	3.1	2.9	5.1	11.7	16.0	0.8	2.5	4.6	3.4	4.1	8.9	14.5	17.8	
Episodes	F N	2851	1133	1718	1	25	87	88	188	310	214	220	2	27	120	96	275	532	289	377	
Number of Consultations		4877	1860	3017	1	27	122	119	278	503	383	427	3	37	158	146	456	957	512	748	

Mean weekly incidence rate per 100,000 Persons.

ICD9 201

### Hodgkin's Disease (201)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	0.03	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	0.00	
	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.01	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.02	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.00	
Year	2009	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.10	0.00	
Episodes	F N	3	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	
Number of Consultations		173	67	106	0	0	1	18	17	25	3	3	0	0	31	15	25	19	9	7	

Mean weekly incidence rate per 100,000 Persons.

ICD9 001~009

### Intestinal Infectious Diseases (001~009)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	15.2	12.6	17.8	125.4	55.4	11.4	10.7	5.5	9.0	11.5	14.3	83.8	50.4	10.5	13.5	14.1	13.1	16.6	34.5	
	2	17.2	16.2	18.2	180.9	84.0	12.6	7.3	9.6	9.1	13.5	22.7	189.9	83.1	14.7	14.6	11.8	12.0	12.5	17.7	
	3	22.8	21.6	23.9	256.4	137.5	25.3	10.8	10.7	10.0	9.0	18.4	280.7	116.5	17.4	17.1	16.3	13.5	17.9	23.8	
	4	17.1	15.8	18.4	200.1	75.8	14.9	8.2	10.8	7.4	13.4	13.1	135.9	77.2	10.3	11.9	14.9	13.0	13.6	25.4	
	5	17.0	17.5	16.4	141.4	78.1	16.8	12.2	11.4	11.1	13.7	20.1	118.6	63.4	16.7	17.4	12.4	10.5	13.3	11.8	
	6	13.9	12.7	15.0	107.6	45.9	11.7	8.6	10.8	8.2	9.0	12.0	78.1	43.4	9.8	15.5	15.1	8.3	18.6	15.0	
	7	15.8	14.9	16.6	138.2	41.7	16.5	11.4	13.1	10.4	11.2	6.5	83.7	48.6	12.4	14.2	17.2	10.1	19.4	15.2	
	8	14.4	13.9	15.0	119.5	39.9	14.8	14.8	13.3	7.8	8.5	5.7	132.0	21.0	9.6	18.6	16.1	10.5	12.4	11.7	
	9	11.9	10.5	13.3	59.8	24.5	10.5	8.3	8.1	10.1	4.2	15.1	73.7	26.9	6.5	18.0	11.7	12.4	9.1	12.9	
	10	15.3	13.9	16.8	125.3	48.2	10.4	11.9	10.2	11.5	9.1	10.3	83.7	55.5	12.4	15.1	11.4	13.1	14.8	26.2	
	11	16.8	15.6	17.9	138.9	69.1	12.6	6.6	12.8	10.9	11.4	13.3	182.7	54.2	12.2	13.6	14.2	12.2	19.0	19.9	
	12	17.6	17.0	18.1	173.7	62.8	19.2	12.1	12.0	11.7	7.1	16.9	112.0	51.4	15.6	15.5	16.3	13.1	14.9	20.3	
	13	16.8	16.2	17.3	124.8	62.9	14.7	5.9	11.4	10.5	17.8	27.7	152.1	68.6	11.2	10.9	15.2	10.3	15.7	19.4	
Quarter	1	18.7	17.2	20.0	199.4	94.9	17.5	9.4	8.7	9.5	10.7	19.1	184.2	84.0	14.0	14.9	14.2	12.8	15.3	26.2	
	2	15.5	14.8	16.2	132.4	59.2	13.8	9.2	11.4	9.0	13.5	13.0	103.8	58.8	12.8	14.3	13.9	10.0	16.4	16.1	
	3	14.1	13.1	15.0	110.3	38.3	12.9	13.1	11.2	9.1	7.2	9.2	95.4	32.3	8.6	17.3	14.4	11.5	13.0	15.6	
	4	17.0	16.0	17.9	141.1	62.0	14.7	8.0	11.8	11.6	11.5	18.8	142.1	59.0	13.6	13.8	14.8	12.5	16.3	20.3	
Year	2009	16.3	15.3	17.3	146.0	63.7	14.7	9.9	10.7	9.8	10.7	15.0	131.5	58.6	12.3	15.1	14.4	11.7	15.2	19.6	
Episodes	F N	7544	3476	4068	379	710	403	279	708	594	196	207	324	623	319	423	960	702	303	414	
Number of Consultations		11021	4979	6042	500	964	566	411	1046	878	295	319	446	840	456	671	1339	1113	492	685	

Mean weekly incidence rate per 100,000 Persons.

ICD9 487

### Influenza-Like Illness (487)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	33.9	28.5	39.1	15.0	18.9	10.9	29.3	28.6	35.9	31.7	35.3	10.5	17.2	14.5	37.7	42.3	52.6	44.4	32.0	
	2	9.3	7.9	10.6	0.0	2.3	6.5	8.7	9.4	7.8	7.1	8.5	0.0	4.8	7.8	14.1	14.8	9.2	8.5	6.1	
	3	6.4	5.4	7.5	4.8	4.5	2.8	7.2	7.0	5.6	2.8	1.8	0.0	2.4	3.9	9.9	10.0	8.0	5.7	4.2	
	4	3.5	3.4	3.6	4.9	4.6	1.4	4.6	4.4	3.0	2.8	0.9	0.0	1.2	1.5	5.5	5.7	3.4	3.2	0.0	
	5	9.2	8.4	10.1	10.1	4.7	4.8	8.9	11.4	8.9	4.3	5.7	0.0	0.0	5.1	17.9	12.4	10.5	7.3	6.2	
	6	6.1	5.3	6.8	0.0	4.6	4.2	4.1	7.7	5.9	3.5	0.0	0.0	2.4	3.4	11.4	9.5	5.7	5.8	3.6	
	7	39.0	31.7	46.1	29.6	54.4	73.1	45.8	29.1	17.9	11.2	3.7	31.4	66.8	99.8	68.4	52.2	28.4	10.3	6.7	
	8	90.7	72.9	107.9	169.3	182.0	124.4	94.2	80.6	34.7	24.8	16.0	168.9	180.0	128.0	171.6	137.2	75.9	41.8	17.2	
	9	14.8	13.7	15.9	19.9	16.3	6.7	16.7	17.6	14.6	5.7	6.6	26.3	29.4	7.0	20.8	21.3	16.5	3.9	4.3	
	10	19.1	16.4	21.8	15.0	26.4	28.3	22.0	13.3	16.0	6.3	3.7	10.5	19.3	25.4	38.9	25.9	17.2	7.1	11.0	
	11	36.5	30.5	42.4	41.2	48.0	67.1	39.8	28.3	17.1	14.9	13.3	48.4	56.7	58.9	56.8	50.2	35.4	15.7	15.5	
	12	37.2	32.4	41.8	76.6	87.2	53.7	35.0	31.4	22.5	11.3	9.4	42.7	80.7	61.5	53.0	46.8	33.3	19.5	13.6	
	13	24.7	21.8	27.6	32.6	66.6	34.0	17.3	24.1	13.5	12.6	5.9	33.8	69.8	27.3	27.8	37.0	20.0	15.0	9.7	
Quarter	1	15.4	13.0	17.7	6.0	7.8	6.5	14.0	14.1	15.2	12.9	13.9	3.2	7.4	8.2	19.1	21.0	21.5	18.3	12.9	
	2	8.4	7.4	9.4	4.6	6.8	7.1	7.6	9.4	7.5	4.6	2.6	4.9	5.6	8.5	14.6	12.5	8.0	5.8	3.4	
	3	45.3	37.3	53.1	70.5	82.3	63.8	49.5	39.7	21.8	12.6	7.8	67.9	83.4	71.5	84.5	64.7	38.3	17.4	10.9	
	4	32.4	27.7	36.9	48.1	62.7	51.4	31.4	26.7	17.9	12.6	9.7	38.4	66.3	48.7	45.9	44.7	29.3	16.3	12.7	
Year	2009	25.3	21.3	29.2	32.0	39.7	31.9	25.6	22.4	15.6	10.6	8.5	28.4	40.5	33.9	40.9	35.5	24.2	14.4	10.0	
Episodes	F N	11702	4848	6854	83	443	872	718	1476	944	195	117	70	430	882	1147	2375	1452	287	211	
Number of Consultations		17526	7144	10382	110	610	1179	1026	2211	1512	302	194	94	596	1219	1669	3526	2425	497	356	



Mean weekly incidence rate per 100,000 Persons.

ICD9 464

### Laryngitis & Tracheitis Acute (464)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	9.9	6.1	13.7	45.1	18.9	4.3	4.2	3.7	6.0	9.4	2.9	10.5	13.5	4.0	12.1	11.6	20.9	12.6	15.4	
	2	6.6	4.5	8.7	39.1	24.2	5.6	1.8	2.9	2.5	5.0	0.9	41.1	21.7	4.4	6.8	8.5	9.0	7.9	6.1	
	3	7.4	4.2	10.5	14.5	27.3	6.9	2.2	1.7	2.5	2.8	3.7	25.5	11.9	4.8	9.5	11.5	13.0	10.9	6.0	
	4	4.8	2.7	6.9	19.5	11.5	2.8	0.5	1.5	2.1	4.2	3.7	0.0	22.9	4.4	6.9	5.0	7.7	4.5	8.5	
	5	4.8	2.8	6.7	15.2	20.1	2.4	0.9	1.0	1.3	3.6	4.8	5.4	3.7	3.0	8.0	9.3	7.2	2.7	5.0	
	6	4.2	2.7	5.7	9.8	17.2	3.3	1.4	1.4	1.1	4.9	2.8	10.4	9.6	2.9	5.0	6.1	6.2	7.0	3.6	
	7	4.2	2.4	6.0	9.9	16.2	3.8	0.5	1.6	0.6	3.5	1.9	5.2	8.5	4.0	2.3	6.6	7.7	5.8	5.5	
	8	4.8	3.2	6.3	24.9	29.4	1.9	2.3	1.4	1.7	1.4	0.0	26.4	19.7	2.0	5.1	7.1	5.7	3.9	5.5	
	9	3.9	2.7	4.9	34.9	11.7	2.4	2.3	1.8	1.9	0.7	1.9	21.1	9.8	1.5	7.4	4.3	5.0	4.6	3.7	
	10	6.2	5.4	6.9	20.0	45.9	7.1	2.3	2.0	3.0	2.1	4.7	5.2	27.8	6.0	8.7	7.0	4.5	5.2	3.7	
	11	9.0	6.8	11.0	51.5	63.2	9.7	4.2	1.6	2.2	3.6	1.9	59.1	45.6	8.6	11.7	8.7	9.6	3.9	8.1	
	12	9.0	6.3	11.7	51.1	53.5	8.6	3.3	2.0	2.8	3.5	0.9	37.3	39.1	8.6	8.4	11.4	10.4	9.7	9.2	
	13	9.7	7.5	11.8	43.4	58.0	8.6	3.0	2.5	4.6	5.2	6.9	16.9	28.5	8.0	8.0	13.7	12.0	11.6	6.5	
Quarter	1	7.8	4.8	10.7	30.2	22.7	5.3	2.5	2.6	3.7	5.9	2.6	23.8	17.5	5.0	9.0	10.1	13.8	9.8	9.5	
	2	4.4	2.7	6.2	15.2	17.1	3.2	1.0	1.3	1.1	3.5	3.5	4.9	9.0	3.1	6.2	6.9	7.2	4.8	4.3	
	3	4.7	3.4	6.0	26.0	24.7	3.1	2.0	1.8	1.8	2.0	1.4	16.2	16.5	2.9	6.2	6.1	5.3	5.0	5.1	
	4	9.1	6.9	11.2	44.9	57.6	9.2	3.4	2.0	3.2	4.0	3.8	36.8	37.9	8.2	9.2	10.8	10.2	8.1	7.7	
Year	2009	6.5	4.4	8.5	28.9	30.4	5.2	2.2	1.9	2.5	3.8	2.8	20.3	20.1	4.8	7.7	8.5	9.1	6.9	6.7	
Episodes	F N	3000	1003	1997	75	339	141	62	127	150	70	39	50	214	124	215	567	548	138	141	
Number of Consultations		4570	1528	3042	119	484	205	92	210	249	106	63	65	306	183	320	878	853	227	210	

Mean weekly incidence rate per 100,000 Persons.

ICD9 204~208

### Leukaemia (204~208)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.14	0.23	0.06	0.00	0.00	0.00	0.00	0.00	0.22	2.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	
	2	0.17	0.22	0.11	0.00	0.00	0.00	0.00	0.00	0.21	1.43	0.95	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.61	
	3	0.05	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.17	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.70	1.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.09	0.12	0.06	0.00	0.00	0.00	0.00	0.00	0.22	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	
	6	0.14	0.11	0.16	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.64	1.20	
	7	0.11	0.11	0.11	0.00	0.00	0.00	0.00	0.00	0.21	0.70	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.61		
	8	0.08	0.06	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.00	1.23	0.00	0.00	0.00	0.22	0.00	0.00	
	9	0.17	0.29	0.06	0.00	0.00	0.00	0.00	0.20	0.43	0.71	0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	
	10	0.11	0.17	0.05	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	
	11	0.06	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	0.11	0.06	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.00	0.00	0.00	0.00	0.20	0.00	0.00	1.23	
	13	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.13	0.21	0.05	0.00	0.00	0.00	0.00	0.00	0.13	1.31	1.16	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.37	
	2	0.13	0.16	0.10	0.00	0.00	0.00	0.14	0.00	0.26	0.65	0.29	0.00	0.00	0.00	0.00	0.06	0.00	0.20	0.75	
	3	0.10	0.14	0.07	0.00	0.00	0.00	0.00	0.06	0.26	0.22	0.58	0.00	0.38	0.00	0.00	0.00	0.13	0.20	0.00	
	4	0.08	0.11	0.05	0.00	0.00	0.00	0.00	0.00	0.14	0.00	1.18	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.39	
Year	2009	0.11	0.15	0.07	0.00	0.00	0.00	0.04	0.02	0.20	0.55	0.80	0.00	0.09	0.00	0.00	0.03	0.03	0.15	0.38	
Episodes	F N	51	35	16	0	0	0	1	1	12	10	11	0	1	0	0	2	2	3	8	
Number of Consultations		709	415	294	0	11	10	17	10	100	134	133	0	7	2	7	22	81	58	117	

Mean weekly incidence rate per 100,000 Persons.

ICD9 055

### Measles (055)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	0.50	0.00	0.00	0.00	0.00	0.00	
	2	0.06	0.06	0.05	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	1.20	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.08	0.06	0.11	0.00	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.06	0.12	0.00	0.00	0.00	0.48	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.06	0.06	0.05	0.00	1.16	0.00	0.00	0.00	0.00	0.00	0.00	5.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	0.08	0.17	0.00	4.98	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	0.03	0.06	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	
	12	0.03	0.06	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.06	0.03	0.08	0.00	0.36	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.74	0.45	0.00	0.00	0.00	0.00	0.00	
	2	0.03	0.03	0.02	0.00	0.00	0.15	0.14	0.00	0.00	0.00	0.00	1.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.04	0.09	0.00	1.53	0.36	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.02	0.02	0.02	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	
Year	2009	0.04	0.04	0.03	0.39	0.18	0.22	0.04	0.00	0.00	0.00	0.00	0.41	0.19	0.12	0.00	0.01	0.00	0.00	0.00	
F																					
Episodes	N	17	10	7	1	2	6	1	0	0	0	0	1	2	3	0	1	0	0	0	
Number of Consultations		42	17	25	2	4	8	2	0	1	0	0	2	5	10	1	6	1	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 003.2, 013.0, 013.8, 036 (excl 036.8), 047, 049, 320~322.9, 323.0~323.4

### Meningitis & Encephalitis

				Males									Females								
			Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
4 weekly	1	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00
	2	0.06	0.06	0.05	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00
	3	0.16	0.11	0.21	4.84	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.00	0.64	0.00
	4	0.08	0.06	0.11	0.00	1.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.00	0.00	0.00
	5	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00
	6	0.06	0.06	0.05	0.00	1.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00
	7	0.08	0.06	0.11	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.65	0.00
	8	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	10	0.08	0.11	0.05	5.01	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00
	11	0.14	0.06	0.22	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.59	0.00	0.00	0.00
	12	0.08	0.06	0.11	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	5.33	0.00	0.00	0.00	0.20	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	1	0.08	0.05	0.10	1.51	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.13	0.20	0.00
	2	0.06	0.05	0.07	0.00	0.71	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.00
	3	0.05	0.02	0.09	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	3.23	0.00	0.00	0.00	0.06	0.00	0.40	0.00
	4	0.08	0.05	0.10	1.60	0.00	0.00	0.15	0.06	0.00	0.00	0.00	0.00	1.67	0.00	0.00	0.15	0.25	0.00	0.00	0.00
Year	2009	0.07	0.04	0.09	0.77	0.18	0.00	0.07	0.06	0.00	0.00	0.00	0.00	1.22	0.00	0.00	0.04	0.18	0.03	0.15	0.00
Episodes	F N	31	10	21	2	2	0	2	4	0	0	0	0	3	0	0	1	12	2	3	0
Number of Consultations		115	45	70	6	8	1	5	9	4	11	1	4	3	1	3	35	18	5	1	

Mean weekly incidence rate per 100,000 Persons.

ICD9 075

### Infectious Mononucleosis (075)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.48	0.46	0.50	0.00	0.00	0.47	2.79	0.00	0.22	0.00	0.00	0.00	0.00	0.50	2.33	0.58	0.00	0.00	0.00	
	2	0.28	0.11	0.44	0.00	0.00	0.00	0.46	0.19	0.00	0.00	0.00	0.00	0.00	1.47	2.28	0.00	0.00	0.00	0.00	
	3	0.71	0.44	0.97	0.00	0.00	0.00	3.15	0.19	0.00	0.00	0.00	0.00	0.00	1.45	4.51	0.94	0.00	0.00	0.00	
	4	0.61	0.39	0.82	0.00	0.00	0.47	1.83	0.19	0.21	0.00	0.00	0.00	0.00	0.98	4.11	0.76	0.00	0.00	0.00	
	5	0.74	0.52	0.95	0.00	0.00	0.96	2.81	0.20	0.00	0.00	0.00	0.00	0.00	1.01	5.64	0.59	0.00	0.00	0.00	
	6	0.85	0.62	1.09	0.00	0.00	0.00	4.54	0.19	0.00	0.00	0.00	0.00	0.00	1.47	6.38	0.38	0.21	0.00	0.00	
	7	0.53	0.45	0.60	0.00	0.00	0.47	2.29	0.20	0.21	0.00	0.00	0.00	0.00	0.50	1.84	1.16	0.00	0.00	0.00	
	8	0.54	0.34	0.72	0.00	0.00	0.96	1.86	0.00	0.00	0.00	0.00	0.00	0.00	0.50	4.65	0.39	0.00	0.00	0.00	
	9	0.39	0.29	0.50	0.00	0.00	0.00	1.39	0.20	0.22	0.00	0.00	0.00	0.00	1.01	2.78	0.20	0.00	0.00	0.00	
	10	0.47	0.45	0.49	0.00	0.00	0.47	3.21	0.00	0.00	0.00	0.00	0.00	2.41	0.00	1.37	0.77	0.00	0.00	0.00	
	11	0.28	0.35	0.22	0.00	0.00	0.97	1.87	0.00	0.00	0.00	0.00	0.00	0.00	1.52	0.47	0.00	0.00	0.00	0.00	
	12	0.68	0.52	0.83	0.00	0.00	0.96	2.80	0.20	0.00	0.00	0.00	0.00	1.22	1.01	4.69	0.39	0.00	0.00	0.00	
	13	0.39	0.43	0.35	0.00	0.00	1.02	1.48	0.21	0.23	0.00	0.00	0.00	0.00	1.07	1.99	0.00	0.00	0.00	0.00	
Quarter	1	0.51	0.33	0.69	0.00	0.00	0.14	2.11	0.12	0.07	0.00	0.00	0.00	0.00	1.21	3.52	0.47	0.00	0.00	0.00	
	2	0.69	0.54	0.83	0.00	0.00	0.44	3.11	0.24	0.13	0.00	0.00	0.00	0.00	0.92	4.39	0.65	0.07	0.00	0.00	
	3	0.46	0.35	0.56	0.00	0.00	0.58	1.99	0.06	0.07	0.00	0.00	0.00	0.38	0.62	2.84	0.48	0.00	0.00	0.00	
	4	0.49	0.43	0.54	0.00	0.00	0.90	2.19	0.13	0.07	0.00	0.00	0.00	0.77	1.11	2.50	0.31	0.00	0.00	0.00	
Year	2009	0.54	0.41	0.66	0.00	0.00	0.51	2.35	0.14	0.08	0.00	0.00	0.00	0.28	0.96	3.32	0.48	0.02	0.00	0.00	
Episodes	F N	248	94	154	0	0	14	66	9	5	0	0	0	3	25	93	32	1	0	0	
Number of Consultations		515	192	323	0	3	35	126	20	8	0	0	0	4	43	189	80	7	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 340

### Multiple Sclerosis (340)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.23	0.17	0.28	0.00	0.00	0.00	0.00	0.39	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.22	0.66	0.00	
	2	0.17	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.86	0.66	0.00	
	3	0.14	0.06	0.21	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.21	0.00	0.00	
	4	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.09	0.12	0.06	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	
	6	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00	
	7	0.20	0.11	0.27	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.19	0.65	0.00	0.00	
	8	0.14	0.11	0.17	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.44	0.00	0.00	
	9	0.17	0.11	0.22	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.87	0.00	0.00	
	10	0.14	0.06	0.22	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.21	0.00	0.00	
	11	0.20	0.06	0.34	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.79	0.44	0.00	0.00	
	12	0.23	0.06	0.39	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.65	0.65	0.00	
	13	0.15	0.06	0.24	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.46	0.68	0.00	
Quarter	1	0.16	0.07	0.25	0.00	0.00	0.00	0.00	0.12	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.40	0.40	0.00	
	2	0.09	0.09	0.10	0.00	0.00	0.00	0.00	0.18	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.20	0.00	0.00	
	3	0.14	0.07	0.20	0.00	0.00	0.00	0.00	0.06	0.20	0.00	0.00	0.00	0.00	0.00	0.14	0.18	0.53	0.00	0.00	
	4	0.19	0.07	0.31	0.00	0.00	0.00	0.15	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.48	0.41	0.00	
Year	2009	0.15	0.07	0.22	0.00	0.00	0.00	0.04	0.09	0.17	0.00	0.00	0.00	0.00	0.00	0.04	0.33	0.40	0.20	0.00	
Episodes	F N	68	17	51	0	0	0	1	6	10	0	0	0	0	0	1	22	24	4	0	
Number of Consultations		2098	647	1451	0	0	0	8	255	307	60	17	0	0	0	21	417	826	152	35	

Mean weekly incidence rate per 100,000 Persons.

ICD9 072

### Mumps (072)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.17	0.11	0.22	0.00	1.18	0.00	0.00	0.20	0.00	0.00	0.00	0.00	2.46	0.00	0.93	0.00	0.00	0.00	0.00	
	2	0.53	0.56	0.49	0.00	0.00	0.47	2.28	0.77	0.00	0.00	0.00	0.00	2.41	0.00	1.82	0.57	0.00	0.00	0.00	
	3	0.54	0.72	0.38	0.00	2.27	0.46	3.60	0.19	0.21	0.00	0.00	0.00	0.00	1.93	0.90	0.19	0.00	0.00	0.00	
	4	0.39	0.39	0.38	0.00	0.00	0.00	2.28	0.39	0.00	0.00	0.00	0.00	0.00	0.49	1.83	0.19	0.21	0.00	0.00	
	5	0.37	0.35	0.39	0.00	0.00	0.48	1.87	0.20	0.00	0.00	0.00	0.00	0.00	0.00	2.82	0.00	0.22	0.00	0.00	
	6	0.69	1.01	0.38	4.89	1.15	0.93	3.18	1.16	0.21	0.00	0.00	0.00	0.00	0.00	2.73	0.19	0.00	0.00	0.00	
	7	0.53	0.57	0.49	0.00	0.00	1.89	2.75	0.00	0.00	0.00	0.00	0.00	1.21	1.49	1.38	0.39	0.00	0.00	0.00	
	8	0.23	0.23	0.22	0.00	1.17	0.00	0.93	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.59	0.00	0.00	0.00	
	9	0.37	0.51	0.22	0.00	0.00	0.48	3.24	0.20	0.00	0.00	0.00	0.00	0.00	0.50	0.93	0.20	0.00	0.00	0.00	
	10	0.19	0.11	0.27	0.00	1.15	0.00	0.00	0.00	0.21	0.00	0.00	0.00	1.21	0.50	0.92	0.00	0.21	0.00	0.00	
	11	0.26	0.29	0.22	0.00	0.00	2.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.02	0.47	0.20	0.00	0.00	0.00	
	12	0.25	0.29	0.22	0.00	0.00	0.48	0.93	0.40	0.00	0.00	0.00	0.00	0.00	0.00	1.41	0.20	0.00	0.00	0.00	
	13	0.18	0.30	0.06	0.00	0.00	0.00	1.98	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.00	
Quarter	1	0.41	0.48	0.34	0.00	1.07	0.29	2.11	0.42	0.07	0.00	0.00	0.00	1.49	0.60	1.13	0.23	0.00	0.00	0.00	
	2	0.49	0.56	0.42	1.52	0.36	0.73	2.26	0.48	0.07	0.00	0.00	0.00	0.37	0.31	2.55	0.12	0.13	0.00	0.00	
	3	0.32	0.35	0.29	0.00	0.72	0.44	1.84	0.12	0.00	0.00	0.00	0.00	0.38	0.62	0.85	0.36	0.00	0.00	0.00	
	4	0.23	0.29	0.17	0.00	0.00	0.90	0.88	0.13	0.14	0.00	0.00	0.00	0.00	0.32	0.73	0.12	0.07	0.00	0.00	
Year	2009	0.36	0.42	0.31	0.39	0.54	0.58	1.78	0.29	0.07	0.00	0.00	0.00	0.56	0.46	1.32	0.21	0.05	0.00	0.00	
Episodes	F N	168	96	72	1	6	16	50	19	4	0	0	0	6	12	37	14	3	0	0	
Number of Consultations		313	171	142	1	11	23	89	42	5	0	0	0	10	15	73	39	5	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 410

### Myocardial Infarction Acute (410)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.53	0.46	0.61	0.00	0.00	0.00	0.00	0.39	0.43	0.72	2.86	0.00	0.00	0.00	0.00	0.00	0.87	1.99	2.47	
	2	0.61	0.67	0.54	0.00	0.00	0.00	0.00	0.19	0.85	2.14	3.78	0.00	0.00	0.00	0.00	0.38	0.21	1.31	3.05	
	3	0.82	0.83	0.80	0.00	0.00	0.00	0.00	0.38	1.46	2.08	2.76	0.00	0.00	0.00	0.00	0.19	0.21	3.83	4.17	
	4	0.52	0.79	0.27	0.00	0.00	0.00	0.00	0.00	1.27	2.11	4.66	0.00	0.00	0.00	0.00	0.00	0.21	0.00	2.42	
	5	0.28	0.46	0.11	0.00	0.00	0.00	0.00	0.00	1.30	0.72	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.24	
	6	0.50	0.50	0.49	0.00	0.00	0.00	0.00	0.00	1.47	0.00	1.85	0.00	0.00	0.00	0.00	0.00	0.43	2.56	1.80	
	7	0.61	0.85	0.38	0.00	0.00	0.00	0.00	0.39	2.34	0.00	1.87	0.00	0.00	0.00	0.00	0.00	0.43	0.00	3.05	
	8	0.54	0.80	0.28	0.00	0.00	0.00	0.00	0.00	1.29	4.26	1.89	0.00	0.00	0.00	0.00	0.00	0.22	0.65	1.85	
	9	0.79	0.74	0.83	0.00	0.00	0.00	0.00	0.20	1.29	1.42	3.78	0.00	0.00	0.00	0.00	0.00	1.09	0.00	6.16	
	10	0.50	0.57	0.44	0.00	0.00	0.00	0.00	0.00	0.43	3.50	2.80	0.00	0.00	0.00	0.00	0.00	0.64	1.29	1.83	
	11	0.68	0.92	0.45	0.00	0.00	0.00	0.00	0.00	1.95	1.42	4.74	0.00	0.00	0.00	0.00	0.00	0.44	1.96	1.86	
	12	0.68	0.86	0.50	0.00	0.00	0.00	0.00	0.80	0.86	2.82	2.82	0.00	0.00	0.00	0.00	0.00	0.22	2.59	2.47	
	13	0.60	0.73	0.47	0.00	0.00	0.00	0.00	0.21	1.37	0.00	4.94	0.00	0.00	0.00	0.00	0.00	0.92	1.37	1.30	
Quarter	1	0.67	0.71	0.64	0.00	0.00	0.00	0.00	0.30	1.17	1.75	2.89	0.00	0.00	0.00	0.00	0.18	0.46	2.21	3.18	
	2	0.45	0.57	0.32	0.00	0.00	0.00	0.00	0.12	1.24	0.65	2.60	0.00	0.00	0.00	0.00	0.00	0.20	0.80	2.25	
	3	0.61	0.77	0.46	0.00	0.00	0.00	0.00	0.06	1.32	2.82	2.89	0.00	0.00	0.00	0.00	0.00	0.53	0.60	3.01	
	4	0.63	0.77	0.49	0.00	0.00	0.00	0.00	0.31	1.29	1.33	3.83	0.00	0.00	0.00	0.00	0.00	0.61	1.83	1.93	
Year	2009	0.59	0.71	0.48	0.00	0.00	0.00	0.00	0.20	1.25	1.64	3.05	0.00	0.00	0.00	0.00	0.04	0.45	1.36	2.60	
Episodes	F N	273	161	112	0	0	0	0	13	76	30	42	0	0	0	0	3	27	27	55	
Number of Consultations		5034	3522	1512	0	0	0	1	112	1419	904	1086	0	0	0	1	25	356	427	703	



Mean weekly incidence rate per 100,000 Persons.

ICD9 243~244

### Hypothyroidism Acquired & Congenital (243~244)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	4.2	2.3	6.0	10.0	0.0	0.5	0.5	0.8	2.8	5.8	10.5	0.0	0.0	0.5	1.9	6.8	9.4	8.6	8.0	
	2	4.6	2.1	7.0	0.0	0.0	0.0	0.0	1.9	2.3	5.7	8.5	0.0	0.0	1.0	3.2	6.6	10.3	9.2	14.0	
	3	4.7	2.2	7.1	0.0	0.0	0.5	0.9	1.5	2.7	4.2	9.2	0.0	0.0	0.0	1.4	8.1	10.9	10.9	10.7	
	4	3.8	1.5	6.0	0.0	0.0	0.0	0.5	1.0	0.8	4.9	9.3	0.0	0.0	0.5	1.8	7.0	8.8	8.4	9.1	
	5	4.5	2.0	6.9	0.0	0.0	0.0	0.5	1.0	2.2	6.5	8.6	0.0	0.0	0.5	0.9	5.7	13.4	11.9	7.5	
	6	4.5	1.3	7.7	0.0	0.0	0.0	0.9	0.6	2.1	2.1	4.6	0.0	0.0	1.0	3.2	9.0	10.2	11.5	12.0	
	7	4.2	1.3	6.9	0.0	0.0	0.0	0.0	1.0	1.9	3.5	3.7	0.0	1.2	2.0	1.4	5.8	10.8	12.9	11.0	
	8	3.4	1.1	5.7	0.0	0.0	0.0	0.0	1.2	1.3	2.1	3.8	0.0	0.0	0.0	2.8	5.9	8.1	8.5	10.5	
	9	3.5	1.3	5.7	0.0	0.0	0.0	0.0	1.2	1.3	5.0	2.8	5.3	0.0	0.0	2.8	5.5	8.7	9.8	8.0	
	10	3.9	1.8	5.9	0.0	0.0	0.5	0.5	1.8	3.0	2.1	2.8	0.0	0.0	0.0	1.4	7.0	8.8	10.3	7.3	
	11	3.6	0.8	6.3	0.0	0.0	0.0	0.9	0.4	0.9	2.1	1.9	0.0	0.0	0.5	2.8	5.7	9.2	9.2	12.4	
	12	3.7	1.4	5.8	0.0	0.0	0.0	0.9	1.6	1.3	2.1	5.6	5.3	0.0	1.5	2.3	5.9	6.7	13.0	9.2	
	13	3.7	1.7	5.6	0.0	0.0	0.0	0.0	0.8	2.1	3.7	9.9	0.0	0.0	0.0	1.0	5.2	10.6	7.5	7.1	
Quarter	1	4.5	2.1	6.8	3.0	0.0	0.3	0.4	1.4	2.4	5.0	9.3	0.0	0.0	0.5	2.1	7.1	10.3	9.4	11.2	
	2	4.3	1.7	6.8	0.0	0.0	0.0	0.6	0.9	2.0	4.8	7.2	0.0	0.4	0.9	2.1	6.9	10.5	11.4	9.0	
	3	3.7	1.2	6.0	0.0	0.0	0.1	0.1	1.3	1.5	2.8	2.9	1.6	0.0	0.3	2.0	6.2	9.1	9.6	9.6	
	4	3.7	1.3	5.9	0.0	0.0	0.0	0.6	0.9	1.6	2.7	5.6	1.7	0.0	0.6	2.1	5.7	8.8	10.2	9.3	
Year	2009	4.0	1.6	6.4	0.8	0.0	0.1	0.4	1.1	1.9	3.8	6.2	0.8	0.1	0.6	2.1	6.5	9.7	10.1	9.8	
Episodes	F N	1862	363	1499	2	0	3	12	75	115	70	86	2	1	15	58	434	580	202	207	
Number of Consultations		20341	3286	17055	7	7	35	74	591	1153	664	755	8	10	78	391	3845	6881	3008	2834	

Mean weekly incidence rate per 100,000 Persons.

ICD9 381.0, 382.0 & 382.9

### Otitis Media Acute (381.0,382.0 & 382.9)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	38.6	36.8	40.4	321.0	252.3	73.4	27.0	16.5	12.0	5.8	3.8	225.1	236.1	69.3	39.1	30.9	16.7	11.9	9.9	
	2	40.5	40.1	40.9	273.7	354.3	93.5	15.0	10.0	10.2	7.8	4.7	302.8	307.0	98.4	32.4	18.4	10.9	5.2	4.9	
	3	40.2	39.2	41.3	314.5	339.8	78.1	25.2	12.6	8.3	4.9	4.6	301.1	319.8	85.5	28.9	20.1	14.1	9.6	7.1	
	4	30.6	30.3	30.9	258.7	260.8	63.5	12.3	9.5	7.4	5.6	4.7	167.3	230.5	71.2	22.4	13.0	11.7	9.7	7.2	
	5	23.1	22.2	24.0	156.6	185.9	44.7	10.3	9.8	5.9	2.2	1.9	156.4	159.1	44.5	17.4	15.4	10.3	10.6	3.7	
	6	23.2	21.7	24.6	190.8	170.9	49.5	7.7	6.6	6.1	7.6	1.8	192.5	160.3	56.9	12.8	13.0	10.0	9.6	6.0	
	7	21.9	21.2	22.6	153.0	145.8	50.5	13.3	9.6	4.7	3.5	4.7	151.8	144.6	49.6	12.4	14.3	11.0	5.2	1.8	
	8	21.7	22.8	20.6	154.4	158.5	45.5	16.2	9.7	7.8	7.8	5.7	121.4	129.5	37.8	20.5	11.4	11.6	7.2	1.2	
	9	19.5	18.6	20.4	104.6	83.9	36.7	14.4	11.9	10.1	7.1	7.6	100.1	83.3	40.2	23.1	12.9	12.2	15.7	3.1	
	10	23.8	24.3	23.2	160.4	188.3	46.3	11.9	8.6	9.1	8.4	10.3	141.3	154.5	48.8	16.0	14.9	8.6	7.1	4.3	
	11	31.5	30.5	32.4	221.3	269.3	63.7	12.6	9.8	7.8	5.0	3.8	241.8	261.1	65.0	21.6	15.4	10.5	9.2	5.0	
	12	33.2	33.7	32.7	235.0	326.6	66.2	13.5	8.0	9.5	4.9	1.9	250.7	251.9	60.0	26.7	17.3	10.9	7.1	6.2	
	13	47.4	43.7	51.0	238.8	429.2	102.1	12.9	12.1	6.4	6.7	4.9	247.9	461.8	123.5	24.4	24.5	9.7	14.3	3.2	
Quarter	1	39.7	38.8	40.6	302.1	317.3	83.2	21.9	12.9	10.0	5.9	4.0	269.9	291.3	85.3	32.9	22.1	14.0	8.8	6.9	
	2	24.0	22.9	25.0	182.6	189.8	47.3	10.3	8.2	6.0	5.4	3.2	171.9	169.0	53.3	15.3	14.0	10.1	9.2	5.2	
	3	21.2	21.3	21.1	139.4	133.8	44.3	14.2	10.2	8.2	6.7	7.2	121.2	117.7	42.4	18.9	12.9	11.1	10.0	2.6	
	4	36.6	35.4	37.7	232.5	332.2	75.2	12.7	9.9	8.3	5.7	4.1	237.4	312.4	80.4	24.4	19.0	10.4	9.5	4.8	
Year	2009	30.3	29.6	31.1	214.2	242.9	62.5	14.8	10.3	8.1	5.9	4.6	200.1	222.3	65.3	22.9	17.0	11.4	9.4	4.9	
Episodes	F N	14043	6737	7306	556	2710	1709	416	682	491	109	64	493	2363	1697	641	1137	684	187	104	
Number of Consultations		21392	10251	11141	808	3961	2627	675	1077	803	179	121	684	3344	2585	1059	1796	1140	325	208	

Mean weekly incidence rate per 100,000 Persons.

ICD9 511

### Pleurisy (511)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.55	1.14	1.94	0.00	0.00	0.00	0.00	0.98	1.29	3.61	3.81	0.00	0.00	0.50	2.33	1.74	2.39	3.32	2.47	
	2	0.69	0.34	1.04	0.00	0.00	0.00	0.91	0.00	0.00	2.14	0.95	0.00	0.00	0.00	0.46	1.33	0.86	3.28	1.22	
	3	0.87	0.66	1.07	0.00	0.00	0.00	0.00	0.76	0.83	1.39	1.84	0.00	0.00	0.00	0.00	1.13	1.26	1.92	2.98	
	4	1.02	0.73	1.31	0.00	0.00	0.00	0.46	0.58	0.21	2.11	4.66	0.00	0.00	0.00	0.91	1.91	1.28	1.29	2.42	
	5	0.85	0.69	1.01	0.00	0.00	0.00	0.00	0.60	0.87	2.88	0.96	0.00	0.00	0.00	0.94	0.98	1.32	0.66	2.49	
	6	0.58	0.45	0.71	0.00	1.15	0.00	0.45	0.00	0.84	0.00	1.85	0.00	0.00	0.00	1.37	0.76	0.21	1.28	1.80	
	7	0.61	0.79	0.44	0.00	0.00	0.47	0.00	0.39	0.64	1.40	5.61	0.00	0.00	0.00	0.46	0.77	0.00	0.65	1.22	
	8	0.56	0.46	0.67	0.00	0.00	0.00	0.46	0.00	0.65	1.42	1.89	0.00	0.00	0.00	0.47	0.00	0.87	2.61	1.85	
	9	0.56	0.86	0.28	0.00	0.00	0.00	0.46	0.79	1.29	0.71	2.83	0.00	0.00	0.00	0.00	0.00	0.43	0.00	1.85	
	10	0.67	0.74	0.60	0.00	0.00	0.47	0.00	0.39	0.64	1.40	4.67	0.00	0.00	0.00	0.46	0.39	0.86	1.29	1.22	
	11	0.71	0.69	0.73	0.00	0.00	0.00	0.00	0.80	0.43	0.00	5.69	0.00	0.00	0.00	0.47	0.40	1.53	0.00	1.86	
	12	0.93	0.86	1.00	0.00	0.00	0.48	0.47	0.20	0.65	1.41	6.58	0.00	0.00	0.00	0.47	0.98	0.65	2.59	3.08	
	13	0.96	0.85	1.06	0.00	0.00	0.00	0.00	0.85	0.91	1.49	3.95	0.00	0.00	0.00	0.50	1.66	0.69	2.05	1.94	
Quarter	1	1.09	0.78	1.39	0.00	0.00	0.00	0.28	0.59	0.72	2.40	3.18	0.00	0.00	0.15	0.84	1.52	1.52	2.81	2.43	
	2	0.67	0.52	0.81	0.00	0.36	0.00	0.28	0.30	0.59	1.30	2.02	0.00	0.00	0.00	0.99	0.95	0.73	0.80	1.87	
	3	0.65	0.77	0.53	0.00	0.00	0.29	0.28	0.42	0.92	1.30	3.75	0.00	0.00	0.00	0.43	0.24	0.53	1.40	1.70	
	4	0.84	0.77	0.91	0.00	0.00	0.15	0.15	0.63	0.61	1.11	5.01	0.00	0.00	0.00	0.44	0.99	1.02	1.42	2.12	
Year	2009	0.81	0.71	0.91	0.00	0.09	0.11	0.25	0.49	0.71	1.53	3.48	0.00	0.00	0.04	0.68	0.93	0.95	1.61	2.03	
Episodes	F	376	162	214	0	1	3	7	32	43	28	48	0	0	1	19	62	57	32	43	
Number of Consultations		963	419	544	0	1	3	15	58	121	73	148	0	0	6	37	133	173	69	126	

Mean weekly incidence rate per 100,000 Persons.

ICD9 480~486

### Pneumonia and Pneumonitis (480~486)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	2.05	1.83	2.27	0.00	2.36	0.47	0.00	0.78	1.72	2.88	12.40	5.23	1.23	0.00	0.47	1.55	1.96	3.98	9.24	
	2	1.33	1.18	1.47	0.00	0.00	0.00	0.00	0.58	1.48	2.14	7.56	0.00	0.00	0.00	0.00	0.76	1.50	1.97	7.94	
	3	1.17	1.49	0.86	4.84	0.00	0.00	0.90	0.95	1.46	4.17	5.52	0.00	1.19	0.00	0.00	0.75	0.84	1.92	2.38	
	4	1.63	1.63	1.63	0.00	2.30	0.47	2.28	0.77	0.84	4.22	6.53	5.23	0.00	0.00	0.00	0.76	2.14	1.94	7.25	
	5	0.88	0.81	0.95	0.00	0.00	0.00	0.00	0.20	1.08	1.44	5.74	0.00	1.24	0.00	0.00	0.59	0.88	2.65	3.11	
	6	0.55	0.62	0.49	0.00	0.00	0.00	0.00	0.58	0.63	2.09	1.85	0.00	1.21	0.00	0.00	0.19	0.43	0.00	3.01	
	7	0.67	0.62	0.71	0.00	0.00	0.00	0.00	0.20	0.64	0.70	5.61	0.00	0.00	0.00	0.00	0.58	0.43	1.29	3.66	
	8	0.79	0.75	0.83	0.00	0.00	0.00	0.00	0.20	1.08	1.42	4.71	0.00	0.00	0.50	0.00	0.00	1.09	1.30	4.31	
	9	0.79	0.51	1.05	0.00	0.00	0.00	0.00	0.59	0.65	0.71	1.89	0.00	1.22	0.00	0.00	0.20	1.30	3.26	3.70	
	10	0.95	0.96	0.93	0.00	2.30	0.47	0.00	0.39	1.06	2.80	2.80	0.00	1.21	0.00	0.00	0.97	0.64	1.29	3.66	
	11	0.88	0.64	1.12	0.00	1.17	0.48	0.00	0.20	0.65	0.71	3.79	0.00	2.46	1.02	0.47	0.79	0.87	1.31	3.10	
	12	1.27	1.32	1.22	0.00	0.00	0.48	0.00	1.20	0.86	2.82	7.52	0.00	1.22	1.51	0.47	0.20	1.09	0.00	6.78	
	13	1.29	0.97	1.59	0.00	0.00	0.00	0.00	0.63	1.60	2.97	1.98	5.64	3.88	1.60	0.50	0.83	1.61	1.37	3.89	
Quarter	1	1.57	1.52	1.61	1.51	0.71	0.29	0.28	0.77	1.56	3.06	8.67	1.59	0.74	0.00	0.14	1.11	1.58	2.41	6.91	
	2	0.91	0.91	0.91	0.00	0.71	0.00	0.71	0.42	0.72	2.17	4.90	1.62	0.75	0.00	0.00	0.47	0.86	1.80	3.94	
	3	0.75	0.68	0.82	0.00	0.00	0.00	0.00	0.36	0.99	1.52	3.18	0.00	0.38	0.15	0.00	0.24	0.93	1.60	3.77	
	4	1.15	0.99	1.31	0.00	1.09	0.45	0.00	0.69	0.95	2.21	4.12	1.67	2.68	1.27	0.44	0.68	1.16	1.02	4.44	
Year	2009	1.10	1.03	1.16	0.39	0.63	0.18	0.25	0.56	1.06	2.24	5.22	1.22	1.13	0.35	0.14	0.63	1.13	1.71	4.77	
Episodes	F N	507	234	273	1	7	5	7	37	64	41	72	3	12	9	4	42	68	34	101	
Number of Consultations		1416	636	780	2	22	20	18	107	186	117	164	7	27	25	12	173	198	75	263	

Mean weekly incidence rate per 100,000 Persons.

ICD9 714.0

### Rheumatoid Arthritis (714.0)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.39	0.23	0.55	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.95	0.00	0.00	0.00	0.00	0.58	0.65	1.33	1.23	
	2	0.41	0.17	0.65	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.38	1.07	1.97	1.22	
	3	0.54	0.28	0.80	0.00	0.00	0.00	0.00	0.00	0.83	0.69	0.00	0.00	0.00	0.00	0.00	0.56	1.26	1.28	2.38	
	4	0.50	0.34	0.65	0.00	0.00	0.00	0.00	0.00	0.21	2.81	0.93	0.00	0.00	0.00	0.00	0.95	0.85	0.65	1.21	
	5	0.57	0.29	0.84	0.00	0.00	0.00	0.00	0.20	0.43	0.72	0.96	0.00	0.00	0.00	0.00	0.20	1.98	1.99	1.24	
	6	0.44	0.39	0.49	0.00	0.00	0.00	0.00	0.00	0.63	1.39	1.85	0.00	0.00	0.00	0.00	0.19	0.21	2.56	1.80	
	7	0.36	0.23	0.49	0.00	0.00	0.00	0.00	0.00	0.64	0.70	0.00	0.00	0.00	0.00	0.00	0.39	0.43	0.65	2.44	
	8	0.45	0.11	0.78	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.39	1.09	2.61	1.85	
	9	0.42	0.40	0.44	0.00	0.00	0.00	0.00	0.00	0.86	2.12	0.00	0.00	0.00	0.00	0.00	0.59	0.87	0.65	0.00	
	10	0.56	0.40	0.71	0.00	0.00	0.00	0.00	0.39	0.85	0.70	0.00	0.00	0.00	0.00	0.00	0.39	1.72	1.29	0.61	
	11	0.34	0.12	0.56	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.47	0.20	0.87	1.31	1.24	
	12	0.51	0.34	0.67	0.00	0.00	0.00	0.00	0.20	0.43	1.41	0.94	0.00	0.00	0.00	0.00	0.59	1.09	0.65	1.85	
	13	0.51	0.18	0.82	0.00	0.00	0.00	0.00	0.00	0.46	0.74	0.00	0.00	0.00	0.00	0.50	0.42	1.38	1.37	1.94	
Quarter	1	0.46	0.22	0.69	0.00	0.00	0.00	0.00	0.00	0.65	0.44	0.29	0.00	0.00	0.00	0.00	0.59	0.99	1.41	1.68	
	2	0.49	0.31	0.66	0.00	0.00	0.00	0.00	0.06	0.46	1.30	1.15	0.00	0.00	0.00	0.00	0.30	0.99	1.80	1.87	
	3	0.40	0.28	0.51	0.00	0.00	0.00	0.00	0.00	0.72	1.08	0.00	0.00	0.00	0.00	0.00	0.48	0.80	1.40	0.57	
	4	0.50	0.25	0.75	0.00	0.00	0.00	0.00	0.19	0.47	0.66	0.29	0.00	0.00	0.00	0.29	0.43	1.36	1.02	1.74	
Year	2009	0.46	0.27	0.65	0.00	0.00	0.00	0.00	0.06	0.58	0.87	0.44	0.00	0.00	0.00	0.07	0.45	1.03	1.41	1.46	
Episodes	F N	214	61	153	0	0	0	0	4	35	16	6	0	0	0	2	30	62	28	31	
Number of Consultations		7602	2037	5565	0	0	2	6	60	934	590	445	0	0	0	30	524	2401	1438	1172	

Mean weekly incidence rate per 100,000 Persons.

ICD9 056

### Rubella (056)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	0.06	0.06	0.05	0.00	1.15	0.00	0.00	0.00	0.00	0.00	0.00	5.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.03	0.06	0.00	0.00	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.03	0.06	0.00	0.00	1.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.06	0.06	0.05	0.00	1.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.03	0.03	0.02	0.00	0.71	0.00	0.00	0.00	0.00	0.00	0.00	1.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	0.03	0.03	0.02	0.00	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Year	2009	0.01	0.02	0.01	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.09	0.00	0.00	0.00	0.00	0.00	0.00	
Episodes	N	6	4	2	0	4	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
Number of Consultations		15	8	7	0	4	1	0	3	0	0	0	2	1	0	2	2	0	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 133.0

### Scabies (133.0)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	2.2	1.5	2.8	0.0	1.2	1.4	3.7	0.8	1.1	1.4	3.8	0.0	2.5	2.0	5.6	2.3	1.5	1.3	7.4	
	2	1.9	1.5	2.2	0.0	5.8	2.8	1.8	1.7	0.2	0.0	1.9	0.0	7.2	2.9	3.6	1.9	1.7	0.0	1.8	
	3	1.7	1.8	1.7	0.0	1.1	0.9	6.7	1.1	1.0	0.7	1.8	0.0	2.4	2.4	4.1	0.9	0.6	3.8	1.2	
	4	1.3	1.0	1.5	0.0	3.4	1.9	0.9	0.6	0.4	0.7	2.8	0.0	2.4	2.9	1.8	1.9	0.9	0.6	0.6	
	5	1.3	1.0	1.5	0.0	2.4	1.4	3.3	0.6	0.7	0.0	0.0	5.4	1.2	3.0	2.8	1.0	1.3	0.0	0.6	
	6	1.2	1.1	1.2	0.0	1.1	1.4	2.3	1.0	1.1	0.7	0.0	0.0	3.6	0.0	3.2	1.3	1.1	0.6	0.0	
	7	1.2	1.1	1.4	0.0	0.0	0.9	2.7	1.4	0.4	0.7	0.9	0.0	2.4	2.0	2.8	1.4	0.6	0.6	1.2	
	8	2.3	2.0	2.7	0.0	2.3	1.4	3.7	1.6	1.1	0.0	8.5	0.0	0.0	1.5	1.4	2.2	1.1	2.0	14.1	
	9	2.0	1.7	2.3	0.0	3.5	1.4	4.6	0.8	1.1	2.1	1.9	5.3	1.2	1.5	5.6	1.4	1.1	1.3	6.8	
	10	1.3	1.2	1.4	5.0	1.1	0.5	1.4	1.2	0.9	3.5	0.0	0.0	0.0	2.0	2.7	1.9	1.3	0.0	0.0	
	11	2.2	2.0	2.4	0.0	5.9	3.4	5.2	1.2	0.9	1.4	0.0	5.4	3.7	2.5	5.6	2.4	1.1	0.0	2.5	
	12	1.4	1.6	1.2	0.0	0.0	1.4	5.1	2.2	0.2	0.7	0.0	0.0	0.0	1.5	4.2	0.8	0.9	0.0	1.2	
	13	2.3	2.3	2.4	0.0	1.2	2.5	5.4	2.3	1.8	0.0	1.0	0.0	1.3	2.1	7.0	2.7	1.1	1.4	0.6	
Quarter	1	1.9	1.6	2.2	0.0	2.5	1.7	3.9	1.2	0.7	0.9	2.6	0.0	3.7	2.7	4.5	1.6	1.3	1.6	3.2	
	2	1.2	1.0	1.4	0.0	2.1	1.5	2.1	0.7	0.7	0.2	0.9	1.6	3.0	1.7	2.7	1.5	0.9	0.4	0.7	
	3	1.9	1.7	2.1	0.0	1.8	1.2	3.5	1.5	0.9	2.0	3.2	1.6	0.4	1.8	3.1	1.8	1.3	1.2	6.4	
	4	1.8	1.8	1.8	1.6	2.6	2.3	4.8	1.8	0.9	0.7	0.3	1.7	1.5	1.9	5.1	1.8	1.0	0.4	1.4	
Year	2009	1.7	1.5	1.9	0.4	2.2	1.6	3.6	1.3	0.8	0.9	1.7	1.2	2.2	2.0	3.9	1.7	1.1	0.9	2.9	
Episodes	F N	792	346	446	1	25	45	101	83	50	17	24	3	23	53	108	113	66	18	62	
Number of Consultations		1125	487	638	4	30	56	133	124	82	29	29	4	32	72	156	163	101	24	86	

Mean weekly incidence rate per 100,000 Persons.

ICD9 034 & 475

### Strep Sore Throat & Scarl Periton Absc (034 & 475)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.68	0.74	0.61	0.00	2.36	0.95	1.39	0.98	0.00	0.00	0.95	0.00	3.69	1.00	0.93	0.39	0.22	0.66	0.00	
	2	1.13	0.90	1.36	0.00	3.45	3.72	0.91	0.38	0.00	0.71	0.00	0.00	8.43	4.41	1.37	0.76	0.21	0.66	0.00	
	3	1.58	1.49	1.66	0.00	17.05	3.68	0.90	0.19	0.21	0.00	0.00	10.21	15.46	4.35	0.90	0.94	0.00	0.00	0.00	
	4	1.88	1.80	1.96	4.88	2.30	5.14	2.74	2.32	0.00	0.00	0.00	0.00	7.24	8.35	0.91	1.71	0.21	0.65	0.00	
	5	0.80	0.98	0.62	0.00	9.47	2.88	0.47	0.20	0.22	0.00	0.00	0.00	2.49	1.52	0.00	0.79	0.44	0.00	0.00	
	6	1.02	1.01	1.03	0.00	6.88	3.27	0.91	0.39	0.21	0.00	0.00	5.20	4.82	3.43	0.46	0.95	0.21	0.00	0.00	
	7	0.89	1.19	0.60	0.00	6.94	1.89	1.37	1.37	0.21	0.00	0.00	0.00	3.64	1.49	0.92	0.39	0.00	0.65	0.00	
	8	0.79	0.57	1.00	0.00	2.35	1.91	0.00	0.60	0.00	0.71	0.00	0.00	2.47	2.52	1.86	1.18	0.22	0.00	0.00	
	9	0.28	0.34	0.22	4.98	2.33	0.48	0.46	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.43	0.00	0.00	
	10	0.33	0.23	0.44	0.00	0.00	0.47	0.92	0.00	0.21	0.00	0.00	0.00	1.21	0.00	0.92	0.97	0.00	0.00	0.00	
	11	0.54	0.52	0.56	0.00	0.00	0.48	1.41	0.60	0.43	0.00	0.00	0.00	1.23	1.02	1.41	0.59	0.22	0.00	0.00	
	12	0.68	0.46	0.89	5.11	1.16	1.44	1.40	0.00	0.00	0.00	0.00	0.00	6.11	1.51	0.94	0.79	0.44	0.00	0.00	
	13	0.54	0.61	0.47	0.00	2.47	0.51	1.48	0.85	0.00	0.00	0.00	0.00	1.29	1.60	0.50	0.62	0.00	0.00	0.00	
Quarter	1	1.21	1.09	1.32	0.00	7.11	3.15	1.12	0.59	0.07	0.22	0.29	3.18	9.66	3.92	0.99	0.82	0.13	0.40	0.00	
	2	1.13	1.29	0.98	1.52	7.14	3.34	1.55	0.96	0.20	0.00	0.00	1.62	4.12	3.51	0.43	0.89	0.26	0.20	0.00	
	3	0.54	0.47	0.61	1.53	2.15	1.02	0.43	0.49	0.07	0.22	0.00	0.00	1.50	0.92	0.99	0.90	0.20	0.20	0.00	
	4	0.55	0.49	0.61	1.60	1.09	0.75	1.32	0.44	0.14	0.00	0.00	0.00	2.68	1.27	1.03	0.62	0.20	0.00	0.00	
Year	2009	0.86	0.84	0.89	1.16	4.39	2.08	1.10	0.62	0.12	0.11	0.07	1.22	4.52	2.42	0.86	0.81	0.20	0.20	0.00	
Episodes	F N	399	191	208	3	49	57	31	41	7	2	1	3	48	63	24	54	12	4	0	
Number of Consultations		695	335	360	6	69	90	60	75	25	8	2	6	70	93	64	96	25	5	1	



Mean weekly incidence rate per 100,000 Persons.

ICD9 461

### Sinusitis Acute (461)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	38.1	21.0	54.7	5.0	1.2	5.2	16.3	26.9	28.4	20.9	21.0	0.0	1.2	4.5	37.7	80.1	79.4	45.8	29.6	
	2	27.0	14.8	38.7	0.0	1.2	4.7	10.9	17.1	20.8	20.0	13.2	0.0	1.2	6.4	28.3	58.5	51.7	38.7	16.5	
	3	24.7	14.8	34.3	0.0	0.0	4.1	11.7	16.6	21.8	18.8	12.0	0.0	3.6	4.3	23.5	52.6	47.1	29.4	15.5	
	4	24.0	13.8	33.8	4.9	1.1	2.8	11.0	15.3	19.6	19.0	14.0	0.0	1.2	6.4	19.2	51.8	46.1	33.6	15.7	
	5	18.8	11.3	26.1	0.0	0.0	4.3	6.1	15.6	14.3	10.8	13.4	0.0	1.2	5.6	11.3	36.0	39.1	32.5	11.8	
	6	16.6	9.2	23.8	0.0	0.0	4.2	6.8	11.0	13.7	7.6	6.5	0.0	1.2	3.9	18.2	33.2	34.2	23.7	10.8	
	7	12.1	6.8	17.3	0.0	0.0	3.3	6.4	9.2	7.9	8.4	3.7	0.0	0.0	3.5	11.9	27.8	20.9	18.1	7.9	
	8	13.7	8.1	19.1	0.0	0.0	2.4	7.0	9.5	11.6	7.1	9.4	0.0	1.2	3.0	14.4	27.5	25.7	18.9	11.1	
	9	13.0	8.4	17.4	0.0	0.0	1.4	6.5	11.1	10.8	12.0	6.6	0.0	0.0	4.0	10.2	24.2	23.7	19.6	12.9	
	10	17.4	8.7	25.9	0.0	1.1	3.3	6.4	11.2	10.8	12.6	5.6	0.0	0.0	6.0	18.3	36.4	37.0	25.8	12.2	
	11	25.4	13.6	36.9	5.1	2.3	3.9	7.5	15.9	20.6	14.2	13.3	5.4	1.2	10.2	25.4	51.6	51.2	41.2	16.1	
	12	23.3	11.9	34.4	0.0	1.2	3.4	9.3	15.8	14.7	14.8	10.3	0.0	0.0	10.6	21.6	48.0	52.0	32.4	11.1	
	13	28.8	14.9	42.2	0.0	0.0	5.1	11.9	17.1	22.2	17.8	8.9	0.0	1.3	4.3	21.4	69.4	56.3	41.0	17.5	
Quarter	1	29.4	16.6	41.8	1.5	1.1	4.7	12.6	19.7	23.3	19.6	16.2	0.0	1.9	5.3	29.0	62.5	58.2	38.3	20.2	
	2	18.4	10.7	25.8	1.5	0.0	3.9	7.9	13.3	14.8	11.1	8.9	0.0	1.1	5.2	15.2	37.5	36.4	28.2	11.6	
	3	13.8	7.9	19.5	0.0	0.4	2.2	6.2	9.9	10.1	10.6	6.9	0.0	0.4	3.4	13.5	28.4	26.4	19.8	11.5	
	4	25.4	13.2	37.2	1.6	1.1	3.9	9.4	16.1	18.6	15.3	10.3	1.7	0.8	8.5	22.7	55.1	52.5	36.8	14.7	
Year	2009	21.7	12.1	31.1	1.2	0.6	3.7	9.0	14.8	16.7	14.1	10.6	0.4	1.0	5.6	20.1	45.9	43.3	30.7	14.5	
Episodes	F N	10059	2755	7304	3	7	101	254	974	1011	259	146	1	11	145	563	3066	2599	612	307	
Number of Consultations		15678	4243	11435	3	8	133	331	1438	1632	444	254	1	13	188	838	4565	4345	978	507	

Mean weekly incidence rate per 100,000 Persons.

ICD9 632, 634 & 637

### Abortion Missed Spontaneous NOS (632,634 & 637)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	3.66	0.00	3.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.59	10.06	0.44	0.00	0.00	
	2	3.54	0.00	3.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.02	10.06	0.21	0.00	0.00	
	3	3.06	0.00	3.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.86	8.07	0.21	0.00	0.00	
	4	2.67	0.00	2.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.28	8.19	0.21	0.00	0.00	
	5	2.80	0.00	2.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.70	7.48	0.44	0.00	0.00	
	6	3.09	0.00	3.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.75	7.64	0.00	0.00	0.00	
	7	3.95	0.00	3.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.59	11.60	0.43	0.00	0.00	
	8	2.67	0.00	2.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.12	6.87	0.44	0.00	0.00	
	9	2.66	0.00	2.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.48	6.45	0.22	0.00	0.00	
	10	3.68	0.00	3.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.96	9.87	0.64	0.00	0.00	
	11	3.81	0.00	3.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.17	11.27	0.00	0.00	0.00	
	12	4.01	0.00	4.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	5.16	11.79	0.00	0.00	0.00	
	13	2.76	0.00	2.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.49	8.73	0.00	0.00	0.00	
Quarter	1	3.35	0.00	3.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.35	9.25	0.26	0.00	0.00	
	2	3.13	0.00	3.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.96	8.73	0.20	0.00	0.00	
	3	3.08	0.00	3.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.54	8.03	0.53	0.00	0.00	
	4	3.49	0.00	3.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	4.55	10.34	0.00	0.00	0.00	
Year	2009	3.26	0.00	3.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	5.10	9.08	0.25	0.00	0.00	
Episodes	F N	766	0	766	0	0	0	0	0	0	0	0	0	0	1	143	607	15	0	0	
Number of Consultations		1702	0	1702	0	0	0	0	0	0	0	0	0	0	1	326	1340	35	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 242

### Thyrotoxicosis with or without Goitre (242)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.73	0.63	0.83	0.00	0.00	0.00	0.00	0.98	0.65	1.44	0.95	0.00	0.00	0.00	1.86	1.16	0.65	0.00	1.23	
	2	0.97	0.39	1.53	0.00	0.00	0.00	0.00	0.19	0.64	1.43	0.95	0.00	0.00	0.00	0.00	1.71	2.14	3.28	2.44	
	3	0.54	0.28	0.80	0.00	0.00	0.00	0.00	0.38	0.21	0.00	1.84	0.00	0.00	0.00	0.90	1.50	0.84	0.00	0.60	
	4	0.91	0.34	1.47	0.00	0.00	0.00	0.00	0.39	0.63	0.70	0.00	0.00	0.00	0.00	0.91	2.48	1.49	1.94	1.21	
	5	0.74	0.46	1.01	0.00	0.00	0.00	0.00	0.40	0.87	1.44	0.00	0.00	0.00	0.00	0.94	1.58	0.88	0.00	2.49	
	6	0.85	0.34	1.36	0.00	0.00	0.00	0.00	0.39	0.42	0.70	0.92	0.00	0.00	0.00	1.37	1.72	1.28	1.28	3.01	
	7	0.86	0.23	1.48	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.93	0.00	0.00	0.50	0.92	2.32	1.72	0.00	2.44	
	8	1.02	0.23	1.78	0.00	0.00	0.00	0.00	0.20	0.43	0.00	0.94	0.00	0.00	0.00	0.93	2.36	1.53	2.61	4.31	
	9	0.93	0.40	1.44	0.00	0.00	0.00	0.00	0.40	0.65	0.71	0.94	0.00	0.00	0.00	0.46	1.17	2.17	1.96	3.70	
	10	1.03	0.40	1.65	0.00	0.00	0.00	0.00	0.20	0.85	1.40	0.00	0.00	0.00	0.00	2.29	1.74	1.93	1.93	2.44	
	11	0.71	0.64	0.78	0.00	0.00	0.00	0.00	0.80	0.87	1.42	0.95	0.00	0.00	0.00	0.94	0.79	1.09	1.31	0.62	
	12	0.76	0.46	1.06	0.00	0.00	0.00	0.00	1.00	0.22	0.71	0.94	0.00	0.00	0.00	0.47	0.98	1.31	1.95	2.47	
	13	0.75	0.49	1.00	0.00	0.00	0.00	0.00	0.63	0.69	0.74	0.99	0.00	0.00	0.00	0.00	1.04	1.61	1.37	1.94	
Quarter	1	0.74	0.42	1.06	0.00	0.00	0.00	0.00	0.47	0.52	0.87	1.16	0.00	0.00	0.00	0.84	1.46	1.25	1.00	1.50	
	2	0.87	0.37	1.35	0.00	0.00	0.00	0.00	0.36	0.65	0.87	0.29	0.00	0.00	0.00	1.28	2.08	1.26	1.00	2.25	
	3	0.96	0.33	1.56	0.00	0.00	0.00	0.00	0.24	0.59	0.65	0.87	0.00	0.00	0.15	0.99	1.86	1.73	1.80	3.39	
	4	0.76	0.50	1.01	0.00	0.00	0.00	0.00	0.75	0.61	0.88	0.88	0.00	0.00	0.00	0.59	0.92	1.50	1.63	1.74	
Year	2009	0.83	0.40	1.25	0.00	0.00	0.00	0.00	0.45	0.59	0.82	0.80	0.00	0.00	0.04	0.93	1.59	1.43	1.36	2.22	
Episodes	F N	385	92	293	0	0	0	0	30	36	15	11	0	0	1	26	106	86	27	47	
Number of Consultations		3411	693	2718	0	11	3	16	188	228	145	102	0	1	4	148	853	1044	271	397	

Mean weekly incidence rate per 100,000 Persons.

ICD9 462~463

### Tonsillitis & Acute Pharyngitis (462~463)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	63.5	48.1	78.4	45.1	127.3	86.1	84.1	44.3	20.2	17.3	17.2	52.3	114.4	123.6	180.7	89.1	35.0	21.2	14.2	
	2	67.1	52.7	81.0	53.8	167.9	116.7	86.1	42.5	18.9	13.5	11.3	46.2	181.8	152.2	155.5	90.2	34.1	15.7	10.4	
	3	75.7	60.3	90.7	87.1	211.4	135.1	104.7	45.3	19.5	11.8	9.2	66.4	180.7	178.8	164.6	100.7	39.5	26.8	15.5	
	4	67.2	54.1	79.8	68.3	204.5	103.6	77.1	47.9	19.2	17.6	15.8	62.7	178.6	150.8	141.6	93.5	32.2	22.6	7.9	
	5	61.4	51.1	71.5	45.5	179.9	109.0	78.2	42.1	19.3	16.6	5.7	59.3	135.4	130.9	141.0	78.8	31.8	23.2	10.6	
	6	56.8	45.2	68.1	83.2	152.6	94.2	65.0	41.8	12.8	16.7	10.2	52.0	137.4	140.8	121.7	69.5	35.3	21.1	8.4	
	7	58.9	46.4	70.9	54.3	182.8	110.9	66.3	35.4	13.0	11.9	12.2	62.8	179.8	153.9	125.3	72.9	28.0	18.1	8.5	
	8	49.3	36.8	61.4	64.7	128.0	69.9	53.8	33.1	13.6	11.3	11.3	73.9	143.0	94.7	142.3	63.2	24.0	22.8	8.0	
	9	37.5	29.2	45.6	24.9	94.4	39.1	57.0	27.7	12.0	9.9	8.5	21.1	84.5	59.3	115.7	51.8	18.3	11.1	9.9	
	10	49.3	36.4	61.8	45.1	109.1	79.8	67.4	27.2	11.7	11.2	13.1	83.7	117.1	122.4	144.3	60.2	21.9	15.5	9.7	
	11	54.2	42.0	66.0	118.4	141.7	85.5	67.9	33.1	14.3	10.7	14.2	59.1	149.0	140.7	139.0	61.9	25.8	13.7	13.7	
	12	56.3	44.0	68.3	92.0	189.4	91.1	63.0	31.6	16.6	7.8	13.2	106.7	185.9	127.1	146.3	63.3	27.8	16.9	9.2	
	13	55.9	45.0	66.4	81.4	201.0	95.0	63.8	32.4	13.7	11.9	15.8	39.4	161.7	113.9	136.8	70.6	27.6	21.2	11.7	
Quarter	1	69.5	54.4	84.0	63.4	177.3	113.3	91.6	44.7	19.7	14.2	12.4	57.2	167.6	155.8	164.6	93.2	36.6	20.9	13.1	
	2	60.6	48.8	72.1	66.9	173.8	103.4	71.4	41.7	16.3	16.5	10.4	58.4	149.1	140.7	132.8	79.2	31.8	22.2	9.0	
	3	46.4	35.4	57.2	42.9	119.1	66.7	59.6	30.6	12.6	10.2	11.8	58.2	123.3	95.7	130.9	59.4	22.3	16.4	8.9	
	4	55.3	43.3	66.9	93.0	172.9	91.0	65.1	32.0	14.5	10.8	13.8	68.5	160.2	128.3	142.4	65.3	26.6	17.5	11.4	
Year	2009	58.0	45.5	70.1	66.3	160.7	93.7	72.0	37.3	15.8	12.9	12.1	60.5	150.1	130.3	142.7	74.5	29.4	19.2	10.6	
Episodes	F N	26848	10374	16474	172	1793	2564	2022	2463	956	237	167	149	1595	3386	3998	4977	1762	383	224	
Number of Consultations		38890	14882	24008	225	2448	3553	2959	3611	1445	376	265	201	2192	4726	6084	7222	2676	570	337	

Mean weekly incidence rate per 100,000 Persons.

ICD9 033

### Whooping Cough (033)

			Males										Females									
			Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.08	0.11	0.06	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.95	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	2	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.13	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	3	0.08	0.11	0.05	4.84	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00	
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.06	0.06	0.06	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	
	6	0.06	0.11	0.00	0.00	0.00	0.47	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.08	0.11	0.05	0.00	0.00	0.47	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	8	0.06	0.11	0.00	0.00	0.00	0.48	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	
	10	0.06	0.06	0.05	5.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	11	0.06	0.06	0.06	0.00	1.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	0.00	0.00	0.00	0.00	0.00	0.00	
	12	0.06	0.11	0.00	0.00	1.16	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.09	0.06	0.12	0.00	1.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.64	0.00	0.53	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.07	0.07	0.07	1.51	0.00	0.29	0.00	0.00	0.00	0.00	0.29	1.59	0.00	0.00	0.14	0.12	0.00	0.00	0.00	0.00	
	2	0.04	0.07	0.02	0.00	0.00	0.44	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	
	3	0.05	0.07	0.03	1.53	0.00	0.15	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.00	
	4	0.07	0.07	0.07	0.00	1.09	0.00	0.00	0.00	0.07	0.00	0.00	1.67	0.38	0.16	0.00	0.06	0.00	0.00	0.00	0.00	
Year	2009	0.06	0.07	0.05	0.77	0.27	0.22	0.07	0.00	0.03	0.00	0.07	0.81	0.09	0.04	0.07	0.07	0.00	0.00	0.00	0.00	
Episodes	F																					
	N	27	16	11	2	3	6	2	0	2	0	1	2	1	1	2	5	0	0	0	0	
Number of Consultations		45	28	17	2	4	11	3	3	3	1	1	3	1	1	3	6	3	0	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 010~018, 020~027, 030~032, 035, 037~041, 045, 050~051, 054, 057, 060~066, 073~074, 076~133 (excl 133.0)

### Communicable Diseases Other

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	104.5	84.7	123.6	406.2	192.2	137.7	57.6	70.8	63.3	66.4	72.5	345.5	218.9	180.5	144.9	126.7	86.8	80.9	85.7	
	2	103.6	88.4	118.3	498.6	261.1	164.2	67.4	58.8	53.9	74.1	75.6	410.6	264.9	185.0	133.1	124.9	71.4	70.2	62.9	
	3	113.8	95.8	131.3	522.5	323.9	149.8	72.4	76.5	61.1	56.3	68.1	393.0	279.4	182.1	141.6	152.3	82.5	83.7	66.7	
	4	102.3	85.5	118.7	439.3	232.1	148.0	76.2	65.2	54.2	54.2	69.9	434.0	243.8	179.3	146.6	117.5	73.7	75.1	79.7	
	5	114.8	96.4	132.8	373.8	245.0	164.7	80.6	83.4	62.7	60.6	77.5	355.9	277.1	182.0	165.9	141.4	85.8	83.6	82.1	
	6	113.1	94.7	131.0	381.6	235.2	148.8	80.9	72.9	71.7	75.1	80.4	395.5	250.7	188.9	143.1	142.4	89.5	80.0	83.0	
	7	129.0	108.3	149.0	409.7	277.7	173.6	101.1	84.7	77.8	81.5	82.3	481.4	295.2	203.0	182.2	154.2	103.3	102.7	83.5	
	8	130.7	107.0	153.7	493.1	258.4	156.0	93.3	88.5	83.0	77.3	76.3	554.2	275.0	191.5	194.9	171.7	104.0	99.8	80.0	
	9	111.5	93.7	128.7	398.4	179.4	148.8	95.0	72.9	72.3	78.6	68.0	442.3	227.8	179.0	159.2	131.9	91.3	80.2	81.9	
	10	115.4	94.2	135.9	426.0	210.1	156.4	82.0	72.1	73.8	63.0	76.6	439.5	237.8	185.6	165.4	148.8	89.8	88.3	84.7	
	11	116.8	97.8	135.1	452.8	293.9	168.1	72.6	72.6	63.6	80.3	78.7	591.0	291.9	178.8	150.3	134.2	99.1	78.4	88.8	
	12	108.3	88.5	127.6	378.1	298.7	149.6	65.3	60.5	58.3	71.9	77.1	528.1	282.5	165.9	154.3	132.7	85.0	80.4	70.3	
	13	101.9	82.3	120.9	434.2	304.6	128.1	55.4	60.9	55.6	58.0	52.4	473.3	301.4	155.0	126.3	126.1	86.9	64.2	74.5	
Quarter	1	107.5	89.7	124.6	474.2	259.7	151.4	67.7	68.1	59.2	64.6	72.6	384.2	256.0	183.4	142.5	133.3	79.9	78.9	73.4	
	2	111.5	93.8	128.7	403.2	239.8	154.4	80.0	74.6	65.9	66.2	75.9	405.5	254.1	183.8	151.9	134.9	85.6	81.7	81.6	
	3	122.4	101.0	143.2	424.3	227.1	158.4	94.4	81.2	76.1	75.2	76.5	491.5	258.6	189.3	176.4	155.4	97.8	93.4	81.0	
	4	109.8	90.2	128.7	426.5	292.8	149.6	65.8	65.3	60.8	70.1	69.2	518.2	291.7	169.0	147.2	131.9	90.2	74.6	78.9	
Year	2009	112.8	93.7	131.3	432.2	254.7	153.5	77.0	72.3	65.5	69.0	73.6	449.0	264.9	181.4	154.5	138.9	88.4	82.2	78.7	
Episodes	F N	52195	21343	30852	1122	2841	4198	2163	4771	3969	1265	1014	1106	2816	4716	4329	9283	5298	1637	1667	
Number of Consultations		81496	33117	48379	1572	4012	6135	3398	7363	6680	2258	1699	1673	4003	7106	6822	14236	8967	2774	2798	

Mean weekly incidence rate per 100,000 Persons.

ICD9 381.0, 382.0, 382.9, 460~463 & 465

### Upper Respiratory Tract Infections (URTI)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	303.4	248.6	356.5	1986.1	945.5	312.4	220.8	168.8	154.9	173.1	186.9	1659.3	930.8	356.0	423.0	351.0	273.8	216.2	210.1	
	2	258.4	218.0	297.5	1769.6	1168.7	387.9	170.8	116.9	96.3	94.1	93.6	1837.4	1081.2	435.7	332.4	260.7	177.8	130.5	112.3	
	3	259.9	220.0	298.6	1824.0	1192.3	380.9	198.2	120.3	91.1	85.4	81.9	1868.0	1121.2	431.4	328.3	271.0	166.0	150.1	101.8	
	4	221.3	187.6	254.0	1601.2	988.1	294.6	145.1	110.2	83.2	92.1	102.6	1427.4	943.9	368.9	264.5	231.3	151.8	129.4	95.5	
	5	189.5	159.2	218.8	1278.0	761.2	258.4	143.3	103.4	70.3	73.6	68.9	1299.4	698.4	288.1	257.0	204.8	142.9	114.1	75.9	
	6	169.9	141.6	197.3	1232.8	697.5	234.2	112.7	91.6	58.4	69.5	63.7	1217.6	648.3	288.0	222.9	179.4	122.6	101.1	67.9	
	7	168.4	141.9	194.2	923.1	715.1	286.4	132.2	86.8	48.7	45.6	65.4	894.9	693.6	349.4	226.3	179.2	100.5	80.8	48.1	
	8	165.9	136.8	194.1	1160.4	665.9	213.9	128.1	91.3	56.5	55.3	59.4	987.0	638.7	242.4	275.3	187.3	111.9	90.7	64.6	
	9	114.5	94.3	134.2	687.3	362.4	116.8	110.2	69.4	51.6	53.1	48.1	637.2	363.8	143.3	201.3	130.9	87.2	78.9	55.4	
	10	193.6	160.4	225.8	1708.8	812.7	254.1	143.9	87.5	62.5	80.5	72.8	1690.1	779.9	324.4	288.6	192.3	122.7	114.0	74.9	
	11	261.0	215.5	305.1	1909.1	1171.9	375.7	172.9	112.8	92.4	87.4	94.8	1848.4	1194.6	439.9	365.4	251.3	178.3	139.2	119.8	
	12	259.7	217.5	300.6	1818.8	1322.6	352.0	162.3	113.3	91.2	86.0	91.2	1867.1	1358.7	394.9	350.4	240.8	169.4	147.2	111.0	
	13	302.7	253.8	350.1	2410.0	1689.6	434.0	157.9	113.6	91.2	106.3	104.8	2321.6	1827.6	476.8	319.3	283.8	184.6	163.9	119.2	
Quarter	1	272.4	228.0	315.5	1850.1	1106.9	364.1	193.9	134.9	111.6	114.2	119.7	1778.0	1050.3	414.6	355.5	290.5	203.1	163.2	138.1	
	2	185.1	155.9	213.4	1285.7	783.2	254.9	132.3	96.5	66.6	72.5	75.3	1234.3	736.3	308.1	238.1	196.3	130.5	108.1	72.6	
	3	153.4	127.1	178.9	1076.8	596.3	200.6	124.0	81.8	54.0	58.3	58.1	1015.2	577.0	236.4	246.4	166.9	102.6	88.8	60.3	
	4	271.0	225.4	315.1	2028.3	1354.4	380.3	164.6	113.1	90.1	93.5	95.4	1985.7	1410.1	437.7	345.9	257.4	175.4	148.9	115.2	
Year	2009	220.3	183.9	255.5	1555.6	958.4	299.7	153.7	106.6	80.6	84.5	87.1	1500.8	941.3	348.9	296.2	227.9	152.8	127.1	96.5	
Episodes	F N	101943	41903	60040	4038	10691	8197	4316	7032	4880	1549	1200	3697	10006	9068	8297	15232	9165	2532	2043	
Number of Consultations		153474	62834	90640	6015	15999	11878	6393	10357	7701	2536	1955	5383	14795	13147	12722	22570	14724	4038	3261	

Mean weekly incidence rate per 100,000 Persons.

ICD9 464, 466, 480~487, 490 & 511

### Lower Respiratory Tract Infection (LRTI)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	196.3	163.9	227.7	451.4	176.8	57.7	68.3	99.6	188.9	328.2	494.0	293.1	193.0	48.9	112.3	159.1	285.6	365.5	537.4	
	2	106.1	93.5	118.3	454.6	177.1	58.6	35.1	58.3	83.1	166.1	270.4	307.9	157.7	51.4	59.7	88.7	130.4	179.1	242.4	
	3	96.0	83.4	108.2	338.7	171.6	49.6	38.7	49.1	79.6	143.1	225.5	234.8	149.8	36.2	64.0	82.4	114.6	160.9	233.9	
	4	88.7	78.0	99.1	341.7	145.9	39.2	32.9	41.7	73.0	149.8	244.3	177.8	107.4	35.4	55.7	68.6	108.3	160.5	235.0	
	5	80.7	67.9	93.2	207.1	107.7	25.0	27.6	46.5	65.8	139.2	194.3	118.6	77.0	30.8	62.5	68.9	97.9	157.3	219.0	
	6	67.7	60.7	74.4	181.0	86.0	31.3	25.0	40.0	59.3	116.1	180.1	88.5	73.5	24.0	46.9	55.2	83.9	120.3	161.7	
	7	94.4	82.2	106.2	177.7	144.6	110.4	65.0	56.3	61.0	109.5	173.9	99.4	126.3	128.5	101.9	101.7	91.9	113.1	123.1	
	8	149.1	121.3	176.1	343.6	298.3	146.4	116.5	110.7	77.0	97.9	172.5	295.6	278.7	148.7	214.4	191.2	144.4	145.5	164.8	
	9	66.0	56.1	75.5	149.4	85.1	24.3	44.0	43.1	56.2	80.0	133.1	105.3	93.1	20.6	62.5	68.4	76.3	110.2	135.5	
	10	97.5	86.1	108.6	280.6	202.0	69.0	63.3	56.4	72.5	109.8	205.4	104.7	138.8	59.7	101.2	96.0	104.5	133.3	191.3	
	11	152.0	128.3	175.0	375.6	299.7	135.7	85.3	83.3	105.9	169.1	272.1	327.8	251.2	119.4	155.9	154.8	172.8	189.5	267.6	
	12	153.0	133.1	172.2	587.5	376.6	114.6	79.8	92.5	104.8	165.7	267.0	373.4	332.6	122.6	126.6	151.2	164.9	195.8	253.4	
	13	161.3	141.6	180.4	901.0	531.6	105.2	55.4	81.9	107.7	188.9	296.6	557.9	468.2	95.7	96.0	142.7	176.6	232.8	283.8	
Quarter	1	130.0	111.3	148.2	419.9	173.0	54.5	46.5	66.9	114.8	207.2	323.5	273.1	166.4	47.4	77.0	107.4	172.5	227.9	330.8	
	2	76.7	67.3	85.9	208.5	111.7	35.0	28.8	43.4	63.0	127.9	200.7	111.9	80.2	33.6	55.0	65.2	91.6	139.9	189.4	
	3	103.4	87.2	119.2	238.9	187.8	91.7	75.5	69.1	65.4	95.4	163.2	169.7	166.1	91.8	129.2	117.6	104.1	125.4	151.5	
	4	153.3	132.4	173.6	601.3	387.3	116.6	76.0	84.7	105.4	172.4	273.9	391.1	337.7	111.1	126.4	149.1	169.8	201.8	264.7	
Year	2009	115.6	99.3	131.4	364.4	214.0	74.0	56.5	65.8	87.1	150.5	240.1	235.5	186.7	70.5	96.6	109.4	134.4	173.5	234.1	
Episodes		53511	22627	30884	946	2387	2023	1587	4342	5274	2758	3310	580	1985	1832	2706	7313	8056	3456	4956	
Number of Consultations		89874	38006	51868	1577	3721	3045	2454	6834	9372	5042	5961	918	3067	2726	4102	11655	14390	6235	8775	



Mean weekly incidence rate per 100,000 Persons.

ICD9 470~478

### Upper Respiratory Tract Diseases Other (470~478)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	19.6	17.0	22.2	25.1	11.8	12.3	14.9	16.3	16.6	20.9	33.4	36.6	4.9	14.0	16.8	23.8	26.3	29.2	22.8	
	2	21.7	20.7	22.7	53.8	15.0	17.7	13.2	17.1	24.8	31.4	26.5	25.7	13.2	16.6	15.0	23.5	28.7	30.8	17.1	
	3	30.5	28.4	32.5	29.0	21.6	31.7	22.0	26.5	28.5	31.3	45.1	20.4	13.1	22.2	28.4	39.8	33.4	39.6	29.8	
	4	36.1	33.0	39.1	53.7	28.7	53.7	30.6	32.4	27.0	33.1	25.2	26.1	19.3	37.8	42.0	49.0	37.2	35.6	25.4	
	5	57.5	54.1	60.8	55.6	62.7	109.0	63.7	47.3	36.7	48.3	34.5	43.1	39.8	85.4	78.0	69.3	47.0	61.7	31.7	
	6	64.9	58.9	70.7	48.9	72.3	125.5	77.2	52.6	35.7	36.1	42.5	31.2	51.8	103.0	100.3	83.8	49.7	54.4	39.7	
	7	83.3	81.3	85.1	54.3	111.1	200.5	118.5	69.2	35.5	52.7	47.7	20.9	68.0	140.0	126.2	107.5	45.8	60.1	43.9	
	8	26.6	25.7	27.4	49.8	16.4	38.3	26.4	24.0	17.9	34.7	33.0	10.6	12.3	33.3	30.2	29.8	28.1	20.2	22.8	
	9	21.5	20.2	22.7	14.9	14.0	21.5	21.8	17.4	17.6	25.5	38.7	21.1	17.1	17.6	22.2	24.0	21.3	28.7	27.1	
	10	21.0	19.9	22.2	30.1	12.6	20.8	17.0	17.4	18.3	32.9	28.9	15.7	9.7	18.4	21.1	23.6	23.2	25.8	24.4	
	11	22.4	21.8	22.9	10.3	22.2	17.4	20.6	21.9	18.9	34.8	30.3	21.5	9.9	18.3	20.7	25.3	23.8	23.5	27.3	
	12	20.9	20.2	21.5	46.0	15.1	21.6	20.1	14.6	17.9	40.2	27.3	48.0	11.0	15.1	20.2	19.3	26.1	20.8	27.7	
	13	19.0	17.2	20.8	21.7	16.0	17.8	15.3	13.8	16.7	26.0	25.7	39.4	11.6	15.5	15.4	23.9	19.5	27.3	24.6	
Quarter	1	24.9	22.6	27.0	36.2	16.0	22.8	17.3	20.7	23.4	28.8	33.8	27.0	11.5	18.7	21.7	31.3	30.0	33.5	23.9	
	2	63.1	59.4	66.8	53.3	72.1	126.9	78.9	52.7	35.0	42.8	38.1	32.4	47.6	97.5	92.7	79.7	47.2	54.6	34.7	
	3	28.2	27.2	29.2	33.7	24.0	43.0	28.1	23.8	20.2	33.6	33.5	16.2	16.5	32.0	32.1	33.3	25.5	28.7	27.3	
	4	20.8	19.6	21.9	28.9	17.1	18.9	17.8	16.9	17.5	32.7	29.7	35.1	11.1	17.1	18.8	22.7	23.6	24.0	26.2	
Year	2009	34.3	32.3	36.3	38.1	32.4	53.2	35.6	28.6	24.1	34.5	33.8	27.6	21.7	41.5	41.5	41.9	31.7	35.2	28.1	
Episodes	F N	15894	7359	8535	99	361	1454	1001	1887	1459	632	466	68	231	1079	1162	2801	1898	702	594	
Number of Consultations		28269	13064	15205	140	519	2445	1732	3299	2832	1285	812	101	325	1689	2056	4914	3706	1360	1054	

Mean weekly incidence rate per 100,000 Persons.

ICD9 460~519

### Respiratory System Diseases (460~519)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	511.0	419.7	599.4	2191.7	919.5	331.3	292.9	283.4	377.8	567.6	770.6	1795.4	907.4	368.0	538.0	526.9	609.2	666.6	811.6	
	2	368.6	312.0	423.5	2014.0	1047.9	395.3	214.5	193.7	211.6	326.5	421.7	1914.4	974.0	428.3	395.3	374.2	349.1	383.0	406.6	
	3	369.8	315.6	422.2	1872.4	1098.0	405.7	239.5	192.4	216.3	309.1	405.8	1847.6	990.4	430.0	406.8	390.2	327.3	388.3	383.9	
	4	337.9	288.1	386.2	1757.4	932.9	356.2	201.7	183.4	196.5	303.8	414.0	1521.5	870.2	390.5	362.7	353.8	310.0	351.4	389.1	
	5	327.1	280.6	372.3	1434.6	780.1	369.8	236.1	200.2	184.9	300.8	352.3	1331.8	679.7	381.6	401.7	342.0	297.7	368.3	367.6	
	6	298.6	258.5	337.5	1296.4	731.9	360.2	218.5	185.2	161.7	261.3	333.4	1170.8	644.7	372.9	370.1	323.4	268.4	294.4	281.9	
	7	348.5	307.4	388.3	1012.0	863.2	586.0	320.8	216.7	159.5	236.7	323.5	894.9	779.9	592.6	459.4	396.6	250.1	292.7	242.6	
	8	348.1	286.0	408.3	1409.4	877.3	392.4	274.2	234.6	162.8	208.5	298.8	1198.1	841.0	419.8	539.5	422.0	302.0	286.4	284.2	
	9	198.3	167.0	228.8	747.1	407.8	142.6	168.1	126.7	127.2	192.5	240.7	674.0	400.6	152.8	275.4	226.6	191.3	223.7	239.0	
	10	312.6	267.0	356.8	1949.4	882.8	337.7	227.3	167.7	164.4	247.7	342.7	1726.8	812.5	373.6	414.1	316.9	262.6	300.8	316.2	
	11	433.8	360.5	504.8	2104.7	1296.0	506.1	280.1	223.6	225.5	325.5	442.8	1993.4	1240.2	545.5	544.4	443.3	398.8	400.0	453.9	
	12	431.3	366.0	494.6	2324.6	1451.6	461.8	268.7	229.2	226.4	326.5	440.0	2091.1	1512.7	501.8	498.1	422.4	379.5	398.8	426.6	
	13	464.8	393.7	533.6	3164.5	1884.5	488.8	221.2	213.0	227.8	354.0	468.6	2766.8	1903.9	493.9	432.1	454.8	402.5	450.6	464.0	
Quarter	1	413.2	346.4	478.0	2028.3	1023.0	381.6	246.0	221.3	263.8	393.0	522.8	1844.7	962.6	417.9	441.5	427.8	421.8	468.2	525.1	
	2	322.4	280.1	363.4	1384.6	813.2	395.9	240.3	193.9	176.2	278.6	363.7	1240.8	724.7	404.4	388.2	343.6	280.9	331.9	324.2	
	3	286.2	241.4	329.7	1233.0	717.9	322.7	228.3	178.3	147.9	212.7	284.2	1107.4	671.0	339.2	412.3	325.5	243.7	263.9	264.9	
	4	438.7	368.9	506.3	2503.0	1494.0	479.8	259.2	221.2	224.3	332.7	444.4	2238.1	1499.8	516.8	492.7	438.3	390.1	412.3	442.4	
Year	2009	364.7	308.8	418.9	1779.4	1009.6	394.3	243.3	203.6	203.0	304.0	403.5	1603.9	961.7	418.9	433.2	383.6	333.9	368.8	389.1	
Episodes	F N	168804	70359	98445	4619	11262	10787	6833	13429	12298	5569	5562	3951	10223	10888	12135	25642	20024	7344	8238	
Number of Consultations		341477	144925	196552	7227	18421	19924	12979	26150	29140	15720	15364	6002	16344	18573	22216	47865	45475	19495	20582	

## ANALYSIS BY REGION: NORTH, CENTRAL, SOUTH (SELECTED DISEASES)

- Mean weekly incidence rates by season (quarter) in age and sex groupings.
- Total number of episodes and consultations reported for 2009.
- Tabular data are presented in alphabetical order of disease

## MEAN WEEKLY POPULATION FOR 2009

## NORTH = 172913

		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
MALES	85170	903	3846	10105	10623	22555	23898	7738	5501
FEMALES	87743	818	3712	9606	10192	22576	23860	8450	8529

## CENTRAL = 307553

MALES	152182	1711	7229	18201	19459	42987	41085	12342	9168
FEMALES	155371	1607	6819	17142	19101	42700	40516	13292	14196

## SOUTH = 409539

MALES	200745	2379	10376	24297	23918	61281	51502	15155	11837
FEMALES	208794	2313	9911	23235	24579	63269	50935	16558	17995



Mean weekly incidence rate per 100,000 Persons.

ICD 477

**Allergic Rhinitis (477)**

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	3.8	3.5	4.0	0.0	2.0	9.9	3.6	3.1	2.3	1.0	4.3	0.0	2.1	1.6	3.0	5.1	3.9	6.5	3.6
	<b>2</b>	38.0	36.2	39.8	8.8	56.8	111.6	46.8	29.0	17.2	12.0	14.1	19.0	25.4	70.4	81.2	46.6	23.7	16.5	14.5
	<b>3</b>	16.5	16.2	16.8	0.0	20.0	37.5	20.9	14.4	10.4	11.0	8.4	9.4	12.5	30.6	32.3	18.8	10.1	9.1	6.3
	<b>4</b>	3.2	3.5	3.0	0.0	1.9	6.0	5.0	3.4	1.3	5.8	4.1	0.0	2.0	3.1	6.0	3.0	1.9	0.9	5.3
<b>Full Year</b>	<b>2009</b>	15.3	14.8	15.8	2.1	20.0	40.9	19.0	12.4	7.7	7.5	7.7	7.1	10.4	26.2	30.4	18.2	9.8	8.2	7.4
<b>Episodes: F+N</b>		1374	654	720	1	40	215	105	145	96	30	22	3	20	131	161	214	122	36	33
No. Consultations		2771	1342	1429	3	55	405	232	299	202	85	61	3	31	245	294	463	268	74	51
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	5.8	5.0	6.6	0.0	0.0	12.2	6.2	4.3	4.0	2.4	4.1	0.0	0.0	5.2	7.5	9.1	5.2	9.1	4.8
	<b>2</b>	52.0	50.5	53.5	34.5	72.9	131.6	83.1	43.1	19.3	24.8	15.5	4.7	45.3	107.3	87.1	62.1	27.9	32.7	19.9
	<b>3</b>	15.2	14.9	15.5	9.0	16.1	37.9	19.1	11.6	6.8	13.7	13.4	0.0	9.1	29.9	19.9	17.9	9.9	10.4	10.9
	<b>4</b>	3.4	3.3	3.5	0.0	3.3	4.9	3.3	2.3	2.8	4.6	5.3	0.0	1.2	5.2	2.5	3.8	2.8	3.6	5.2
<b>Full Year</b>	<b>2009</b>	19.4	18.7	20.1	11.2	23.4	47.4	28.3	15.6	8.3	11.5	9.6	1.2	14.1	37.5	29.6	23.6	11.6	14.2	10.3
<b>Episodes: F+N</b>		3102	1479	1623	10	88	449	286	348	178	74	46	1	50	334	294	525	245	98	76
No. Consultations		5898	2771	3127	11	137	809	520	676	376	166	76	3	62	533	601	1051	562	196	119
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	7.7	7.2	8.2	0.0	5.2	10.6	11.4	6.1	6.1	6.1	7.1	0.0	3.1	9.8	10.2	11.0	6.5	4.7	5.1
	<b>2</b>	46.8	42.5	50.9	3.2	45.2	105.7	61.3	38.0	21.9	25.6	14.4	10.1	34.1	83.7	73.2	67.4	27.7	29.4	18.9
	<b>3</b>	13.2	12.5	13.9	0.0	15.4	26.4	12.4	11.9	7.2	10.5	12.2	0.0	7.7	19.4	18.8	17.8	8.1	12.8	8.9
	<b>4</b>	4.7	4.4	5.0	3.3	3.8	7.5	4.3	4.4	2.7	3.6	6.5	0.0	1.6	7.1	5.8	6.0	4.1	3.3	4.3
<b>Full Year</b>	<b>2009</b>	18.1	16.7	19.5	1.6	17.4	37.7	22.5	15.2	9.5	11.4	10.1	2.5	11.6	30.1	27.2	25.6	11.6	12.5	9.3
<b>Episodes: F+N</b>		3862	1742	2120	2	94	476	280	483	255	90	62	3	60	364	348	843	307	108	87
No. Consultations		6285	2872	3413	6	136	767	457	833	433	150	90	4	79	523	576	1360	543	199	129

Mean weekly incidence rate per 100,000 Persons.

ICD 493

**Asthma (493)**

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	11.6	10.8	12.3	0.0	20.3	22.1	10.2	8.5	9.1	7.1	8.5	18.8	4.1	13.7	12.1	9.5	14.9	18.5	8.2
	<b>2</b>	10.1	8.8	11.4	8.8	22.3	15.4	8.8	6.9	6.2	8.0	7.0	0.0	25.4	9.7	15.3	9.7	12.0	9.2	9.1
	<b>3</b>	11.1	12.5	9.8	0.0	36.0	26.0	16.6	11.7	6.1	7.0	4.2	0.0	14.5	10.5	12.0	12.0	9.1	4.6	6.3
	<b>4</b>	13.8	12.5	15.1	0.0	36.9	30.0	5.7	10.1	11.0	5.8	4.1	9.3	28.3	21.2	16.4	16.4	14.8	9.7	4.4
<b>Full Year</b>	<b>2009</b>	11.7	11.2	12.2	2.1	29.0	23.4	10.3	9.3	8.1	7.0	5.9	7.1	18.1	13.8	14.0	11.9	12.7	10.5	7.0
<b>Episodes: F+N</b>		1050	494	556	1	58	123	57	109	101	28	17	3	35	69	74	140	158	46	31
No. Consultations		12890	5684	7206	2	201	1050	714	1361	1453	589	314	6	166	691	857	1932	2213	822	519
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	13.2	11.0	15.4	8.7	25.8	23.2	5.8	8.1	9.2	9.8	9.9	0.0	16.4	17.2	18.1	15.0	16.9	14.2	8.4
	<b>2</b>	12.7	10.8	14.4	0.0	25.0	30.5	5.8	7.3	8.4	5.5	8.2	0.0	18.8	21.9	13.1	16.1	12.0	13.5	9.4
	<b>3</b>	11.0	9.5	12.5	4.5	27.9	24.3	10.8	7.8	4.9	3.1	1.7	0.0	18.2	14.0	13.4	13.0	12.2	10.4	9.3
	<b>4</b>	15.9	13.2	18.4	0.0	37.9	35.3	6.2	12.2	6.9	7.9	7.9	0.0	31.9	18.6	19.2	21.4	18.0	16.4	6.9
<b>Full Year</b>	<b>2009</b>	13.1	11.1	15.1	3.4	29.0	28.2	7.1	8.8	7.4	6.5	6.9	0.0	21.2	17.9	15.9	16.3	14.8	13.6	8.5
<b>Episodes: F+N</b>		2103	880	1223	3	109	267	72	196	158	42	33	0	75	160	158	362	311	94	63
No. Consultations		21814	8720	13094	13	468	1761	1050	2232	2013	719	464	1	289	1221	1830	3649	3871	1190	1043
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	12.1	9.6	14.6	0.0	29.6	14.7	8.6	8.4	7.4	6.6	4.5	6.5	13.9	15.4	18.2	16.3	11.6	18.7	9.3
	<b>2</b>	11.4	11.5	11.3	6.4	24.5	21.1	12.8	8.6	6.4	13.3	13.7	0.0	9.3	10.9	13.3	13.0	10.6	12.6	6.9
	<b>3</b>	10.2	9.3	11.2	3.2	19.1	23.6	8.2	7.6	5.6	6.0	3.9	0.0	13.8	12.8	14.2	12.6	9.3	8.3	8.0
	<b>4</b>	15.4	12.8	17.9	0.0	39.0	23.1	13.6	9.9	9.8	7.6	4.6	3.4	22.9	20.4	21.7	19.7	16.3	14.9	10.4
<b>Full Year</b>	<b>2009</b>	12.3	10.8	13.7	2.4	28.0	20.6	10.8	8.6	7.3	8.4	6.7	2.5	14.9	14.8	16.8	15.3	11.9	13.6	8.7
<b>Episodes: F+N</b>		2617	1125	1492	3	151	260	134	275	195	66	41	3	77	179	215	505	315	117	81
No. Consultations		18115	7708	10407	6	429	1578	990	2184	1650	533	338	7	197	935	1408	3298	2719	1059	784

Mean weekly incidence rate per 100,000 Persons.

ICD 466 & 490

**Bronchitis (466 & 490)**

		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	109.1	91.1	126.5	356.0	101.4	33.6	27.7	54.1	95.6	178.5	281.7	273.1	116.1	24.1	50.0	81.4	148.3	217.7	294.4
	<b>2</b>	62.1	54.7	69.4	184.6	64.9	17.7	21.2	31.4	57.4	109.1	166.1	95.0	67.8	19.4	32.9	50.4	72.7	115.8	161.6
	<b>3</b>	52.9	46.3	59.3	129.8	60.0	21.4	19.5	30.5	44.0	83.8	142.6	75.0	58.2	18.5	42.8	53.8	54.9	97.6	113.1
	<b>4</b>	117.6	99.7	135.0	495.0	206.1	51.7	42.1	63.9	90.7	174.6	237.7	196.0	194.1	42.5	73.1	104.1	154.2	196.3	247.3
<b>Full Year</b>	<b>2009</b>	85.6	73.1	97.8	294.0	109.0	31.2	27.7	45.1	72.0	136.7	206.9	159.9	109.8	26.2	49.8	72.7	107.8	157.0	204.3
<b>Episodes: F+N</b>		7701	3239	4462	138	218	164	153	529	895	550	592	68	212	131	264	853	1338	690	906
No. Consultations		16244	6939	9305	240	443	333	312	985	2065	1292	1269	126	393	299	527	1603	2906	1563	1888
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	112.1	98.9	125.1	417.5	159.8	41.1	32.3	52.5	97.0	204.4	338.8	250.3	148.4	41.4	48.7	84.9	142.7	182.1	324.7
	<b>2</b>	72.5	63.4	81.5	207.1	95.8	21.0	21.0	37.8	59.4	138.7	219.3	112.8	65.2	24.1	32.1	52.4	92.8	147.5	213.1
	<b>3</b>	61.3	53.9	68.5	202.4	106.2	27.7	32.3	29.5	44.8	93.9	183.0	66.8	70.6	19.5	38.5	53.5	74.2	110.9	155.8
	<b>4</b>	123.3	104.5	141.7	515.4	313.6	54.6	41.9	62.9	94.6	144.8	278.9	359.9	267.3	54.2	83.7	115.9	144.0	197.4	259.4
<b>Full Year</b>	<b>2009</b>	92.0	79.9	103.8	331.6	166.8	35.8	31.7	45.5	73.8	145.7	254.9	195.1	136.2	34.6	50.3	76.1	113.2	159.0	238.4
<b>Episodes: F+N</b>		14713	6326	8387	295	627	339	321	1017	1577	935	1215	163	483	308	500	1690	2384	1099	1760
No. Consultations		25905	11145	14760	590	1100	637	552	1627	2824	1660	2155	307	856	493	781	2854	4380	2014	3075
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	95.9	85.2	106.2	366.1	143.5	47.1	27.3	44.1	89.4	167.8	267.1	230.5	143.1	32.7	46.0	63.0	120.8	192.6	280.5
	<b>2</b>	54.4	50.3	58.4	176.5	87.5	30.3	16.9	27.6	46.1	100.8	173.2	90.5	63.5	21.1	34.1	36.9	61.0	115.0	151.3
	<b>3</b>	44.0	37.2	50.5	104.8	67.5	22.3	17.8	23.4	33.8	61.9	120.8	102.5	59.2	14.8	34.6	38.4	48.1	94.0	116.2
	<b>4</b>	96.6	88.2	104.6	508.7	256.8	57.5	39.6	45.7	69.5	146.4	237.1	326.7	221.4	55.6	59.0	71.9	103.1	146.0	215.3
<b>Full Year</b>	<b>2009</b>	72.6	65.0	79.8	286.2	138.3	39.2	25.2	35.1	59.6	118.9	199.3	187.1	121.3	30.9	43.3	52.4	83.1	136.7	190.8
<b>Episodes: F+N</b>		15454	6789	8665	354	746	495	314	1119	1597	937	1227	225	625	373	553	1725	2202	1177	1785
No. Consultations		22968	10069	12899	513	1040	661	430	1612	2391	1484	1938	318	872	488	739	2440	3438	1781	2823

Mean weekly incidence rate per 100,000 Persons.

ICD 436

### Cerebrovascular Accident + Stroke Unspecif (436)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	0.8	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	2.8	7.3
	<b>2</b>	0.8	1.2	0.4	0.0	0.0	0.0	0.0	0.7	0.3	6.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.6
	<b>3</b>	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.3	0.3	3.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	1.8	6.3
	<b>4</b>	0.7	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.3	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.7	4.4
<b>Full Year</b>	<b>2009</b>	0.8	0.7	0.8	0.0	0.0	0.0	0.0	0.3	0.4	3.2	4.2	0.0	0.0	0.0	0.0	0.0	0.2	2.0	5.4
<b>Episodes: F+N</b>		69	33	36	0	0	0	0	3	5	13	12	0	0	0	0	0	3	9	24
No. Consultations		1095	601	494	0	0	0	0	40	117	267	177	0	0	1	1	22	80	127	263
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	0.9	1.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	5.5	6.6	0.0	0.0	0.0	0.0	0.0	0.9	1.7	3.7
	<b>2</b>	1.1	1.0	1.2	0.0	0.0	0.0	0.0	0.0	0.9	1.8	10.6	0.0	0.0	0.0	0.0	0.2	1.1	3.4	6.3
	<b>3</b>	0.9	1.1	0.8	0.0	0.0	0.0	0.0	0.0	1.3	3.7	6.7	0.0	0.0	0.0	0.0	0.0	1.0	2.3	3.8
	<b>4</b>	0.9	0.8	0.9	0.0	0.0	0.0	0.0	0.0	1.4	0.7	6.2	0.0	0.0	0.0	0.0	0.2	0.2	1.8	7.4
<b>Full Year</b>	<b>2009</b>	1.0	1.0	0.9	0.0	0.0	0.0	0.0	0.0	1.1	3.0	7.6	0.0	0.0	0.0	0.0	0.1	0.8	2.3	5.3
<b>Episodes: F+N</b>		152	78	74	0	0	0	0	0	23	19	36	0	0	0	0	2	17	16	39
No. Consultations		2080	1098	982	0	0	0	0	28	335	266	469	0	0	0	0	73	209	181	519
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	1.0	0.8	1.3	0.0	0.0	0.0	0.0	0.4	0.7	1.5	5.8	0.0	0.0	0.0	0.0	0.0	0.8	2.3	11.0
	<b>2</b>	0.9	1.0	0.9	0.0	0.0	0.0	0.0	0.1	1.2	2.6	7.8	0.0	0.0	0.0	0.0	0.0	0.3	2.8	6.9
	<b>3</b>	1.2	1.1	1.3	0.0	0.0	0.0	0.0	0.1	0.7	5.0	7.7	0.0	0.0	0.0	0.0	0.2	0.4	5.0	8.0
	<b>4</b>	0.9	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.6	7.6	4.6	0.0	0.0	0.0	0.0	0.0	0.3	1.9	6.9
<b>Full Year</b>	<b>2009</b>	1.0	1.0	1.1	0.0	0.0	0.0	0.0	0.2	0.8	4.2	6.5	0.0	0.0	0.0	0.0	0.1	0.5	3.0	8.2
<b>Episodes: F+N</b>		217	100	117	0	0	0	0	5	22	33	40	0	0	0	0	2	12	26	77
No. Consultations		1628	846	782	0	0	7	0	28	261	244	306	0	0	0	0	37	125	162	458



Mean weekly incidence rate per 100,000 Persons.

ICD 052

**Chickenpox (052)**

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	6.5	5.9	7.1	58.0	81.2	8.4	1.5	1.4	0.0	1.0	0.0	65.9	105.7	8.8	2.3	2.7	0.3	0.0	0.0
	<b>2</b>	8.0	9.1	7.0	105.5	113.6	18.5	2.9	1.0	0.3	0.0	0.0	85.5	120.7	7.3	0.0	1.4	0.0	0.0	0.0
	<b>3</b>	3.3	3.6	3.0	43.3	50.0	4.6	2.2	0.3	0.0	0.0	0.0	46.9	33.3	7.2	0.8	1.0	0.0	0.0	0.0
	<b>4</b>	2.1	1.2	2.8	0.0	17.5	3.0	0.7	0.0	0.0	0.0	0.0	18.7	42.5	4.7	1.5	0.7	0.0	0.0	0.0
<b>Full Year</b>	<b>2009</b>	5.0	4.9	5.0	51.1	65.0	8.6	1.8	0.7	0.1	0.2	0.0	54.1	75.1	7.0	1.1	1.4	0.1	0.0	0.0
<b>Episodes: F+N</b>		446	219	227	24	130	45	10	8	1	1	0	23	145	35	6	17	1	0	0
No. Consultations		729	367	362	32	209	84	19	21	1	1	0	31	206	64	24	29	8	0	0
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	10.9	10.7	11.1	65.2	139.2	19.5	1.5	2.4	0.4	0.0	0.0	88.1	151.7	25.0	1.6	1.6	0.6	0.0	0.0
	<b>2</b>	10.1	10.0	10.3	94.9	133.3	14.9	0.8	2.3	0.4	0.0	0.0	103.4	164.6	13.6	1.2	1.1	0.4	0.0	0.0
	<b>3</b>	3.4	3.6	3.3	36.0	49.3	3.4	0.8	0.9	0.0	0.6	0.0	38.2	44.4	4.5	2.0	0.5	0.2	0.0	0.0
	<b>4</b>	2.8	2.7	2.9	34.0	39.1	3.1	0.4	0.2	0.0	0.0	0.0	25.3	33.1	7.1	0.8	0.6	0.4	0.6	0.0
<b>Full Year</b>	<b>2009</b>	6.9	6.8	7.0	58.4	91.5	10.5	0.9	1.5	0.2	0.2	0.0	64.6	100.1	12.8	1.4	0.9	0.4	0.1	0.0
<b>Episodes: F+N</b>		1109	542	567	52	344	99	9	33	4	1	0	54	355	114	14	21	8	1	0
No. Consultations		1566	785	781	81	476	150	22	47	8	1	0	74	478	149	25	36	18	1	0
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	8.3	7.9	8.7	35.3	99.9	14.4	3.2	0.6	0.0	0.0	0.0	68.2	108.3	17.6	2.8	1.2	0.6	0.0	0.0
	<b>2</b>	9.7	9.3	10.0	57.8	103.0	19.6	2.2	1.8	0.4	0.0	0.0	100.5	126.3	17.5	2.5	1.7	0.6	0.0	0.4
	<b>3</b>	4.6	4.0	5.2	38.1	50.6	5.0	0.6	0.7	0.0	0.5	0.0	39.7	65.4	8.6	2.2	1.1	0.4	0.0	0.0
	<b>4</b>	4.0	4.4	3.7	13.4	52.6	7.5	1.0	1.3	0.2	0.0	0.7	23.8	45.7	7.8	1.0	0.9	0.0	0.5	0.0
<b>Full Year</b>	<b>2009</b>	6.7	6.4	6.9	36.4	76.5	11.6	1.8	1.1	0.1	0.1	0.2	58.2	86.5	12.9	2.1	1.2	0.4	0.1	0.1
<b>Episodes: F+N</b>		1420	668	752	45	413	147	22	35	4	1	1	70	446	156	27	40	11	1	1
No. Consultations		1833	875	958	64	527	192	31	54	5	1	1	83	551	214	38	53	16	1	2

Mean weekly incidence rate per 100,000 Persons.

ICD 460 & 465

### Common Cold & URTI NOS (460 & 465)

		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	121.8	103.9	139.1	1366.1	482.9	151.0	57.6	55.5	56.2	60.5	96.7	1375.2	557.7	165.4	122.7	105.2	89.6	100.1	93.6
	<b>2</b>	67.5	59.8	74.9	879.0	316.6	80.0	43.9	29.0	28.5	32.0	45.0	826.7	374.9	91.5	69.7	59.7	41.6	37.7	31.8
	<b>3</b>	69.3	59.7	78.6	917.2	307.9	87.9	37.6	30.2	27.5	32.9	36.3	834.9	286.8	93.3	76.5	70.2	48.4	45.6	39.8
	<b>4</b>	147.0	121.9	171.4	1392.7	775.9	193.2	68.5	56.2	52.6	66.0	73.8	1726.6	899.8	224.1	155.9	118.5	95.4	95.5	93.1
<b>Full Year</b>	<b>2009</b>	101.7	86.6	116.4	1144.2	473.5	128.5	52.0	42.8	41.3	48.0	62.9	1192.5	533.1	144.1	106.4	88.7	68.9	69.9	64.7
<b>Episodes: F+N</b>		9144	3834	5310	537	947	675	287	502	513	193	180	507	1029	720	564	1041	855	307	287
No. Consultations		15718	6641	9077	972	1760	1108	450	790	882	363	316	853	1828	1211	926	1661	1504	555	539
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	127.1	110.7	143.1	1517.7	607.3	142.4	56.9	51.0	57.5	67.9	84.9	1492.3	585.0	153.9	120.6	103.9	97.4	86.5	96.1
	<b>2</b>	75.4	67.8	82.9	1061.4	386.2	89.1	40.0	29.0	26.2	43.6	47.3	953.7	399.8	88.4	64.5	58.4	51.9	46.7	47.8
	<b>3</b>	66.9	57.7	76.0	904.1	353.9	74.9	33.1	28.9	19.0	31.1	26.9	797.1	336.9	73.8	81.0	61.8	42.8	38.1	37.6
	<b>4</b>	150.3	132.2	168.0	1867.2	878.3	206.3	81.8	53.4	42.0	49.2	69.5	1688.0	916.7	210.3	166.5	112.5	84.8	80.2	71.0
<b>Full Year</b>	<b>2009</b>	104.4	91.6	116.9	1326.3	552.5	127.1	52.7	40.4	36.2	48.0	57.1	1226.9	555.3	130.6	107.5	83.9	69.2	62.6	63.1
<b>Episodes: F+N</b>		16695	7251	9444	1180	2077	1203	533	904	774	308	272	1025	1969	1164	1068	1862	1457	433	466
No. Consultations		27002	11598	15404	1771	3270	1844	930	1423	1353	535	472	1533	3149	1825	1877	3076	2430	736	778
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	144.0	130.0	157.6	1502.9	660.8	183.5	81.1	63.0	60.8	87.0	84.3	1448.2	604.7	180.4	138.1	121.4	93.9	99.8	101.4
	<b>2</b>	93.4	83.6	102.9	1071.6	481.0	117.0	44.4	37.9	32.5	39.9	60.8	1102.3	444.6	131.5	85.0	72.7	57.2	55.6	52.9
	<b>3</b>	76.8	67.3	85.9	879.4	348.6	96.5	55.5	32.9	24.4	29.5	34.1	862.9	352.9	111.2	87.3	67.8	40.3	44.9	35.9
	<b>4</b>	159.3	139.8	177.9	1710.1	855.9	220.5	78.2	55.5	52.1	69.1	62.2	1653.9	964.5	226.3	148.9	121.5	81.9	83.5	90.1
<b>Full Year</b>	<b>2009</b>	118.1	104.9	130.8	1285.5	585.1	153.9	64.6	47.3	42.4	56.2	60.3	1265.5	589.7	161.9	114.5	95.7	68.3	70.8	70.0
<b>Episodes: F+N</b>		25154	10952	14202	1590	3157	1945	804	1507	1135	443	371	1522	3039	1956	1463	3149	1808	610	655
No. Consultations		34794	15219	19575	2236	4552	2613	1048	2018	1586	639	527	2111	4269	2612	1938	4250	2629	874	892

Mean weekly incidence rate per 100,000 Persons.

ICD 250

## Diabetes Mellitus (250)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	9.3	10.2	8.5	0.0	0.0	0.8	1.5	7.1	14.6	32.3	15.6	0.0	2.1	0.0	1.5	4.4	8.8	30.6	19.1
	<b>2</b>	9.8	10.4	9.3	0.0	2.0	0.8	2.2	6.6	13.0	30.0	28.2	0.0	0.0	0.8	0.8	4.1	14.0	22.1	21.8
	<b>3</b>	7.0	8.5	5.5	0.0	0.0	0.8	2.2	5.1	12.0	28.9	12.6	0.0	0.0	0.0	0.0	4.8	7.8	10.9	11.8
	<b>4</b>	6.9	8.2	5.8	0.0	0.0	1.5	2.1	4.7	11.3	22.3	19.1	0.0	0.0	0.0	1.5	3.3	6.0	16.8	15.1
<b>Full Year</b>	<b>2009</b>	8.3	9.3	7.3	0.0	0.5	1.0	2.0	5.9	12.7	28.3	18.9	0.0	0.5	0.2	0.9	4.2	9.1	20.0	16.9
<b>Episodes: F+N</b>		744	412	332	0	1	5	11	69	158	114	54	0	1	1	5	49	113	88	75
No. Consultations		16295	9003	7292	0	10	43	144	910	3690	2532	1674	0	8	36	104	520	2522	2047	2055
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	8.9	9.8	8.0	0.0	0.0	0.8	0.4	3.1	16.9	34.9	23.9	0.0	0.0	0.4	2.0	4.7	10.5	22.2	19.5
	<b>2</b>	10.0	10.7	9.2	0.0	0.0	1.2	0.8	5.6	14.9	38.8	28.5	0.0	0.0	0.4	0.4	4.0	12.4	23.6	29.9
	<b>3</b>	10.2	10.6	9.8	0.0	0.0	0.9	1.2	4.7	15.8	34.8	31.1	0.0	0.0	0.5	0.4	3.3	15.3	28.9	25.1
	<b>4</b>	11.4	12.1	10.8	0.0	0.0	0.9	1.2	5.3	17.4	42.6	35.2	0.0	0.0	1.0	1.3	2.5	10.6	43.7	36.7
<b>Full Year</b>	<b>2009</b>	10.1	10.8	9.4	0.0	0.0	1.0	0.9	4.7	16.2	37.7	29.6	0.0	0.0	0.6	1.0	3.6	12.2	29.4	27.6
<b>Episodes: F+N</b>		1612	852	760	0	0	9	9	104	347	242	141	0	0	5	10	81	257	203	204
No. Consultations		36719	20062	16657	0	2	56	304	2075	8315	5431	3879	0	1	49	294	1478	5823	4465	4547
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	9.6	11.8	7.6	0.0	0.0	0.0	0.6	6.2	22.6	32.7	26.6	0.0	1.5	1.0	1.5	3.0	10.8	25.2	19.5
	<b>2</b>	8.1	9.7	6.6	0.0	0.0	0.3	0.3	3.3	19.1	31.7	22.9	0.0	0.0	0.0	0.9	2.8	9.8	18.7	21.1
	<b>3</b>	7.5	8.4	6.7	0.0	0.0	0.3	0.6	3.1	15.8	29.5	17.4	0.0	0.0	0.0	0.6	3.0	9.7	19.3	20.7
	<b>4</b>	7.2	8.9	5.6	0.0	0.0	0.3	0.7	4.5	15.4	25.9	24.9	0.0	0.0	0.3	1.9	3.1	9.7	13.1	11.3
<b>Full Year</b>	<b>2009</b>	8.1	9.7	6.6	0.0	0.0	0.2	0.6	4.3	18.3	29.9	22.9	0.0	0.4	0.3	1.3	3.0	10.0	19.0	18.2
<b>Episodes: F+N</b>		1731	1012	719	0	0	3	7	136	489	236	141	0	2	4	16	98	265	164	170
No. Consultations		30632	17016	13616	0	4	58	166	1787	7857	4109	3035	0	15	73	245	1729	5116	3103	3335

Mean weekly incidence rate per 100,000 Persons.

ICD 053 (Excl 053.1)

## Herpes Zoster (053 Excl 053.1)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	6.0	4.3	7.7	0.0	4.1	1.5	1.5	1.4	7.5	7.1	10.0	0.0	0.0	2.4	4.5	4.4	11.0	13.9	14.5
	<b>2</b>	5.7	3.9	7.4	0.0	2.0	3.1	2.9	2.8	3.2	8.0	11.3	0.0	2.1	6.5	3.1	2.4	9.4	11.0	20.0
	<b>3</b>	5.7	3.9	7.4	0.0	4.0	3.1	4.3	1.0	4.9	6.0	9.8	0.0	2.1	1.6	6.8	4.8	5.8	14.6	21.7
	<b>4</b>	6.2	4.3	7.9	0.0	0.0	2.2	3.6	1.3	5.4	11.6	10.9	0.0	2.0	3.1	3.7	6.0	8.5	15.0	17.7
<b>Full Year</b>	<b>2009</b>	5.9	4.1	7.6	0.0	2.5	2.5	3.1	1.6	5.2	8.2	10.5	0.0	1.6	3.4	4.5	4.4	8.7	13.7	18.5
<b>Episodes: F+N</b>		528	182	346	0	5	13	17	19	65	33	30	0	3	17	24	52	108	60	82
No. Consultations		1100	397	703	0	6	25	28	42	123	79	94	1	6	29	34	93	230	126	184
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	6.6	5.2	8.0	0.0	3.1	3.7	2.3	2.2	5.8	15.3	15.7	0.0	2.2	6.9	0.8	4.1	8.8	17.6	23.2
	<b>2</b>	7.1	6.0	8.3	0.0	1.0	3.7	4.7	3.8	5.3	16.4	17.9	0.0	3.3	4.8	4.4	4.7	10.7	13.5	19.4
	<b>3</b>	6.2	5.6	6.8	0.0	2.1	3.0	2.0	3.4	5.5	14.3	21.8	4.8	4.6	5.4	3.2	4.2	8.8	9.2	14.7
	<b>4</b>	6.3	4.7	7.8	0.0	3.3	2.7	2.5	3.4	3.2	11.8	19.4	0.0	4.7	2.9	2.5	4.2	11.2	11.5	20.6
<b>Full Year</b>	<b>2009</b>	6.6	5.4	7.7	0.0	2.4	3.3	2.9	3.2	5.0	14.5	18.7	1.2	3.7	5.0	2.7	4.3	9.9	13.0	19.5
<b>Episodes: F+N</b>		1053	429	624	0	9	31	29	72	106	93	89	1	13	45	27	96	208	90	144
No. Consultations		1822	704	1118	0	9	39	43	103	175	164	171	1	17	56	50	159	373	168	294
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	6.5	5.4	7.6	0.0	2.2	3.1	4.1	3.0	6.4	10.2	18.2	0.0	1.5	5.2	4.6	4.0	8.9	17.7	18.7
	<b>2</b>	5.6	5.1	6.1	0.0	3.7	3.2	2.9	3.5	4.9	14.3	13.1	0.0	3.1	5.9	4.3	3.3	6.7	17.3	9.9
	<b>3</b>	5.5	4.2	6.7	3.2	0.7	3.8	2.9	2.0	4.7	8.0	15.4	0.0	0.8	3.6	3.1	4.2	7.3	15.1	19.0
	<b>4</b>	6.3	5.4	7.1	0.0	1.5	3.6	3.7	3.7	4.7	12.2	19.0	3.4	3.2	4.4	1.9	4.0	9.8	14.5	16.9
<b>Full Year</b>	<b>2009</b>	6.0	5.0	6.9	0.8	2.0	3.4	3.4	3.0	5.2	11.2	16.4	0.8	2.1	4.8	3.5	3.9	8.2	16.1	16.1
<b>Episodes: F+N</b>		1270	522	748	1	11	43	42	97	139	88	101	1	11	58	45	127	216	139	151
No. Consultations		1955	759	1196	1	12	58	48	133	205	140	162	1	14	73	62	204	354	218	270

Mean weekly incidence rate per 100,000 Persons.

ICD 487

## Influenza-Like Illness (487)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	9.9	7.7	12.1	0.0	2.0	2.3	6.6	9.2	9.8	11.1	5.7	0.0	0.0	5.6	14.4	15.7	14.3	9.3	10.0
	<b>2</b>	3.2	3.6	2.8	0.0	2.0	0.0	5.1	4.8	4.2	5.0	0.0	0.0	0.0	1.6	1.5	6.6	1.9	2.8	0.0
	<b>3</b>	32.1	24.4	39.6	51.9	40.0	29.0	45.5	28.8	14.6	10.0	4.2	65.7	60.3	45.8	70.5	48.3	30.5	17.3	8.1
	<b>4</b>	22.2	20.4	23.9	33.6	27.2	33.7	25.7	21.5	13.9	15.5	9.6	9.3	32.4	29.1	26.9	28.8	24.6	12.4	8.9
<b>Full Year</b>	<b>2009</b>	16.9	14.1	19.7	21.3	18.0	16.4	20.8	16.1	10.6	10.4	4.9	18.8	23.3	20.6	28.5	24.9	17.9	10.5	6.8
<b>Episodes: F+N</b>		1521	624	897	10	36	86	115	189	132	42	14	8	45	103	151	292	222	46	30
No. Consultations		2885	1172	1713	13	63	147	170	365	292	78	44	13	71	167	263	532	466	121	80
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	16.0	13.4	18.5	8.7	12.4	6.5	10.0	13.4	17.2	13.5	19.8	0.0	8.7	7.3	19.6	21.7	22.5	18.8	15.8
	<b>2</b>	9.3	8.3	10.3	4.3	5.2	8.7	6.6	9.4	9.8	5.5	5.7	0.0	1.1	5.7	17.8	13.5	10.0	5.6	6.8
	<b>3</b>	52.1	43.1	60.9	94.5	104.0	69.0	51.0	48.7	26.2	13.1	7.6	62.0	93.3	70.2	86.7	82.1	46.0	20.8	16.9
	<b>4</b>	41.4	35.3	47.5	53.5	81.5	61.3	39.9	36.7	23.0	14.4	10.6	20.3	86.3	60.9	61.5	60.6	37.1	15.8	16.6
<b>Full Year</b>	<b>2009</b>	29.3	24.6	33.8	39.3	49.7	35.5	26.5	26.6	18.9	11.5	10.9	20.3	46.3	35.1	45.9	43.7	28.6	15.2	14.0
<b>Episodes: F+N</b>		4680	1950	2730	35	187	336	268	594	404	74	52	17	164	313	456	970	602	105	103
No. Consultations		7315	2980	4335	48	271	464	422	911	662	116	86	27	246	472	698	1504	1033	196	159
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	17.2	14.8	19.4	6.4	6.7	8.1	20.7	16.5	16.1	13.3	13.0	6.5	9.3	9.8	20.7	22.3	24.0	22.4	11.9
	<b>2</b>	9.9	8.3	11.4	6.4	9.6	8.8	9.6	11.1	7.0	3.6	1.3	10.1	10.8	13.5	17.4	13.9	9.2	7.5	2.1
	<b>3</b>	45.9	38.5	53.0	60.3	82.9	74.2	50.1	37.4	21.7	13.5	9.6	72.7	85.3	82.9	88.6	59.1	35.9	14.7	7.6
	<b>4</b>	30.4	25.5	35.0	50.2	63.8	52.0	27.3	21.9	16.0	9.7	9.2	61.3	66.2	48.5	42.2	40.2	25.6	18.7	11.7
<b>Full Year</b>	<b>2009</b>	25.8	21.8	29.7	30.7	40.8	35.6	26.9	21.7	15.2	10.0	8.3	37.4	42.9	38.6	42.3	33.8	23.7	15.8	8.3
<b>Episodes: F+N</b>		5501	2274	3227	38	220	450	335	693	408	79	51	45	221	466	540	1113	628	136	78
No. Consultations		7326	2992	4334	49	276	568	434	935	558	108	64	54	279	580	708	1490	926	180	117

Mean weekly incidence rate per 100,000 Persons.

ICD 001~009

### Intestinal Infectious Diseases (001~009)

	Male & Female	M all ages	F all ages		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b>North</b>																					
<b>Quarter</b>	<b>1</b>	14.4	13.3	15.6	115.9	67.0	13.7	6.6	6.8	9.4	7.1	22.8	131.9	47.7	16.1	15.9	10.2	11.7	12.0	18.2	
	<b>2</b>	10.7	11.1	10.3	167.0	34.5	8.5	7.3	8.3	6.5	10.0	15.5	76.0	44.5	9.7	9.2	9.3	6.5	7.4	7.3	
	<b>3</b>	9.3	8.8	9.9	34.6	20.0	6.1	8.7	9.6	7.1	4.0	12.6	56.3	33.3	2.4	11.3	8.9	10.1	8.2	5.4	
	<b>4</b>	13.0	12.1	13.8	142.6	50.6	8.2	2.9	10.4	7.6	10.7	17.8	140.0	40.4	7.1	11.2	8.0	12.3	14.1	19.5	
<b>Full Year</b>	<b>2009</b>	11.9	11.3	12.4	115.1	43.0	9.1	6.3	8.8	7.6	8.0	17.1	101.1	41.4	8.8	11.9	9.1	10.2	10.5	12.6	
<b>Episodes:</b>	<b>F+N</b>	1067	502	565	54	86	48	35	103	95	32	49	43	80	44	63	107	126	46	56	
No. Consultations		2017	905	1112	79	139	99	79	184	172	64	89	80	123	76	131	200	258	91	153	
<b>Central</b>																					
<b>Quarter</b>	<b>1</b>	18.9	17.1	20.6	226.1	92.8	15.9	9.2	9.3	8.9	12.2	17.3	166.8	81.9	13.8	16.9	16.2	12.2	13.7	32.2	
	<b>2</b>	16.7	15.5	18.0	185.5	72.9	12.8	10.1	9.4	8.7	18.2	9.8	112.8	78.4	12.7	16.2	16.5	11.3	12.9	15.2	
	<b>3</b>	14.2	14.2	14.2	121.4	39.7	16.2	12.3	13.4	9.6	6.8	9.2	95.5	31.9	6.8	13.0	16.6	9.7	12.7	13.6	
	<b>4</b>	18.2	16.3	20.1	150.7	63.6	16.6	9.0	12.0	11.1	12.5	18.5	147.0	72.2	15.2	15.1	17.2	13.2	15.8	25.2	
<b>Full Year</b>	<b>2009</b>	17.0	15.8	18.2	172.0	67.6	15.3	10.2	11.0	9.5	12.5	13.6	130.5	66.3	12.1	15.3	16.6	11.6	13.7	21.5	
<b>Episodes:</b>	<b>F+N</b>	2720	1249	1471	153	254	145	103	245	204	80	65	109	235	108	152	369	244	95	159	
No. Consultations		4037	1780	2257	201	351	196	149	360	303	114	106	148	308	166	259	517	423	168	268	
<b>South</b>																					
<b>Quarter</b>	<b>1</b>	20.2	19.0	21.4	212.0	106.6	20.3	10.8	9.0	10.1	11.3	18.8	214.3	99.0	13.4	13.0	14.3	14.0	18.2	25.0	
	<b>2</b>	16.6	15.7	17.4	80.2	58.5	16.7	9.3	13.9	10.4	11.3	14.4	107.2	50.3	14.2	14.9	13.8	10.6	23.8	21.1	
	<b>3</b>	16.0	14.0	17.8	130.2	44.0	13.2	15.5	10.2	9.6	9.0	7.7	109.1	32.3	12.5	23.1	15.0	13.6	15.6	22.0	
	<b>4</b>	17.8	17.4	18.2	133.9	65.3	16.2	9.6	12.1	14.0	11.2	19.6	139.5	57.5	15.3	14.0	15.8	12.0	17.7	16.9	
<b>Full Year</b>	<b>2009</b>	17.6	16.5	18.7	139.1	68.6	16.6	11.3	11.3	11.0	10.7	15.1	143.0	59.8	13.8	16.3	14.7	12.5	18.8	21.3	
<b>Episodes:</b>	<b>F+N</b>	3757	1725	2032	172	370	210	141	360	295	84	93	172	308	167	208	484	332	162	199	
No. Consultations		4967	2294	2673	220	474	271	183	502	403	117	124	218	409	214	281	622	432	233	264	

Mean weekly incidence rate per 100,000 Persons.

ICD 464

## Laryngitis & Tracheitis Acute (464)

		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	7.1	3.9	10.1	24.8	22.3	4.6	0.7	2.7	3.3	4.0	0.0	9.4	22.8	4.8	5.3	11.9	13.3	8.3	4.5
	<b>2</b>	4.3	1.7	6.7	0.0	14.2	0.8	0.7	0.0	1.0	3.0	5.6	0.0	10.6	4.9	3.1	5.2	11.7	4.6	4.5
	<b>3</b>	5.2	3.5	6.9	43.3	16.0	5.4	2.2	1.4	2.9	3.0	0.0	28.1	22.9	2.4	6.0	7.5	5.8	5.5	6.3
	<b>4</b>	8.3	5.6	11.0	58.7	48.6	5.2	5.0	1.7	2.8	1.9	1.4	9.3	36.4	8.7	10.4	11.7	9.2	11.5	6.2
<b>Full Year</b>	<b>2009</b>	6.2	3.7	8.7	32.0	25.5	4.0	2.2	1.4	2.5	3.0	1.7	11.8	23.3	5.2	6.2	9.1	10.0	7.5	5.4
<b>Episodes: F+N</b>		561	164	397	15	51	21	12	17	31	12	5	5	45	26	33	107	124	33	24
No. Consultations		1021	314	707	22	90	41	27	43	57	23	11	6	71	44	64	182	222	60	58
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	8.0	5.2	10.7	39.1	29.9	5.3	2.3	2.7	3.4	5.5	4.1	13.9	17.5	6.9	9.0	9.5	12.5	11.4	12.1
	<b>2</b>	4.9	3.2	6.5	34.5	19.8	2.5	1.9	1.9	1.3	3.6	2.4	14.1	13.3	3.9	5.5	8.2	6.1	5.1	4.2
	<b>3</b>	4.3	3.5	5.0	40.5	32.2	2.1	2.0	1.1	1.7	1.9	1.7	9.5	18.2	2.3	5.7	4.6	5.0	4.6	2.2
	<b>4</b>	9.5	7.8	11.2	38.9	73.7	10.3	4.1	1.7	2.8	4.6	7.9	45.6	42.6	9.0	10.5	10.9	8.4	7.9	8.0
<b>Full Year</b>	<b>2009</b>	6.6	4.9	8.3	38.2	38.3	5.0	2.6	1.9	2.3	3.9	4.0	20.3	22.6	5.5	7.7	8.3	8.0	7.2	6.6
<b>Episodes: F+N</b>		1060	386	674	34	144	47	26	42	49	25	19	17	80	49	76	184	169	50	49
No. Consultations		1678	586	1092	58	206	71	33	66	86	39	27	26	122	74	123	304	295	81	67
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	8.0	4.8	11.0	25.7	17.8	5.6	3.5	2.5	4.1	7.2	2.6	35.7	15.5	3.6	10.5	9.9	15.0	9.3	9.8
	<b>2</b>	4.2	2.7	5.6	6.4	16.3	4.7	0.3	1.4	1.0	3.6	3.3	0.0	5.4	1.6	8.1	6.7	6.1	4.7	4.3
	<b>3</b>	4.8	3.2	6.3	9.5	22.7	2.8	1.9	2.4	1.5	1.5	1.9	16.5	13.1	3.6	6.8	6.6	5.4	5.0	6.8
	<b>4</b>	9.0	6.7	11.2	43.5	50.3	10.1	2.0	2.3	3.8	4.6	2.0	40.8	35.5	7.5	7.8	10.3	12.1	6.5	8.2
<b>Full Year</b>	<b>2009</b>	6.5	4.3	8.5	21.0	26.7	5.8	1.9	2.1	2.6	4.2	2.4	23.3	17.3	4.1	8.3	8.4	9.6	6.4	7.3
<b>Episodes: F+N</b>		1379	453	926	26	144	73	24	68	70	33	15	28	89	49	106	276	255	55	68
No. Consultations		1871	628	1243	39	188	93	32	101	106	44	25	33	113	65	133	392	336	86	85

Mean weekly incidence rate per 100,000 Persons.

ICD 410

### Myocardial Infarction Acute (410)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	1.2	1.2	1.1	0.0	0.0	0.0	0.0	0.3	1.0	3.0	8.5	0.0	0.0	0.0	0.0	0.3	0.6	5.6	3.6
	<b>2</b>	0.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7
	<b>3</b>	1.1	1.5	0.8	0.0	0.0	0.0	0.0	0.0	2.3	3.0	8.4	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.4
	<b>4</b>	1.0	1.1	0.9	0.0	0.0	0.0	0.0	0.3	2.2	1.0	4.1	0.0	0.0	0.0	0.0	0.0	0.9	5.3	0.9
<b>Full Year</b>	<b>2009</b>	0.9	1.0	0.8	0.0	0.0	0.0	0.0	0.2	1.5	1.7	5.9	0.0	0.0	0.0	0.0	0.1	0.6	2.7	3.2
<b>Episodes: F+N</b>		80	45	35	0	0	0	0	2	19	7	17	0	0	0	0	1	8	12	14
No. Consultations		1415	944	471	0	0	0	0	19	380	264	281	0	0	0	0	2	107	121	241
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	0.6	0.8	0.5	0.0	0.0	0.0	0.0	0.7	1.3	1.8	1.6	0.0	0.0	0.0	0.0	0.2	0.2	1.1	3.2
	<b>2</b>	0.5	0.6	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.0	4.9	0.0	0.0	0.0	0.0	0.0	0.4	0.6	3.1
	<b>3</b>	0.7	0.8	0.5	0.0	0.0	0.0	0.0	0.2	1.3	3.7	1.7	0.0	0.0	0.0	0.0	0.0	0.6	1.7	2.7
	<b>4</b>	0.7	0.9	0.6	0.0	0.0	0.0	0.0	0.6	1.6	2.0	2.6	0.0	0.0	0.0	0.0	0.0	0.8	1.8	2.3
<b>Full Year</b>	<b>2009</b>	0.6	0.8	0.5	0.0	0.0	0.0	0.0	0.4	1.3	1.9	2.7	0.0	0.0	0.0	0.0	0.0	0.5	1.3	2.8
<b>Episodes: F+N</b>		102	61	41	0	0	0	0	8	28	12	13	0	0	0	0	1	10	9	21
No. Consultations		2156	1483	673	0	0	0	0	39	602	396	446	0	0	0	0	2	137	207	327
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.3	0.0	0.0	0.0	0.0	0.1	0.6	1.4	3.0
	<b>2</b>	0.5	0.7	0.3	0.0	0.0	0.0	0.0	0.3	1.6	1.5	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.4	1.3
	<b>3</b>	0.4	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.9	2.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	2.1
	<b>4</b>	0.4	0.5	0.3	0.0	0.0	0.0	0.0	0.1	0.6	1.0	4.6	0.0	0.0	0.0	0.0	0.0	0.3	0.0	2.2
<b>Full Year</b>	<b>2009</b>	0.4	0.5	0.3	0.0	0.0	0.0	0.0	0.1	1.1	1.4	1.9	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.1
<b>Episodes: F+N</b>		91	55	36	0	0	0	0	3	29	11	12	0	0	0	0	1	9	6	20
No. Consultations		1463	1095	368	0	0	0	1	54	437	244	359	0	0	0	1	21	112	99	135



Mean weekly incidence rate per 100,000 Persons.

ICD 381.0, 382.0 & 382.9

### Otitis Media Acute (381.0,382.0 & 382.9)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b>North</b>																				
<b>Quarter</b>	<b>1</b>	36.0	35.3	36.6	380.9	296.2	68.6	22.6	14.3	9.8	3.0	1.4	216.6	244.6	73.9	33.3	24.2	15.9	7.4	10.0
	<b>2</b>	22.3	20.1	24.5	131.8	154.2	47.7	9.5	8.3	6.2	9.0	2.8	199.5	150.4	57.5	20.7	16.2	10.1	5.5	2.7
	<b>3</b>	22.5	22.3	22.6	225.0	171.9	44.3	11.6	7.2	8.7	6.0	8.4	140.7	126.8	39.4	18.8	18.8	12.3	9.1	3.6
	<b>4</b>	33.6	30.7	36.5	125.8	268.4	77.9	17.8	9.4	9.5	2.9	4.1	186.7	281.0	68.4	32.8	25.4	13.3	10.6	3.5
<b>Full Year</b>	<b>2009</b>	28.6	27.1	30.1	217.3	223.0	59.8	15.4	9.8	8.5	5.2	4.2	185.8	201.5	59.9	26.4	21.2	12.9	8.2	5.0
<b>Episodes: F+N</b>		2575	1201	1374	102	446	314	85	115	106	21	12	79	389	299	140	249	160	36	22
No. Consultations		4560	2152	2408	161	764	549	166	220	219	47	26	113	630	542	269	420	302	80	52
<b>Central</b>																				
<b>Quarter</b>	<b>1</b>	41.3	38.8	43.8	321.8	337.1	76.1	19.2	13.2	11.1	8.0	4.1	296.6	310.0	94.0	34.2	23.8	17.9	9.1	5.3
	<b>2</b>	25.7	24.9	26.4	224.4	203.0	48.3	10.5	10.8	7.8	4.8	0.8	108.1	184.4	53.9	15.0	16.3	12.9	12.4	5.8
	<b>3</b>	22.3	23.2	21.5	157.4	135.1	42.2	14.3	13.0	10.4	11.2	11.8	128.9	129.8	35.3	18.2	13.7	12.6	12.1	3.3
	<b>4</b>	38.0	36.2	39.7	272.3	368.3	72.5	9.9	10.5	6.1	8.5	7.0	223.0	335.9	93.3	23.4	17.4	11.6	13.4	4.6
<b>Full Year</b>	<b>2009</b>	31.8	30.7	32.8	243.9	260.2	59.7	13.5	11.9	8.9	8.1	5.9	189.1	239.4	69.0	22.8	17.9	13.8	11.7	4.7
<b>Episodes: F+N</b>		5085	2433	2652	217	978	565	137	266	190	52	28	158	849	615	226	397	291	81	35
No. Consultations		8011	3809	4202	331	1462	922	232	427	292	80	63	239	1263	955	396	642	480	138	89
<b>South</b>																				
<b>Quarter</b>	<b>1</b>	40.0	40.2	39.9	256.9	310.8	94.6	23.8	12.3	9.2	5.6	5.2	269.5	295.4	83.3	31.8	20.1	9.9	9.3	6.8
	<b>2</b>	23.3	22.6	24.0	170.0	193.4	46.4	10.5	6.4	4.5	4.1	5.2	207.7	165.0	51.1	13.3	11.6	7.9	8.4	6.0
	<b>3</b>	19.8	19.5	20.1	95.2	118.9	45.9	15.2	9.3	6.2	3.5	3.2	109.1	106.1	48.7	19.4	10.3	9.3	8.7	1.7
	<b>4</b>	36.9	36.8	36.9	247.6	332.6	76.0	12.6	9.8	9.3	5.1	2.0	265.4	308.9	76.3	21.4	17.7	8.1	6.1	5.6
<b>Full Year</b>	<b>2009</b>	30.0	29.7	30.2	191.6	238.3	65.7	15.6	9.4	7.3	4.6	3.9	212.8	218.3	64.8	21.5	14.9	8.8	8.1	5.0
<b>Episodes: F+N</b>		6383	3103	3280	237	1286	830	194	301	195	36	24	256	1125	783	275	491	233	70	47
No. Consultations		8821	4290	4531	316	1735	1156	277	430	292	52	32	332	1451	1088	394	734	358	107	67

Mean weekly incidence rate per 100,000 Persons.

ICD 480~486

### Pneumonia and Pneumonitis (480~486)

	Male & Female	M all ages	F all ages		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																					
<b>Quarter</b>	<b>1</b>	1.1	1.0	1.1	0.0	0.0	0.0	0.0	0.7	1.0	2.0	5.7	0.0	0.0	0.0	0.0	0.0	2.3	0.9	4.5	
	<b>2</b>	0.5	0.1	0.9	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	9.5	0.0	0.0	0.0	0.7	0.6	1.8	2.7	
	<b>3</b>	0.5	0.5	0.6	0.0	0.0	0.0	0.0	0.3	0.3	2.0	1.4	0.0	2.1	0.0	0.0	0.3	0.3	1.8	1.8	
	<b>4</b>	0.9	0.7	1.0	0.0	1.9	0.0	0.0	0.3	0.6	1.9	2.7	0.0	0.0	0.0	0.0	0.7	1.3	0.9	4.4	
<b>Full Year</b>	<b>2009</b>	0.7	0.6	0.9	0.0	0.5	0.0	0.0	0.3	0.6	1.5	2.4	2.4	0.5	0.0	0.0	0.4	1.1	1.4	3.4	
<b>Episodes: F+N</b>		67	25	42	0	1	0	0	4	7	6	7	1	1	0	0	5	14	6	15	
No. Consultations		294	131	163	0	2	2	3	20	38	35	31	3	5	4	0	22	44	28	57	
<b><u>Central</u></b>																					
<b>Quarter</b>	<b>1</b>	1.8	1.7	2.0	0.0	0.0	0.4	0.0	0.9	1.3	2.4	14.0	4.6	1.1	0.0	0.0	1.6	1.5	2.8	9.0	
	<b>2</b>	1.1	1.3	0.9	0.0	1.0	0.0	1.6	0.2	0.9	4.2	7.3	0.0	0.0	0.0	0.0	0.7	0.6	2.3	4.2	
	<b>3</b>	0.8	0.8	0.7	0.0	0.0	0.0	0.0	0.4	1.3	0.6	5.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	4.4	
	<b>4</b>	1.2	1.1	1.3	0.0	2.2	0.0	0.0	0.6	1.0	2.0	6.2	0.0	1.2	1.9	0.4	0.8	1.8	0.6	2.3	
<b>Full Year</b>	<b>2009</b>	1.2	1.2	1.2	0.0	0.8	0.1	0.4	0.5	1.1	2.3	8.2	1.2	0.6	0.4	0.1	0.8	1.2	1.6	5.0	
<b>Episodes: F+N</b>		196	97	99	0	3	1	4	11	24	15	39	1	2	4	1	17	26	11	37	
No. Consultations		543	262	281	0	12	10	7	39	79	33	82	3	3	8	2	62	79	21	103	
<b><u>South</u></b>																					
<b>Quarter</b>	<b>1</b>	1.6	1.6	1.5	3.2	1.5	0.3	0.6	0.7	2.1	4.1	5.8	0.0	0.8	0.0	0.3	1.2	1.4	2.8	6.4	
	<b>2</b>	0.9	0.9	0.9	0.0	0.7	0.0	0.3	0.8	0.7	1.5	5.2	0.0	1.5	0.0	0.0	0.2	1.2	1.4	4.3	
	<b>3</b>	0.8	0.7	0.9	0.0	0.0	0.0	0.0	0.4	1.0	2.0	2.6	0.0	0.0	0.3	0.0	0.4	1.0	2.3	4.2	
	<b>4</b>	1.3	1.1	1.5	0.0	0.0	1.0	0.0	0.9	1.1	2.5	3.3	3.4	4.7	1.4	0.6	0.6	0.6	1.4	6.1	
<b>Full Year</b>	<b>2009</b>	1.1	1.1	1.2	0.8	0.6	0.3	0.2	0.7	1.2	2.5	4.2	0.8	1.7	0.4	0.2	0.6	1.1	2.0	5.2	
<b>Episodes: F+N</b>		244	112	132	1	3	4	3	22	33	20	26	1	9	5	3	20	28	17	49	
No. Consultations		579	243	336	2	8	8	8	48	69	49	51	1	19	13	10	89	75	26	103	

Mean weekly incidence rate per 100,000 Persons.

ICD 133.0

**Scabies (133.0)**

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	2.3	1.7	2.8	0.0	4.1	0.8	4.4	1.7	0.7	2.0	1.4	0.0	6.2	2.4	6.1	2.7	2.6	0.0	1.8
	<b>2</b>	1.8	1.7	1.8	0.0	2.0	1.5	4.4	1.4	1.0	1.0	2.8	0.0	4.2	1.6	3.1	2.4	1.0	0.0	1.8
	<b>3</b>	2.6	2.2	3.0	0.0	0.0	0.8	6.5	2.1	1.3	3.0	1.4	9.4	0.0	4.8	5.3	2.1	1.9	0.0	7.2
	<b>4</b>	2.4	2.6	2.2	0.0	3.9	2.2	8.6	2.4	0.9	1.0	1.4	0.0	4.0	1.6	6.7	2.3	0.6	0.0	2.7
<b>Full Year</b>	<b>2009</b>	2.2	2.1	2.4	0.0	2.5	1.3	6.0	1.9	1.0	1.7	1.7	2.4	3.6	2.6	5.3	2.4	1.5	0.0	3.4
<b>Episodes: F+N</b>		202	91	111	0	5	7	33	22	12	7	5	1	7	13	28	28	19	0	15
No. Consultations		298	127	171	1	7	10	39	33	24	7	6	2	11	20	46	38	30	1	23
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	2.2	1.9	2.5	0.0	1.0	1.6	5.0	0.7	1.3	1.2	5.8	0.0	1.1	2.6	4.3	1.6	1.5	2.8	6.9
	<b>2</b>	1.1	0.9	1.4	0.0	3.1	0.8	1.2	0.3	1.3	0.0	0.8	0.0	0.0	2.2	2.4	1.2	1.3	0.6	1.0
	<b>3</b>	2.1	1.6	2.6	0.0	0.0	1.7	2.8	1.3	0.8	0.6	7.6	0.0	0.0	0.9	1.6	2.2	1.1	2.3	13.6
	<b>4</b>	2.0	2.0	1.9	4.9	3.3	2.7	5.3	1.7	0.8	1.3	0.0	5.1	0.0	1.9	4.6	2.1	1.4	0.0	1.7
<b>Full Year</b>	<b>2009</b>	1.9	1.6	2.1	1.1	1.9	1.7	3.6	1.0	1.0	0.8	3.6	1.2	0.3	1.9	3.2	1.8	1.3	1.4	5.8
<b>Episodes: F+N</b>		297	126	171	1	7	16	36	22	22	5	17	1	1	17	32	39	28	10	43
No. Consultations		424	183	241	3	8	19	52	30	38	13	20	1	2	24	44	57	48	12	53
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	1.5	1.3	1.8	0.0	3.0	2.2	2.9	1.4	0.3	0.0	0.6	0.0	4.6	2.9	4.0	1.3	0.6	1.4	0.8
	<b>2</b>	1.1	0.8	1.3	0.0	1.5	1.9	1.9	0.6	0.1	0.0	0.0	3.4	4.6	1.3	2.8	1.5	0.5	0.5	0.0
	<b>3</b>	1.5	1.5	1.4	0.0	3.7	0.9	2.9	1.4	0.9	2.5	0.6	0.0	0.8	1.3	3.4	1.4	1.0	0.9	0.4
	<b>4</b>	1.5	1.4	1.6	0.0	1.5	1.9	2.7	1.5	1.1	0.0	0.0	0.0	1.6	2.0	4.9	1.4	0.8	0.9	0.4
<b>Full Year</b>	<b>2009</b>	1.4	1.2	1.5	0.0	2.4	1.7	2.6	1.2	0.6	0.6	0.3	0.8	2.9	1.9	3.8	1.4	0.7	0.9	0.4
<b>Episodes: F+N</b>		293	129	164	0	13	22	32	39	16	5	2	1	15	23	48	46	19	8	4
No. Consultations		403	177	226	0	15	27	42	61	20	9	3	1	19	28	66	68	23	11	10

Mean weekly incidence rate per 100,000 Persons.

ICD 461

## Sinusitis Acute (461)

	Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	26.7	15.5	37.4	0.0	2.0	3.8	13.9	21.8	19.5	14.1	11.4	0.0	0.0	5.6	23.5	59.3	51.0	32.4	19.1
	<b>2</b>	16.7	9.7	23.5	8.8	0.0	1.5	5.9	12.1	14.3	11.0	7.0	0.0	0.0	4.0	16.1	36.6	29.5	25.7	12.7
	<b>3</b>	12.0	6.3	17.5	0.0	0.0	2.3	6.5	6.9	8.1	8.0	5.6	0.0	0.0	3.2	11.3	24.7	22.4	21.0	14.5
	<b>4</b>	22.4	10.0	34.5	8.4	0.0	3.0	5.0	12.4	14.5	12.6	6.8	0.0	0.0	4.7	16.4	51.2	50.9	35.4	16.8
<b>Full Year</b>	<b>2009</b>	19.5	10.4	28.3	4.3	0.5	2.7	7.8	13.3	14.1	11.4	7.7	0.0	0.0	4.4	16.8	43.0	38.5	28.7	15.8
<b>Episodes: F+N</b>		1749	459	1290	2	1	14	43	156	175	46	22	0	0	22	89	505	478	126	70
No. Consultations		3369	884	2485	2	1	19	60	302	343	105	52	0	1	26	147	910	1016	238	147
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	32.7	19.0	46.1	0.0	0.0	4.1	15.0	21.3	26.3	26.9	21.4	0.0	0.0	3.4	30.2	69.0	63.9	46.1	25.9
	<b>2</b>	20.8	12.4	29.1	0.0	0.0	4.5	9.7	15.7	16.8	12.1	10.6	0.0	1.1	5.7	12.3	45.4	39.7	33.8	13.1
	<b>3</b>	15.9	9.3	22.4	0.0	0.0	1.7	7.2	13.0	11.5	10.6	8.4	0.0	0.0	2.3	13.4	33.2	29.8	25.4	16.3
	<b>4</b>	28.1	15.3	40.6	0.0	0.0	2.7	11.5	19.4	20.6	20.3	13.2	0.0	0.0	10.0	20.1	62.2	57.0	43.7	15.5
<b>Full Year</b>	<b>2009</b>	24.4	14.0	34.6	0.0	0.0	3.3	10.9	17.4	18.8	17.5	13.4	0.0	0.3	5.3	19.0	52.5	47.6	37.2	17.7
<b>Episodes: F+N</b>		3900	1107	2793	0	0	31	110	388	402	112	64	0	1	47	189	1166	1002	257	131
No. Consultations		5932	1662	4270	0	0	43	136	563	642	181	97	0	1	64	297	1694	1645	369	200
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	28.1	15.3	40.4	3.2	1.5	5.6	10.2	17.8	22.5	16.4	14.3	0.0	3.9	6.5	30.3	59.1	56.9	35.0	16.1
	<b>2</b>	17.2	9.8	24.3	0.0	0.0	4.4	7.3	12.0	13.4	10.2	8.5	0.0	1.5	5.3	17.1	32.2	36.9	24.8	9.9
	<b>3</b>	12.9	7.5	18.2	0.0	0.7	2.5	5.4	8.8	9.9	12.0	6.4	0.0	0.8	4.3	14.5	26.5	25.6	14.7	6.3
	<b>4</b>	24.7	13.0	35.9	0.0	2.3	5.2	9.6	15.4	19.1	12.7	9.8	3.4	1.6	9.2	27.6	51.9	49.8	32.2	13.0
<b>Full Year</b>	<b>2009</b>	20.7	11.4	29.7	0.8	1.1	4.4	8.1	13.5	16.2	12.8	9.7	0.8	1.9	6.3	22.3	42.4	42.2	26.6	11.3
<b>Episodes: F+N</b>		4410	1189	3221	1	6	56	101	430	434	101	60	1	10	76	285	1395	1119	229	106
No. Consultations		6377	1697	4680	1	7	71	135	573	647	158	105	1	11	98	394	1961	1684	371	160

Mean weekly incidence rate per 100,000 Persons.

ICD 462~463

### Tonsillitis & Acute Pharyngitis (462~463)

		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																					
<b>Quarter</b>	<b>1</b>	67.9	50.1	85.2	16.6	140.0	109.8	83.1	43.2	24.4	10.1	14.2		9.4	136.8	150.2	200.6	97.4	40.6	23.2	10.9
	<b>2</b>	53.6	41.8	65.0	52.7	105.5	83.1	80.5	33.8	18.5	15.0	16.9		19.0	103.8	115.0	131.7	80.8	31.2	26.7	9.1
	<b>3</b>	46.2	33.6	58.3	8.7	100.0	81.0	54.9	25.7	13.3	15.0	9.8		46.9	112.2	107.8	143.3	60.3	23.1	17.3	11.8
	<b>4</b>	50.2	37.7	62.4	58.7	155.6	79.4	64.9	24.6	14.8	8.7	16.4		37.3	139.5	134.5	146.2	56.6	26.9	15.0	12.4
<b>Full Year</b>	<b>2009</b>	54.4	40.8	67.7	34.1	125.5	88.3	70.8	31.8	17.7	12.2	14.3		28.2	123.3	126.9	155.5	73.7	30.4	20.5	11.0
<b>Episodes: F+N</b>		4894	1805	3089	16	251	464	391	373	220	49	41		12	238	634	824	865	377	90	49
No. Consultations		8092	3010	5082	26	398	695	658	666	396	96	75		18	368	945	1386	1472	649	150	94
<b><u>Central</u></b>																					
<b>Quarter</b>	<b>1</b>	70.4	55.7	84.8	69.6	182.5	115.6	93.4	48.4	19.6	12.9	5.8		37.1	153.9	160.8	164.9	96.7	36.6	21.1	16.9
	<b>2</b>	61.8	48.3	75.1	73.4	181.1	104.0	61.0	43.4	16.2	17.6	9.8		65.8	144.7	140.1	141.3	85.4	34.6	22.5	10.5
	<b>3</b>	46.9	36.4	57.2	36.0	116.9	68.6	57.0	35.3	13.2	9.3	12.6		57.3	119.5	88.8	133.7	62.6	22.7	15.0	8.7
	<b>4</b>	59.0	46.0	71.8	72.9	157.4	99.8	69.5	36.9	17.4	9.8	15.0		40.6	137.2	137.0	150.6	76.7	28.3	20.0	16.0
<b>Full Year</b>	<b>2009</b>	59.7	46.7	72.4	62.9	159.9	97.2	70.4	41.2	16.6	12.5	10.7		50.3	139.0	132.0	147.7	80.7	30.7	19.7	13.0
<b>Episodes: F+N</b>		9543	3695	5848	56	601	920	712	920	355	80	51		42	493	1177	1467	1791	646	136	96
No. Consultations		14246	5408	8838	72	835	1312	1055	1356	544	140	94		62	702	1699	2322	2643	1044	224	142
<b><u>South</u></b>																					
<b>Quarter</b>	<b>1</b>	69.4	55.3	82.9	77.1	187.2	113.0	93.8	42.6	17.6	17.4	16.9		87.7	188.7	154.2	149.6	89.4	34.8	19.6	11.0
	<b>2</b>	62.7	52.2	72.7	67.4	193.4	111.4	76.0	43.3	15.4	16.4	7.8		67.0	168.9	151.6	126.6	74.3	29.8	19.6	7.7
	<b>3</b>	46.2	35.4	56.6	60.3	127.7	59.4	63.8	29.2	11.8	8.5	12.2		62.8	129.9	95.7	123.7	57.0	21.7	17.0	7.6
	<b>4</b>	54.8	43.8	65.3	120.5	189.9	89.6	61.5	31.6	12.1	12.7	11.8		98.7	183.6	119.4	134.3	61.0	25.3	16.8	7.4
<b>Full Year</b>	<b>2009</b>	58.3	46.7	69.4	80.9	174.4	93.4	73.9	36.7	14.2	13.7	12.2		79.0	167.6	130.4	133.6	70.5	27.9	18.2	8.4
<b>Episodes: F+N</b>		12411	4874	7537	100	941	1180	919	1170	381	108	75		95	864	1575	1707	2321	739	157	79
No. Consultations		16552	6464	10088	127	1215	1546	1246	1589	505	140	96		121	1122	2082	2376	3107	983	196	101

Mean weekly incidence rate per 100,000 Persons.

ICD 381.0, 382.0, 382.9, 460~463 & 465

## Upper Respiratory Tract Infections (URTI)

		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	252.3	204.9	298.4	1763.5	921.1	333.2	177.2	134.7	109.9	87.7	123.8	1601.2	939.1	395.1	380.1	286.1	197.0	163.1	133.6
	<b>2</b>	160.0	131.3	187.9	1072.3	576.3	212.4	139.8	83.1	67.4	67.0	71.8	1045.2	629.1	268.0	238.1	193.3	112.3	95.6	56.3
	<b>3</b>	149.9	121.9	177.0	1150.8	579.8	215.5	110.5	70.0	57.6	61.9	60.1	1022.5	525.8	243.7	249.8	174.0	106.2	93.1	69.7
	<b>4</b>	253.3	200.3	304.8	1585.7	1199.9	353.4	156.3	102.6	91.4	90.2	101.1	1950.5	1320.3	431.7	351.4	251.8	186.4	156.5	125.9
<b>Full Year</b>	<b>2009</b>	204.2	164.8	242.5	1399.9	822.5	279.2	145.9	97.7	81.6	76.8	89.1	1406.5	857.9	335.3	305.1	226.6	150.7	127.2	96.5
<b>Episodes: F+N</b>		18362	7299	11063	657	1645	1467	806	1146	1014	309	255	598	1656	1675	1617	2660	1870	559	428
No. Consultations		31739	12687	19052	1161	2923	2371	1334	1978	1840	611	469	984	2827	2724	2728	4463	3471	1023	832
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	271.4	224.2	317.8	1909.0	1126.9	338.1	184.6	133.8	114.4	115.7	116.2	1825.9	1048.9	412.1	349.9	293.4	215.8	162.8	144.1
	<b>2</b>	183.7	153.3	213.5	1359.2	770.4	245.9	121.2	98.9	67.1	78.1	68.5	1127.5	730.0	288.1	233.1	205.6	139.2	115.4	77.1
	<b>3</b>	152.1	126.5	177.2	1097.5	605.8	187.4	111.5	90.3	54.1	62.2	59.6	983.2	586.2	200.2	246.3	171.3	107.8	90.7	65.9
	<b>4</b>	275.3	229.7	320.0	2212.4	1404.0	381.2	172.7	120.1	86.1	87.8	104.7	1951.6	1389.8	450.6	360.6	268.8	181.7	157.3	107.1
<b>Full Year</b>	<b>2009</b>	220.2	183.1	256.7	1633.1	972.6	287.3	147.5	110.9	80.6	86.0	87.0	1466.3	934.1	336.9	297.0	234.9	161.2	131.2	98.6
<b>Episodes: F+N</b>		35223	14486	20737	1453	3656	2719	1492	2478	1721	552	415	1225	3312	3003	2950	5216	3396	907	728
No. Consultations		55191	22477	32714	2174	5567	4121	2353	3769	2831	936	726	1834	5115	4543	4892	8055	5599	1467	1209
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	281.6	240.7	320.8	1840.1	1160.2	396.6	208.9	135.7	110.1	126.3	120.6	1805.4	1092.7	424.5	349.8	290.1	195.5	163.7	135.4
	<b>2</b>	196.6	168.2	223.9	1309.0	867.8	279.2	138.2	99.6	65.8	70.6	82.3	1377.1	780.0	339.6	242.1	190.9	131.8	108.4	76.5
	<b>3</b>	155.8	129.7	180.9	1035.0	595.8	204.3	139.9	80.3	52.3	53.4	55.9	1034.8	589.7	259.8	245.0	161.5	96.8	85.3	51.6
	<b>4</b>	275.6	233.5	316.1	2078.2	1380.7	391.4	162.0	112.3	92.5	99.6	85.8	2021.4	1458.6	431.2	332.2	252.1	165.2	138.5	116.1
<b>Full Year</b>	<b>2009</b>	227.1	192.7	260.1	1558.8	999.0	317.5	162.3	106.9	80.1	87.3	86.1	1558.1	977.5	363.4	291.8	223.6	147.2	123.8	94.8
<b>Episodes: F+N</b>		48358	20118	28240	1928	5390	4011	2018	3408	2145	688	530	1874	5038	4390	3730	7356	3899	1066	887
No. Consultations		66544	27670	38874	2680	7509	5386	2706	4610	3030	989	760	2565	6853	5880	5102	10052	5654	1548	1220

Mean weekly incidence rate per 100,000 Persons.

ICD 464, 466, 480~487, 490 & 511

## Lower Respiratory Tract Infection (LRTI)

		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
<b><u>North</u></b>																				
<b>Quarter</b>	<b>1</b>	128.5	104.8	151.4	380.9	125.8	40.4	35.0	68.0	111.2	196.7	294.5	282.6	143.0	34.5	69.7	111.4	179.1	240.0	315.3
	<b>2</b>	71.0	61.2	80.5	184.6	83.2	18.5	27.1	36.2	63.5	122.1	176.0	114.0	78.4	26.7	37.5	64.2	87.3	125.0	169.8
	<b>3</b>	93.0	77.0	108.6	225.0	126.0	58.1	70.1	62.8	63.1	100.8	152.4	168.9	160.0	67.6	122.3	111.7	93.5	121.3	131.2
	<b>4</b>	150.0	127.5	171.8	587.3	283.9	91.4	73.5	88.1	108.7	195.0	258.2	214.7	262.8	81.0	110.4	145.3	190.2	224.6	268.6
<b>Full Year</b>	<b>2009</b>	110.9	92.8	128.4	347.3	156.0	52.3	51.6	63.9	86.7	153.8	220.2	195.2	162.2	52.7	85.3	108.4	137.9	178.0	221.4
<b>Episodes: F+N</b>		9971	4112	5859	163	312	275	285	750	1078	619	630	83	313	263	452	1273	1711	782	982
No. Consultations		20811	8713	12098	277	609	530	525	1440	2490	1450	1392	149	557	522	869	2394	3702	1782	2123
<b><u>Central</u></b>																				
<b>Quarter</b>	<b>1</b>	138.8	119.8	157.4	465.3	202.1	53.3	45.4	69.8	119.5	227.1	380.1	268.8	175.7	55.6	77.8	119.6	180.1	215.7	363.7
	<b>2</b>	88.3	76.3	100.0	245.9	121.8	32.2	31.5	49.9	71.6	151.4	233.1	126.8	79.5	33.7	57.0	75.6	109.6	162.1	230.9
	<b>3</b>	119.2	101.9	136.1	337.4	242.3	98.8	85.2	79.8	75.3	109.5	200.7	138.4	182.1	91.9	131.3	140.5	127.1	139.2	183.0
	<b>4</b>	176.3	149.2	202.9	607.8	471.0	126.6	85.9	102.6	122.0	166.5	305.3	425.8	397.4	126.6	156.4	189.6	192.1	223.5	289.8
<b>Full Year</b>	<b>2009</b>	129.8	111.2	148.1	409.1	255.6	76.5	61.5	74.9	96.8	163.8	279.6	237.0	205.6	75.7	104.7	129.9	151.7	184.6	267.0
<b>Episodes: F+N</b>		20766	8797	11969	364	961	724	622	1674	2068	1051	1333	198	729	675	1040	2885	3195	1276	1971
No. Consultations		35892	15164	20728	697	1595	1186	1020	2673	3706	1862	2425	363	1228	1057	1627	4789	5843	2347	3474
<b><u>South</u></b>																				
<b>Quarter</b>	<b>1</b>	124.0	107.4	139.9	401.4	169.4	61.2	52.5	64.4	112.6	195.9	292.4	272.8	168.6	46.4	79.4	97.4	163.3	231.7	311.5
	<b>2</b>	70.2	62.9	77.3	189.3	114.9	43.8	27.4	41.3	55.7	111.0	186.3	100.5	81.3	36.3	60.5	58.3	78.8	129.0	164.6
	<b>3</b>	96.1	80.5	111.2	174.6	173.2	100.3	70.1	64.1	58.8	81.4	139.5	191.8	157.6	101.6	130.5	104.5	91.0	116.4	136.5
	<b>4</b>	138.1	122.3	153.3	602.4	370.9	120.2	69.2	71.2	91.0	165.2	258.1	432.2	327.0	113.0	110.0	124.1	142.9	173.0	243.9
<b>Full Year</b>	<b>2009</b>	106.9	93.1	120.3	338.8	206.5	81.0	54.7	60.2	79.5	138.1	218.8	248.6	183.0	74.0	95.0	95.9	118.9	162.4	214.1
<b>Episodes: F+N</b>		22774	9718	13056	419	1114	1024	680	1918	2128	1088	1347	299	943	894	1214	3155	3150	1398	2003
No. Consultations		33171	14129	19042	603	1517	1329	909	2721	3176	1730	2144	406	1282	1147	1606	4472	4845	2106	3178





**ANALYSIS BY ICD IX CHAPTER**

- **Mean weekly incidence by sex and age groupings, by chapter surveyed, by period: rates per 100,000**
- **Numbers of episodes and consultations reported for the full year by sex and age group**
- **Tabular data are presented in ICD Chapter order**



Mean weekly incidence rate per 100,000 Persons.

ICD9 001~139

### Infectious Parasitic Diseases (001~139)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	136	111	160	547	319	162	82	82	80	93	117	508	368	211	171	150	112	119	147	
	2	138	120	156	694	450	200	84	73	71	104	115	652	476	226	160	145	98	102	100	
	3	160	139	180	861	640	202	102	94	80	75	108	771	573	244	176	177	105	123	120	
	4	141	121	161	708	463	194	98	83	67	89	104	690	494	222	174	143	97	106	127	
	5	151	132	170	611	463	212	104	100	81	92	111	577	472	225	204	161	107	119	112	
	6	145	124	165	582	392	186	101	90	86	97	110	583	445	220	172	164	107	113	118	
	7	161	139	183	627	419	206	127	104	94	110	114	612	453	241	205	180	124	140	119	
	8	160	133	186	667	355	184	117	107	99	94	106	755	364	216	226	197	124	133	127	
	9	135	114	155	498	242	170	117	86	87	93	104	553	289	195	191	151	112	108	121	
	10	141	118	163	566	301	173	99	88	91	94	114	539	331	203	188	166	113	111	134	
	11	146	124	168	602	403	193	89	90	82	109	116	801	385	207	172	157	128	112	133	
	12	140	118	161	572	399	185	94	81	74	96	118	677	395	194	184	157	109	111	117	
	13	131	110	153	559	424	152	75	78	74	82	97	654	411	181	151	149	109	99	118	
Quarter	1	146	124	166	719	477	192	91	83	77	90	115	648	476	229	172	156	105	115	125	
	2	146	126	165	616	424	195	102	93	81	95	106	607	459	221	181	157	106	115	118	
	3	149	126	173	576	322	182	118	97	91	96	110	632	347	211	205	178	119	123	124	
	4	140	117	161	582	399	177	86	83	79	96	110	690	398	196	173	155	115	107	124	
Year	2009	145	123	166	624	406	186	99	89	82	94	110	644	420	214	183	161	111	115	123	
Episodes	F N	67193	28115	39078	1620	4526	5098	2790	5868	4963	1730	1520	1586	4466	5573	5121	10790	6656	2292	2594	
Number of Consultations		104726	43485	61241	2249	6280	7426	4366	9163	8331	3072	2598	2315	6172	8306	8135	16568	11298	3918	4529	

Mean weekly incidence rate per 100,000 Persons.

ICD9 140~239

### Neoplasms (140~239)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	28	24	32	0	1	9	18	26	26	35	55	0	2	10	33	45	33	33	31	
	2	31	26	36	5	1	8	11	28	26	49	70	21	6	13	29	51	42	31	28	
	3	32	25	38	0	5	9	21	25	28	40	52	5	7	14	35	56	36	38	38	
	4	29	25	33	15	1	12	21	22	30	46	44	10	5	14	37	42	35	39	31	
	5	35	29	41	0	7	16	18	31	28	50	72	16	6	13	38	52	48	36	43	
	6	37	29	44	0	5	12	25	30	32	43	62	5	5	16	50	64	46	35	40	
	7	42	33	49	5	6	14	26	35	40	50	55	16	11	16	60	67	52	51	36	
	8	38	31	44	10	0	12	24	38	30	45	63	5	6	13	48	56	53	44	41	
	9	36	33	40	10	5	13	27	33	36	56	58	11	6	11	37	49	45	44	49	
	10	35	29	41	15	7	12	22	30	34	46	49	21	7	16	44	51	49	39	40	
	11	30	25	35	0	5	7	11	26	30	45	58	11	4	12	33	41	45	41	33	
	12	29	23	35	10	2	9	11	20	26	49	66	0	4	11	27	44	44	36	39	
	13	23	21	25	11	1	10	11	20	23	40	51	23	0	5	15	28	33	33	30	
Quarter	1	31	25	36	2	2	9	17	27	27	41	59	8	5	13	33	51	37	36	33	
	2	35	29	41	5	4	14	22	29	31	49	57	10	6	15	45	54	45	36	37	
	3	37	31	43	11	5	13	26	34	34	49	57	16	8	14	44	56	49	45	42	
	4	28	24	32	8	3	8	11	23	28	44	58	10	3	9	27	38	41	37	35	
Year	2009	33	27	38	6	3	11	19	28	30	46	58	11	5	13	37	50	43	38	37	
Episodes	F N	15128	6201	8927	16	39	302	532	1857	1817	838	800	27	57	330	1049	3335	2583	764	782	
Number of Consultations		56357	26625	29732	33	84	483	1007	3498	7155	6344	8021	49	105	563	1864	6855	10132	4818	5346	

Mean weekly incidence rate per 100,000 Persons.

ICD9 240~279

### Endocr Nutr Metab Immune Diseases (240~279)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	40	38	42	25	4	3	5	20	62	100	101	0	2	3	28	40	50	80	86	
	2	41	37	45	5	3	4	5	26	59	98	82	10	5	5	26	44	58	77	84	
	3	47	42	51	0	0	6	5	27	65	103	123	5	10	6	27	46	68	93	93	
	4	40	35	46	20	6	2	4	22	55	94	87	10	1	5	32	43	55	82	85	
	5	45	40	49	10	4	9	8	26	58	109	101	11	7	5	25	46	65	84	92	
	6	42	36	49	15	1	1	5	19	59	86	108	10	2	4	28	45	64	85	92	
	7	44	38	50	5	3	2	8	24	59	102	98	21	6	6	26	48	69	72	96	
	8	41	35	48	0	1	2	4	22	59	80	85	11	2	5	25	46	56	79	112	
	9	41	35	46	30	0	4	6	23	52	91	88	21	2	3	29	39	54	98	101	
	10	40	34	46	0	1	3	4	25	52	80	87	10	2	4	32	39	60	81	87	
	11	40	35	44	10	4	3	9	22	53	97	75	11	5	4	32	38	56	84	86	
	12	39	34	45	10	2	2	6	22	49	91	92	16	6	6	31	41	48	88	93	
	13	38	36	40	5	2	7	3	21	56	100	98	6	3	4	19	36	52	77	73	
Quarter	1	43	39	47	12	2	4	5	25	62	102	103	8	5	5	27	44	59	86	88	
	2	42	37	48	12	4	4	6	22	57	96	98	8	4	5	29	44	62	82	91	
	3	41	35	47	9	0	3	6	23	55	88	88	16	2	4	27	43	58	82	99	
	4	39	35	43	8	3	4	6	22	53	93	89	12	5	4	28	38	53	83	85	
Year	2009	41	36	46	10	2	4	6	23	57	95	94	11	4	5	28	42	58	83	91	
Episodes	F N	19177	8297	10880	27	27	104	158	1509	3438	1734	1300	27	45	123	784	2838	3485	1658	1920	
Number of Consultations		161361	73386	87975	63	145	483	1163	9416	31556	17704	12856	89	154	493	3317	17104	31424	17649	17745	

Mean weekly incidence rate per 100,000 Persons.

ICD9 280~289

### Blood Blood Forming Organs Diseases (280~289)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	13	8	17	0	5	2	0	2	6	27	60	26	1	4	14	16	15	20	47	
	2	13	8	17	0	6	3	1	2	8	22	54	0	4	6	13	14	16	25	53	
	3	14	10	19	5	5	5	0	3	8	30	60	5	6	3	15	16	19	26	57	
	4	14	10	18	15	11	5	1	2	6	27	74	0	4	3	14	17	15	23	59	
	5	14	8	20	5	6	2	0	1	6	21	71	0	2	2	15	19	15	29	71	
	6	16	11	21	5	2	5	1	2	9	31	73	0	4	3	15	19	19	25	74	
	7	16	10	21	5	6	2	0	2	9	29	75	5	4	2	10	19	20	32	67	
	8	16	11	21	0	5	3	0	3	10	30	74	0	4	4	13	17	21	38	63	
	9	13	9	18	0	2	1	2	2	7	23	75	11	2	2	9	18	15	23	55	
	10	16	10	22	5	6	1	1	4	10	22	71	16	2	1	15	20	16	38	69	
	11	14	9	20	5	2	3	2	2	6	23	65	5	4	3	13	21	15	26	63	
	12	13	8	17	5	5	6	1	2	5	29	51	5	4	5	11	17	13	22	51	
	13	11	8	14	5	2	1	2	1	5	25	63	17	1	3	11	15	12	15	43	
Quarter	1	14	9	18	3	6	3	1	2	7	27	62	10	4	4	14	16	16	24	54	
	2	15	10	20	6	6	4	1	2	7	26	72	2	3	2	13	18	18	28	68	
	3	15	10	20	3	4	2	1	3	9	26	72	8	3	2	12	18	18	31	62	
	4	13	9	17	5	3	3	2	2	6	26	60	8	3	4	12	18	14	22	54	
Year	2009	14	9	19	4	5	3	1	2	7	26	67	7	3	3	13	17	16	26	59	
Episodes		6567	2150	4417	11	54	83	29	142	435	478	918	17	34	82	362	1163	977	524	1258	
Number of Consultations		23573	8113	15460	25	213	227	138	534	1705	1771	3500	33	109	244	853	3272	3775	2385	4789	

Mean weekly incidence rate per 100,000 Persons.

ICD9 290~319

### Mental Disorders (290~319)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	77	65	88	5	6	15	58	82	83	70	66	10	11	17	115	126	87	73	86	
	2	76	67	86	15	9	13	64	80	84	68	94	15	4	18	116	115	88	77	87	
	3	83	71	94	10	7	21	63	89	90	72	83	15	7	16	122	128	103	64	102	
	4	65	57	73	5	9	13	57	64	76	65	63	10	4	10	90	95	85	64	79	
	5	77	66	87	10	13	14	59	86	81	77	66	5	9	14	99	125	92	70	91	
	6	75	63	86	0	9	19	61	72	83	65	73	21	4	14	111	115	94	76	90	
	7	73	63	82	10	13	19	58	76	77	79	67	5	6	16	114	109	88	62	83	
	8	75	64	86	5	6	11	49	82	83	77	76	11	9	10	113	121	90	70	83	
	9	70	59	82	20	15	11	50	71	75	69	69	16	1	6	111	106	91	77	84	
	10	76	66	86	0	14	17	62	80	87	68	67	10	4	14	105	118	92	72	97	
	11	72	64	81	5	9	15	56	72	86	73	82	21	12	14	94	119	83	61	77	
	12	76	65	87	5	7	14	54	80	84	72	81	11	13	15	106	117	97	74	86	
	13	66	61	71	5	11	17	47	72	83	75	65	11	1	17	101	97	74	51	65	
Quarter	1	78	67	89	9	8	16	62	83	86	70	78	14	7	17	116	123	91	71	91	
	2	72	62	83	5	11	17	57	75	78	71	69	11	5	13	102	111	92	71	85	
	3	73	63	84	11	11	13	54	78	80	72	70	10	5	11	112	113	90	69	87	
	4	72	63	80	5	10	16	53	74	85	73	76	15	8	14	100	112	85	63	78	
Year	2009	74	64	84	7	10	15	57	77	82	72	73	13	6	14	108	115	90	69	86	
Episodes		34248	14559	19689	19	110	419	1593	5108	4988	1311	1011	31	69	359	3013	7666	5372	1367	1812	
Number of Consultations		175423	73015	102408	107	356	2225	6651	29102	24555	5284	4735	138	197	1186	11376	40895	31533	7433	9650	

Mean weekly incidence rate per 100,000 Persons.

ICD9 320~389

### Nervous System Sense organs Dis (320~389)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	231	207	255	1149	606	202	127	123	167	288	360	890	595	230	205	205	219	280	346	
	2	238	209	265	1022	855	227	101	112	160	252	350	1098	767	277	202	192	220	278	332	
	3	248	217	278	1069	735	208	119	128	167	288	403	980	716	294	212	203	232	298	392	
	4	210	188	232	967	619	185	98	111	148	241	353	701	523	236	164	170	211	292	315	
	5	210	185	235	879	450	160	93	119	164	269	371	722	430	212	165	183	219	293	356	
	6	203	176	230	744	410	174	90	110	166	236	338	749	387	225	165	182	210	272	347	
	7	208	189	226	661	346	178	108	127	180	291	367	602	343	217	168	170	220	282	347	
	8	200	181	219	518	297	147	114	124	168	291	405	523	275	167	174	176	220	277	353	
	9	194	179	208	478	210	166	120	126	180	262	375	369	217	189	183	162	208	259	340	
	10	204	181	226	606	346	159	101	124	167	266	397	523	299	186	182	179	220	282	378	
	11	213	186	239	690	446	168	96	116	168	279	375	752	430	215	179	178	234	293	346	
	12	221	199	243	894	595	184	90	118	170	292	384	757	499	226	176	188	222	276	366	
	13	222	203	241	852	830	226	97	107	150	277	339	811	829	273	149	183	186	261	275	
Quarter	1	239	212	266	1068	739	217	116	122	165	274	373	965	692	272	205	200	222	289	353	
	2	205	180	229	826	452	166	93	114	161	252	348	723	414	215	164	175	214	284	344	
	3	200	181	217	542	274	161	113	124	175	277	392	459	268	185	178	170	216	272	356	
	4	219	196	241	802	608	190	94	116	163	283	370	769	564	235	169	184	217	276	331	
Year	2009	216	192	238	811	518	183	104	119	166	272	371	730	485	227	179	183	217	280	346	
Episodes		99782	43795	55987	2104	5779	5019	2924	7842	10041	4976	5110	1798	5151	5895	5014	12200	13020	5582	7327	
Number of Consultations		193670	84196	109474	3000	8409	8104	5213	15183	21279	11053	11955	2587	7545	9168	9010	23877	27770	12441	17076	



Mean weekly incidence rate per 100,000 Persons.

ICD9 390~459

### Circulatory System Diseases (390~459)

		Males											Females							
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
4 weekly	1	56	54	58	0	1	1	11	27	77	155	191	5	2	3	20	43	71	126	160
	2	57	56	58	0	3	2	11	28	81	157	203	5	1	1	19	44	70	125	165
	3	64	61	66	0	2	2	14	38	83	156	224	5	1	3	17	48	82	138	192
	4	57	53	60	0	1	0	15	29	79	129	192	0	2	3	18	41	72	131	176
	5	59	57	62	0	0	5	15	34	82	145	190	0	2	4	12	45	75	151	167
	6	56	53	59	5	1	1	12	30	71	135	204	5	2	3	21	43	66	139	163
	7	56	53	59	0	2	1	10	33	76	126	181	5	1	3	14	50	70	116	171
	8	56	50	61	5	1	3	12	29	67	137	179	0	1	1	17	50	74	123	170
	9	51	48	55	0	0	2	9	28	64	120	192	0	0	0	21	39	63	124	159
	10	52	47	57	0	1	2	9	29	62	126	175	0	1	2	17	42	66	121	173
	11	53	50	56	0	2	0	14	29	72	117	174	5	1	2	19	43	66	116	156
	12	54	50	58	0	1	0	9	28	77	125	170	11	1	2	21	35	68	117	195
	13	51	50	51	0	0	1	12	25	69	142	174	6	3	1	14	37	59	123	145
Quarter	1	59	57	61	0	2	2	13	32	81	156	206	5	2	3	19	46	75	130	175
	2	56	53	59	2	1	2	12	31	76	134	190	3	2	3	16	43	69	136	168
	3	54	49	58	2	1	2	10	29	66	127	184	0	1	1	18	45	68	122	169
	4	53	50	55	0	1	1	11	28	73	127	174	7	2	2	18	39	65	120	164
Year	2009	55	52	58	1	1	2	12	30	74	136	189	4	2	2	18	43	69	127	169
Episodes	F N	25672	11930	13742	2	15	47	326	1969	4478	2494	2599	9	17	59	498	2891	4164	2529	3575
Number of Consultations		242527	116636	125891	84	76	195	800	8354	44298	31768	31061	101	108	187	1158	9623	36863	31656	46195

Mean weekly incidence rate per 100,000 Persons.

ICD9 460~519

### Respiratory System Diseases (460~519)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	511	420	599	2192	920	331	293	283	378	568	771	1795	907	368	538	527	609	667	812	
	2	369	312	424	2014	1048	395	214	194	212	327	422	1914	974	428	395	374	349	383	407	
	3	370	316	422	1872	1098	406	240	192	216	309	406	1848	990	430	407	390	327	388	384	
	4	338	288	386	1757	933	356	202	183	197	304	414	1521	870	391	363	354	310	351	389	
	5	327	281	372	1435	780	370	236	200	185	301	352	1332	680	382	402	342	298	368	368	
	6	299	259	337	1296	732	360	219	185	162	261	333	1171	645	373	370	323	268	294	282	
	7	348	307	388	1012	863	586	321	217	160	237	323	895	780	593	459	397	250	293	243	
	8	348	286	408	1409	877	392	274	235	163	208	299	1198	841	420	539	422	302	286	284	
	9	198	167	229	747	408	143	168	127	127	193	241	674	401	153	275	227	191	224	239	
	10	313	267	357	1949	883	338	227	168	164	248	343	1727	813	374	414	317	263	301	316	
	11	434	361	505	2105	1296	506	280	224	225	325	443	1993	1240	546	544	443	399	400	454	
	12	431	366	495	2325	1452	462	269	229	226	327	440	2091	1513	502	498	422	380	399	427	
	13	465	394	534	3165	1885	489	221	213	228	354	469	2767	1904	494	432	455	403	451	464	
Quarter	1	413	346	478	2028	1023	382	246	221	264	393	523	1845	963	418	442	428	422	468	525	
	2	322	280	363	1385	813	396	240	194	176	279	364	1241	725	404	388	344	281	332	324	
	3	286	241	330	1233	718	323	228	178	148	213	284	1107	671	339	412	326	244	264	265	
	4	439	369	506	2503	1494	480	259	221	224	333	444	2238	1500	517	493	438	390	412	442	
Year	2009	365	309	419	1779	1010	394	243	204	203	304	404	1604	962	419	433	384	334	369	389	
Episodes	F N	168804	70359	98445	4619	11262	10787	6833	13429	12298	5569	5562	3951	10223	10888	12135	25642	20024	7344	8238	
Number of Consultations		341477	144925	196552	7227	18421	19924	12979	26150	29140	15720	15364	6002	16344	18573	22216	47865	45475	19495	20582	

Mean weekly incidence rate per 100,000 Persons.

ICD9 520~579

### Digestive System Diseases (520~579)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	98	92	103	276	70	33	42	85	107	144	198	236	73	31	87	100	112	152	155	
	2	96	84	107	323	81	28	46	74	102	125	154	251	84	34	81	101	121	162	154	
	3	104	92	115	256	89	34	50	92	101	121	186	306	96	42	87	111	128	164	159	
	4	88	76	100	283	53	27	49	68	90	110	144	261	76	36	67	96	119	135	137	
	5	94	85	102	283	69	29	53	78	92	143	160	226	62	42	87	98	112	145	146	
	6	89	80	97	269	54	29	52	70	96	120	151	239	43	26	92	97	111	117	145	
	7	90	79	101	286	75	32	50	66	87	127	154	220	66	34	87	101	105	151	144	
	8	93	84	102	319	60	23	45	80	99	126	153	206	58	23	82	105	115	151	140	
	9	86	77	96	209	57	25	39	75	91	108	150	205	44	21	84	96	101	134	160	
	10	97	87	106	286	76	24	54	87	97	122	162	246	65	33	93	104	122	143	140	
	11	96	85	107	309	60	31	49	80	103	107	159	204	67	29	76	105	119	176	160	
	12	101	90	113	276	64	32	47	76	111	160	161	224	86	37	84	108	128	158	171	
	13	93	80	104	217	72	22	36	72	100	136	143	180	57	23	89	103	129	139	141	
Quarter	1	99	89	109	284	79	32	48	83	102	129	178	271	82	36	85	104	120	160	157	
	2	89	79	99	278	59	29	50	70	92	122	153	225	61	34	81	98	111	131	142	
	3	92	82	101	274	67	25	45	78	95	124	155	226	55	27	87	101	110	146	148	
	4	97	85	108	269	65	28	45	77	103	132	154	202	72	30	84	105	127	157	155	
Year	2009	94	84	104	277	68	28	47	77	98	127	160	232	68	32	84	102	117	148	150	
Episodes	F N	43578	19127	24451	718	753	779	1324	5086	5943	2322	2202	571	718	825	2363	6817	7023	2954	3180	
Number of Consultations		113287	48988	64299	1437	1590	1669	2826	11837	16154	7070	6405	1131	1547	1725	5006	15798	19840	9230	10022	

Mean weekly incidence rate per 100,000 Persons.

ICD9 580~629

### Genitourinary System Diseases (580~629)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	123	51	194	45	64	43	30	33	43	94	165	10	30	59	284	234	191	187	230	
	2	133	52	211	64	63	39	27	33	53	95	151	26	51	75	280	270	215	178	215	
	3	141	55	225	34	69	40	31	41	54	99	142	5	33	71	286	286	249	174	238	
	4	124	51	195	44	77	37	33	31	47	108	133	31	31	65	248	255	198	166	216	
	5	128	50	204	40	71	44	25	33	44	91	159	22	35	53	243	266	220	181	219	
	6	127	51	202	44	70	46	30	29	47	101	137	21	36	61	256	257	210	185	225	
	7	131	53	207	59	72	44	25	32	50	105	160	52	47	62	270	266	209	196	221	
	8	132	54	207	55	70	34	36	38	47	96	165	11	44	48	269	258	220	201	231	
	9	124	50	196	35	59	31	31	32	47	97	152	37	31	50	272	238	212	170	224	
	10	140	57	221	60	78	41	31	35	56	95	176	26	59	67	296	287	222	171	247	
	11	135	55	212	41	64	35	31	37	52	107	162	32	37	54	272	263	221	211	249	
	12	134	55	211	20	67	42	26	35	54	110	156	48	42	61	272	268	214	204	235	
	13	119	49	186	71	48	32	26	31	51	100	140	23	44	48	231	228	195	199	211	
Quarter	1	133	53	211	47	68	41	30	35	50	101	152	17	39	69	284	265	219	181	229	
	2	126	50	200	49	69	42	29	31	46	98	145	32	34	60	252	257	208	180	219	
	3	131	53	206	44	70	36	31	36	49	95	163	24	44	53	272	261	216	183	227	
	4	130	53	205	48	62	37	27	34	52	106	155	32	43	56	263	255	211	202	236	
Year	2009	130	53	205	47	67	39	29	34	50	100	154	26	40	60	268	260	214	186	228	
Episodes	F N	60225	11963	48262	122	751	1070	827	2238	3004	1832	2119	65	425	1554	7507	17367	12806	3713	4825	
Number of Consultations		137071	30063	107008	300	1328	1873	1865	4964	8055	5341	6337	195	897	3200	15697	38271	28986	8453	11309	

Mean weekly incidence rate per 100,000 Persons.

ICD9 630~679

### Complic Preg Childbirth Puerperium (630~679)

				Males									Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	8	0	15	5	0	0	0	0	0	0	0	10	0	0	34	38	1	0	0	
	2	7	0	14	0	0	0	0	1	0	0	0	0	0	0	31	36	1	0	1	
	3	8	0	15	5	0	0	0	0	0	0	0	0	0	0	26	41	1	1	1	
	4	7	0	14	0	0	0	0	0	0	0	0	10	0	0	28	36	0	1	1	
	5	8	0	15	5	0	0	0	0	0	0	0	0	0	0	31	38	1	1	1	
	6	8	0	15	0	0	0	0	0	1	0	1	10	0	0	28	39	1	0	0	
	7	9	0	17	5	0	0	0	0	0	0	1	0	0	0	33	45	1	0	1	
	8	8	0	15	5	0	0	0	0	0	0	0	0	0	1	29	39	1	1	0	
	9	7	0	15	5	0	0	0	0	0	0	0	0	0	0	31	37	1	0	1	
	10	8	0	15	0	0	0	0	0	0	0	0	0	0	0	29	39	2	0	1	
	11	9	0	17	0	0	0	0	0	0	0	0	0	0	0	32	46	1	0	0	
	12	8	0	15	5	0	0	0	0	0	1	0	0	0	1	27	40	0	0	0	
	13	7	0	13	11	0	0	0	0	0	0	0	1	6	0	1	19	36	1	1	1
Quarter	1	8	0	15	3	0	0	0	0	0	0	0	3	0	0	30	38	1	0	0	
	2	8	0	15	2	0	0	0	0	0	0	1	6	0	0	28	38	1	0	1	
	3	8	0	15	5	0	0	0	0	0	0	0	0	0	0	31	40	1	0	0	
	4	8	0	15	5	0	0	0	0	0	0	0	2	0	0	26	41	1	0	0	
Year	2009	8	0	15	3	0	0	0	0	0	0	0	3	0	0	29	39	1	0	0	
Episodes	F N	3563	39	3524	9	0	0	2	13	11	1	3	7	0	9	816	2626	52	5	9	
Number of Consultations		7724	60	7664	14	3	0	4	14	18	2	5	12	2	14	1662	5813	141	7	13	

Mean weekly incidence rate per 100,000 Persons.

ICD9 680~709

### Skin & Subcutaneous Tiss Disease (680~709)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	238	210	265	1038	395	162	215	153	168	269	375	728	366	227	296	233	221	291	363	
	2	244	216	271	880	350	170	234	157	176	284	403	683	397	222	329	237	225	281	376	
	3	263	232	292	885	440	195	241	147	200	289	468	781	380	241	329	256	253	316	411	
	4	243	218	268	928	342	198	210	162	184	274	390	617	391	208	291	239	235	291	372	
	5	264	231	297	889	442	187	196	160	203	312	456	809	447	254	336	256	255	316	394	
	6	263	232	293	846	458	187	204	158	208	325	416	822	393	235	316	259	252	337	404	
	7	277	245	309	721	400	205	231	176	226	342	416	654	419	239	330	281	277	336	424	
	8	258	226	289	637	304	161	224	163	209	340	431	628	322	200	331	250	264	327	442	
	9	250	216	283	642	285	179	207	165	188	308	413	611	350	199	310	254	254	329	407	
	10	255	218	292	646	319	165	225	156	199	300	420	701	330	239	333	253	258	329	412	
	11	247	216	277	700	286	196	207	161	186	316	382	661	346	204	310	247	238	334	389	
	12	235	203	265	761	314	168	207	142	174	276	395	619	386	223	288	233	229	289	367	
	13	225	207	242	711	340	184	222	149	168	266	390	710	357	197	267	210	210	253	337	
Quarter	1	250	221	279	950	392	179	231	155	182	283	417	733	391	232	317	246	236	300	383	
	2	258	228	287	843	417	191	202	160	202	308	419	722	402	230	317	254	248	316	395	
	3	260	227	292	653	320	175	227	165	207	323	424	661	350	215	326	257	265	325	424	
	4	236	208	263	718	308	180	209	150	176	288	387	659	360	211	291	230	228	299	367	
Year	2009	251	221	280	792	360	181	217	158	192	300	412	694	376	222	313	247	244	310	392	
Episodes	F N	116191	50312	65879	2057	4014	4960	6100	10396	11607	5500	5678	1710	3996	5778	8771	16500	14637	6176	8311	
Number of Consultations		232686	101320	131366	3662	7466	9403	12128	19920	23815	11979	12947	2880	7060	10741	17189	31273	29686	13553	18984	

Mean weekly incidence rate per 100,000 Persons.

ICD9 710~739

### Musculoskeletal Connective Tissue Dis (710~739)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	280	233	326	15	24	65	113	198	332	473	441	63	21	83	165	297	444	543	580	
	2	278	228	326	0	24	57	112	204	323	410	482	26	28	70	186	292	459	538	554	
	3	316	252	378	24	27	96	143	215	338	464	524	10	32	95	200	327	519	665	671	
	4	277	224	328	15	28	62	119	186	311	419	508	16	24	75	168	274	462	580	591	
	5	307	242	370	0	28	86	114	213	324	450	528	11	22	109	194	303	509	673	671	
	6	299	246	349	10	24	77	112	214	338	462	547	21	30	94	167	302	458	664	644	
	7	298	248	347	20	30	80	100	215	344	463	554	21	40	99	169	298	471	594	648	
	8	291	244	336	15	22	45	123	218	333	476	534	5	35	55	168	287	473	614	595	
	9	280	233	326	10	24	41	108	204	345	412	496	32	29	56	156	275	456	607	587	
	10	313	261	363	10	26	107	137	232	358	454	511	10	28	89	191	319	504	620	631	
	11	299	248	349	5	33	81	124	219	350	473	437	5	41	81	184	305	487	578	619	
	12	298	241	354	26	24	84	111	206	342	442	472	21	23	99	183	310	487	593	631	
	13	241	202	279	27	30	60	95	175	282	367	429	23	26	69	156	240	380	486	488	
Quarter	1	293	239	345	12	25	73	122	207	333	450	489	33	27	85	187	306	477	584	605	
	2	294	238	348	11	28	76	113	204	325	445	534	15	28	94	174	293	472	639	638	
	3	293	245	340	14	25	63	117	220	342	443	517	16	32	67	166	293	476	610	611	
	4	283	234	330	18	28	78	113	201	330	437	450	17	29	84	178	288	456	557	582	
Year	2009	291	239	341	13	27	73	116	208	333	444	498	20	29	83	176	295	470	597	609	
Episodes	F N	134580	54422	80158	35	296	1984	3268	13708	20141	8131	6859	50	310	2151	4930	19714	28206	11897	12900	
Number of Consultations		313158	122198	190960	130	591	3458	6215	27837	46361	20200	17406	153	589	3669	9029	40606	68074	32304	36536	

Mean weekly incidence rate per 100,000 Persons.

ICD9 740~759

### Congenital Anomalies (740~759)

				Males									Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	3	3	2	70	17	3	2	1	2	0	0	47	10	3	3	2	0	1	1	
	2	3	3	3	59	12	6	3	0	1	1	1	82	13	5	1	1	1	1	1	
	3	3	3	3	106	13	2	2	1	1	0	3	41	6	2	5	2	1	2	2	
	4	3	3	3	59	17	5	3	1	2	1	0	58	7	5	4	1	1	1	1	
	5	3	2	3	51	8	5	1	0	2	1	0	49	12	3	3	2	2	1	1	
	6	3	3	3	98	8	5	2	1	1	1	1	47	14	5	2	3	1	3	0	
	7	3	4	3	84	10	5	4	1	1	2	4	68	9	3	4	2	1	3	1	
	8	3	3	3	55	15	3	3	2	1	1	0	58	4	5	3	2	2	2	1	
	9	3	3	2	85	6	6	1	0	1	1	3	58	6	3	3	1	1	1	2	
	10	3	3	3	80	13	5	2	2	1	3	0	52	11	3	1	3	1	1	2	
	11	3	3	3	108	11	4	3	1	1	2	1	64	4	4	1	2	2	3	2	
	12	3	3	3	82	10	5	1	1	1	1	2	64	13	2	1	2	1	1	3	
	13	2	2	2	65	15	3	2	0	0	2	2	39	5	4	0	1	1	0	0	
Quarter	1	3	3	3	77	14	4	2	1	1	0	1	59	10	4	3	2	1	1	1	
	2	3	3	3	76	10	5	2	1	1	1	0	50	10	4	2	2	2	2	0	
	3	3	3	3	70	11	5	3	1	1	1	2	60	8	3	3	2	1	1	2	
	4	3	3	2	85	12	4	2	1	1	2	1	55	7	3	1	1	1	1	2	
Year	2009	3	3	3	77	12	4	2	1	1	1	1	56	9	4	2	2	1	1	1	
Episodes	F N	1324	683	641	200	132	118	63	62	67	24	17	138	94	93	69	120	71	28	28	
Number of Consultations		5175	2671	2504	385	457	354	315	483	459	152	66	338	231	323	310	594	466	125	117	



Mean weekly incidence rate per 100,000 Persons.

ICD9 760~779

### Certain conditions Perinatal origin (760~779)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1	2	1	150	1	0	0	0	0	0	0	84	0	0	0	1	0	0	0	
	2	2	1	2	103	3	0	0	0	0	0	0	149	0	0	0	0	0	0	0	
	3	1	1	1	111	0	0	0	0	0	0	0	87	1	0	1	0	0	1	0	
	4	1	1	1	93	0	0	0	0	0	0	0	94	1	0	0	1	0	1	0	
	5	1	2	1	126	1	0	0	0	0	0	0	102	2	1	1	0	0	0	0	
	6	1	1	1	73	2	0	0	0	0	0	0	42	1	0	1	1	0	1	0	
	7	1	1	1	89	1	0	0	0	0	0	0	110	1	0	0	0	0	1	0	
	8	1	2	1	134	4	0	0	0	0	0	0	100	2	0	0	0	0	0	0	
	9	1	1	2	100	1	0	0	0	0	0	0	126	0	0	0	0	0	1	1	
	10	2	1	2	110	0	0	0	0	0	0	0	115	2	0	1	1	0	0	1	
	11	2	2	2	129	1	0	0	0	0	0	1	124	1	0	0	1	0	0	0	
	12	1	1	2	112	0	0	0	0	0	0	0	112	1	1	1	1	0	0	0	
	13	1	1	2	114	0	0	0	0	0	0	0	118	1	1	0	1	0	0	0	
Quarter	1	1	1	1	121	1	0	0	0	0	0	0	111	1	0	0	0	0	0	0	
	2	1	1	1	94	1	0	0	0	0	0	0	78	1	0	1	1	0	0	0	
	3	1	1	1	116	2	0	0	0	0	0	0	108	2	0	1	0	0	0	0	
	4	1	1	2	112	0	0	0	0	0	0	0	122	2	0	1	1	0	0	0	
Year	2009	1	1	1	111	1	0	0	0	0	0	0	105	1	0	1	1	0	0	0	
Episodes	F N	652	310	342	288	13	1	0	4	3	0	1	258	13	5	17	35	7	5	2	
Number of Consultations		1263	606	657	480	59	14	17	10	16	1	9	433	72	9	41	77	13	8	4	

Mean weekly incidence rate per 100,000 Persons.

ICD9 780~789

### Symptoms Signs and Illdefined (780~789)

				Males									Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	215	183	247	441	211	114	106	125	197	332	424	351	197	145	246	216	236	311	463	
	2	219	188	249	591	270	121	130	143	181	294	413	395	283	142	244	210	240	361	402	
	3	241	200	280	663	322	144	124	134	206	302	446	643	308	169	263	238	259	386	477	
	4	215	181	249	508	278	122	125	130	173	274	423	502	256	145	238	215	242	334	405	
	5	218	187	249	546	256	133	120	130	189	292	432	415	231	140	227	217	251	311	434	
	6	214	179	248	572	236	133	104	123	181	293	412	484	262	131	210	219	240	349	426	
	7	215	181	248	568	243	159	115	125	175	262	412	440	267	165	217	221	239	307	417	
	8	215	180	248	578	251	106	120	134	176	274	434	406	227	121	238	219	248	330	426	
	9	200	170	230	533	202	98	101	131	170	275	400	453	206	112	204	195	229	318	426	
	10	218	182	253	456	222	126	123	128	183	281	445	434	235	152	230	234	238	327	427	
	11	223	187	258	581	313	149	109	121	185	311	402	500	278	160	241	219	246	333	445	
	12	235	196	273	659	301	148	121	139	186	317	418	517	338	180	259	237	250	324	467	
	13	218	186	250	635	316	128	115	124	182	295	416	541	332	146	224	202	242	317	441	
Quarter	1	227	192	261	571	278	128	123	136	195	309	430	473	262	154	255	224	247	357	445	
	2	213	180	245	537	240	132	114	126	180	283	421	448	251	138	216	213	244	319	417	
	3	211	176	245	530	234	115	113	129	174	273	419	440	229	134	223	217	235	323	434	
	4	225	190	260	619	301	141	116	128	185	305	416	511	310	162	241	222	246	327	444	
Year	2009	219	185	253	564	263	129	116	130	183	292	422	468	263	147	234	219	243	332	435	
Episodes	F N	101371	42032	59339	1463	2933	3534	3268	8556	11108	5359	5811	1152	2795	3816	6556	14626	14576	6605	9213	
Number of Consultations		213512	87539	125973	2533	4924	6084	6005	16991	25734	12277	12991	1968	4614	6579	12607	29934	33651	15672	20948	

Mean weekly incidence rate per 100,000 Persons.

ICD9 800~999

### Injury & Poisoning (800~999)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	81	74	89	75	73	76	91	69	66	67	106	63	66	56	90	88	88	94	141	
	2	90	84	95	64	97	68	114	83	70	76	130	46	69	76	106	91	94	96	135	
	3	96	97	96	53	109	119	135	93	74	78	113	41	86	84	95	102	82	97	140	
	4	81	81	81	54	105	91	112	81	64	65	90	63	72	76	76	78	80	81	117	
	5	93	93	94	81	105	118	103	91	72	86	126	43	72	99	96	89	87	94	139	
	6	93	90	96	59	106	117	101	82	72	84	130	52	98	80	96	88	98	98	138	
	7	110	106	114	94	128	129	139	99	85	96	118	84	96	113	97	101	112	132	177	
	8	95	90	99	45	94	78	120	93	72	89	123	58	92	80	88	97	97	110	147	
	9	96	93	98	60	85	78	120	94	81	96	127	90	72	71	97	94	98	119	140	
	10	101	100	102	80	104	132	143	95	76	75	111	63	78	94	107	95	99	99	153	
	11	88	87	88	67	88	104	119	76	76	80	110	113	58	78	87	87	84	82	133	
	12	90	88	91	36	102	96	116	87	72	85	90	21	72	81	91	91	79	101	147	
	13	77	74	79	76	73	72	88	67	69	74	111	39	45	57	92	74	78	85	126	
Quarter	1	90	86	93	66	96	93	115	83	70	74	115	51	76	75	96	93	88	96	137	
	2	92	89	94	62	105	108	108	86	71	81	113	58	83	88	91	86	92	98	142	
	3	99	96	101	69	103	97	129	94	77	90	122	70	80	83	97	98	100	111	151	
	4	86	85	88	61	88	95	110	78	73	78	106	60	62	76	91	85	82	92	135	
Year	2009	92	89	94	65	98	98	116	85	73	81	114	60	75	80	94	91	91	99	141	
Episodes	F N	42422	20315	22107	168	1091	2691	3249	5638	4422	1482	1574	147	801	2092	2624	6050	5430	1974	2989	
Number of Consultations		88742	42268	46474	242	1806	4475	6445	11769	10493	3240	3798	235	1295	3432	4832	11756	12169	4767	7988	



**ANALYSIS OF SELECTED DISEASES**

- **concentrating on infections**
- **demonstrating data available in a wide variety of conditions**
- **including some rare disorders illustrating the capacity of the information system**
- **Providing insight into the burden of illness.**

**Tabular data are presented in ICD order of disease**



Mean weekly incidence rate per 100,000 Persons.

ICD9 010~018

### Tuberculosis (010~018)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.06	0.11	0.00	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.08	0.11	0.05	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	5	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.66	0.00	
	6	0.11	0.06	0.16	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	0.00	0.19	0.21	0.00	0.00
	7	0.11	0.11	0.11	0.00	0.00	0.00	0.46	0.00	0.00	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.61	
	8	0.08	0.06	0.11	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01	0.00	0.00	0.00	0.00	0.00	
	9	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.20	0.00	0.00	0.00
	10	0.08	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.61
	11	0.09	0.06	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00
	12	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.12	0.18	0.06	5.43	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.99	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.00
Quarter	1	0.04	0.07	0.02	0.00	0.00	0.00	0.00	0.06	0.07	0.44	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	
	2	0.09	0.07	0.12	0.00	0.00	0.00	0.28	0.12	0.00	0.00	0.00	0.00	0.00	0.15	0.14	0.06	0.07	0.40	0.19	
	3	0.08	0.04	0.12	0.00	0.00	0.15	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.31	0.14	0.12	0.07	0.00	0.19	
	4	0.07	0.09	0.05	1.60	0.00	0.00	0.00	0.00	0.07	0.00	0.88	0.00	0.00	0.00	0.00	0.06	0.14	0.00	0.00	
Year	2009	0.07	0.07	0.08	0.39	0.00	0.04	0.07	0.05	0.03	0.16	0.22	0.00	0.00	0.12	0.07	0.07	0.07	0.10	0.09	
Episodes	F N	33	15	18	1	0	1	2	3	2	3	3	0	0	3	2	5	4	2	2	
Number of Consultations		194	101	93	1	0	3	5	24	37	21	10	0	0	3	9	33	24	7	17	

Mean weekly incidence rate per 100,000 Persons.

ICD9 035

### Erysipelas (035)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.20	0.17	0.22	0.00	0.00	0.47	0.00	0.00	0.22	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.22	1.99	0.00	
	2	0.11	0.17	0.05	0.00	0.00	0.47	0.00	0.00	0.21	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	
	3	0.16	0.11	0.21	0.00	0.00	0.46	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	1.28	0.00	
	4	0.22	0.28	0.16	0.00	0.00	0.47	0.00	0.00	0.63	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.21	1.29	0.00	
	5	0.20	0.12	0.28	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.44	0.66	0.00	
	6	0.11	0.11	0.11	0.00	0.00	0.00	0.00	0.00	0.21	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.60	
	7	0.14	0.23	0.05	0.00	0.00	0.00	0.00	0.39	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	
	8	0.11	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.44	0.65	0.00	
	9	0.14	0.11	0.17	0.00	0.00	0.00	0.46	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.65	0.62	
	10	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00	
	11	0.20	0.29	0.11	0.00	0.00	0.00	0.00	0.00	0.43	0.71	1.90	0.00	0.00	0.00	0.00	0.00	0.00	1.31	0.00	
	12	0.08	0.11	0.06	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.94	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	
	13	0.33	0.30	0.35	0.00	0.00	0.51	0.00	0.21	0.23	0.74	0.99	0.00	0.00	0.00	0.00	0.62	0.46	0.68	0.00	
Quarter	1	0.16	0.16	0.17	0.00	0.00	0.43	0.00	0.06	0.20	0.22	0.29	0.00	0.00	0.00	0.28	0.00	0.07	1.41	0.00	
	2	0.16	0.17	0.15	0.00	0.00	0.15	0.00	0.06	0.39	0.22	0.29	0.00	0.00	0.00	0.00	0.12	0.26	0.40	0.19	
	3	0.11	0.07	0.15	0.00	0.00	0.00	0.14	0.06	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.20	0.60	0.19	
	4	0.19	0.22	0.17	0.00	0.00	0.15	0.00	0.06	0.27	0.44	1.18	0.00	0.00	0.00	0.00	0.18	0.27	0.61	0.00	
Year	2009	0.16	0.15	0.16	0.00	0.00	0.18	0.04	0.06	0.25	0.22	0.44	0.00	0.00	0.00	0.07	0.10	0.20	0.75	0.09	
Episodes	F N	73	35	38	0	0	5	1	4	15	4	6	0	0	0	2	7	12	15	2	
Number of Consultations		149	63	86	0	0	5	2	7	29	9	11	0	0	2	2	14	23	35	10	



Mean weekly incidence rate per 100,000 Persons.

ICD9 054

### Herpes Simplex (054)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	5.0	3.0	6.8	0.0	1.2	2.8	1.4	4.7	2.6	4.3	1.0	0.0	3.7	4.0	13.0	10.1	5.7	2.7	1.2	
	2	5.7	3.4	7.9	0.0	6.9	4.7	2.7	3.7	2.8	2.1	3.8	5.1	7.2	7.3	8.7	11.8	6.2	4.6	3.7	
	3	6.2	4.1	8.1	4.8	8.0	5.1	3.6	4.4	4.0	2.8	1.8	0.0	3.6	3.4	13.5	11.5	7.2	5.7	4.2	
	4	5.6	3.1	7.9	0.0	4.6	2.8	5.5	3.5	2.3	1.4	2.8	0.0	3.6	4.9	14.2	9.9	8.1	6.5	1.2	
	5	5.5	3.1	7.8	0.0	7.1	2.4	2.8	4.0	2.6	2.2	1.9	0.0	6.2	3.5	14.6	11.6	6.8	2.7	1.9	
	6	5.2	3.5	6.7	0.0	4.6	3.7	4.5	5.0	1.9	2.8	1.8	0.0	4.8	5.9	8.2	11.3	4.7	3.2	2.4	
	7	6.0	4.2	7.7	4.9	5.8	2.8	5.5	4.3	4.3	4.2	2.8	0.0	6.1	4.0	13.3	11.6	6.2	3.2	2.4	
	8	5.3	2.8	7.7	0.0	1.2	2.9	3.7	3.8	1.5	3.5	1.9	5.3	0.0	5.5	11.2	11.6	6.5	6.5	2.5	
	9	4.9	2.7	7.0	0.0	2.3	2.9	4.6	3.2	1.7	3.5	0.9	5.3	6.1	4.5	9.7	9.2	6.3	4.6	4.3	
	10	4.4	2.7	6.0	0.0	2.3	1.9	3.7	3.1	2.8	2.8	0.9	0.0	1.2	2.5	11.5	8.5	5.6	3.9	1.8	
	11	5.3	3.1	7.5	5.1	9.4	4.3	2.8	2.8	3.0	0.7	0.0	5.4	8.6	6.1	13.2	9.1	6.8	2.6	3.1	
	12	5.5	3.1	7.8	5.1	7.0	4.8	2.8	3.2	1.3	4.2	2.8	0.0	8.6	5.5	10.8	12.6	6.7	0.6	1.8	
	13	5.5	2.7	8.3	0.0	6.2	0.5	3.5	3.8	2.7	0.7	0.0	0.0	5.2	1.6	13.9	14.1	7.4	2.0	1.9	
Quarter	1	5.7	3.5	7.8	1.5	5.7	4.2	2.7	4.2	3.1	2.8	2.6	1.6	5.2	5.1	12.1	11.2	6.6	4.4	3.0	
	2	5.3	3.4	7.2	0.0	5.0	2.9	4.5	4.3	2.7	2.8	1.7	0.0	4.5	4.4	11.6	10.7	6.0	4.0	2.1	
	3	5.2	2.9	7.4	1.5	2.9	2.8	4.1	3.4	2.0	3.5	1.7	3.2	3.4	4.3	12.1	10.4	6.6	5.0	2.8	
	4	5.3	3.0	7.6	3.2	6.9	3.0	3.2	3.4	2.5	1.8	0.9	1.7	6.9	4.3	12.0	11.6	6.7	1.6	2.1	
Year	2009	5.4	3.2	7.5	1.5	5.1	3.2	3.6	3.8	2.6	2.7	1.7	1.6	5.0	4.5	12.0	11.0	6.5	3.8	2.5	
Episodes	F N	2491	732	1759	4	57	88	102	251	156	50	24	4	53	118	335	733	388	75	53	
Number of Consultations		3930	1129	2801	5	81	124	152	396	241	91	39	5	73	152	555	1165	643	126	82	

Mean weekly incidence rate per 100,000 Persons.

ICD9 078.0

### Molluscum Contagiosum (078.0)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	3.7	3.2	4.3	0.0	25.9	14.7	0.0	0.2	0.2	0.7	0.0	0.0	34.4	20.4	2.3	0.6	0.0	0.0	0.0	
	2	3.8	4.3	3.2	0.0	35.7	19.1	0.0	0.4	0.4	0.7	0.0	0.0	24.1	17.6	0.5	0.4	0.0	0.0	0.0	
	3	4.0	3.8	4.1	4.8	33.0	15.2	0.9	0.4	0.4	0.0	0.0	5.1	29.7	22.2	0.9	0.4	0.2	0.0	0.0	
	4	3.9	4.3	3.5	0.0	18.4	23.3	2.7	1.0	0.0	0.0	0.0	0.0	18.1	21.6	0.9	0.6	0.0	0.0	0.0	
	5	3.6	3.2	4.0	0.0	20.1	15.4	0.5	1.2	0.0	0.0	0.0	5.4	34.8	20.2	0.5	0.4	0.0	0.0	0.0	
	6	4.2	3.8	4.6	4.9	27.5	17.7	0.5	0.8	0.0	0.0	0.0	0.0	28.9	27.0	0.5	0.8	0.2	0.0	0.0	
	7	3.5	3.5	3.5	4.9	26.6	15.6	0.9	0.2	0.0	0.7	0.0	10.5	23.1	18.4	0.9	0.8	0.0	0.0	0.0	
	8	3.1	3.0	3.2	10.0	20.0	11.5	0.0	1.4	0.2	0.7	0.0	0.0	28.4	14.1	1.9	0.4	0.2	0.0	0.0	
	9	4.1	4.3	3.9	5.0	25.6	20.0	1.4	1.0	0.6	0.0	0.0	0.0	30.6	20.1	0.9	0.6	0.0	0.7	0.0	
	10	3.2	3.1	3.3	0.0	17.2	15.1	0.5	0.4	0.6	0.0	0.9	20.9	20.5	14.9	1.8	0.4	0.4	0.0	0.6	
	11	2.6	3.4	1.9	20.6	29.3	11.1	0.9	0.6	0.4	0.0	0.0	0.0	17.2	8.1	0.5	0.6	0.0	0.0	0.0	
	12	2.9	3.2	2.7	0.0	22.1	16.3	0.0	0.4	0.0	0.0	0.0	5.3	17.1	13.6	0.9	0.6	0.0	0.6	0.0	
	13	3.0	3.3	2.7	0.0	28.4	14.2	1.5	0.0	0.0	0.7	0.0	0.0	23.3	13.9	0.0	0.2	0.2	0.0	0.0	
Quarter	1	3.8	3.9	3.8	1.5	30.6	16.9	0.6	0.4	0.3	0.4	0.0	1.6	29.3	19.3	1.1	0.5	0.1	0.0	0.0	
	2	3.9	3.7	4.1	1.5	22.8	18.4	1.0	0.8	0.0	0.0	0.0	1.6	25.5	23.8	0.6	0.7	0.1	0.0	0.0	
	3	3.5	3.5	3.5	6.1	21.5	15.1	0.7	0.9	0.5	0.4	0.3	8.1	25.9	16.6	1.4	0.4	0.2	0.2	0.2	
	4	2.9	3.3	2.5	6.4	26.6	14.0	0.7	0.3	0.1	0.2	0.0	3.3	20.7	11.7	0.7	0.5	0.1	0.2	0.0	
Year	2009	3.5	3.6	3.5	3.9	25.4	16.1	0.7	0.6	0.2	0.3	0.1	3.7	25.4	17.9	1.0	0.5	0.1	0.1	0.0	
Episodes	F N	1630	815	815	10	283	441	21	40	14	5	1	9	270	466	27	34	6	2	1	
Number of Consultations		2498	1216	1282	12	418	661	42	59	18	5	1	12	399	755	52	46	14	2	2	

Mean weekly incidence rate per 100,000 Persons.

ICD9 099.4

### Nonspecific Urethritis (099.4)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.14	0.23	0.06	0.00	0.00	0.00	0.93	0.39	0.00	0.00	0.00	0.00	1.23	0.00	0.00	0.00	0.00	0.00	0.00	
	2	0.06	0.06	0.05	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	
	3	0.14	0.28	0.00	0.00	0.00	0.00	0.00	0.76	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.03	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	5	0.06	0.12	0.00	0.00	0.00	0.00	0.47	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.17	0.28	0.05	0.00	0.00	0.00	0.91	0.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	
	7	0.08	0.11	0.05	0.00	0.00	0.00	0.00	0.00	0.21	0.70	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	
	8	0.06	0.06	0.06	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	
	9	0.03	0.06	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	0.17	0.34	0.00	0.00	0.00	0.00	1.38	0.20	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.09	0.17	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	0.11	0.23	0.00	0.00	0.00	0.48	0.00	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.03	0.06	0.00	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.10	0.17	0.03	0.00	0.00	0.00	0.42	0.36	0.07	0.00	0.00	0.00	0.37	0.00	0.00	0.00	0.07	0.00	0.00	
	2	0.09	0.14	0.03	0.00	0.00	0.00	0.42	0.24	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.07	0.00	0.00	
	3	0.07	0.11	0.03	0.00	0.00	0.00	0.28	0.12	0.07	0.22	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	
	4	0.10	0.20	0.00	0.00	0.00	0.15	0.44	0.38	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Year	2009	0.09	0.15	0.03	0.00	0.00	0.04	0.39	0.27	0.07	0.05	0.00	0.00	0.09	0.00	0.07	0.01	0.03	0.00	0.00	
Episodes	F N	41	35	6	0	0	1	11	18	4	1	0	0	1	0	2	1	2	0	0	
Number of Consultations		85	73	12	0	0	1	25	36	9	2	0	0	1	0	3	2	5	0	1	

Mean weekly incidence rate per 100,000 Persons.

ICD9 110

### Dermatophytosis Tinea Ringworm (110)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	22.6	24.9	20.4	35.1	24.8	22.2	16.3	23.7	29.7	28.1	25.7	10.5	17.2	17.9	18.2	22.8	20.7	23.2	17.9	
	2	23.5	25.6	21.5	44.0	23.0	21.9	16.8	24.6	25.9	39.2	35.9	30.8	25.3	21.1	15.5	25.4	19.3	22.3	19.5	
	3	26.7	28.3	25.3	48.4	34.1	17.5	20.7	33.7	30.2	23.6	28.5	15.3	17.8	23.7	20.7	33.8	22.1	24.9	20.2	
	4	23.6	26.4	20.9	34.2	26.4	22.4	20.5	26.6	28.9	29.5	28.9	26.1	18.1	24.6	19.6	21.1	18.6	25.2	20.5	
	5	30.1	33.6	26.7	20.2	29.6	28.3	22.0	37.3	35.2	33.9	48.8	27.0	19.9	22.7	24.9	27.2	27.2	33.8	28.0	
	6	29.5	32.8	26.2	14.7	32.1	23.8	20.9	32.5	37.4	47.3	40.6	26.0	18.1	21.1	23.7	28.1	29.3	25.6	25.8	
	7	35.1	38.7	31.6	19.7	19.7	30.2	30.7	41.1	43.0	48.5	48.6	15.7	23.1	29.3	34.0	30.5	35.7	33.6	26.8	
	8	31.7	35.3	28.1	5.0	20.0	28.2	23.2	37.1	42.9	41.8	41.5	36.9	18.5	25.2	26.0	31.0	30.5	30.7	19.7	
	9	29.9	33.9	26.0	5.0	26.8	24.3	29.6	32.2	40.2	45.3	37.8	0.0	13.5	17.1	22.7	27.0	32.8	26.7	27.7	
	10	28.4	31.1	25.8	25.1	19.5	22.2	23.4	30.6	39.1	35.0	36.4	15.7	29.0	23.9	22.0	28.4	25.4	32.2	19.5	
	11	25.1	26.9	23.3	10.3	18.7	21.7	15.5	27.9	29.5	41.9	34.1	16.1	14.8	20.3	20.2	21.7	27.3	30.1	23.0	
	12	22.7	25.2	20.3	10.2	9.3	16.8	15.4	26.4	27.9	37.4	43.2	21.3	18.3	15.6	19.2	20.6	20.7	25.3	21.6	
	13	19.3	21.8	16.9	16.3	18.5	15.2	16.8	23.9	22.4	28.3	26.7	22.5	20.7	13.9	19.4	15.8	18.9	13.7	16.2	
Quarter	1	24.2	26.3	22.3	40.8	26.7	20.6	18.7	27.3	28.5	30.1	30.1	23.8	20.4	21.0	18.4	26.8	20.2	24.1	19.4	
	2	28.7	32.0	25.5	21.3	27.8	25.5	21.1	33.2	36.1	38.4	41.0	21.1	17.6	22.9	23.7	25.8	27.5	29.8	25.1	
	3	31.5	34.9	28.2	15.3	22.5	25.9	27.8	36.0	40.3	43.4	40.7	16.2	21.4	24.3	26.0	30.6	31.0	30.3	23.2	
	4	22.7	25.1	20.4	11.2	16.0	18.6	16.1	25.9	28.2	35.8	35.0	20.1	18.8	16.9	20.0	19.6	22.4	22.8	20.5	
Year	2009	26.8	29.6	24.1	22.3	23.3	22.7	20.9	30.6	33.3	37.0	36.7	20.3	19.6	21.3	22.0	25.7	25.3	26.8	22.1	
Episodes	F N	12411	6746	5665	58	260	621	588	2019	2017	677	506	50	208	554	617	1720	1516	533	467	
Number of Consultations		19440	10521	8919	87	391	905	869	2974	3234	1207	854	69	309	766	964	2624	2522	874	791	

Mean weekly incidence rate per 100,000 Persons.

ICD9 112

### Candidiasis (112)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	23.9	10.6	36.8	160.5	17.7	4.7	6.5	8.6	6.7	13.0	21.0	167.5	30.7	6.0	48.0	50.9	28.1	29.8	34.5	
	2	23.1	11.3	34.6	205.3	19.6	8.4	7.7	6.5	8.1	12.8	16.1	179.6	39.7	11.3	43.8	50.7	22.1	24.3	25.0	
	3	26.9	11.7	41.6	217.7	26.1	3.7	6.7	8.0	8.5	11.8	19.3	204.2	36.9	15.0	48.7	64.8	26.7	33.8	24.4	
	4	23.3	10.0	36.1	180.6	26.4	1.9	7.3	6.0	8.0	5.6	20.5	172.5	43.5	8.4	53.9	45.9	24.8	25.2	38.1	
	5	23.9	8.7	38.6	146.5	23.7	2.9	7.5	5.0	5.6	10.1	14.4	161.8	38.5	10.1	47.9	54.7	27.2	28.5	37.9	
	6	25.2	10.4	39.5	210.4	16.1	1.9	10.0	7.7	6.9	7.6	17.5	213.3	30.1	8.8	46.0	58.6	28.7	31.4	30.7	
	7	27.0	10.5	43.0	202.4	20.8	3.8	6.9	6.7	7.2	14.0	14.0	235.5	42.5	6.9	54.2	59.5	30.8	34.2	40.8	
	8	27.6	11.8	42.9	234.1	29.4	5.3	5.1	6.0	10.4	12.1	15.1	290.3	39.5	7.1	54.4	63.6	26.4	32.0	36.3	
	9	26.9	11.7	41.6	229.1	18.6	3.8	8.3	6.7	9.7	14.9	15.1	284.4	44.1	8.0	59.7	57.4	27.0	22.8	38.8	
	10	27.8	11.0	44.1	180.4	27.6	4.3	4.6	8.2	8.3	11.9	15.9	251.2	36.2	10.4	51.3	62.7	33.7	32.9	37.2	
	11	26.0	9.8	41.6	200.7	18.7	2.9	4.7	6.2	6.7	12.1	18.0	268.7	38.2	8.1	50.3	57.1	30.4	27.5	43.5	
	12	25.6	10.1	40.5	168.6	33.7	4.8	7.0	4.2	7.6	12.0	15.0	250.7	36.7	10.1	51.6	53.9	31.1	34.4	31.4	
	13	23.6	8.6	38.1	119.4	25.9	3.0	3.0	6.3	7.8	8.9	9.9	163.4	29.7	8.6	36.8	58.2	30.8	21.8	38.9	
Quarter	1	24.6	11.1	37.7	190.3	21.3	5.3	7.4	7.5	7.8	11.8	19.1	181.0	36.8	10.4	48.3	54.5	25.8	29.1	29.7	
	2	24.3	9.8	38.4	190.2	21.4	2.2	7.4	6.3	6.8	10.2	16.4	191.4	36.0	9.2	47.8	54.1	27.7	28.6	35.4	
	3	27.5	11.5	43.0	212.9	25.8	4.2	6.7	6.9	9.4	11.9	15.9	274.8	42.1	6.9	55.5	61.8	28.6	30.1	37.7	
	4	25.3	9.5	40.7	163.6	25.2	4.1	4.8	5.8	7.2	11.3	13.8	229.0	34.9	10.1	47.6	56.7	31.1	28.9	37.8	
Year	2009	25.4	10.5	39.9	189.5	23.4	3.9	6.6	6.6	7.8	11.3	16.3	218.8	37.4	9.2	49.8	56.8	28.3	29.2	35.1	
Episodes	F N	11773	2389	9384	492	261	108	185	438	473	207	225	539	398	238	1395	3794	1695	581	744	
Number of Consultations		18121	3690	14431	719	391	152	269	671	792	340	356	866	588	346	2102	5675	2757	926	1171	

Mean weekly incidence rate per 100,000 Persons.

ICD9 127.4

### Threadworms Enterobiasis (127.4)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.83	1.03	2.60	0.00	9.43	3.79	0.00	0.39	0.00	0.00	0.00	15.70	14.76	7.98	4.19	0.77	0.00	0.00	1.85	
	2	1.94	1.69	2.18	0.00	8.05	7.91	0.46	0.38	0.64	0.00	0.00	5.13	8.43	9.79	1.37	1.33	0.43	0.00	0.00	
	3	1.72	1.71	1.72	0.00	9.09	7.35	0.90	0.57	0.42	0.00	0.00	0.00	11.89	5.80	0.45	1.31	0.21	0.64	0.00	
	4	1.88	2.02	1.74	4.88	9.19	8.87	1.83	0.77	0.00	0.00	0.00	0.00	15.69	4.42	2.28	0.76	0.21	0.00	0.00	
	5	1.68	1.16	2.19	0.00	7.10	3.84	1.41	0.40	0.22	0.00	0.00	0.00	7.46	8.59	2.35	1.77	0.44	0.00	0.00	
	6	1.87	1.57	2.17	0.00	13.77	5.13	0.91	0.39	0.21	0.00	0.00	0.00	13.26	7.85	2.28	1.53	0.00	0.00	0.00	
	7	2.45	1.92	2.96	0.00	15.04	7.08	1.37	0.39	0.21	0.00	0.00	10.47	21.87	9.43	0.46	1.93	0.43	1.29	0.00	
	8	2.12	1.78	2.45	4.98	10.57	9.09	0.00	0.20	0.22	0.00	0.00	0.00	9.86	10.58	3.26	1.37	0.22	0.00	0.00	
	9	2.14	1.54	2.72	0.00	10.49	4.77	0.93	0.20	1.08	0.00	0.00	5.27	23.27	7.04	0.46	2.54	0.22	0.00	0.00	
	10	1.95	1.75	2.14	0.00	13.78	6.14	0.00	0.78	0.21	0.00	0.93	0.00	19.32	6.47	0.92	1.16	0.21	0.64	0.00	
	11	2.73	2.66	2.80	0.00	23.42	9.66	1.41	0.60	0.00	0.00	0.00	0.00	16.01	14.22	0.47	0.99	0.66	0.00	0.00	
	12	1.87	1.03	2.67	0.00	6.97	4.32	0.93	0.20	0.00	0.00	0.00	0.00	12.23	10.59	2.35	1.57	0.44	1.30	0.00	
	13	2.15	2.01	2.29	0.00	17.27	5.08	0.99	1.27	0.23	0.00	0.00	5.64	14.23	8.55	1.99	0.83	0.69	0.00	0.00	
Quarter	1	1.85	1.56	2.13	0.00	9.24	6.31	0.56	0.65	0.33	0.00	0.00	6.35	11.52	7.55	2.11	1.11	0.26	0.20	0.56	
	2	1.90	1.64	2.15	1.52	10.70	6.24	1.55	0.36	0.20	0.00	0.00	1.62	13.12	7.33	1.98	1.54	0.13	0.20	0.00	
	3	2.08	1.63	2.52	1.53	11.80	6.73	0.28	0.24	0.46	0.00	0.00	3.23	19.17	8.16	1.42	1.62	0.27	0.20	0.00	
	4	2.28	1.91	2.63	0.00	15.68	6.32	1.02	0.75	0.07	0.00	0.29	1.67	14.18	11.23	1.47	1.23	0.61	0.61	0.00	
Year	2009	2.02	1.68	2.35	0.77	11.83	6.40	0.85	0.50	0.26	0.00	0.07	3.25	14.49	8.54	1.75	1.38	0.32	0.30	0.14	
Episodes	F N	936	383	553	2	132	175	24	33	16	0	1	8	154	222	49	92	19	6	3	
Number of Consultations		1384	547	837	5	173	250	37	51	27	1	3	9	212	329	78	146	47	13	3	

Mean weekly incidence rate per 100,000 Persons.

ICD9 131

### Trichomoniasis (131)

			Males										Females									
Male & Female			M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		
4 weekly	1	0.06	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00		
	2	0.05	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00		
	3	0.05	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00		
	4	0.16	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.43	0.00	0.00		
	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	6	0.11	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.00		
	7	0.05	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00		
	8	0.22	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.20	0.44	0.00	0.00		
	9	0.06	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00		
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
	11	0.11	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00		
	12	0.11	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.22	0.00	0.00		
	13	0.18	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.42	0.00	0.00	0.00		
Quarter	1	0.05	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.13	0.00	0.00		
	2	0.10	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.26	0.00	0.00		
	3	0.09	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.06	0.20	0.00	0.00		
	4	0.12	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.18	0.14	0.00	0.00		
Year	2009	0.09	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.09	0.18	0.00	0.00		
Episodes	F N	21	0	21	0	0	0	0	0	0	0	0	0	0	0	4	6	11	0	0		
Number of Consultations		28	0	28	0	0	0	0	0	0	0	0	0	0	0	5	10	13	0	0		

Mean weekly incidence rate per 100,000 Persons.

ICD9 132

### Pediculosis & Phthirus Infestation (132)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.29	0.63	1.94	0.00	3.54	2.84	0.46	0.20	0.00	0.00	0.00	0.00	6.15	9.97	0.93	0.77	0.44	0.66	0.62	
	2	1.49	0.67	2.29	0.00	3.45	3.26	0.46	0.19	0.00	0.00	0.00	0.00	9.63	10.77	0.91	1.14	0.64	0.66	0.00	
	3	1.42	0.55	2.25	0.00	1.14	3.68	0.00	0.19	0.00	0.00	0.00	0.00	5.94	10.63	0.90	1.50	0.84	0.64	0.00	
	4	1.11	0.34	1.85	0.00	0.00	1.40	0.00	0.39	0.00	0.70	0.00	0.00	8.45	7.86	0.91	1.52	0.21	0.00	0.00	
	5	1.51	0.52	2.47	0.00	4.74	1.44	0.47	0.20	0.00	0.00	0.00	0.00	4.97	14.66	0.47	1.58	0.44	0.00	0.00	
	6	1.71	0.67	2.71	0.00	1.15	3.73	0.45	0.00	0.42	0.00	0.00	0.00	6.03	13.25	1.82	2.10	0.21	0.00	1.20	
	7	1.23	0.68	1.76	0.00	2.31	2.83	0.46	0.59	0.00	0.00	0.00	0.00	7.29	8.93	0.92	0.39	0.65	0.00	0.61	
	8	1.52	0.69	2.34	4.98	5.87	0.96	0.46	0.20	0.22	0.71	0.00	5.28	9.86	10.58	2.33	0.98	0.44	0.00	0.00	
	9	1.63	0.57	2.66	0.00	1.17	2.38	0.00	0.59	0.00	0.71	0.00	0.00	11.02	12.57	0.00	1.76	0.43	0.65	1.23	
	10	1.81	0.85	2.74	5.01	3.44	4.25	0.00	0.39	0.00	0.00	0.00	0.00	8.45	7.96	3.21	2.13	1.07	0.64	1.83	
	11	1.42	0.64	2.18	0.00	4.68	1.93	0.47	0.40	0.00	0.00	0.00	5.37	12.32	7.11	0.00	1.98	0.87	0.00	0.00	
	12	1.53	0.75	2.28	5.11	5.81	1.92	1.40	0.00	0.00	0.00	0.00	0.00	11.01	11.10	1.41	1.18	0.00	0.00	0.62	
	13	1.35	0.67	2.00	0.00	2.47	4.07	0.49	0.00	0.00	0.00	0.00	5.64	3.88	12.29	0.00	0.62	0.92	0.00	0.00	
Quarter	1	1.37	0.59	2.13	0.00	2.49	3.01	0.28	0.24	0.00	0.00	0.00	0.00	7.43	10.11	0.84	1.17	0.66	0.60	0.19	
	2	1.47	0.59	2.32	0.00	2.50	2.61	0.28	0.24	0.13	0.22	0.00	0.00	6.37	12.06	1.13	1.54	0.33	0.00	0.37	
	3	1.60	0.67	2.50	1.53	2.86	2.49	0.28	0.42	0.07	0.43	0.00	1.62	9.77	10.47	1.85	1.38	0.53	0.40	1.13	
	4	1.42	0.68	2.13	3.21	4.38	2.56	0.73	0.13	0.00	0.00	0.00	3.34	8.82	9.65	0.44	1.35	0.68	0.00	0.19	
Year	2009	1.46	0.63	2.27	1.16	3.05	2.67	0.39	0.26	0.05	0.16	0.00	1.22	8.09	10.58	1.07	1.36	0.55	0.25	0.47	
Episodes	F N	677	144	533	3	34	73	11	17	3	3	0	3	86	275	30	91	33	5	10	
Number of Consultations		972	211	761	4	53	107	15	21	7	3	1	4	125	391	47	128	47	6	13	



Mean weekly incidence rate per 100,000 Persons.

ICD9 135

### Sarcoidosis (135)

			Males										Females									
			Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.11	0.11	0.11	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	
	2	0.03	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	
	3	0.14	0.06	0.21	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.21	0.64	0.60	
	4	0.06	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.00	0.00	0.00	
	5	0.11	0.17	0.06	0.00	0.00	0.00	0.00	0.40	0.00	0.00	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	
	6	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.06	0.06	0.05	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	
	8	0.11	0.11	0.11	0.00	0.00	0.00	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44	0.00	0.00	
	9	0.11	0.06	0.17	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.43	0.65	0.00	
	10	0.06	0.11	0.00	0.00	0.00	0.00	0.00	0.20	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.09	0.06	0.11	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.65	0.00	
	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.12	0.12	0.12	0.00	0.00	0.00	0.00	0.21	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.23	0.00	0.00	
Quarter	1	0.09	0.05	0.13	0.00	0.00	0.00	0.00	0.06	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.07	0.40	0.19	
	2	0.06	0.07	0.05	0.00	0.00	0.00	0.00	0.12	0.07	0.00	0.29	0.00	0.00	0.00	0.00	0.06	0.13	0.00	0.00		
	3	0.09	0.09	0.09	0.00	0.00	0.00	0.00	0.18	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.20	0.00		
	4	0.07	0.07	0.07	0.00	0.00	0.00	0.00	0.19	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.14	0.20	0.00		
Year	2009	0.08	0.07	0.09	0.00	0.00	0.00	0.00	0.14	0.10	0.00	0.07	0.00	0.00	0.00	0.00	0.09	0.15	0.20	0.05		
Episodes	F N	36	16	20	0	0	0	0	9	6	0	1	0	0	0	0	6	9	4	1		
Number of Consultations		413	182	231	0	0	0	1	70	104	6	1	0	0	0	3	45	102	77	4		

Mean weekly incidence rate per 100,000 Persons.

ICD9 174

### Malignant Neoplasm Breast Female (174)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.72	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.87	1.33	2.47
	2	1.14	0.00	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.76	2.14	2.62	1.83
	3	0.59	0.00	0.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	1.05	1.92	1.19
	4	1.52	0.00	1.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	2.99	3.88	3.62
	5	1.12	0.00	1.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	1.76	2.65	4.35
	6	1.57	0.00	1.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.15	1.49	5.12	4.81
	7	1.32	0.00	1.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.97	2.37	2.58	2.44
	8	0.95	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	2.62	0.65	1.85
	9	1.77	0.00	1.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.78	2.83	4.57	4.93
	10	1.21	0.00	1.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	2.36	3.22	1.83
	11	1.18	0.00	1.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.40	1.75	2.61	3.73
	12	1.22	0.00	1.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	2.83	3.24	1.85
	13	1.47	0.00	1.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	2.53	5.46	1.94
Quarter	1	0.82	0.00	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	1.25	2.21	2.06
	2	1.37	0.00	1.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	2.25	3.40	3.56
	3	1.38	0.00	1.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	2.66	2.79	3.20
	4	1.29	0.00	1.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.43	2.32	3.86	2.51
Year	2009	1.21	0.00	1.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.54	2.12	3.06	2.83
Episodes	F N	285	0	285	0	0	0	0	0	0	0	0	0	0	0	1	36	127	61	60	
Number of Consultations		4794	0	4794	0	0	0	0	0	0	0	0	0	0	0	3	559	2406	965	861	

Mean weekly incidence rate per 100,000 Persons.

ICD9 185

### Malignant Neoplasm Prostate (185)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.20	1.20	0.00	0.00	0.00	0.00	0.00	0.00	1.08	2.88	11.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	1.18	1.18	0.00	0.00	0.00	0.00	0.00	0.00	0.21	5.70	11.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.61	0.61	0.00	0.00	0.00	0.00	0.00	0.00	0.21	2.78	5.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	1.12	1.12	0.00	0.00	0.00	0.00	0.00	0.00	1.48	4.92	5.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	1.21	1.21	0.00	0.00	0.00	0.00	0.00	0.00	0.43	3.61	13.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	1.34	1.34	0.00	0.00	0.00	0.00	0.00	0.00	1.26	8.34	5.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	1.24	1.24	0.00	0.00	0.00	0.00	0.00	0.00	1.28	5.62	7.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	1.55	1.55	0.00	0.00	0.00	0.00	0.00	0.00	0.86	5.67	14.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	1.26	1.26	0.00	0.00	0.00	0.00	0.00	0.00	0.43	5.66	11.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	0.74	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.43	4.20	4.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	1.27	1.27	0.00	0.00	0.00	0.00	0.00	0.00	0.87	5.68	9.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	1.38	1.38	0.00	0.00	0.00	0.00	0.00	0.00	0.65	5.64	12.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.91	0.91	0.00	0.00	0.00	0.00	0.00	0.00	1.60	3.72	2.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.52	3.71	9.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	1.29	1.29	0.00	0.00	0.00	0.00	0.00	0.00	1.11	6.73	7.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	1.19	1.19	0.00	0.00	0.00	0.00	0.00	0.00	0.72	4.34	10.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	1.13	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.95	5.08	7.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Year	2009	1.15	1.15	0.00	0.00	0.00	0.00	0.00	0.00	0.83	4.97	8.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Episodes	F N	263	263	0	0	0	0	0	0	50	91	122	0	0	0	0	0	0	0	0	
Number of Consultations		6072	6072	0	0	0	0	0	0	986	1929	3157	0	0	0	0	0	0	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 274

**Gout (274)**

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	5.2	8.0	2.5	0.0	0.0	0.0	0.5	3.5	13.6	15.9	34.3	0.0	0.0	0.5	0.5	0.4	0.9	10.6	13.6	
	2	4.8	7.5	2.3	0.0	0.0	0.0	0.0	5.4	11.0	20.7	22.7	0.0	0.0	0.0	0.0	0.8	1.5	9.2	10.4	
	3	6.1	9.6	2.7	0.0	0.0	0.0	0.4	5.9	13.3	28.5	33.1	0.0	0.0	0.0	0.5	0.4	2.5	8.3	13.7	
	4	4.6	7.6	1.6	0.0	0.0	0.0	0.5	3.5	12.7	21.8	23.3	0.0	0.0	0.0	0.0	0.4	1.3	4.5	9.1	
	5	5.0	8.1	2.0	0.0	0.0	0.0	0.9	5.0	13.0	24.5	18.2	0.0	0.0	0.0	0.5	0.2	1.5	5.3	11.8	
	6	5.8	9.3	2.4	0.0	0.0	0.0	0.5	4.6	16.2	18.1	35.1	0.0	0.0	0.0	0.5	0.2	1.5	8.3	13.2	
	7	6.4	10.2	2.7	0.0	0.0	0.0	1.8	6.7	16.2	24.6	29.9	0.0	0.0	0.0	0.0	0.4	2.4	8.4	14.0	
	8	6.0	8.9	3.1	0.0	0.0	0.0	0.5	5.2	14.5	23.4	27.3	0.0	0.0	0.0	0.0	0.6	1.5	7.8	20.9	
	9	5.7	8.6	2.9	0.0	0.0	0.0	1.4	4.3	15.1	21.9	23.6	0.0	0.0	0.0	0.0	0.6	2.0	9.8	15.4	
	10	4.8	7.9	1.9	0.0	0.0	0.0	0.0	5.5	12.8	21.7	19.6	0.0	0.0	0.0	0.5	0.4	1.7	5.8	8.5	
	11	4.5	7.6	1.5	0.0	0.0	0.0	0.0	4.4	12.4	19.2	24.6	0.0	0.0	0.0	0.0	0.4	0.9	5.2	8.1	
	12	4.8	6.9	2.7	0.0	0.0	0.0	0.5	4.6	11.2	15.5	20.7	0.0	0.0	0.0	0.5	0.6	2.2	5.8	16.0	
	13	4.4	7.2	1.8	0.0	0.0	0.0	0.0	4.0	10.5	19.3	26.7	0.0	0.0	0.0	0.0	0.2	0.9	8.2	8.4	
Quarter	1	5.4	8.5	2.5	0.0	0.0	0.0	0.3	4.9	12.9	22.3	30.4	0.0	0.0	0.2	0.3	0.5	1.7	9.0	12.3	
	2	5.3	8.4	2.2	0.0	0.0	0.0	0.8	4.7	13.8	21.5	26.2	0.0	0.0	0.0	0.3	0.3	1.5	6.6	12.2	
	3	5.7	8.7	2.7	0.0	0.0	0.0	0.9	5.1	14.5	22.5	24.3	0.0	0.0	0.0	0.1	0.5	1.9	8.0	15.6	
	4	4.6	7.4	1.9	0.0	0.0	0.0	0.1	4.6	11.8	18.3	23.6	0.0	0.0	0.0	0.1	0.4	1.3	6.3	10.0	
Year	2009	5.3	8.3	2.3	0.0	0.0	0.0	0.5	4.8	13.3	21.2	26.1	0.0	0.0	0.0	0.2	0.4	1.6	7.5	12.6	
Episodes	F N	2431	1885	546	0	0	0	15	318	804	388	360	0	0	1	6	28	96	149	266	
Number of Consultations		7948	6324	1624	0	0	0	23	990	2801	1355	1155	0	0	1	9	72	257	464	821	

Mean weekly incidence rate per 100,000 Persons.

ICD9 300.0

### Anxiety States (300.0)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	20.1	12.6	27.3	0.0	0.0	2.4	13.9	18.8	14.0	10.1	10.5	0.0	1.2	3.5	38.2	37.1	28.3	25.9	25.9	
	2	19.4	12.6	25.9	0.0	0.0	0.9	16.4	17.9	13.8	9.3	14.2	0.0	0.0	2.0	36.5	35.3	27.0	28.2	22.6	
	3	19.8	14.4	25.1	0.0	0.0	1.8	20.7	21.7	14.8	8.3	12.0	0.0	0.0	2.9	32.9	35.9	27.1	21.1	22.0	
	4	15.9	10.8	20.7	0.0	0.0	0.5	14.6	17.0	10.8	10.5	5.6	0.0	0.0	3.4	27.0	26.7	26.0	16.8	16.3	
	5	16.9	11.5	22.1	0.0	0.0	1.0	15.0	16.8	11.9	10.8	10.5	0.0	1.2	0.5	27.3	31.7	25.7	16.6	19.3	
	6	18.6	12.6	24.3	0.0	0.0	1.4	18.6	18.2	14.9	4.9	9.2	0.0	0.0	1.0	30.1	34.6	26.8	25.0	20.4	
	7	17.5	12.2	22.6	4.9	0.0	1.9	14.6	17.8	13.0	13.3	6.5	0.0	0.0	3.5	29.4	32.3	23.9	20.0	19.5	
	8	18.3	12.1	24.3	0.0	0.0	1.9	14.8	18.1	14.0	7.8	7.5	5.3	0.0	1.0	32.6	34.3	26.6	20.9	20.9	
	9	18.0	11.0	24.7	0.0	0.0	1.0	9.7	19.0	11.4	9.2	7.6	0.0	0.0	1.5	37.5	31.3	26.7	27.4	22.8	
	10	19.0	11.3	26.4	0.0	0.0	3.8	14.7	15.7	12.3	8.4	8.4	0.0	0.0	3.5	26.6	38.3	31.2	18.7	27.4	
	11	17.3	12.3	22.2	0.0	1.2	1.0	16.9	16.9	14.3	5.7	15.2	0.0	1.2	2.5	24.9	36.0	20.3	19.6	19.9	
	12	19.2	12.6	25.6	0.0	0.0	1.0	13.5	20.4	13.6	9.9	8.5	0.0	0.0	2.5	31.4	36.0	30.2	20.1	21.6	
	13	14.6	11.6	17.5	0.0	0.0	1.0	13.9	17.1	12.6	11.2	8.9	0.0	0.0	3.2	23.9	24.1	17.5	15.7	18.1	
Quarter	1	19.7	13.2	25.9	0.0	0.0	1.6	16.9	19.9	13.9	9.6	11.6	0.0	0.4	3.0	35.1	36.4	27.1	24.3	22.8	
	2	17.1	11.4	22.6	0.0	0.0	1.0	15.8	16.3	12.8	9.3	8.1	0.0	0.4	2.0	28.2	31.0	26.6	20.4	18.6	
	3	18.2	11.9	24.4	1.5	0.0	1.9	13.8	18.6	12.7	8.7	8.4	1.6	0.0	1.8	32.7	33.6	26.6	22.0	23.2	
	4	17.1	11.9	22.2	0.0	0.4	1.5	14.3	17.5	13.3	9.1	10.3	0.0	0.4	2.7	26.6	32.5	23.7	18.3	20.6	
Year	2009	18.0	12.1	23.8	0.4	0.1	1.5	15.2	18.1	13.2	9.2	9.6	0.4	0.3	2.4	30.7	33.4	26.0	21.2	21.3	
Episodes	F N	8353	2763	5590	1	1	41	427	1194	799	168	132	1	3	62	859	2232	1559	423	451	
Number of Consultations		40692	13514	27178	1	1	74	1492	5857	4532	850	707	1	3	136	3030	10847	8710	2266	2185	

Mean weekly incidence rate per 100,000 Persons.

ICD9 300.4, 301.1 & 311

### Mental Disorder Depression (300.4, 301.1 & 311)

				Males								Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
4 weekly	1	7.4	4.5	10.2	0.0	0.0	0.0	4.2	6.9	5.6	2.9	4.8	0.0	0.0	0.0	16.8	18.0	8.0	6.6	4.9
	2	7.8	5.8	9.8	0.0	0.0	0.0	9.1	7.1	6.8	5.7	5.7	0.0	0.0	0.0	17.3	14.2	9.6	6.6	7.3
	3	7.9	5.1	10.5	0.0	0.0	0.0	4.9	8.2	5.6	2.8	7.4	0.0	0.0	0.0	14.9	16.3	11.8	3.8	8.3
	4	5.6	3.9	7.2	0.0	0.0	0.0	4.1	4.1	6.3	3.5	3.7	0.0	0.0	0.0	10.5	11.0	8.3	5.2	3.0
	5	7.0	4.4	9.6	0.0	0.0	0.0	4.2	5.8	6.3	2.9	4.8	0.0	0.0	0.5	14.1	16.1	8.8	7.3	4.4
	6	7.7	4.7	10.6	0.0	0.0	0.0	5.5	6.4	6.1	3.5	4.6	5.2	0.0	0.5	17.8	16.0	10.6	6.4	6.6
	7	7.5	4.6	10.3	0.0	0.0	0.0	2.7	7.8	5.5	4.2	2.8	0.0	0.0	0.0	17.9	15.3	10.3	8.4	4.9
	8	7.0	4.6	9.4	0.0	0.0	0.0	5.1	6.4	4.3	6.4	7.5	0.0	0.0	0.0	14.0	14.7	10.9	3.3	5.5
	9	7.5	4.3	10.6	0.0	0.0	0.0	4.2	7.1	5.2	2.1	3.8	0.0	0.0	0.0	17.6	18.6	9.6	4.6	4.9
	10	7.0	4.8	9.2	0.0	0.0	0.0	2.8	8.2	6.4	2.8	2.8	0.0	0.0	0.0	11.9	15.7	7.7	7.7	7.3
	11	6.8	3.9	9.6	0.0	0.0	0.0	3.3	6.6	3.7	3.6	4.7	0.0	0.0	0.0	18.8	14.0	10.3	3.9	4.3
	12	7.9	4.5	11.1	0.0	0.0	0.0	3.7	6.0	6.7	1.4	6.6	0.0	0.0	0.0	14.5	17.7	13.3	5.8	5.5
	13	8.1	4.9	11.2	0.0	0.0	0.0	1.5	7.8	6.4	6.7	3.0	0.0	0.0	0.0	16.4	18.5	12.0	3.4	7.1
Quarter	1	7.6	5.1	10.0	0.0	0.0	0.0	5.8	7.2	6.2	3.7	5.5	0.0	0.0	0.0	15.9	15.8	9.7	5.4	6.9
	2	7.1	4.5	9.6	0.0	0.0	0.0	4.5	6.1	6.0	3.5	4.9	1.6	0.0	0.3	14.5	15.2	9.7	6.8	4.5
	3	7.2	4.5	9.8	0.0	0.0	0.0	3.8	7.2	4.9	4.1	4.0	0.0	0.0	0.0	16.0	15.8	9.6	5.4	5.8
	4	7.5	4.4	10.4	0.0	0.0	0.0	2.9	6.6	5.9	3.5	4.7	0.0	0.0	0.0	15.9	16.6	11.4	4.9	5.6
Year	2009	7.3	4.6	9.9	0.0	0.0	0.0	4.3	6.8	5.8	3.7	4.8	0.4	0.0	0.1	15.6	15.8	10.1	5.6	5.7
Episodes	F N	3387	1051	2336	0	0	0	120	448	349	68	66	1	0	2	436	1059	605	112	121
Number of Consultations		28420	8576	19844	1	0	2	748	3652	3323	511	339	1	0	12	2068	9021	6474	1267	1001

Mean weekly incidence rate per 100,000 Persons.

ICD9 346

### Migraine (346)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	7.1	4.3	9.9	0.0	0.0	3.3	6.5	5.7	3.7	3.6	2.9	0.0	0.0	2.0	13.5	18.6	8.5	5.3	1.2	
	2	7.8	3.7	11.9	0.0	0.0	4.7	4.6	4.8	3.2	2.1	1.9	0.0	1.2	2.4	18.7	19.7	11.6	5.2	3.1	
	3	9.7	5.2	14.0	0.0	1.1	7.4	5.4	6.5	5.4	1.4	2.8	0.0	1.2	8.7	25.7	20.8	13.3	3.8	3.0	
	4	7.2	3.6	10.7	0.0	0.0	5.6	7.8	4.6	2.1	0.7	0.0	0.0	0.0	7.9	12.3	17.7	10.7	3.9	2.4	
	5	8.2	4.7	11.5	0.0	0.0	4.8	5.2	6.2	4.8	5.0	0.0	0.0	0.0	8.1	14.1	18.5	13.6	2.7	0.0	
	6	8.0	4.5	11.3	0.0	0.0	8.4	5.0	5.6	3.8	2.1	0.9	0.0	0.0	2.9	15.5	20.6	9.4	6.4	4.2	
	7	7.8	3.3	12.2	0.0	0.0	3.3	5.5	4.3	2.6	2.1	1.9	0.0	1.2	5.5	17.0	20.1	12.5	5.2	2.4	
	8	6.6	3.4	9.6	0.0	0.0	2.9	3.2	6.0	3.0	0.7	1.9	0.0	0.0	1.5	10.7	18.3	8.5	5.9	3.1	
	9	6.6	3.4	9.6	0.0	0.0	4.3	3.7	4.7	3.7	1.4	0.0	0.0	0.0	3.5	16.2	14.8	9.8	3.3	3.1	
	10	8.7	4.2	13.0	0.0	0.0	3.8	6.0	6.7	3.2	1.4	1.9	0.0	0.0	6.5	21.5	19.7	12.9	5.8	3.7	
	11	8.9	4.6	13.0	0.0	0.0	5.3	7.0	5.8	4.3	2.8	0.0	0.0	0.0	6.1	20.2	20.6	13.8	3.3	3.7	
	12	8.5	3.6	13.4	0.0	0.0	5.8	4.2	6.0	1.7	1.4	0.9	0.0	0.0	4.5	18.8	20.6	15.9	4.5	3.7	
	13	6.4	3.6	9.1	0.0	0.0	4.6	4.5	4.7	3.0	2.2	3.0	0.0	0.0	3.2	14.4	16.2	8.0	2.0	1.9	
Quarter	1	8.4	4.4	12.2	0.0	0.4	5.6	6.2	5.6	3.8	2.2	2.3	0.0	0.7	5.4	19.4	20.3	11.2	4.6	2.6	
	2	7.6	4.0	11.1	0.0	0.0	5.4	5.1	5.2	3.7	2.6	0.9	0.0	0.4	5.2	14.2	18.5	11.5	4.6	1.9	
	3	7.1	3.5	10.7	0.0	0.0	3.8	4.4	5.3	3.0	1.3	0.6	0.0	0.0	4.0	15.2	17.9	10.3	5.2	3.4	
	4	8.1	4.1	12.0	0.0	0.0	5.0	5.4	5.9	3.0	2.2	1.8	0.0	0.0	4.7	18.6	19.1	12.7	3.3	3.1	
Year	2009	7.8	4.0	11.5	0.0	0.1	4.9	5.3	5.5	3.4	2.1	1.4	0.0	0.3	4.8	16.8	19.0	11.4	4.4	2.7	
Episodes	F N	3611	911	2700	0	1	135	148	363	207	38	19	0	3	126	472	1268	685	88	58	
Number of Consultations		10513	2424	8089	0	1	258	317	982	688	134	44	0	8	263	1130	3419	2702	379	188	

Mean weekly incidence rate per 100,000 Persons.

ICD9 366

### Cataract (366)

				Males								Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
4 weekly	1	2.8	2.2	3.3	0.0	0.0	0.0	0.0	0.2	1.5	13.0	11.4	0.0	0.0	0.5	0.0	0.0	2.0	8.0	23.4
	2	3.0	2.5	3.5	0.0	0.0	0.0	0.0	0.2	2.8	7.8	18.9	0.0	0.0	0.0	0.0	0.0	1.3	9.2	26.9
	3	3.3	2.9	3.8	0.0	0.0	0.0	0.0	0.0	1.5	7.6	31.3	0.0	0.0	0.0	0.0	0.0	1.3	12.1	26.8
	4	2.9	2.6	3.2	0.0	0.0	0.0	0.0	0.2	1.7	9.1	22.4	0.0	0.0	0.0	0.0	0.0	1.1	12.9	20.5
	5	2.7	2.3	3.1	0.0	0.0	0.0	0.0	0.0	1.5	7.9	21.1	0.0	0.0	0.0	0.0	0.2	1.3	13.9	17.4
	6	3.1	2.7	3.4	0.0	0.0	0.0	0.0	0.0	1.9	11.1	22.2	0.0	1.2	0.0	0.0	0.4	1.7	10.9	21.0
	7	3.5	3.3	3.8	4.9	0.0	0.0	0.0	0.0	2.1	14.7	24.3	0.0	0.0	0.0	0.5	0.2	1.7	9.0	27.4
	8	2.9	2.7	3.2	0.0	0.0	0.0	0.0	0.2	1.3	8.5	26.4	0.0	0.0	0.0	0.0	0.6	2.2	11.1	16.6
	9	2.7	2.3	3.1	0.0	0.0	0.0	0.0	0.0	1.9	5.0	23.6	0.0	0.0	0.0	0.0	0.4	2.4	11.1	15.4
	10	3.0	2.3	3.8	0.0	0.0	0.0	0.0	0.2	1.5	9.8	16.8	0.0	0.0	0.0	0.0	0.0	2.8	9.7	25.0
	11	3.0	2.8	3.2	0.0	0.0	0.0	0.0	0.4	1.1	9.9	26.5	0.0	0.0	0.0	0.0	0.0	1.5	12.4	19.9
	12	2.8	2.6	3.1	0.0	0.0	0.0	0.0	0.0	2.2	4.9	26.3	0.0	0.0	0.0	0.0	0.2	1.7	7.8	21.0
	13	2.5	2.3	2.6	0.0	0.0	0.0	0.0	0.2	1.8	7.4	17.8	0.0	0.0	0.0	0.0	0.2	1.4	12.3	13.0
Quarter	1	3.1	2.7	3.5	0.0	0.0	0.0	0.0	0.2	2.0	9.8	22.3	0.0	0.0	0.2	0.0	0.0	1.5	10.6	24.5
	2	2.9	2.5	3.2	1.5	0.0	0.0	0.0	0.0	1.7	9.3	21.6	0.0	0.4	0.0	0.0	0.2	1.3	11.2	21.0
	3	3.0	2.5	3.5	0.0	0.0	0.0	0.0	0.1	1.7	8.9	21.7	0.0	0.0	0.0	0.1	0.4	2.3	10.8	21.1
	4	2.8	2.6	3.0	0.0	0.0	0.0	0.0	0.2	1.6	8.0	23.6	0.0	0.0	0.0	0.0	0.1	1.8	10.6	17.9
Year	2009	3.0	2.6	3.3	0.4	0.0	0.0	0.0	0.1	1.7	9.0	22.3	0.0	0.1	0.0	0.0	0.2	1.7	10.8	21.2
Episodes	F N	1367	587	780	1	0	0	0	8	106	165	307	0	1	1	1	11	103	215	448
Number of Consultations		3459	1359	2100	1	1	2	1	30	255	340	729	0	1	4	3	21	256	515	1300



Mean weekly incidence rate per 100,000 Persons.

ICD9 372

### Conjunctiva Disorders (372)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	51.2	46.6	55.7	742.3	231.1	44.0	16.7	15.9	24.5	51.2	72.5	602.0	228.7	36.4	37.3	32.9	38.5	56.4	74.0	
	2	51.5	45.1	57.6	664.8	356.6	33.5	12.7	12.5	21.4	30.7	44.4	662.1	291.4	57.3	37.4	30.8	34.7	41.3	61.7	
	3	51.1	44.1	57.9	653.2	248.9	30.3	17.5	19.8	22.0	39.6	65.3	602.3	254.4	54.6	35.2	33.0	39.1	44.1	74.4	
	4	44.6	38.7	50.3	541.9	240.1	38.3	15.5	13.5	18.8	28.8	50.3	470.6	176.2	40.8	37.0	32.2	36.1	59.5	56.8	
	5	43.2	37.7	48.4	585.9	170.5	36.0	15.0	16.4	21.7	38.2	48.8	469.1	161.5	39.9	35.7	31.1	32.3	51.8	67.8	
	6	39.8	33.0	46.5	459.9	136.5	37.8	20.4	16.2	16.6	29.2	41.6	457.9	131.4	54.0	42.8	28.8	29.5	41.0	60.7	
	7	40.2	34.2	45.9	409.7	123.8	45.3	19.2	15.6	18.3	37.9	53.3	366.3	108.1	62.5	35.3	28.8	29.7	54.3	63.4	
	8	30.5	26.6	34.2	278.9	52.8	31.1	13.5	13.7	18.3	36.9	59.4	285.0	78.9	24.7	30.2	23.6	27.3	38.5	48.6	
	9	27.2	23.8	30.5	283.9	60.6	24.3	11.1	10.5	17.0	33.3	51.0	189.6	51.4	29.7	26.8	19.1	27.6	30.7	51.1	
	10	30.5	25.5	35.3	350.8	64.3	22.7	12.8	12.9	17.0	29.4	57.0	303.5	55.5	27.9	35.3	21.5	27.5	45.1	59.1	
	11	33.5	27.6	39.2	370.5	87.8	27.0	10.3	11.8	20.2	35.5	48.4	386.9	69.0	32.0	31.5	22.1	31.7	50.3	67.1	
	12	35.4	30.3	40.3	490.5	145.3	22.5	10.7	13.2	16.2	31.7	47.9	416.1	130.9	40.9	31.4	22.4	27.4	36.3	59.2	
	13	41.1	37.9	44.1	553.7	244.2	34.6	11.9	9.7	17.6	34.9	60.3	518.4	216.0	35.3	20.9	25.6	27.4	42.3	51.2	
Quarter	1	51.1	45.1	56.8	679.6	283.6	36.3	15.5	16.0	22.2	40.2	59.0	606.4	255.6	49.1	37.0	32.9	37.1	48.2	68.6	
	2	42.0	35.7	48.0	512.8	161.6	39.3	17.4	15.4	19.7	31.9	46.4	462.2	142.8	49.0	38.6	30.1	32.4	50.6	62.4	
	3	30.3	26.4	34.2	310.9	67.3	28.1	13.5	12.6	17.0	34.7	58.1	253.8	69.5	30.5	30.5	21.6	27.6	39.1	54.1	
	4	36.4	31.5	41.2	458.6	151.7	27.7	11.4	12.1	17.9	33.8	51.8	439.6	131.8	36.5	28.5	23.6	28.6	44.1	59.6	
Year	2009	40.0	34.7	45.1	491.6	166.3	32.9	14.5	14.0	19.2	35.1	53.8	441.3	150.3	41.4	33.7	27.1	31.5	45.5	61.2	
Episodes	F N	18519	7912	10607	1276	1855	900	406	925	1164	644	742	1087	1598	1075	944	1813	1888	906	1296	
Number of Consultations		26313	11161	15152	1728	2462	1280	567	1374	1704	972	1074	1502	2151	1484	1332	2564	2812	1359	1948	

Mean weekly incidence rate per 100,000 Persons.

ICD9 380.1 & 380.2

### Otitis Externa Infective and Other (380.1 & 380.2)

		Males											Females							
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+
4 weekly	1	23.9	21.7	26.0	35.1	18.9	14.7	14.9	17.8	21.9	37.5	46.7	0.0	8.6	17.0	28.4	29.8	27.4	30.5	25.3
	2	24.3	22.0	26.5	14.7	25.3	16.7	15.9	16.7	26.7	32.8	34.0	25.7	20.5	19.6	26.4	28.7	28.3	27.5	25.6
	3	26.6	24.7	28.5	14.5	23.9	21.1	17.5	18.3	29.3	42.4	36.8	15.3	26.2	26.1	24.4	30.2	29.0	32.6	28.6
	4	22.8	21.4	24.2	29.3	17.2	14.5	14.6	20.1	24.3	30.9	31.7	5.2	21.7	22.6	24.2	22.7	28.4	27.2	19.9
	5	24.2	21.7	26.7	25.3	10.7	10.6	15.9	19.8	26.7	33.9	35.4	10.8	16.2	26.8	25.4	24.4	31.4	30.5	25.5
	6	23.1	20.2	26.0	4.9	16.1	17.3	11.4	17.0	26.7	27.8	26.8	20.8	14.5	22.6	23.2	28.3	29.5	32.0	17.4
	7	26.0	23.8	28.1	0.0	10.4	19.3	15.1	23.5	27.9	35.8	33.7	10.5	10.9	24.3	27.1	25.7	36.8	23.3	31.7
	8	30.4	26.7	34.0	14.9	11.7	19.6	25.1	23.8	29.1	41.1	42.4	10.6	19.7	33.3	31.6	32.8	40.8	38.5	28.9
	9	33.8	34.5	33.1	14.9	7.0	44.4	30.1	31.2	39.2	38.9	38.7	5.3	7.3	49.3	38.0	32.2	34.3	32.6	22.2
	10	30.7	27.6	33.8	20.0	19.5	18.4	20.6	26.2	33.0	40.6	32.7	5.2	12.1	26.4	35.3	35.2	43.4	30.9	26.2
	11	28.4	25.7	31.1	5.1	9.4	10.6	19.2	23.5	34.5	31.3	49.3	0.0	9.9	19.3	31.9	36.6	35.9	35.9	23.0
	12	27.8	26.3	29.2	46.0	20.9	23.0	17.3	23.4	30.2	40.2	30.1	10.7	14.7	27.7	27.7	30.3	31.3	37.6	24.7
	13	25.4	24.8	26.1	16.3	19.7	15.2	14.4	21.4	30.6	41.6	38.6	5.6	16.8	20.3	22.4	31.6	28.0	33.5	14.9
Quarter	1	25.0	22.9	27.0	19.6	23.5	18.4	16.0	17.6	26.4	36.9	38.2	14.3	18.6	22.0	26.0	29.2	28.1	30.5	26.5
	2	23.4	21.1	25.6	18.3	13.2	13.5	13.7	19.6	25.8	31.3	32.0	13.0	16.9	22.1	24.8	25.0	30.1	29.6	22.3
	3	31.1	29.3	32.8	15.3	10.0	28.1	25.1	27.0	33.5	38.8	38.7	6.5	12.8	36.4	33.4	31.5	39.6	31.5	26.8
	4	27.5	25.4	29.4	20.8	18.2	15.6	16.5	22.7	31.3	39.1	37.7	5.0	13.0	22.6	28.5	33.7	32.9	35.4	21.0
Year	2009	26.7	24.7	28.7	18.5	16.2	18.9	17.8	21.7	29.2	36.5	36.6	9.7	15.3	25.8	28.2	29.8	32.7	31.7	24.2
Episodes	F N	12367	5623	6744	48	181	517	501	1432	1770	669	505	24	163	670	789	1995	1959	632	512
Number of Consultations		20744	9474	11270	70	303	781	804	2304	3067	1225	920	39	257	1030	1241	3259	3452	1060	932

Mean weekly incidence rate per 100,000 Persons.

ICD9 428

### Heart Failure (428)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.2	1.3	1.0	0.0	0.0	0.0	0.0	0.0	0.2	5.0	14.3	0.0	0.0	0.0	0.0	0.2	0.2	3.3	6.8	
	2	1.0	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	14.2	0.0	0.0	0.0	0.0	0.0	0.2	2.0	8.5	
	3	1.6	1.9	1.3	0.0	0.0	0.0	0.0	0.2	0.4	6.9	19.3	0.0	0.0	0.0	0.0	0.0	0.0	3.2	11.3	
	4	1.4	1.6	1.3	0.0	0.0	0.0	0.0	0.0	0.2	4.9	19.6	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.9	
	5	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.4	5.8	7.7	0.0	0.0	0.0	0.0	0.0	0.2	6.0	5.0	
	6	1.6	1.8	1.4	0.0	0.0	0.0	0.0	0.0	0.4	5.6	21.2	0.0	0.0	0.0	0.5	0.0	0.2	2.6	11.4	
	7	1.3	1.4	1.3	0.0	0.0	0.0	0.0	0.0	1.7	4.9	8.4	0.0	0.0	0.0	0.0	0.2	0.2	1.9	11.0	
	8	1.0	1.2	0.8	0.0	0.0	0.0	0.0	0.0	1.1	3.5	10.4	0.0	0.0	0.0	0.0	0.0	0.7	1.3	5.5	
	9	1.4	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.9	5.0	15.1	0.0	0.0	0.0	0.0	0.0	0.4	2.0	10.5	
	10	1.1	1.3	0.8	0.0	0.0	0.0	0.0	0.0	1.3	2.1	13.1	0.0	0.0	0.0	0.0	0.0	0.0	2.6	6.7	
	11	1.2	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	5.7	20.9	0.0	0.0	0.0	0.0	0.0	0.2	1.3	5.6	
	12	1.1	1.3	0.9	0.0	0.0	0.0	0.0	0.0	0.4	6.3	10.3	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7.4	
	13	0.8	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.2	2.2	5.9	0.0	0.0	0.0	0.0	0.0	0.2	1.4	9.7	
Quarter	1	1.2	1.4	1.0	0.0	0.0	0.0	0.0	0.1	0.3	5.0	15.9	0.0	0.0	0.0	0.0	0.1	0.1	2.6	8.6	
	2	1.4	1.6	1.3	0.0	0.0	0.0	0.0	0.0	0.5	5.9	15.9	0.0	0.0	0.0	0.1	0.0	0.2	3.8	10.1	
	3	1.1	1.3	1.0	0.0	0.0	0.0	0.0	0.0	1.3	3.0	11.3	0.0	0.0	0.0	0.0	0.1	0.3	2.0	7.5	
	4	1.1	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.3	4.9	12.7	0.0	0.0	0.0	0.0	0.0	0.1	1.8	7.7	
Year	2009	1.2	1.4	1.0	0.0	0.0	0.0	0.0	0.0	0.6	4.7	13.9	0.0	0.0	0.0	0.0	0.0	0.2	2.6	8.5	
Episodes	F N	559	313	246	0	0	0	0	1	34	86	192	0	0	0	1	2	12	51	180	
Number of Consultations		5573	2887	2686	0	0	0	2	17	354	743	1771	0	1	1	4	26	217	473	1964	

Mean weekly incidence rate per 100,000 Persons.

ICD9 451

### Phlebitis & Thrombophlebitis (451)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	2.7	1.9	3.5	0.0	0.0	0.0	0.0	0.4	3.4	6.5	5.7	0.0	0.0	0.0	0.5	2.1	2.4	17.2	9.2	
	2	2.5	1.5	3.5	0.0	0.0	0.0	0.0	1.0	1.9	3.6	7.6	0.0	0.0	0.0	1.4	2.1	4.1	10.5	9.8	
	3	3.1	2.0	4.2	0.0	0.0	0.0	0.0	2.7	2.7	3.5	3.7	0.0	0.0	0.0	0.0	2.4	4.8	14.0	11.9	
	4	3.8	3.2	4.5	0.0	0.0	0.5	0.5	2.3	5.1	9.1	5.6	0.0	0.0	0.0	1.4	1.5	4.3	13.6	18.1	
	5	3.3	2.1	4.5	0.0	0.0	0.0	0.0	1.4	3.3	5.8	6.7	0.0	0.0	0.0	0.5	2.4	7.0	11.9	10.6	
	6	2.8	2.1	3.5	0.0	0.0	0.0	0.9	1.9	2.5	4.9	6.5	0.0	0.0	0.0	0.0	1.7	3.2	10.9	13.8	
	7	3.0	2.1	3.7	0.0	0.0	0.0	0.0	1.6	3.6	4.2	6.5	0.0	0.0	0.0	0.9	2.5	3.9	7.8	14.0	
	8	3.3	3.0	3.6	0.0	0.0	0.0	1.9	1.6	3.9	6.4	12.3	0.0	0.0	0.0	0.5	1.6	4.1	9.8	13.5	
	9	3.3	2.7	4.0	0.0	0.0	0.0	0.0	1.2	4.1	7.1	11.3	0.0	0.0	0.0	0.9	2.7	3.7	15.0	9.9	
	10	3.6	2.8	4.3	0.0	0.0	0.0	0.0	1.4	3.4	9.1	12.1	0.0	0.0	0.5	0.5	3.1	4.1	11.0	15.2	
	11	2.7	2.1	3.3	0.0	0.0	0.0	0.0	1.4	2.6	7.1	7.6	0.0	0.0	0.0	0.5	2.6	4.2	6.5	9.9	
	12	3.0	2.2	3.7	0.0	0.0	0.0	0.5	1.0	2.6	8.5	8.5	0.0	0.0	0.0	0.5	2.0	5.4	8.4	11.1	
	13	2.4	1.8	3.0	0.0	0.0	0.0	0.0	0.8	3.2	5.9	4.0	0.0	0.0	0.0	0.5	1.5	3.0	10.2	9.7	
Quarter	1	2.9	2.0	3.8	0.0	0.0	0.1	0.0	1.5	3.0	5.2	5.5	0.0	0.0	0.0	0.6	2.2	3.8	13.9	11.4	
	2	3.2	2.4	4.0	0.0	0.0	0.0	0.4	1.8	3.5	5.6	6.6	0.0	0.0	0.0	0.7	2.0	4.8	11.4	13.3	
	3	3.3	2.7	3.9	0.0	0.0	0.0	0.6	1.5	3.9	6.9	10.7	0.0	0.0	0.2	0.7	2.2	3.7	11.6	13.4	
	4	2.8	2.1	3.5	0.0	0.0	0.0	0.1	1.0	2.6	7.3	7.4	0.0	0.0	0.0	0.4	2.3	4.5	8.3	10.2	
Year	2009	3.1	2.3	3.8	0.0	0.0	0.0	0.3	1.4	3.3	6.3	7.5	0.0	0.0	0.0	0.6	2.2	4.2	11.3	12.1	
Episodes	F N	1414	520	894	0	0	1	8	95	197	115	104	0	0	1	17	145	250	225	256	
Number of Consultations		4667	1927	2740	0	0	1	27	297	708	450	444	0	0	2	41	432	716	740	809	

Mean weekly incidence rate per 100,000 Persons.

ICD9 555~558

### NonInfective Enteritis & Colitis (555~558)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	6.6	5.4	7.7	35.1	21.2	4.3	1.9	4.5	3.4	3.6	11.4	36.6	17.2	5.5	8.4	6.0	5.4	8.0	12.9	
	2	7.8	7.9	7.7	73.3	31.1	5.6	6.4	6.7	5.1	4.3	6.6	41.1	21.7	8.3	5.9	5.9	6.9	4.6	9.2	
	3	8.8	8.5	9.2	24.2	50.0	7.4	5.4	5.7	4.6	9.0	11.0	86.8	39.2	8.2	9.5	6.6	5.3	6.4	7.7	
	4	6.8	6.3	7.3	78.1	21.8	6.5	6.4	4.8	2.5	4.2	6.5	57.5	30.2	7.4	4.1	5.9	5.8	2.6	7.2	
	5	6.9	6.6	7.1	25.3	27.2	6.2	8.4	5.2	2.6	6.5	7.7	32.4	19.9	8.1	9.4	5.5	5.0	4.6	6.8	
	6	6.4	6.2	6.6	39.1	14.9	4.2	6.4	5.6	4.8	4.9	6.5	41.6	8.4	3.4	8.2	6.7	4.5	6.4	9.0	
	7	6.5	6.3	6.7	44.4	19.7	5.7	6.9	5.9	3.8	4.9	3.7	20.9	17.0	3.0	7.3	7.9	4.3	7.1	6.1	
	8	7.0	6.2	7.8	39.8	9.4	4.3	3.7	8.1	5.0	4.3	5.7	58.1	14.8	4.5	8.8	8.6	3.5	9.1	9.2	
	9	5.4	5.3	5.6	24.9	10.5	4.8	4.2	5.1	4.3	4.2	6.6	36.9	6.1	3.0	6.0	6.4	4.6	0.7	9.2	
	10	7.1	6.8	7.4	35.1	24.1	5.7	6.4	6.5	4.3	5.6	5.6	47.1	12.1	6.0	6.9	8.3	4.3	7.1	8.5	
	11	6.1	5.5	6.6	51.5	14.0	4.8	4.7	3.2	5.0	3.6	9.5	26.9	12.3	3.6	7.5	7.5	4.6	5.9	7.5	
	12	7.3	6.7	7.9	46.0	15.1	5.8	4.7	6.2	5.4	7.8	5.6	42.7	23.2	3.0	5.6	8.3	6.7	5.8	9.2	
	13	6.9	5.7	8.1	43.4	17.3	3.6	4.5	4.9	3.7	5.2	9.9	50.7	25.9	3.7	5.5	7.7	5.5	8.9	11.0	
Quarter	1	7.8	7.5	8.0	46.8	34.5	6.2	5.1	6.1	4.2	5.7	9.5	60.3	24.5	7.2	7.7	6.3	5.5	6.0	9.9	
	2	6.4	6.0	6.8	47.2	19.3	4.8	6.8	4.9	3.4	5.4	6.3	32.4	19.9	5.6	7.2	6.1	5.2	4.4	7.3	
	3	6.5	6.2	6.9	33.7	15.4	5.0	5.1	6.4	4.7	4.6	5.8	48.5	12.4	3.9	7.2	7.6	4.1	6.2	8.9	
	4	6.9	6.1	7.7	44.9	16.0	5.3	4.5	5.0	4.5	5.3	8.0	36.8	19.5	4.1	6.5	8.2	5.7	7.1	8.9	
Year	2009	6.9	6.4	7.4	43.1	21.3	5.3	5.4	5.6	4.2	5.2	7.4	44.7	19.1	5.2	7.2	7.0	5.1	5.9	8.7	
Episodes	F N	3194	1466	1728	112	238	145	151	368	254	96	102	110	203	136	201	469	306	118	185	
Number of Consultations		10081	4466	5615	147	318	224	432	1367	1129	455	394	156	278	204	586	1750	1505	584	552	

Mean weekly incidence rate per 100,000 Persons.

ICD9 566

### Abscess of Anal & Rectal regions (566)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.65	0.91	0.39	0.00	0.00	0.95	1.39	1.18	1.08	0.00	0.00	0.00	0.00	0.00	0.47	0.58	0.65	0.00	0.00	
	2	0.61	0.84	0.38	0.00	0.00	0.00	0.91	1.15	1.06	0.00	1.89	0.00	0.00	0.00	0.91	0.76	0.00	0.00	0.61	
	3	0.49	0.66	0.32	0.00	0.00	0.46	0.45	0.38	1.25	0.69	0.92	0.00	0.00	0.00	0.00	0.56	0.42	0.64	0.00	
	4	0.75	1.07	0.44	0.00	0.00	0.00	0.91	1.74	1.69	0.00	0.00	0.00	0.00	0.49	0.00	0.57	0.64	0.65	0.00	
	5	0.40	0.52	0.28	0.00	0.00	0.00	1.41	0.60	0.43	0.72	0.00	0.00	0.00	0.00	0.00	0.98	0.00	0.00	0.00	
	6	0.83	1.29	0.38	4.89	0.00	0.47	0.91	1.93	1.47	1.39	0.00	0.00	0.00	0.00	0.00	0.95	0.21	0.64	0.00	
	7	0.95	1.19	0.71	0.00	0.00	0.00	1.37	1.56	1.49	0.00	2.80	0.00	0.00	0.00	0.00	1.35	0.43	1.94	0.61	
	8	0.54	0.63	0.45	0.00	0.00	0.00	0.46	0.99	1.08	0.00	0.00	0.00	0.00	0.00	0.00	0.93	0.39	0.65	0.00	
	9	0.70	0.86	0.55	0.00	0.00	0.00	1.39	1.78	0.65	0.00	0.00	0.00	0.00	0.00	0.00	1.39	0.78	0.22	0.65	
	10	0.70	0.91	0.49	0.00	1.15	0.00	0.46	0.98	1.49	1.40	0.00	0.00	0.00	0.00	0.00	0.46	1.35	0.21	0.00	
	11	0.82	1.33	0.34	0.00	0.00	0.00	0.94	2.41	1.52	1.42	0.00	0.00	0.00	0.00	0.00	0.47	0.59	0.00	1.31	
	12	0.90	1.38	0.45	5.11	0.00	0.48	0.93	2.00	1.73	0.00	1.88	0.00	0.00	0.00	0.00	1.41	0.39	0.44	0.65	
	13	0.69	0.91	0.47	0.00	0.00	0.00	0.49	1.69	1.14	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.83	0.46	0.00	
Quarter	1	0.54	0.76	0.34	0.00	0.00	0.43	0.84	0.83	1.11	0.22	0.87	0.00	0.00	0.00	0.42	0.59	0.33	0.20	0.19	
	2	0.73	1.03	0.44	1.52	0.00	0.15	1.13	1.56	1.24	0.65	0.29	0.00	0.00	0.15	0.00	1.01	0.26	0.60	0.19	
	3	0.71	0.86	0.56	0.00	0.36	0.00	0.99	1.33	0.99	0.43	0.58	0.00	0.00	0.00	0.85	0.96	0.40	0.60	0.38	
	4	0.80	1.21	0.40	1.60	0.00	0.15	0.73	1.94	1.62	0.66	0.59	0.00	0.00	0.00	0.59	0.55	0.34	0.61	0.39	
Year	2009	0.69	0.96	0.43	0.77	0.09	0.18	0.93	1.41	1.24	0.49	0.58	0.00	0.00	0.04	0.46	0.78	0.33	0.50	0.28	
Episodes	F N	321	219	102	2	1	5	26	93	75	9	8	0	0	1	13	52	20	10	6	
Number of Consultations		843	548	295	6	2	9	48	214	184	62	23	0	2	2	33	126	91	25	16	

Mean weekly incidence rate per 100,000 Persons.

ICD9 580

### Glomerulonephritis Acute (580)

			Males										Females									
			Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.05	0.06	0.05	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.03	0.06	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.06	0.11	0.00	0.00	0.00	0.47	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	0.06	0.06	0.06	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	12	0.03	0.06	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	1	0.03	0.02	0.03	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.14	0.00	0.00	0.00	0.00	0.00
	2	0.03	0.05	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3	0.03	0.04	0.02	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00
	4	0.01	0.02	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Year	2009	0.02	0.03	0.01	0.00	0.00	0.07	0.11	0.02	0.00	0.00	0.07	0.00	0.00	0.04	0.04	0.01	0.00	0.00	0.00	0.00	0.00
Episodes	F																					
	N	10	7	3	0	0	2	3	1	0	0	1	0	0	1	1	1	0	0	0	0	0
Number of Consultations		48	38	10	0	0	14	4	2	16	0	2	0	0	1	2	2	2	0	3		

Mean weekly incidence rate per 100,000 Persons.

ICD9 595 & 599.0

### Urinary Tract Infection Cystitis (595 & 599.0)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	40.8	10.0	70.7	5.0	4.7	1.9	2.3	3.1	8.4	28.1	63.9	5.2	19.7	19.4	89.0	57.2	59.6	114.8	176.9	
	2	41.9	11.5	71.4	14.7	3.5	3.3	0.5	2.5	10.2	33.5	78.5	0.0	38.5	31.3	74.3	64.0	62.6	105.6	159.4	
	3	40.9	10.3	70.6	14.5	11.4	1.8	1.3	3.6	10.6	22.9	58.9	5.1	26.2	24.2	75.8	58.6	71.9	95.8	161.3	
	4	37.7	10.2	64.5	0.0	4.6	1.9	3.7	3.5	9.1	30.2	56.9	5.2	22.9	24.1	72.2	52.0	58.5	99.0	155.9	
	5	37.6	9.6	64.7	0.0	4.7	2.9	0.5	4.2	7.2	28.1	59.3	10.8	19.9	19.2	62.0	57.7	58.0	99.5	161.1	
	6	40.1	10.6	68.7	14.7	5.7	4.2	1.8	2.3	10.3	30.6	58.2	5.2	16.9	20.6	76.6	60.1	61.2	107.5	162.3	
	7	42.6	11.5	72.8	19.7	6.9	3.3	1.4	3.9	9.1	31.6	70.1	15.7	35.2	20.8	77.1	64.8	68.2	114.4	156.0	
	8	43.5	10.9	75.2	19.9	4.7	0.5	4.2	4.0	7.8	24.8	77.3	5.3	28.4	20.2	83.2	64.8	67.8	129.2	165.5	
	9	41.5	10.6	71.5	0.0	4.7	1.0	1.4	3.8	7.3	31.9	73.6	15.8	20.8	18.1	78.2	61.2	68.3	108.3	166.9	
	10	43.9	11.5	75.3	10.0	4.6	2.4	2.3	2.7	12.8	24.5	72.8	10.5	47.1	21.4	82.5	67.9	65.1	106.3	176.7	
	11	44.9	12.4	76.3	5.1	7.0	3.4	3.7	5.0	10.6	27.7	74.9	16.1	25.9	21.8	84.1	63.5	71.1	119.6	179.4	
	12	43.5	10.1	75.9	10.2	4.6	2.4	1.4	4.8	9.1	21.9	61.1	21.3	31.8	28.7	80.2	64.3	68.1	118.0	175.1	
	13	41.8	10.5	72.2	10.9	7.4	3.6	2.5	4.4	9.1	26.0	55.4	11.3	31.0	19.2	74.1	64.4	64.6	119.5	162.0	
Quarter	1	41.4	10.7	71.1	10.6	6.8	2.3	1.8	3.3	9.5	29.9	65.6	4.8	29.0	25.7	80.7	60.2	64.0	106.8	165.6	
	2	38.8	10.2	66.6	6.1	5.0	2.9	1.6	3.1	9.0	28.7	61.1	9.7	20.2	20.9	71.7	56.7	60.6	103.1	160.3	
	3	42.6	11.2	73.1	12.3	4.7	1.6	2.6	3.8	9.4	27.3	74.2	9.7	31.6	19.1	77.5	64.9	67.5	114.4	163.6	
	4	43.6	10.9	75.3	9.6	6.6	3.2	2.3	4.5	9.5	25.4	63.9	15.0	31.4	23.4	80.7	64.5	67.9	117.8	174.8	
Year	2009	41.6	10.7	71.5	9.6	5.7	2.5	2.1	3.7	9.4	27.8	66.2	9.7	28.0	22.3	77.6	61.5	65.0	110.5	166.0	
Episodes	F N	19250	2447	16803	25	64	68	58	242	567	510	913	24	298	579	2175	4113	3898	2201	3515	
Number of Consultations		34543	4778	29765	59	120	113	95	452	1153	1016	1770	54	527	1223	3516	6668	7010	4030	6737	



Mean weekly incidence rate per 100,000 Persons.

ICD9 601

### Prostate Inflammatory Diseases (601)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.86	0.86	0.00	0.00	0.00	0.00	0.00	0.98	1.29	2.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	1.69	1.69	0.00	0.00	0.00	0.00	0.00	1.92	3.82	0.71	0.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	1.22	1.22	0.00	0.00	0.00	0.00	0.00	1.90	1.46	1.39	2.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	1.12	1.12	0.00	0.00	0.00	0.00	0.00	0.97	2.11	2.81	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.81	0.81	0.00	0.00	0.00	0.00	0.00	0.80	0.87	2.88	1.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	1.12	1.12	0.00	0.00	0.00	0.00	0.00	1.74	1.26	2.09	1.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	1.70	1.70	0.00	0.00	0.00	0.00	0.00	1.76	2.77	4.92	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	1.20	1.20	0.00	0.00	0.00	0.00	0.00	1.19	2.16	2.13	1.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	1.20	1.20	0.00	0.00	0.00	0.00	0.00	1.19	2.15	2.12	1.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	1.58	1.58	0.00	0.00	0.00	0.00	0.00	1.18	2.98	4.20	1.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	1.73	1.73	0.00	0.00	0.00	0.00	0.00	1.81	2.39	4.97	2.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	1.72	1.72	0.00	0.00	0.00	0.00	0.00	2.00	3.67	2.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	1.52	1.52	0.00	0.00	0.00	0.00	0.00	1.27	2.97	2.23	2.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	1.28	1.28	0.00	0.00	0.00	0.00	0.00	1.60	2.28	1.75	1.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	1.06	1.06	0.00	0.00	0.00	0.00	0.00	1.20	1.57	2.61	1.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	1.42	1.42	0.00	0.00	0.00	0.00	0.00	1.33	2.37	3.69	1.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	1.62	1.62	0.00	0.00	0.00	0.00	0.00	1.63	2.98	2.87	2.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Year	2009	1.34	1.34	0.00	0.00	0.00	0.00	0.00	1.44	2.29	2.73	1.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Episodes	F	306	306	0	0	0	0	0	95	139	50	22	0	0	0	0	0	0	0	0	
Number of Consultations		931	931	0	0	0	0	3	186	482	191	69	0	0	0	0	0	0	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 604

### Orchitis and Epididymitis (604)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	3.83	3.83	0.00	0.00	0.00	0.47	0.93	5.88	4.30	5.05	6.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	4.27	4.27	0.00	0.00	1.15	0.00	4.10	6.15	5.09	3.56	4.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	4.31	4.31	0.00	0.00	0.00	0.46	3.60	6.28	5.82	4.86	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	4.77	4.77	0.00	0.00	0.00	0.47	4.11	5.60	7.60	4.92	2.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	3.41	3.41	0.00	0.00	0.00	0.00	3.28	4.79	3.91	2.16	6.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	3.53	3.53	0.00	0.00	0.00	0.00	3.18	4.45	4.84	4.17	3.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	4.36	4.36	0.00	0.00	0.00	1.42	2.29	5.87	6.59	2.81	3.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	5.33	5.33	0.00	0.00	0.00	1.44	4.64	6.55	7.55	4.96	4.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	4.12	4.12	0.00	0.00	0.00	1.43	4.17	4.94	5.16	6.37	1.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	4.47	4.47	0.00	0.00	0.00	0.94	2.29	6.46	5.74	4.90	4.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	3.93	3.93	0.00	0.00	0.00	0.48	3.28	5.82	4.56	4.97	2.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	4.65	4.65	0.00	0.00	0.00	0.00	4.66	6.39	5.62	7.05	2.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	5.17	5.17	0.00	0.00	0.00	0.00	5.44	6.14	8.00	2.23	6.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	4.20	4.20	0.00	0.00	0.36	0.29	3.09	5.94	5.47	4.58	3.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2	3.87	3.87	0.00	0.00	0.00	0.44	3.25	4.87	5.43	3.47	4.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	4.71	4.71	0.00	0.00	0.00	1.17	3.55	6.37	6.26	4.99	3.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	4.48	4.48	0.00	0.00	0.00	0.30	4.24	6.01	5.82	4.86	4.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Year	2009	4.31	4.31	0.00	0.00	0.09	0.55	3.53	5.79	5.75	4.48	4.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Episodes	F N	983	983	0	0	1	15	99	382	348	82	56	0	0	0	0	0	0	0	0	
Number of Consultations		1932	1932	0	0	2	26	179	721	673	185	146	0	0	0	0	0	0	0	0	

Mean weekly incidence rate per 100,000 Persons.

ICD9 614~616

### Female Pelvic Organs Inflamm Diseases (614~616)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	9.08	0.00	9.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.38	3.99	16.30	13.34	6.31	7.30	3.70	
	2	12.20	0.00	12.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.13	10.84	2.45	16.87	19.94	10.08	5.90	6.72	
	3	11.74	0.00	11.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.94	5.80	18.04	20.09	7.78	6.39	4.76	
	4	10.99	0.00	10.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.83	5.89	18.27	16.96	8.54	5.18	5.44	
	5	10.82	0.00	10.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.94	3.03	18.33	15.95	7.68	9.95	5.60	
	6	10.48	0.00	10.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.20	9.64	4.91	14.58	16.23	8.29	5.12	6.01	
	7	9.83	0.00	9.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.23	9.72	3.97	14.69	14.50	8.39	5.17	4.88	
	8	11.79	0.00	11.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.56	2.02	16.28	17.47	10.90	5.87	8.61	
	9	10.54	0.00	10.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.35	2.01	19.44	14.65	9.56	6.52	5.54	
	10	12.40	0.00	12.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.47	8.45	5.47	22.90	17.99	8.60	6.44	7.92	
	11	9.96	0.00	9.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.37	6.16	3.56	18.32	14.24	7.87	6.54	4.97	
	12	10.69	0.00	10.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.33	8.56	4.03	14.54	17.49	7.61	8.43	4.93	
	13	11.06	0.00	11.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.76	4.28	17.90	18.28	7.59	8.19	3.24	
Quarter	1	10.93	0.00	10.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.59	7.80	3.92	17.32	17.57	8.10	6.22	5.05	
	2	10.85	0.00	10.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.24	8.99	5.04	16.87	16.26	8.48	6.79	5.25	
	3	11.08	0.00	11.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.23	9.77	2.46	18.60	15.77	9.53	6.39	7.35	
	4	10.70	0.00	10.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.34	7.28	4.43	16.88	17.24	7.50	7.31	4.63	
Year	2009	10.89	0.00	10.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.84	8.47	3.96	17.42	16.71	8.41	6.68	5.57	
Episodes	F N	2560	0	2560	0	0	0	0	0	0	0	0	7	90	103	488	1117	504	133	118	
Number of Consultations		4927	0	4927	0	0	0	0	0	0	0	0	10	136	196	881	2027	1077	329	271	

Mean weekly incidence rate per 100,000 Persons.

ICD9 680~686

### Skin & Subcutaneous Tiss Infections (680~686)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	55.1	48.1	61.9	160.5	96.7	48.7	30.2	39.4	38.3	63.5	87.7	78.5	87.3	62.3	55.4	49.5	50.5	67.7	121.4	
	2	52.9	48.8	56.9	122.2	84.0	45.6	39.6	40.4	38.8	57.0	106.9	82.1	79.5	44.1	61.6	45.6	48.7	52.5	116.6	
	3	58.0	50.9	64.8	121.0	106.8	61.6	42.2	33.7	42.4	55.6	103.1	102.1	92.7	71.0	53.7	48.3	53.9	72.2	130.4	
	4	53.8	51.6	56.0	141.6	78.1	63.0	37.0	41.7	43.7	54.9	97.9	88.9	70.0	53.5	52.5	42.7	45.7	60.8	119.6	
	5	56.8	50.6	62.8	116.2	88.8	48.0	38.4	37.7	41.9	66.4	116.8	102.4	75.8	65.7	61.6	50.0	54.5	61.1	115.7	
	6	59.7	54.7	64.5	102.7	100.9	56.9	40.9	40.0	50.7	75.8	92.4	88.5	72.3	56.4	57.4	53.1	58.4	74.2	121.4	
	7	70.6	60.7	80.2	113.5	87.9	59.9	49.9	49.9	60.0	73.7	90.7	94.2	86.2	69.5	78.0	68.0	75.3	76.9	146.9	
	8	67.2	59.7	74.4	64.7	81.0	58.4	57.1	48.2	53.5	74.5	112.2	137.2	66.6	59.0	72.6	59.9	72.4	78.9	139.6	
	9	67.1	58.2	75.8	109.6	85.1	71.1	51.9	53.4	43.5	60.9	98.2	68.5	102.9	56.3	68.5	68.0	70.4	84.8	128.1	
	10	63.8	55.9	71.4	115.3	79.2	56.2	58.7	46.8	49.6	55.3	91.5	89.0	70.0	66.2	74.7	57.8	71.6	64.4	121.2	
	11	56.6	49.5	63.6	97.8	66.7	63.7	40.8	40.1	41.0	55.4	89.1	96.7	85.0	54.9	65.3	52.4	57.3	63.4	110.5	
	12	54.6	48.0	61.0	97.1	74.4	60.4	40.1	36.2	38.9	55.7	94.0	122.7	80.7	59.0	62.4	46.2	52.2	53.8	122.7	
	13	53.7	50.2	57.0	97.7	91.3	59.5	48.5	40.8	40.0	51.3	80.1	101.4	71.1	52.9	53.2	43.6	49.4	60.1	115.3	
Quarter	1	55.5	49.4	61.3	132.9	93.5	53.3	36.8	38.2	39.9	59.2	99.8	90.5	86.2	59.3	56.3	48.1	51.2	65.7	120.7	
	2	57.9	52.6	63.1	117.2	90.3	54.8	39.7	40.4	46.9	66.0	98.1	89.2	73.4	59.7	60.0	50.6	54.6	65.3	124.3	
	3	68.4	60.2	76.3	99.6	86.9	63.2	57.0	50.6	52.1	68.3	102.0	97.0	81.9	61.5	73.4	64.2	74.3	77.1	135.7	
	4	55.2	49.1	61.2	99.4	74.0	60.5	43.4	39.4	40.2	52.6	88.1	108.6	78.6	56.8	61.8	47.9	53.9	59.9	114.6	
Year	2009	59.2	52.9	65.4	112.5	86.2	57.9	44.2	42.2	44.8	61.6	97.0	96.2	80.1	59.3	62.9	52.7	58.5	67.0	123.9	
Episodes	F N	27421	12041	15380	292	962	1584	1242	2781	2715	1128	1337	237	851	1542	1761	3523	3508	1335	2623	
Number of Consultations		49476	22081	27395	480	1449	2435	2047	4856	5349	2484	2981	386	1267	2364	2862	5928	6430	2811	5347	

Mean weekly incidence rate per 100,000 Persons.

ICD9 691

### Atopic Dermatitis and Related Conditions (691)

			Males										Females									
Male & Female			M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+		
4 weekly	1	23.3	22.1	24.5	586.8	123.8	12.8	11.6	8.8	8.2	10.8	14.3	450.2	131.6	22.9	23.3	13.0	10.2	11.9	13.6		
	2	21.3	20.4	22.1	405.7	109.3	19.5	11.4	9.2	8.5	10.7	14.2	384.9	114.4	25.0	10.9	14.8	10.5	9.8	11.6		
	3	21.5	19.9	23.1	440.3	109.1	15.6	12.1	8.0	8.5	9.0	13.8	413.4	112.9	25.1	15.8	13.0	12.2	15.3	10.1		
	4	20.5	20.0	21.1	429.6	106.8	20.1	8.7	8.5	8.2	9.1	15.8	355.5	114.7	22.6	18.7	11.4	9.0	11.6	10.3		
	5	22.0	20.2	23.7	399.1	127.9	18.7	8.4	9.2	6.9	11.5	10.5	415.2	167.8	26.3	16.0	11.0	9.2	11.9	5.6		
	6	20.5	19.9	21.2	396.3	129.6	18.7	9.1	7.3	7.4	9.0	13.9	405.9	120.5	22.1	16.4	11.3	8.3	10.2	10.2		
	7	19.8	17.6	22.0	330.7	101.8	16.5	11.0	8.0	8.3	6.3	7.5	376.8	126.3	16.9	20.2	14.1	10.1	9.7	6.7		
	8	15.6	14.5	16.6	308.8	89.3	9.6	8.8	5.6	6.5	9.2	4.7	322.0	96.2	10.1	13.0	8.6	8.1	10.4	8.6		
	9	16.1	14.6	17.6	303.8	71.1	13.4	5.6	7.3	5.8	12.7	11.3	331.8	112.7	13.1	8.8	8.2	8.0	12.4	11.7		
	10	17.7	15.7	19.6	310.7	88.4	14.2	10.1	6.1	7.7	7.0	9.3	434.3	100.2	19.4	13.7	9.3	9.9	6.4	11.0		
	11	18.4	17.1	19.6	411.7	85.5	13.5	5.6	8.2	7.8	8.5	13.3	403.0	103.4	11.7	12.2	10.7	11.4	7.2	15.5		
	12	19.1	16.4	21.6	408.7	77.9	16.8	5.1	6.2	7.6	6.3	16.9	277.4	135.7	24.2	22.0	13.2	8.5	6.5	8.6		
	13	19.6	19.3	19.9	423.4	103.6	23.4	5.4	9.1	5.9	9.7	15.8	349.4	115.1	15.0	10.9	12.5	9.9	15.7	7.1		
Quarter	1	22.3	21.0	23.5	477.2	114.4	16.5	11.9	8.8	8.5	10.5	14.2	423.9	122.2	24.8	16.9	13.5	10.9	12.4	11.4		
	2	20.6	19.7	21.6	398.7	120.6	18.4	8.8	8.2	7.7	9.3	12.1	369.8	133.0	21.7	17.3	11.8	8.7	10.8	9.0		
	3	16.9	15.2	18.6	304.8	84.1	13.3	8.2	6.7	6.9	8.9	8.4	378.3	106.4	14.0	12.9	9.2	9.4	10.2	9.6		
	4	18.7	17.2	20.1	404.1	87.9	17.1	5.8	7.4	6.8	8.2	15.0	341.0	115.4	17.9	15.1	11.9	9.5	9.3	10.2		
Year	2009	19.6	18.3	21.0	396.4	101.8	16.3	8.7	7.8	7.5	9.2	12.4	378.8	119.3	19.6	15.6	11.6	9.6	10.7	10.1		
Episodes	F N	9094	4166	4928	1029	1136	447	245	515	454	169	171	933	1268	510	436	777	578	213	213		
Number of Consultations		23061	10744	12317	1872	2631	1559	952	1331	1306	541	552	1557	2632	1697	1451	2053	1571	622	734		

Mean weekly incidence rate per 100,000 Persons.

ICD9 696.3

### Pityriasis Rosea (696.3)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.35	1.14	1.55	0.00	1.18	3.31	1.86	1.37	0.22	0.00	0.00	0.00	1.23	1.50	4.19	1.93	1.09	0.00	0.00	
	2	1.38	1.46	1.31	0.00	0.00	4.19	2.28	2.12	0.00	0.71	0.00	0.00	2.41	2.45	2.74	1.90	0.21	0.00	0.00	
	3	1.69	1.27	2.09	0.00	1.14	3.22	2.25	0.95	0.83	0.00	0.92	0.00	3.57	3.87	5.86	1.69	1.26	0.00	0.00	
	4	1.22	1.07	1.36	0.00	1.15	2.33	2.74	1.16	0.21	0.00	0.00	5.23	1.21	1.47	3.65	1.33	1.07	0.00	0.00	
	5	1.71	1.16	2.24	0.00	1.18	3.36	2.34	1.20	0.22	0.00	0.00	0.00	0.00	4.55	7.05	2.76	0.44	0.00	0.00	
	6	1.21	1.01	1.41	0.00	0.00	1.40	1.36	0.97	1.26	0.70	0.00	0.00	0.00	5.40	3.65	0.95	0.21	0.64	0.00	
	7	1.14	0.85	1.43	0.00	0.00	2.83	2.75	0.39	0.00	0.70	0.00	0.00	3.64	2.98	1.84	1.74	0.65	0.65	0.00	
	8	0.85	0.57	1.11	0.00	0.00	1.44	0.93	0.79	0.00	0.71	0.00	0.00	0.00	1.51	3.26	1.57	0.44	0.00	0.00	
	9	1.01	0.86	1.16	0.00	1.17	1.91	1.85	1.19	0.00	0.00	0.00	0.00	0.00	2.51	2.78	1.37	0.43	0.65	0.00	
	10	1.42	1.13	1.70	0.00	1.15	2.83	3.21	0.78	0.43	0.00	0.00	5.23	0.00	2.98	2.75	1.55	1.29	1.93	0.61	
	11	1.28	1.04	1.51	0.00	1.17	2.90	2.34	0.40	0.87	0.00	0.00	0.00	1.23	3.56	2.35	1.78	0.44	1.31	0.62	
	12	1.67	1.38	1.95	0.00	1.16	3.84	3.73	0.80	0.43	0.71	0.00	0.00	3.67	4.03	4.22	2.36	0.65	0.00	0.00	
	13	1.58	1.52	1.65	0.00	1.23	3.56	6.93	0.63	0.00	0.00	0.00	0.00	1.29	1.07	3.98	2.91	0.69	0.00	0.00	
Quarter	1	1.49	1.33	1.64	0.00	1.07	3.73	2.39	1.42	0.33	0.22	0.29	0.00	2.23	2.57	4.36	1.82	0.86	0.00	0.00	
	2	1.25	0.91	1.59	0.00	0.36	2.03	1.70	0.96	0.52	0.22	0.00	1.62	0.37	3.66	4.39	1.66	0.53	0.20	0.00	
	3	1.15	0.93	1.36	0.00	0.72	2.05	2.41	0.97	0.13	0.43	0.00	0.00	1.13	2.77	2.56	1.56	0.60	1.00	0.19	
	4	1.50	1.28	1.71	0.00	1.09	3.61	4.09	0.56	0.41	0.22	0.00	1.67	1.92	2.69	3.52	2.28	0.75	0.41	0.19	
Year	2009	1.35	1.11	1.57	0.00	0.81	2.85	2.64	0.99	0.35	0.27	0.07	0.81	1.41	2.92	3.71	1.83	0.68	0.40	0.09	
Episodes	F N	623	253	370	0	9	78	74	65	21	5	1	2	15	76	104	122	41	8	2	
Number of Consultations		919	383	536	0	12	105	105	101	42	8	10	2	18	109	158	177	60	10	2	

Mean weekly incidence rate per 100,000 Persons.

ICD9 696 (Excl 696.3)

### Psoriasis (696 Excl 696.3)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	4.6	5.0	4.2	0.0	0.0	1.9	5.6	7.1	5.4	2.9	5.7	5.2	0.0	1.0	3.3	5.0	5.2	3.3	6.8	
	2	5.1	4.9	5.2	0.0	1.2	0.5	7.3	5.6	5.7	5.7	4.7	0.0	0.0	2.9	5.9	6.8	5.6	7.2	2.4	
	3	5.5	5.8	5.3	0.0	0.0	1.4	6.3	7.2	7.5	3.5	7.4	0.0	0.0	3.9	9.9	5.4	5.5	3.8	4.2	
	4	5.2	5.3	5.1	0.0	0.0	2.8	3.7	8.1	5.9	4.9	3.7	0.0	1.2	2.9	5.5	7.6	4.5	5.2	3.0	
	5	5.8	6.0	5.6	0.0	1.2	3.8	3.3	7.0	7.6	7.9	6.7	0.0	0.0	3.5	8.0	8.7	4.4	5.3	2.5	
	6	5.8	5.8	5.7	0.0	1.1	3.7	5.9	7.7	6.7	5.6	1.8	0.0	0.0	2.0	7.3	8.0	5.3	7.0	4.2	
	7	4.8	4.8	4.8	4.9	2.3	2.8	3.7	8.0	3.0	7.0	1.9	0.0	0.0	1.5	5.0	5.8	5.8	6.5	3.7	
	8	4.9	5.0	4.8	0.0	3.5	2.4	2.8	5.8	7.1	4.3	5.7	0.0	1.2	2.5	6.0	6.9	4.4	4.6	3.7	
	9	4.0	3.5	4.4	0.0	0.0	1.4	1.9	6.1	2.2	5.7	5.7	0.0	1.2	1.5	3.7	5.5	4.1	7.2	5.5	
	10	4.3	4.0	4.6	5.0	1.1	1.4	1.8	4.5	6.8	4.2	0.9	0.0	0.0	0.5	2.3	4.8	7.3	5.8	6.1	
	11	4.6	3.5	5.8	0.0	1.2	2.4	1.9	4.4	3.9	5.7	1.9	0.0	2.5	2.5	6.6	8.1	5.0	6.5	5.0	
	12	4.5	3.6	5.3	5.1	1.2	0.5	4.7	4.8	3.5	5.6	1.9	0.0	1.2	3.5	3.8	5.7	7.2	7.1	4.3	
	13	4.7	5.4	3.9	0.0	0.0	1.0	3.5	8.0	7.1	5.9	3.0	0.0	0.0	1.1	5.0	4.6	4.8	4.8	3.2	
Quarter	1	5.1	5.2	4.9	0.0	0.4	1.3	6.3	6.8	6.2	3.9	5.5	1.6	0.0	3.0	6.3	5.6	5.5	4.8	4.1	
	2	5.6	5.7	5.6	1.5	0.7	3.5	4.0	7.9	6.2	6.9	4.0	0.0	0.4	2.1	6.8	8.5	4.9	5.8	3.9	
	3	4.4	4.2	4.6	1.5	1.8	1.9	2.7	5.3	5.1	5.0	3.8	0.0	0.8	1.7	4.1	5.5	5.5	6.6	4.1	
	4	4.5	4.1	4.9	1.6	1.1	1.4	3.1	5.9	4.7	5.3	2.4	0.0	1.1	2.2	5.0	6.0	5.4	5.7	4.6	
Year	2009	4.9	4.8	5.0	1.2	1.0	2.0	4.0	6.5	5.6	5.3	3.9	0.4	0.6	2.3	5.6	6.4	5.3	5.7	4.2	
Episodes	F N	2269	1098	1171	3	11	55	113	428	337	97	54	1	6	59	156	427	319	114	89	
Number of Consultations		9002	4257	4745	6	13	97	309	1516	1536	496	284	1	16	135	503	1490	1601	550	449	

Mean weekly incidence rate per 100,000 Persons.

ICD9 715.9

### Osteoarthritis of Hip (715.9)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.60	1.49	1.72	0.00	0.00	0.00	0.00	0.20	3.01	5.05	3.81	0.00	0.00	0.00	0.00	0.19	2.18	6.63	6.16	
	2	1.36	1.24	1.47	0.00	0.00	0.00	0.00	0.19	1.70	4.99	5.67	0.00	0.00	0.00	0.00	0.00	1.29	5.25	7.94	
	3	1.25	1.00	1.50	0.00	0.00	0.00	0.00	0.19	1.66	4.86	1.84	0.00	0.00	0.00	0.00	0.00	0.63	9.58	5.95	
	4	1.41	1.35	1.47	0.00	0.00	0.00	0.00	0.19	2.11	4.92	5.59	0.00	0.00	0.00	0.00	0.00	1.49	6.47	6.04	
	5	1.62	1.44	1.79	0.00	0.00	0.00	0.00	0.40	1.95	6.49	4.79	0.00	0.00	0.00	0.00	0.20	1.76	7.30	7.46	
	6	1.71	1.40	2.01	0.00	0.00	0.00	0.00	0.19	1.89	7.65	3.69	0.00	0.00	0.00	0.00	0.19	2.98	7.04	6.61	
	7	1.23	0.85	1.59	0.00	0.00	0.00	0.00	0.00	1.06	4.92	2.80	0.00	0.00	0.00	0.00	0.19	1.72	5.82	6.70	
	8	1.36	1.09	1.61	0.00	0.00	0.00	0.00	0.00	1.29	4.96	5.66	0.00	0.00	0.00	0.00	0.00	1.31	7.83	6.77	
	9	1.52	1.20	1.83	0.00	0.00	0.00	0.00	0.40	2.15	2.83	4.72	0.00	0.00	0.00	0.00	0.00	2.17	9.13	5.54	
	10	1.42	0.96	1.87	0.00	0.00	0.00	0.46	0.39	1.28	0.70	6.54	0.00	0.00	0.00	0.00	0.19	2.36	8.37	5.48	
	11	1.22	0.92	1.51	0.00	0.00	0.00	0.00	0.40	0.65	6.40	1.90	0.00	0.00	0.00	0.00	0.00	1.75	7.19	4.97	
	12	1.27	1.09	1.45	0.00	0.00	0.00	0.00	0.00	1.51	4.94	4.70	0.00	0.00	0.00	0.00	0.00	2.39	4.54	4.93	
	13	1.02	0.85	1.18	0.00	0.00	0.00	0.00	0.00	0.69	5.21	3.95	0.00	0.00	0.00	0.00	0.00	2.30	4.10	2.59	
Quarter	1	1.42	1.28	1.56	0.00	0.00	0.00	0.00	0.24	2.15	5.24	3.76	0.00	0.00	0.00	0.00	0.06	1.45	6.83	6.73	
	2	1.52	1.27	1.76	0.00	0.00	0.00	0.00	0.18	1.83	5.65	4.61	0.00	0.00	0.00	0.00	0.12	2.12	7.19	6.37	
	3	1.42	1.09	1.75	0.00	0.00	0.00	0.00	0.24	1.52	3.69	5.20	0.00	0.00	0.00	0.00	0.12	1.87	7.59	6.59	
	4	1.17	0.94	1.39	0.00	0.00	0.00	0.15	0.13	0.95	5.08	3.53	0.00	0.00	0.00	0.00	0.00	2.04	5.89	4.05	
Year	2009	1.39	1.15	1.62	0.00	0.00	0.00	0.04	0.20	1.62	4.91	4.28	0.00	0.00	0.00	0.00	0.07	1.87	6.88	5.95	
Episodes	F N	641	261	380	0	0	0	1	13	98	90	59	0	0	0	0	5	112	137	126	
Number of Consultations		2104	854	1250	0	0	0	1	20	284	292	257	0	0	0	1	26	303	431	489	



Mean weekly incidence rate per 100,000 Persons.

ICD9 720~724

### Dorsopathies (720~724)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	90.8	73.1	108.1	0.0	2.4	13.3	42.8	87.8	98.3	103.9	102.0	10.5	2.5	19.9	73.6	126.7	135.9	143.3	155.9	
	2	88.1	72.3	103.5	0.0	3.5	12.1	46.4	84.8	94.1	110.5	109.7	0.0	4.8	17.6	75.7	126.3	134.2	122.7	131.3	
	3	97.4	76.1	118.1	0.0	0.0	18.8	51.2	83.0	99.0	112.5	134.4	0.0	1.2	19.8	81.2	134.1	148.5	168.0	177.4	
	4	83.6	67.9	98.8	4.9	5.7	12.6	39.2	73.7	92.7	102.0	116.5	5.2	4.8	16.7	67.2	108.0	132.2	133.3	143.2	
	5	94.7	73.1	115.6	0.0	1.2	14.4	41.2	88.4	92.9	99.5	131.1	0.0	3.7	27.3	77.5	124.6	150.6	173.2	162.4	
	6	90.1	74.3	105.5	0.0	0.0	13.1	40.9	82.8	99.0	120.9	126.5	0.0	1.2	20.1	64.7	122.2	123.9	172.8	160.5	
	7	89.4	75.9	102.5	0.0	4.6	13.7	37.1	88.8	96.8	115.9	144.0	10.5	3.6	20.3	67.5	115.0	127.9	147.3	157.2	
	8	90.4	75.2	105.2	0.0	1.2	10.5	45.0	87.9	96.8	109.2	137.6	5.3	2.5	13.1	74.4	117.8	140.2	148.7	142.1	
	9	84.6	69.4	99.3	0.0	2.3	6.2	32.4	79.2	100.7	96.3	117.1	5.3	2.4	11.6	68.5	106.3	128.3	163.1	142.9	
	10	97.1	81.0	112.7	0.0	2.3	17.0	49.0	97.1	104.7	112.6	127.9	5.2	2.4	16.9	78.8	130.2	149.2	148.2	151.7	
	11	93.0	74.7	110.8	0.0	1.2	9.7	41.7	90.9	102.9	108.0	98.6	0.0	2.5	14.7	86.0	131.1	136.9	148.4	154.6	
	12	92.3	72.9	111.0	0.0	1.2	15.8	39.2	87.3	95.3	108.6	111.9	0.0	6.1	20.2	78.3	125.0	143.1	149.8	158.4	
	13	75.4	62.0	88.4	5.4	2.5	10.7	36.6	77.0	74.1	77.3	128.5	5.6	1.3	20.8	58.7	95.4	114.7	122.2	134.1	
Quarter	1	92.2	74.0	109.8	0.0	2.1	15.6	46.2	84.8	98.1	109.4	115.7	3.2	3.3	19.5	77.9	128.7	139.1	143.7	154.7	
	2	89.3	72.0	106.1	1.5	1.8	12.6	40.1	81.5	94.4	107.9	133.5	4.9	2.6	21.5	68.2	117.3	135.4	160.3	154.1	
	3	90.1	75.2	104.6	0.0	2.9	10.8	41.0	89.6	100.1	105.4	126.8	3.2	2.6	14.2	71.3	117.6	135.6	152.7	147.9	
	4	87.7	70.6	104.3	1.6	1.8	12.6	39.8	85.5	91.5	101.7	111.9	3.3	3.4	18.4	75.9	117.5	133.4	140.8	150.3	
Year	2009	89.8	73.0	106.2	0.8	2.2	12.9	41.8	85.3	96.1	106.1	122.0	3.7	3.0	18.4	73.3	120.3	135.9	149.4	151.8	
F																					
Episodes	N	41579	16624	24955	2	24	354	1174	5626	5818	1944	1682	9	32	478	2053	8044	8149	2976	3214	
Number of Consultations		90704	37125	53579	2	37	523	2004	11663	14203	4741	3952	9	46	687	3392	16043	18686	7216	7500	

Mean weekly incidence rate per 100,000 Persons.

ICD9 720.0

### Ankylosing spondylitis (720.0)

			Males										Females									
			Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.03	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	
	2	0.17	0.28	0.05	0.00	0.00	0.00	0.46	0.38	0.21	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	
	3	0.08	0.17	0.00	0.00	0.00	0.00	0.00	0.38	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	5	0.14	0.29	0.00	0.00	0.00	0.00	0.00	0.60	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	7	0.11	0.23	0.00	0.00	0.00	0.00	0.46	0.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	8	0.06	0.11	0.00	0.00	0.00	0.00	0.00	0.20	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	9	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	11	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	12	0.11	0.23	0.00	0.00	0.00	0.00	0.00	0.40	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	13	0.06	0.12	0.00	0.00	0.00	0.00	0.00	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Quarter	1	0.09	0.16	0.03	0.00	0.00	0.00	0.14	0.24	0.20	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.07	0.00	0.00	
	2	0.07	0.14	0.00	0.00	0.00	0.00	0.14	0.30	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	3	0.03	0.07	0.00	0.00	0.00	0.00	0.00	0.12	0.07	0.00	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	4	0.06	0.13	0.00	0.00	0.00	0.00	0.00	0.31	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Year	2009	0.06	0.12	0.01	0.00	0.00	0.00	0.07	0.24	0.13	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.00	
Episodes	F N	30	28	2	0	0	0	2	16	8	1	1	0	0	0	0	0	1	1	0	0	
Number of Consultations		545	448	97	0	0	0	13	164	214	49	8	0	0	0	4	32	56	5	0		

Mean weekly incidence rate per 100,000 Persons.

ICD9 730

### Osteomyelitis Periostitis & inf involve bone (730)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.23	0.11	0.33	0.00	0.00	0.47	0.00	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.47	0.19	0.44	0.00	1.23	
	2	0.33	0.34	0.33	0.00	0.00	0.47	0.00	0.19	0.21	0.71	1.89	0.00	0.00	0.00	0.46	0.57	0.00	0.66	0.61	
	3	0.65	0.55	0.75	0.00	0.00	0.00	0.90	0.95	0.42	0.69	0.00	0.00	0.00	0.48	0.45	0.75	1.26	0.64	0.60	
	4	0.25	0.22	0.27	0.00	0.00	0.00	0.91	0.19	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.21	0.00	0.60	
	5	0.46	0.29	0.62	0.00	0.00	0.00	0.00	0.20	0.00	0.72	2.87	0.00	0.00	0.00	1.41	0.59	0.66	0.66	0.62	
	6	0.33	0.34	0.33	0.00	0.00	0.47	0.45	0.19	0.42	0.00	0.92	0.00	0.00	0.00	0.00	0.19	0.64	0.64	0.60	
	7	0.47	0.51	0.44	0.00	0.00	0.47	0.46	0.59	0.64	0.70	0.00	0.00	0.00	0.00	0.46	0.58	0.22	1.94	0.00	
	8	0.37	0.46	0.28	0.00	0.00	0.00	0.46	0.60	0.43	0.71	0.94	0.00	0.00	0.00	0.00	0.79	0.00	0.65	0.00	
	9	0.28	0.29	0.28	0.00	0.00	0.00	0.93	0.20	0.22	0.00	0.94	0.00	0.00	0.00	0.00	0.78	0.22	0.00	0.00	
	10	0.28	0.17	0.38	0.00	0.00	0.00	0.46	0.00	0.21	0.00	0.93	0.00	0.00	0.50	0.46	0.58	0.43	0.00	0.00	
	11	0.54	0.46	0.62	0.00	0.00	0.00	0.94	0.80	0.00	1.42	0.00	0.00	0.00	0.00	0.47	0.79	1.09	0.00	0.62	
	12	0.42	0.29	0.56	0.00	0.00	0.00	0.00	0.40	0.43	0.71	0.00	0.00	0.00	1.01	0.94	0.20	0.44	0.65	1.23	
	13	0.33	0.18	0.47	0.00	0.00	0.00	0.00	0.00	0.23	0.74	0.99	0.00	0.00	0.00	0.00	0.83	0.69	0.68	0.00	
Quarter	1	0.40	0.35	0.45	0.00	0.00	0.29	0.42	0.42	0.20	0.65	0.58	0.00	0.00	0.15	0.42	0.47	0.59	0.40	0.75	
	2	0.37	0.31	0.42	0.00	0.00	0.29	0.42	0.30	0.20	0.22	1.15	0.00	0.00	0.00	0.57	0.59	0.40	0.40	0.56	
	3	0.34	0.35	0.32	0.00	0.00	0.00	0.57	0.24	0.46	0.43	0.87	0.00	0.00	0.15	0.00	0.60	0.27	0.80	0.00	
	4	0.42	0.29	0.54	0.00	0.00	0.00	0.29	0.38	0.20	0.88	0.29	0.00	0.00	0.32	0.59	0.62	0.68	0.41	0.58	
Year	2009	0.38	0.32	0.43	0.00	0.00	0.15	0.43	0.33	0.26	0.55	0.73	0.00	0.00	0.15	0.39	0.57	0.48	0.50	0.47	
Episodes	F N	176	74	102	0	0	4	12	22	16	10	10	0	0	4	11	38	29	10	10	
Number of Consultations		539	260	279	0	2	14	26	57	89	34	38	1	0	13	25	81	74	55	30	

Mean weekly incidence rate per 100,000 Persons.

ICD9 940~949

### Burns (940~949)

				Males									Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	1.43	1.14	1.72	5.02	2.36	1.42	0.93	0.78	1.08	0.00	2.86	0.00	2.46	0.00	1.40	1.74	2.39	1.99	1.85	
	2	1.85	1.35	2.34	14.66	3.45	0.93	0.91	1.15	1.06	1.43	0.95	0.00	3.61	2.45	1.82	3.23	1.29	1.31	3.66	
	3	1.44	1.16	1.72	0.00	2.27	1.84	0.90	1.71	0.62	0.00	0.92	0.00	8.32	2.42	1.80	0.75	1.68	0.64	1.79	
	4	1.41	1.01	1.80	0.00	2.30	0.93	1.37	0.97	1.06	0.70	0.00	0.00	3.62	1.96	2.74	1.14	2.56	0.00	1.21	
	5	1.34	1.04	1.63	0.00	3.55	0.96	2.34	0.60	0.65	1.44	0.00	0.00	1.24	1.52	1.41	1.18	1.76	1.33	3.73	
	6	1.82	1.29	2.33	0.00	1.15	0.47	1.36	2.32	0.84	1.39	0.00	5.20	2.41	0.98	3.65	2.86	1.70	2.56	1.80	
	7	2.40	2.32	2.47	4.94	2.31	1.89	6.41	1.96	1.06	2.11	1.87	10.47	3.64	2.48	2.29	2.51	2.15	0.65	3.66	
	8	1.78	1.61	1.95	0.00	2.35	1.44	1.39	2.18	1.51	1.42	0.00	0.00	7.40	1.01	1.86	2.75	1.53	1.30	0.00	
	9	2.31	1.66	2.94	9.96	2.33	2.38	2.78	1.78	0.43	1.42	0.94	0.00	1.22	1.01	5.09	3.13	2.83	3.26	3.08	
	10	1.62	1.02	2.19	5.01	0.00	0.94	1.38	1.18	0.64	0.70	1.87	0.00	6.04	1.99	2.29	1.35	3.01	1.93	1.22	
	11	1.71	1.10	2.29	15.44	2.34	1.45	0.47	0.80	0.65	1.42	0.95	10.75	3.69	1.02	1.88	2.37	2.41	2.61	1.86	
	12	1.84	1.44	2.23	0.00	2.32	1.44	4.66	0.80	1.30	0.00	0.00	0.00	6.11	0.50	2.81	1.97	2.18	1.30	3.70	
	13	1.91	1.64	2.18	10.86	4.93	2.03	3.46	0.63	0.91	0.74	1.98	0.00	0.00	1.60	3.48	1.45	3.45	0.68	2.59	
Quarter	1	1.59	1.19	1.98	6.04	2.84	1.43	0.98	1.19	0.85	0.44	1.45	0.00	4.83	2.11	1.69	1.87	1.84	1.20	2.43	
	2	1.66	1.25	2.04	1.52	1.78	1.02	2.54	1.44	0.79	1.09	0.00	4.87	2.62	1.22	2.69	1.78	2.12	1.40	2.81	
	3	1.90	1.61	2.18	4.60	2.15	1.32	2.27	1.82	0.99	1.73	1.44	0.00	4.13	1.39	2.56	2.58	2.07	1.60	1.51	
	4	1.89	1.40	2.35	8.02	2.92	1.80	2.92	0.75	1.02	0.66	0.88	3.34	3.83	1.11	3.08	1.91	2.86	1.83	2.51	
Year	2009	1.76	1.37	2.14	5.01	2.42	1.39	2.17	1.30	0.91	0.98	0.94	2.03	3.86	1.46	2.50	2.03	2.22	1.51	2.31	
Episodes	F N	813	311	502	13	27	38	61	86	55	18	13	5	41	38	70	136	133	30	49	
Number of Consultations		1510	640	870	20	66	67	108	158	146	41	34	11	64	75	112	244	208	58	98	

Mean weekly incidence rate per 100,000 Persons.

ICD9 E950~E959

### Suicide Att Suicide self Inflicted Inj (E950~E959)

		Males											Females								
		Male & Female	M all ages	F all ages	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
4 weekly	1	0.28	0.34	0.22	0.00	0.00	0.47	0.46	0.59	0.00	0.00	0.95	0.00	0.00	0.50	0.93	0.19	0.00	0.00	0.00	
	2	0.36	0.45	0.27	0.00	0.00	0.00	0.46	0.96	0.42	0.00	0.00	0.00	0.00	0.49	0.46	0.57	0.00	0.00	0.00	
	3	0.30	0.39	0.21	0.00	0.00	0.00	1.35	0.38	0.21	0.00	0.92	0.00	0.00	0.00	0.45	0.56	0.00	0.00	0.00	
	4	0.17	0.17	0.16	0.00	0.00	0.00	0.00	0.19	0.21	0.00	0.93	0.00	0.00	0.00	0.00	0.19	0.43	0.00	0.00	
	5	0.11	0.06	0.17	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.20	0.22	0.00	0.00	
	6	0.17	0.22	0.11	0.00	0.00	0.00	0.91	0.19	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.91	0.00	0.00	0.00	0.00
	7	0.20	0.23	0.16	0.00	0.00	0.00	0.00	0.39	0.21	0.00	0.93	0.00	0.00	0.50	0.00	0.19	0.00	0.65	0.00	
	8	0.17	0.17	0.17	0.00	0.00	0.48	0.46	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.47	0.39	0.00	0.00	0.00	
	9	0.11	0.23	0.00	0.00	0.00	0.00	0.00	0.59	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	10	0.28	0.28	0.27	0.00	0.00	0.47	0.46	0.20	0.43	0.00	0.00	0.00	0.00	0.00	0.00	1.83	0.19	0.00	0.00	0.00
	11	0.14	0.06	0.22	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	1.41	0.00	0.22	0.00	0.00
	12	0.25	0.17	0.33	0.00	0.00	0.00	0.47	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.98	0.00	0.00	0.00
	13	0.30	0.43	0.18	0.00	0.00	0.00	1.48	0.42	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.99	0.00	0.00	0.68	0.00
Quarter	1	0.30	0.36	0.23	0.00	0.00	0.14	0.70	0.59	0.20	0.00	0.58	0.00	0.00	0.30	0.56	0.41	0.07	0.00	0.00	
	2	0.15	0.17	0.14	0.00	0.00	0.00	0.28	0.24	0.13	0.00	0.58	0.00	0.00	0.00	0.43	0.18	0.13	0.00	0.00	
	3	0.20	0.25	0.15	0.00	0.00	0.29	0.28	0.30	0.33	0.00	0.00	0.00	0.00	0.15	0.71	0.12	0.00	0.20	0.00	
	4	0.22	0.20	0.24	0.00	0.00	0.00	0.58	0.25	0.20	0.00	0.00	0.00	0.00	0.16	0.73	0.37	0.07	0.20	0.00	
Year	2009	0.22	0.25	0.19	0.00	0.00	0.11	0.46	0.35	0.21	0.00	0.29	0.00	0.00	0.15	0.61	0.27	0.07	0.10	0.00	
Episodes	F N	101	56	45	0	0	3	13	23	13	0	4	0	0	4	17	18	4	2	0	
Number of Consultations		459	213	246	0	0	3	60	93	48	0	9	0	0	5	33	127	66	15	0	