

605.601 Foundations of Software Engineering

Fall 2020

Module 07A: Software Maintenance

Dr. Tushar K. Hazra

tkhazra@gmail.com

(443)540-2230

605.601 Foundations of Software Engineering

Course Module 07A: Maintenance

Topics for Discussion

- Maintenance
- Supportability and
- Reengineering

Course Module 07A: Maintenance

Eagleson's Law of Programming

- Any code of your own that you haven't looked at for six or more months might as well have been written by someone else.

Course Module 07A: Maintenance

Software Maintenance

- Software is released to end-users, and. . .
- Within days, bug reports filter back to the software engineering organization.
- Within weeks, one class of users indicates that the software must be changed so that it can accommodate the special needs of their environment.
- Within months, another corporate group who wanted nothing to do with the software when it was released, now recognizes that it may provide them with unexpected benefit. They'll need a few enhancements to make it work in their world.
- All this work is software maintenance

Course Module 07A: Maintenance

Maintainable Software

- Maintainable software exhibits effective modularity
- It makes use of design patterns that allow ease of understanding
- It has been constructed using well-defined coding standards and conventions, leading to source code that is self-documenting and understandable
- It has undergone a variety of quality assurance techniques that have uncovered potential maintenance problems before the software is released
- It has been created by software engineers who recognize that they may not be around when changes must be made
 - ..., The design and implementation of the software must “assist” the person who is making the change

Course Module 07A: Maintenance

Software Supportability

- The software should contain facilities to assist support personnel when a defect is encountered in the operational environment
 - e.g., a bug (or defect) tracker
- Support personnel should have access to a database that contains records of all defects that have already been encountered—their characteristics, cause, and cure

Course Module 07A: Maintenance

Business Process Reengineering

- Business definition: Business goals are identified within the context of four key drivers: cost reduction, time reduction, quality improvement, and personnel development and empowerment.
- Process identification: Processes that are critical to achieving the goals defined in the business definition are identified.
- Process evaluation: The existing process is thoroughly analyzed and measured.
- Process specification and design Based on information obtained during the first three BPR activities, use cases are prepared for each process that is to be redesigned.
- Prototyping: A redesigned business process must be prototyped before it is fully integrated into the business.
- Refinement and instantiation: Based on feedback from the prototype, the business process is refined and then instantiated within a business system.

Course Module 07A: Maintenance

- Business Process Reengineering (continued)




Image source: Pressman, R. (2010). *Software Engineering: A Practitioner's Approach*. McGraw-Hill, Inc., New York, NY, 7th edition

Course Module 07A: Maintenance

- BPR Principles
 - Organize around outcomes, not tasks.
 - Have those who use the output of the process perform the process.
 - Incorporate information processing work into the real work that produces the raw information.
 - Treat geographically dispersed resources as though they were centralized.
 - Link parallel activities instead of integrating their results.
 - Put the decision point where the work is performed, and build control into the process.
 - Capture data once, at its source.

Course Module 07A: Maintenance

- Software Reengineering




Image source: Pressman, R. (2010). *Software Engineering: A Practitioner's Approach*. McGraw-Hill, Inc., New York, NY, 7th edition

Course Module 07A: Maintenance

Inventory Analysis

- Build a table that contains all applications
- Establish a list of criteria, e.g.,
 - .., name of the application
 - .., year it was originally created
 - .., number of substantive changes made to it
 - .., total effort applied to make these changes
 - .., date of last substantive change
 - .., effort applied to make the last change
 - .., system(s) in which it resides
 - .., applications to which it interfaces
- Analyze and prioritize to select candidates for reengineering

Course Module 07A: Maintenance

Document Restructuring

- Weak documentation is the trademark of many legacy systems.
- But what do we do about it? What are our options?
- .., Creating documentation is far too time consuming. If the system works, we'll live with what we have. In some cases, this is the correct approach.
- .., Documentation must be updated, but we have limited
- resources. We'll use a "document when touched" approach. It may not be necessary to fully redocument an application.
- .., The system is business critical and must be fully
- redocumented. Even in this case, an intelligent approach is to pare documentation to an essential minimum.

Course Module 07A: Maintenance

- Reverse Engineering
- Restructure code
- Extract abstractions
 - .., Processing
 - .., Interface
 - .., Database
- Refine and simplify




Image source: Pressman, R. (2010). *Software Engineering: A Practitioner's Approach*. McGraw-Hill, Inc., New York, NY, 7th edition

Course Module 07A: Maintenance

Data Restructuring

- Unlike code restructuring, which occurs at a relatively low level of abstraction, data structuring is a full-scale reengineering activity.
- In most cases, data restructuring begins with a reverse engineering activity.
 - .., Current data architecture is dissected and necessary data models are defined.
 - .., Data objects and attributes are identified, and existing data structures are reviewed for quality.
 - .., When data structure is weak (e.g., flat files are currently implemented, when a relational approach would greatly simplify processing), the data are reengineered.

Course Module 07A: Maintenance

Data Restructuring (Continued)

- Because data architecture has a strong influence on program architecture and the algorithms that populate it, changes to the data will invariably result in either architectural or code-level changes.

Course Module 07A: Maintenance

- Forward Engineering

1. The cost to maintain one line of source code may be 20 to 40 times the cost of initial development of that line.
2. Redesign of the software architecture (program or data structure), using modern design concepts, can greatly facilitate future maintenance.
3. Because a prototype of the software already exists, development productivity should be much higher than average.

Course Module 07A: Maintenance

Forward Engineering (Continued)

4. The user now has experience with the software. Therefore, new requirements and the direction of change can be ascertained with greater ease.
5. Computer-aided software engineering (CASE) tools for reengineering automate some parts of the job.
6. A complete software configuration (documents, programs and data) will exist upon completion of preventive maintenance.

Course Module 07A: Maintenance

- Economics of Reengineering I
- The cost associated with continuing maintenance of a candidate application (i.e., reengineering is not performed) can be defined as
- $C_{\text{maintenance}} = (P3 - (P1 + P2)) \cdot L$

where

- P1 is the current annual maintenance cost
- P2 is the current annual operation cost
- P3 is the current annual business value
- L is the expected life of the system

Course Module 07A: Maintenance

Economics of Reengineering II

- The costs associated with reengineering are defined using the following relationship:
- $$\text{Creengineering} = (P6 - (P4 + P5) \cdot (L - P8) - (P7 \cdot P9))$$
- where
 - P4 is the predicted annual maintenance cost after reengineering
 - P5 is the predicted annual operations cost after reengineering
 - P6 is the predicted annual business value after reengineering
 - P7 is the estimated reengineering cost
 - P8 is the estimated reengineering calendar time
 - P9 is the reengineering risk factor (P9 = 1.0 is nominal)
 - L is the expected life of the system

Course Module 07A: Maintenance

Case Study (See Study Material)

- Koopman, P. (2014). A Case Study of Toyota Unintended Acceleration and Software Safety. Better Embedded System SW (blog)²
- Watch the video of the presentation!



Image source: https://commons.wikimedia.org/wiki/File:05-07_Toyota-Avalon.jpg

²<https://betterembsw.blogspot.com/2014/09/a-case-study-of-toyota-unintended.html>