

--

<p>Beauty book</p> <p>Yihui Xie</p> <p>2020-03-16</p>	
---	--

--

<h1>Índice general</h1>	
Prerequisites	v
Introducción	vii
1. Literature	1
1.1. R Markdown	1
1.2. Including Plots	1
2. Methods	3
3. Applications	5
3.1. Example one	5
3.2. Example two	5
3.3. R Markdown	5
3.4. Including Plots	6
Apéndice	6
A. Final Words	7
B. We have finished a nice book.	9

--

<h1>Prerequisites</h1> <p>$a + b = c$ <i>god</i> entonces</p>	
---	--

--

<h1>Introducción</h1> <p>Los números son elementos You can write citations, too. For example, we are using the bookdown package (Xie, 2020) in this sample book, which was built on top of R Markdown and knitr (Xie, 2015).</p>
--

--

Capítulo 1

Literature

Here is a review of existing methods.

1.1. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##           speed           dist
##  Min.      : 4.0      Min.      : 2.00
##  1st Qu.:12.0      1st Qu.: 26.00
##  Median :15.0      Median : 36.00
##  Mean   :15.4      Mean    : 42.98
##  3rd Qu.:19.0      3rd Qu.: 56.00
##  Max.    :25.0      Max.     :120.00
```

1.2. Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Capítulo 2

Methods

We describe our methods in this chapter.

Capítulo 3

Applications

Some *significant* applications are demonstrated in this chapter.

3.1. Example one

3.2. Example two

3.3. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##           speed           dist
##  Min.      : 4.0      Min.      : 2.00
##  1st Qu.:12.0      1st Qu.: 26.00
##  Median :15.0      Median : 36.00
##  Mean   :15.4      Mean    : 42.98
##  3rd Qu.:19.0      3rd Qu.: 56.00
##  Max.    :25.0      Max.     :120.00
```

3.4. Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Apéndice A

Final Words

Apéndice B

We have finished a nice book.

Bibliografía

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2020). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.17.

--

<h1>Índice alfabético</h1> <p>chapter, 3</p>	
--	--