

--

<p>Beauty book</p> <p>Ricardo</p> <p>2020-03-16</p>	
-----------------------------------------------------	--

--

--	--

Índice general	
Prerequisites	v
Introducción	vii
1. Literature	1
1.1. R Markdown	1
1.2. Including Plots	1
2. Methods	3
3. Applications	5
3.1. Example one	5
3.2. Example two	5
3.3. R Markdown	5
3.4. Including Plots	5
Apéndice	6
A. Final Words	7
B. We have finished a nice book.	9

--

<p>Prerequisites</p> <p>$a + b = c$ <i>god</i> entonces</p>

--

<div></div> <div><h2>Introducción</h2><p>Los números son elementos You can write citations, too. For example, we are using the bookdown package (Xie, 2020) in this sample book, which was built on top of R Markdown and knitr (Xie, 2015).</p></div>

--

Capítulo 1

Literature

Here is a review of existing methods.

1.1. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean    : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.    :120.00
```

1.2. Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

--

<p>Capítulo 2</p> <p>Methods</p> <p>We describe our methods in this chapter.</p>	
------------------------------------------------------------------------------------------------	--

Capítulo 3

Applications

Some *significant* applications are demonstrated in this chapter.

3.1. Example one

3.2. Example two

3.3. R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.   :120.00
```

3.4. Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

--

<p>Capítulo A</p> <p>Final Words</p>	
----------------------------------------------------	--

--

<p>Capítulo B</p> <p>We have finished a nice book.</p>	
---------------------------------------------------------------	--

--

<p>Bibliografía</p> <p>Xie, Y. (2015). <i>Dynamic Documents with R and knitr</i>. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.</p> <p>Xie, Y. (2020). <i>bookdown: Authoring Books and Technical Documents with R Markdown</i>. R package version 0.17.</p>	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

--

Índice alfabético	
chapter, 3	