

School of Science  
Department of Computer Science and Engineering  
Master's Degree in Computer Science

# Clustering aggregation on a neutral atom quantum computer

**Supervisor:**  
Prof. Stefano Lodi

**Submitted by:**  
Riccardo Scotti

**Cosupervisor:**  
Dr. Gabriella Bettonte

Session II  
Academic Year 2023/2024



UNIVERSITY OF BOLOGNA

# *Abstract*

School of Science  
Department of Computer Science and Engineering

Master's Degree

**Clustering aggregation on a neutral atom quantum computer**

by Riccardo Scotti

TODO



# *Acknowledgements*

TODO



# Contents

<b>Abstract</b>	<b>iii</b>
<b>Acknowledgements</b>	<b>v</b>
<b>1 Background</b>	<b>1</b>
1.1 Clustering . . . . .	1
1.2 Basics of quantum computing . . . . .	1
1.3 Quantum annealing . . . . .	1
1.4 Neutral atoms technology . . . . .	1





# **Chapter 1**

## **Background**

### **1.1 Clustering**

A clustering problem is defined as the task of partitioning a set of objects, for which there exists a similarity metrics of some sort, into multiple, nonempty sets called clusters. The primary goal of clustering is to ensure that objects within the same cluster exhibit a high degree of similarity, while objects in different clusters are significantly distinct from one another.

Clustering is widely employed in numerous scenarios that require to group together similar data points or objects. For instance, it is used in marketing and finance as a profiling tool; in image processing and computer vision, as a segmentation technique, which is ubiquitous in industrial settings as well as in remote image sensing; by energy distribution companies, to optimize the allocation of resources to end users.

### **1.2 Basics of quantum computing**

### **1.3 Quantum annealing**

### **1.4 Neutral atoms technology**



# List of Figures



# List of Tables