

#### **Run Info**

Host Name GXB01190 (localhost)

Experiment Name EIMock\_6kbp\_Pvulgaris\_04012021
Sample ID EIMock\_6kbp\_Pvulgaris\_04012021
Run ID 83ee2fad-e50f-423e-b9e4-5fffdf102f91

Flow Cell Id FAO54786
Start Time January 4, 17:10

Run Length 1h 0m

### **Run Summary**

Reads Generated97.61 KPassed Bases55.13 MbFailed Bases5.01 MbEstimated Bases62.15 Mb

#### **Run Parameters**

Flow Cell Type FLO-MIN106 SQK-LSK109 Kit -180 mV Initial Bias Voltage FAST5 Output **Enabled FASTQ Output Enabled BAM Output Enabled** Active Channel Selection **Enabled** Basecalling on Specified Run Length 72 hours

reference\_files=

Read Until ["/data/references/P\_vulgaris\_ref.fasta"],filter\_type=enrich,first\_cha

nnel=1,last\_channel=512

FAST5 Reads per File 4000

FAST5 Output Options **zlib\_compress,fastq,raw** 

FASTQ Reads per File 4000

Mux Scan Period 1 hour 30 minutes

Reserved Pores 0 %

Basecall Model High-accuracy basecalling

Alignment reference\_files=["/data/references/the7references.fasta"]

Read Filtering min\_qscore=7

#### Versions


 MinKNOW
 20.10.6

 MinKNOW Core
 4.1.2


 Bream
 6.1.4

 Guppy
 4.2.3

## **Cumulative Output Reads**




# **Cumulative Output Bases**





# Read Length Histogram Estimated Bases - Outliers Discarded

Estimated N50: 525




# Read Length Histogram Basecalled Bases - Outliers Discarded






# **Read Length Histogram Estimated Bases**

Estimated N50: 525




# **Read Length Histogram Basecalled Bases**

Estimated N50: 522




## **Alignment Target Hits (reads)**




**Alignment Target** 

### **Alignment Target Hits (bases)**




**Alignment Target** 

### **Duty Time Grouped**




## **Duty time Categorised**






# **Mux Scan Grouped**



Inactive


# Mux Scan Categorised




Active

Single Pore
 Reserved Pore
 Unavailable
 Multiple
 Saturated
 Zero
 Other


# **Temperature History**




# <u>Bias Voltage History</u>




## **Translocation Speed**



# **QScore**



# **Disk Write Performance**



### **Run Debug Messages**

- Mux scan for flow cell FAO54786 has found a total of 974 pores. 470 pores available for immediate sequencing January 4, 17:17
- Performing Mux Scan January 4, 17:14
- Starting sequencing procedure January 4, 17:14
- Waiting up to 300 seconds for temperature to stabilise at 34.0°C January 4, 17:10