## Array related problems (total 15 questions)

SL	Problem statement		Difficulty levels
1.	WAP that will take n integer numbers into an array, and then print all the integers into		*
	reverse order (from the last valid index to index 0).		
	Sample input	Sample output	
	5	5 4 3 2 1	
	1 2 3 4 5		
	6	1 0 9 3 8 2	
	2 8 3 9 0 1		
2.	WAP that will take n integer numbers into an	array, and then sum up all the integers in	*
	that array.		
	Sample input	Sample output	
	5	15	
	1 2 3 4 5		
	6	23	
	2 8 3 9 0 1		
3.	WAP that will take n integer numbers into an	array, and then sum up all the even integers	*
	in that array.		
	Sample input	Sample output	
	5	6	
	1 2 3 4 5		
	6	10	
	2 8 3 9 0 1		
4.	WAP that will take n integer numbers into an	array, and then sum up all the even indexed	*
	integers in that array.		
	Sample input	Sample output	
	5	9	
	1 2 3 4 5		
	6	5	
	2 8 3 9 0 1		

Sample in	nput	Sample output	
5		5 4 3 2 1	
1 2 3 4	5		<u> </u>
6	0 1	1 0 9 3 8 2	
2839	0 1		]
WAP that will take n integer numbers into an array, and then find the maximum - minimum among them with its index position.		**	
Sample in	nput	Sample output	]
5		Max: 5, Index: 4	
1 2 3 4	5	Min: 1, Index: 0	]
11 -		Max: 9, Index: 3	
6			
WAP that array.	will take n alphabets ir	Min: 0, Index: 4	*
WAP that array.	will take n alphabets ir	nto an array, and then count number of vowels in that  Sample output	*
WAP that array.  Sample in 7	will take n alphabets ir	nto an array, and then count number of vowels in that	*
WAP that array.  Sample in 7 AKIOUEH	will take n alphabets ir	Sample output Count: 5	*
WAP that array.  Sample in 7 AKIOUEH 29	will take n alphabets ir	Sample output Count: 5 Count: 13	*
WAP that array.  Sample ii 7 AKIOUEH 29	will take n alphabets ir	Sample output Count: 5 Count: 13	*
WAP that array.  Sample in 7 AKIOUEH 29 UNITEDIN	will take n alphabets in nput  ITERNATIONALUNIVER	Sample output Count: 5 Count: 13	*
WAP that array.  Sample in 7 AKIOUEH 29 UNITEDIN	will take n alphabets in nput  ITERNATIONALUNIVER  will take n integers into a print its index. If not	Sample output Count: 5 Count: 13 Count: 13 Count: 13	
WAP that array.  Sample in 7 AKIOUEH 29 UNITEDIN	will take n alphabets in nput  ITERNATIONALUNIVER  will take n integers into a print its index. If not	Sample output Count: 5 Count: 13 Count: 13 Count: 13 Count: 14 Count: 15 Count: 17 Count: 18 Count: 18 Count: 19 Cou	
WAP that array.  Sample in 7 AKIOUEH 29 UNITEDIN  WAP that a found there  Sample in 8 7 8 1 3 2	will take n alphabets in nput  ITERNATIONALUNIVER  will take n integers into print its index. If not input	Sample output Count: 13 Count: 13 Count: 13 Count in the search a number into that array. If found then print "NOT FOUND".  Sample output Sample output	
WAP that array.  Sample in 7 AKIOUEH 29 UNITEDIN  WAP that so found there  Sample in 8 7 8 1 3 2 3	will take n alphabets in nput  ITERNATIONALUNIVER  will take n integers into print its index. If not input	Sample output Count: 5 Count: 13 Count: 13 Count when search a number into that array. If found then print "NOT FOUND".  Sample output FOUND at index position: 3, 7	
WAP that array.  Sample in 7 AKIOUEH 29 UNITEDIN  WAP that a found there  Sample in 8 7 8 1 3 2	will take n alphabets in nput  WITERNATIONALUNIVER  will take n integers into print its index. If not nput  6 4 3	Sample output Count: 13 Count: 13 Count: 13 Count in the search a number into that array. If found then print "NOT FOUND".  Sample output Sample output	

	Sample input	Sample output	
	8	Array A: 78132643	
	78132643	Array B: 3 4 6 2 3 1 8 7	
		Array A : 3 2 1	
	321	Array B : 1 2 3	
10.	WAP that will first take n integers into an array A and then m integers into array B. Now swap all elements between array A and B. Finally show all elements of both array A and B.		**
	Sample input	Sample output	
	8 78132643	Array A : 3 2 1 Array B : 7 8 1 3 2 6 4 3	
		7	
	3 3 2 1  WAP that will take n positive in	ntegers into an array A. Now find all the integers that are n by -1 in array A. Finally show all elements of array A.	*
1.	3 3 2 1  WAP that will take n positive in	ntegers into an array A. Now find all the integers that are	*
1.	3 3 2 1  WAP that will take n positive in divisible by 3 and replace then	ntegers into an array A. Now find all the integers that are n by -1 in array A. Finally show all elements of array A.	*
1.	3 3 2 1  WAP that will take n positive in divisible by 3 and replace then  Sample input 8	ntegers into an array A. Now find all the integers that are n by -1 in array A. Finally show all elements of array A.  Sample output	*
	WAP that will take n positive in divisible by 3 and replace then  Sample input  8 78132643 3 321	ntegers into an array A. Now find all the integers that are n by -1 in array A. Finally show all elements of array A.  Sample output 781-12-14-1	***
2.	WAP that will take n positive in divisible by 3 and replace then  Sample input  8 78132643 3 321	ntegers into an array A. Now find all the integers that are n by -1 in array A. Finally show all elements of array A.  Sample output 781-12-14-1 -121  nto an array A. Now sort them in ascending order within ments of array A.	
	WAP that will take n positive in divisible by 3 and replace then  Sample input  8 78132643 3 321  WAP that will take n integers in that array. Finally show all elements	ntegers into an array A. Now find all the integers that are n by -1 in array A. Finally show all elements of array A.  Sample output 781-12-14-1 -121  nto an array A. Now sort them in ascending order within ments of array A.	
	WAP that will take n positive in divisible by 3 and replace then  Sample input 8 78132643 3 321  WAP that will take n integers in that array. Finally show all elemnates the efference: http://en.wikipedia.org	ntegers into an array A. Now find all the integers that are in by -1 in array A. Finally show all elements of array A.  Sample output 781-12-14-1 -121  Into an array A. Now sort them in ascending order within ments of array A.  Org/wiki/Bubble sort	

Sample input	Sample output	
8 28132643	281364	
3 3 3 3	3	
4 6789	6789	
WAP that will take n integers into an array A and m positive integers into array B. Now find the intersection (set operation) of array A and B.		Now **
Sample input	Sample output	
8 78152643 6 136092	1 2 6 3	
3 123 2 45	Empty set	
WAP that will take n integers into an array A and m positive integers into array B. Now find the union (set operation) of array A and B.		Now **
Sample input  8  78152643  6  136092	<b>Sample output</b> 7 8 1 5 2 6 4 3 0 9	
11 1 3 0 0 3 2	12345	

**16.** WAP that will take n integers into an array A and m positive integers into array B. Now find the difference (set operation) of array A and B or (A-B).

Sample input	Sample output	
8	7854	
78152643		
6		
136092		
3	123	
123		
2		
4 5		

\*\*

\*\*

WAP that will take (n x n) integer inputs into a square matrix of dimension n (where n must be an odd number). Then calculate sum of the integers based on following position pattern (consider only the boxed position during the sum). Please see the input-output.

Sample input	Sample output
5 1 2 3 4 5 2 3 4 1 6 3 4 9 6 7 4 2 6 7 8 5 4 3 2 1	71
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25

**18.** WAP that will take (n x n) integer inputs into a square matrix of dimension n (where n must be an odd number). Then calculate sum of the integers based on following position pattern (consider only the boxed position during the sum). Please see the input-output.

 Sample input
 Sample output

 5
 1 2 3 4 5

 2 3 4 1 6
 3 4 9 6 7

 4 2 6 7 8
 5 4 3 2 1

 7
 33

 1 1 1 1 1 1 1
 1 1 1 1 1 1 1

 1 1 1 1 1 1 1
 1 1 1 1 1 1 1

 1 1 1 1 1 1 1
 1 1 1 1 1 1

 1 1 1 1 1 1 1
 1 1 1 1 1 1

19. WAP that will take (m x n) integer inputs into a matrix of dimension m x n. Now reverse that matrix within itself and display it. Reversal means swap 1<sup>st</sup> column with the n<sup>th</sup> column, swap 2<sup>nd</sup> column with the (n-1)<sup>th</sup> column and so on... Sample input Sample output 3 3 321 123 654 456 292 292 26 654321 123456 456789 987654 20. WAP that will take (n x n) integer inputs into a square matrix of dimension n. Now determine whether the matrix is symmetric or not. Reference: http://en.wikipedia.org/wiki/Symmetric matrix Sample input Sample output 3 Yes 1 7 3 7 4 5 3 5 6 2 No 1 3 4 2 WAP that will take (m x n) positive integer inputs into a matrix of dimension m x n. Now 21. replace all the duplicate integers by -1 in that matrix. Finally display it. Sample input Sample output 3 3 1 7 3 1 7 3 -1 4 5 7 4 5 -1 -1 6 3 5 6 26 2 -1 -1 -1 -1 -1 2 2 2 2 2 2 6 5 4 3 - 1 1 6 5 4 3 2 1

22.	WAP that will take (m $\times$ n) integer inputs into a matrix of dimension m $\times$ n. Now just
	simply add all the integers in that matrix and show the result.

Sample input	Sample output
3 3	41
1 7 3	
7 4 5	
3 5 6	
2 6	33
2 2 2 2 2 2	
6 5 4 3 2 1	

\*