UseCase_2_Block_Diagrams

TeamSTARS "tsWxGTUI_PyVx" Toolkit
with **Python**™ 2x & **Python**™ 3x based
Command Line Interface (CLI)
and **"Curses"**-based **"wxPython"**-style
Graphical-Text User Interface (GUI)

Get that cross-platform, pixel-mode "wxPython" feeling on character-mode 8-/16-color (xterm-family) and non-color (vt100-family) terminals and terminal emulators.

Table of Contents (*with slide show* Hyperlinks)

Toolkit Building Block Diagram

Graphical-style User Interface (tsToolkitGUI)

The "tsToolsGUI" is a set of graphical-style user interface application programs for tracking software development metrics.	The "tsTestsGUI" is a set of graphical-style user interface application programs for regression testing and tutorial demos.

The "tsLibGUI" is a library of graphical-style user interface building blocks that establishes the emulated run time environment for the high-level, pixel-mode, "wxPython" GUI Toolkit via the low-level, character-mode, "nCurses" Text User Interface Toolkit.

```
        ^   ^   |
        |   |   |
        |   |   v
```

**Command Line Interface (tsToolkitCLI)**

The "tsToolsCLI" is a set of command line interface application programs and utility scripts for: checking source code syntax and style via "plint"; generating Unix-style "man page" documentation from source code comments via "pydoc"; and installing, modifying for publication, and tracking software development metrics.	The "tsTestsCLI" is a set of command line interface application programs and scripts for regression testing and tutorial demos.

The "tsLibCLI" is a library of command line building blocks that establishes the POSIX-style, run time environment for pre-processing source files, launching application programs, handling events (registering events with date, time and event severity annotations) and configuring console terminal and file system input and output.

The "tsUtilities" is a library of computer system configuration, diagnostic, installation, maintenance and performnce tool components for various host hardware and software platforms.

```
      ^   ^   |
      |   |   +- > Operator Display & Log Files
      |   +------ Operator Keyboard
      +--------- Operator Mouse
```

- Cross-platform, Character-mode **Curses**-based emulation of Pixel-mode cross-platform **wxPython** Graphical User Interface (tsToolkitGUI)

- Cross-platform, Linux-/Unix-like **POSIX**-based Command Line Interface (tsToolkitCLI)

- **Operator's Computer Terminal** with Display, Keyboard and Mouse

TeamSTARS "tsWxGTUI_PyVx" Toolkit
prepared & presented by Richard S. Gordon

Non-Networked (Stand-Alone) Mode () System (HW-SW) Block Diagram

- **Usage Notes**
  - Hardware Components
  - Operating System Software Components
  - Application Software Components

TeamSTARS "tsWxGTUI_PyVx" Toolkit
prepared & presented by Richard S. Gordon

Hardware Component Usage Notes

- **Processor, Memory, Storage and Communication Hardware** - Platform specific resources that are required by the Operating System and Application software.
- **Network Hardware Interface** - The optional platform specific Ethernet, blue-tooth and RS-232 serial port hardware for physical connections between the local system and one or more remote systems. It may also include such external hardware as gateways, routers, network bridges, switches, hubs, and repeaters. It may also include hybrid network devices such as multilayer switches, protocol converters, bridge routers, proxy servers, firewalls, network address translators, multiplexers, network interface controllers, wireless network interface controllers, modems, ISDN terminal adapters, line drivers, wireless access points, networking cables and other related hardware.
- **Terminal Hardware Interface** - The platform specific hardware with connections to the device units of the Operator Terminal.
- **Operator Terminal** - A device for human interaction that includes: A Keyboard unit for text input; A Mouse unit (mouse, trackball, trackpad or touchscreen with one or more physical or logical buttons) for selecting one of many displayed GUI objects to initiate an associated action.; A Display unit (1-color "ON"/"OFF" or multi-color two-dimensional screen) for output of text and graphic-style, tiled and overlaid boxes.

# Operating System Software Component Usage Notes

- **Operating System** - The platform specific software (such as Linux, Mac OS X, Microsoft Windows and Unix) that coordinates and manages the time-shared use of a platform's processor, memory, storage and input/output hardware resources by multiple application programs and their associated users/operators.

- **Network Device Driver Interface** - The optional platform specific software whose layered protocol suite (such as TCP/IP) enables the concurrent sharing of the physical connection between the local system and one or more remote systems.

- **Terminal Device Driver** - The platform specific software for transforming data (such as single button scan codes, multi-button flags and pointer position) to and from the platform independent formats (such as upper and lower case text, display screen column and row and displayed colors, fonts and special effects) used by the Command Line Interface and Graphical User Interface software.

Application Software Usage Notes

- **Non-Python Application Program** - The application specific program that performs its service when its pre-compiled, platform specific machine code is executed. Typically, these services are used to analyze, edit, view, copy, move or delete those data and log files which are of interest or no longer needed.

- **Python Application Program** - The application specific program that performs its service when executed by the Python Virtual Machine.
  - **Command Line-Style Interface ("tsLibCLI")** - The platform specific keywords arguments, positional arguments and their associated values and syntax of text used to request services from the Operating System and various Application Programs.
  - **Graphical-Style User Interface ("tsLibGUI")** - The platform specific tiled, overlaid and click-to-select Frames, Dialogs, Pull-down Menus, Buttons, CheckBoxes, Radio Buttons, Scrollbars and associated keywords, values and syntax of text used to request services from the Operating System and various Application Programs.

- **Python Virtual Machine** - The platform specific program that loads, compiles Python language application program source code into platform independent tokenized byte-code and then interprets and executes the byte-code using a processor and operating system specific run time library.

TeamSTARS "tsWxGTUI_PyVx" Toolkit
prepared & presented by Richard S. Gordon

Networked (Stand-Among) Mode
System (HW-SW) Block Diagram

TeamSTARS "tsWxGTUI_PyVx" Toolkit
prepared & presented by Richard S. Gordon

Local & Remote System
Usage Notes

- **Launch the Local (Left) Command Line Interface shell session (bash).**
  - Set Local Working Directory
  - Transfer any missing application programs from Local to Remote System via SFTP
  - Login to Remote (Right) System, via SSH (secure shell) or SFTP (secure file transfer protocol), as user with/without administrative privileges.
    - Set Remote Working Directory
    - Launch one or more Remote Application(s)
    - Create archive of Remote Application logs directory(s)
  - Logout of Remote System
  - Transfer archive(s) of Remote Application logs directory from Remote to Local System via SFTP
- **Logout of Local System**