# DEVELOPING A $^{12}_{6}{\rm Th}^{2+}_{3}{\rm ESIS}$ TEMPLATE TO HELP STUDENTS GRADUATE IN A REASONABLE TIME

© Copyright by Graduate A. Student, 2019

All Rights Reserved

A thesis submitted to the Faculty and the Board of	Trustees of the Colorado School of
Mines in partial fulfillment of the requirements for the	degree of Master of Science (Engi-
neering Systems).	
Golden, Colorado	
Date	
C.	gned:
51	gned:Graduate A. Student
Si	gned:
	Dr. Primary A. Advisor
	Thesis Advisor
Si	gned: Dr. Secondary B. Advisor
	Thesis Advisor
Golden, Colorado	
Date	
Si	gned:
	Dr. Big Boss
	Professor and Head Department of Engineering

#### ABSTRACT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In felis sapien, fermentum vel varius id, ullamcorper dapibus elit. Integer in massa sed ipsum placerat posuere. Quisque quis metus turpis. Curabitur vel metus a libero gravida posuere. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Integer accumsan dapibus tellus at venenatis. Fusce id neque massa. Pellentesque sodales nisl non est tincidunt molestie. Vestibulum eu orci sed elit dictum interdum quis ac turpis. Etiam id eros elit, id interdum nibh. Donec porttitor tempor dolor nec dignissim. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Nullam gravida aliquam felis, eget cursus quam ullamcorper quis. Vivamus a leo velit, ut tempor tortor. Maecenas dapibus nulla sed magna sollicitudin laoreet. Donec adipiscing facilisis ornare. Maecenas ultrices convallis tellus, vel blandit felis tincidunt non. Nulla risus turpis, volutpat nec posuere a, molestie sed eros. Suspendisse elementum mi sit amet lacus sagittis vestibulum. Morbi ornare congue ipsum non lacinia. Suspendisse id risus nec felis fermentum malesuada id at ante. Nunc ullamcorper, tellus quis tincidunt tincidunt, nibh mi commodo lacus, in condimentum ligula quam et mauris. Duis eu est non tellus condimentum blandit sit amet eu tortor. Cras tempor lacus ac lacus tempus lacinia. Phasellus dignissim justo a erat ullamcorper suscipit. Donec nec quam in nulla consequat porttitor. Quisque bibendum diam blandit justo dictum nec tincidunt augue blandit. Etiam nisi diam, hendrerit in rhoncus in, rhoncus et risus.

Praesent ultricies rhoncus dui, sed porta magna tincidunt a. Mauris ligula justo, malesuada eu cursus convallis, facilisis a justo. Quisque ut mauris sit amet quam tincidunt cursus pellentesque sed sapien. Fusce luctus ultrices lorem, ut elementum odio sodales id. Nullam eu sem tincidunt justo scelerisque interdum in eu dolor. Mauris ut leo in magna pretium hendrerit id quis lacus. Phasellus volutpat sapien et velit molestie rhoncus. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Donec quis eros vitae elit fringilla malesuada ultricies et ligula. Donec enim purus, cursus sit amet consectetur ut, faucibus vitae magna. Etiam ac lorem sed nulla condimentum viverra sed id nunc. Suspendisse potenti. Praesent aliquam elit sed turpis hendrerit euismod.

Sed mauris sapien, sagittis eu ultricies vitae, molestie eu dolor. Maecenas massa risus, sollicitudin a sollicitudin id, sollicitudin sit amet mi. Phasellus a eleifend odio. Nullam vel metus magna, eget tincidunt lectus. Vestibulum vestibulum viverra ante, cursus luctus tortor tristique id. In lobortis convallis turpis, auctor ultricies nisi blandit ac. Cras id rutrum magna. Nullam tristique tincidunt enim aliquam sagittis. Duis ornare, eros at congue hendrerit, lectus augue viverra sem, congue tempor diam enim vel neque. Maecenas scelerisque iaculis metus in vulputate. Nam vestibulum, est vel imperdiet vulputate, nisl felis vestibulum felis, quis hendrerit sem erat nec arcu. Nam eget congue lacus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas posuere luctus ligula sit amet ornare. Pellentesque vitae velit nulla. Ut a turpis massa, id ullamcorper odio.

Quisque malesuada pharetra imperdiet. Suspendisse lobortis posuere faucibus. In convallis, justo in sollicitudin pulvinar, sapien neque imperdiet dolor, ac congue lorem enim eget lectus. Cras nibh magna, malesuada vitae sagittis non, accumsan sed ipsum. Nulla id tellus id tellus posuere tempor venenatis et magna. Etiam interdum facilisis orci, eget varius justo vulputate sit amet. Vivamus tortor quam, fermentum sit amet dictum sit amet, feugiat ac purus. Aliquam erat volutpat. Vivamus sit amet libero dolor. Phasellus venenatis, enim a aliquet euismod, purus mauris ullamcorper lectus, sed imperdiet eros tellus eget libero. Nulla non purus sit amet nisl pulvinar.

# TABLE OF CONTENTS

ABSTRA	CT
LIST OF	FIGURES AND TABLES vi
LIST OF	SYMBOLS vii
LIST OF	ABBREVIATIONS viii
ACKNOV	VLEDGMENTS
DEDICAT	ΓΙΟΝ
СНАРТЕ	R 1 IN THE BEGINNING
1.1 A	Subsection
1.2 A	AA Subsection
1	.2.1 Transport of U Through Porous Media: General Elution Procedures 1
	1.2.1.1 i Subsection
	1.2.1.2 ii Subsection
1	.2.2 aa Subsection
1.3 A	AAA Subsection
1.4 A	AAAA Subsection
СНАРТЕ	R 2 SUBDOCUMENT TEST
СНАРТЕ	R 3 SECOND GENERATION CHAPTER
3.1 L	ots of Mistakes Originally
3.2 F	Tigured out How to Fix Things
33 (	Could Still Be Better 5

3.4	Testing Procedure	. 5
3.5	Final Results	. 5
СНАРТ	TER 4 THE WAY AHEAD	. 7
4.1	How Things Could Be Better	. 7
4.2	Why We Think Things Aren't Better	. 7
4.3	We Love Our Advisors	. 7
APPEN	IDIX A MAGICAL ENCODING AWESOMENESS	. 8
A.1	Test Appendix Sub-Section	. 8
A.2	Sub-Sections are Fun	13
APPEN	IDIX B SPECIAL COOLNESS	14

# LIST OF FIGURES

Figure 1.1	A pretty picture from the Squier Group — this is a test of the emergency long-title system
Figure 3.1	A world-class hero
Figure 3.2	The Flying Spaghetti Monster Knows All

# LIST OF TABLES

Table 4.1	A table of tabular goodness	. 7
Table A.1	This is where we have fun testing encoding	. 8
Table A.2	Stratigraphy of the Granite Mountains and Lost Creek areas	ç
Table A.3	Test of a small longtable	11
Table A.4	Test of a small longtable on the alternate page	12

# LIST OF SYMBOLS

absorption coefficient
absorption cross section
average radius of cylindrical shell
activation energy of oxidation reaction of a-C in excited state $\dots E_a^*$

# LIST OF ABBREVIATIONS

Bio Force Gun, Model 9000	BFG9000
Mammoth Armed Reclamation Vehicle	. MARV
Stone of Jordan	SoJ
Field flow fractionation-inductively coupled plasma-mass spectrometry FFI	F-ICP-MS

# ACKNOWLEDGMENTS

I would like to thank the academy for granting me this prestigious thesis. This project would never have succeeded without <friend>, <parent>, and of course <spouse>.

For those that shall follow after.

#### CHAPTER 1

#### IN THE BEGINNING

A chapter [? ? ? ]. See nifty "longtables" in Appendix A.1.

Nam eget congue lacus. Lorem ipsum dolor sit amet, consectetur faucibus tempor.

$$x + y = 7 \tag{1.1}$$

Maecenas posuere luctus ligula sit amet ornare. Pellentesque vitae velit nulla. Ut a turpis massa, id ullamcorper odio.

#### 1.1 A Subsection

A subsection of the chapter. In this particular chapter we're going to an include an example of a list:

- This little listy went to market
- This little listy stayed home
- This little listy had roast beef
- This little listy had none
- And this little listy graduated, and went "wee wee "all the way home

See? Wasn't that fun.

#### 1.2 AA Subsection

Another subsection of the chapter. See cool encoding stuff in Appendix A.

#### 1.2.1 Transport of U Through Porous Media: General Elution Procedures

I wonder why there's so much detail?

#### 1.2.1.1 i Subsection

Note that using "three deep" sections is HIGHLY discouraged.

#### 1.2.1.2 ii Subsection

So don't make sections this deep unless you really must.

#### 1.2.2 aa Subsection

Oooo - this topic must be really important! Its importance might be described by Equation 1.2, which is nothing like the awesome Equation 1.3 or the uber-nifty vector example in Equation 1.4.

Importance 
$$\approx 0$$
 (1.2)

$$\sum_{i}^{\infty} \vec{F}_{i} = m \vec{a} \tag{1.3}$$

$$\begin{bmatrix} x \\ y \\ 1 \end{bmatrix} = {}_{W}^{S} \mathbf{T} \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix} \tag{1.4}$$

#### 1.3 AAA Subsection

Yet another subsection (for more information, see Section 1.2.1 or Chapter 3).

#### 1.4 AAAA Subsection

Last subsection<sup>1</sup>, see Figure 1.1.

<sup>&</sup>lt;sup>1</sup>this is evil




Figure 1.1: A pretty picture from the Squier Group — this is a test of the emergency long-title system.

# CHAPTER 2

# SUBDOCUMENT TEST

This is an example of using a "child document" or "subdocument" within a thesis.

# CHAPTER 3 SECOND GENERATION CHAPTER

Another chapter.

### 3.1 Lots of Mistakes Originally

Fun fun...

# 3.2 Figured out How to Fix Things

Ha-ha!

#### 3.3 Could Still Be Better

Interesting huh?

# 3.4 Testing Procedure


I thought you'd like this.

#### 3.5 Final Results

It's over (see Figure 3.1)! Also it is important to note the placement of labels in subfigures: Figure 3.2, and Figure 3.2(b).



Figure 3.1: A world-class hero of awesomeness [?].



Global Average Temperature Vs. Number of Pirates

16.5
16
15.5
15
15
1880
1880
1880
1990
13.5
13
35000
45000
20000
15000
5000
400
17
Number of Pirates (Approximate)

www.venganza.org

Figure 3.2: The Flying Spaghetti Monster Knows All

#### CHAPTER 4

#### THE WAY AHEAD

Ugh, another chapter [?]!

# 4.1 How Things Could Be Better

We thought that was the end!

# 4.2 Why We Think Things Aren't Better

We really hoped it was anyway.

## 4.3 We Love Our Advisors

Are you really still reading this? Ok, then check out Table 4.1!

Table 4.1: A table of tabular goodness.

	В	b
В	BB	Bb
b	Bb	bb

#### REFERENCES CITED

- [] A. G. Reference, Magic Man, and Cool Cat. The Title of a GOOD Reference. *The Journal of Referency-Goodness*, pages 1–1000, 2009.
- [] A. B. Reference and Cool Cat. The Title of a BAD Reference (j/k). Science, 1(2):4, 2000.
- Rockscience Inc. Examine 2D. Toronto, CA, 2013. A description, but not necessary.
- [] Wikipedia. Strong Bad Wikipedia, The Free Encyclopedia. http://en.wikipedia.org/w/index.php?title=Strong\_Bad&oldid=274899439, 2009.
- [] C. A. T. S. War Was Beginning. Zero Wing, 200(42):45–768, A.D. 2101.

# APPENDIX A MAGICAL ENCODING AWESOMENESS

Table A.1 shows how several symbols appear in the rendered document.

Table A.1: This is where we have fun testing encoding

	Normal	Math
The greater than:	>	>
The less than:	<	<
The tilde:	~	~

# A.1 Test Appendix Sub-Section

Table A.2 is an example of a very large "longtable."

Table A.2: Stratigraphy of the Granite Mountains and Lost Creek areas

Age	$Formation^2$	Thickness	Thickness	Thickness	Aquifer? <sup>6</sup>	Lithology
		$(feet)^3$	$(feet)^4$	$(\text{feet})^5$		
Quaternary	Alluvium	-	0-20	-	Yes	Sands and clays derived chiefly
						from the Tertiary formations in the
						area.
Paleocene	Fort Union	up to 3,000	4,650	6,500?	Yes	Consists of alternating fine to
						coarse grained sandstone siltstone
						and mudstone. Contains various
						layers of lignitic coal beds.
Cretaceous	Lance	1,700 to 2,700	2,950	4,000?	Yes	Interbedded sandstone, siltstone
						and mudstone. Gray to brownish
						gray. Locally carbonaceous.
						Sandstone is white to grayish
						orange.
Cretaceous	Fox Hills		550	1,800?	No	Consists of coarsening upward shale
						and fine-grained sand with thin
						coal beds near the top. Represents
						a transition from marine to
						non-marine environment. Grades
						into Lewis Shale at the base.
Cretaceous	Lewis Shale	1,250	1,200	1,050  to	No	Interbedded dark-gray and
				2,000		olive-gray shale and olive-gray
						sandstone.

<sup>&</sup>lt;sup>2</sup>Only major unconformities shown, indicated by break in table.

<sup>&</sup>lt;sup>3</sup>Generalized thicknesses from.

 $<sup>^4\</sup>mathrm{Thicknesses}$  shown are approximate and apply to Lost Creek vicinity only.

<sup>&</sup>lt;sup>5</sup>Thicknesses shown are from a public screened dataset of logged formation tops from the 12 townships surrounding Lost Creek. <sup>6</sup>Aquifer designations – Lost Creek vicinity only.

Table A.2: Continued.

Age	Formation	Thickness	Thickness	Thickness	Aquifer?	Lithology
		(feet)	(feet)	(feet)		
Cretaceous	Mesaverde	0 to 1,000	800	300 to	No	Gray to dark gray shales with
	Group			500?		interbedded buff to tan fine to
						medium grained sandstones.
Cretaceous	Steele and	Cody Shale	2,000 to	2,400 to	No	Steele shale is soft gray marine,
	Niobrara Shales	4,500 to 5,000	2,500	5,000		Niobrara shale is dark gray and contains calcareous zones.
Cretaceous	Frontier	700 to 900	500 to	750 to	Yes	Gray sandstone and sandy shale.
			1,000	1,500		
Cretaceous	Dakota		300 to		Yes	Marine sandstone, tan to buff, fine
			400			to medium grained may contain
						carbonaceous shale layer.
Jurassic	Nugget	400 to 525	500		Yes	Grayish to dull red coarse grained
	Sandstone					cross-bedded quartz sandstone.
Triassic	Chugwater	1,275	1,500		No	Red shale and siltstone contains
_						gypsum partings near the base.
Permian	Phosphoria	275 to 325	300		No	Black to dark gray shale, chert and phosphorite.
Pennsylvanian	Tensleep and	600 to 700	750		No	White to gray sandstone containing
	Amsden and					thin limestone and dolomite
	Madison					partings. Red and green shale and
						dolomite, sandstone near base.
Cambrian	Undifferentiated	900 to 1,000	1,000		No	Siltstone and quartzite, including
						Flathead sandstone.
Precambrian	Basement	-	=		No	Granites, metamorphic and igneous
						rocks.

Table A.3: Test of a small longtable.

A	В	С
1	2	3

Table A.4: Test of a small longtable on the alternate page.

1	2	3
A	В	С

Δ 2	Sub-	Sections	aro	Fun
71.4	- Dun-	DECUIONS.	are	T UH

Sorta...

# APPENDIX B

# SPECIAL COOLNESS

Insert ice cubes here (Listing B.1).

Listing B.1: A MATLAB "Hello World" Example

% Below is the example code for the absolute most popular program EVER!  $\mathbf{disp}(\ '\mathrm{Hello} \ \Box \mathrm{World}\ ')$ ;