

# PostgreSQL & pgAdmin4 Installation

PostgreSQL is a powerful, open-source object-relational database system with over 30 years of active development that has earned a strong reputation for reliability, feature robustness, and performance. PostgreSQL is available in all Ubuntu versions by default. However, Ubuntu "snapshots" a specific version of PostgreSQL that is supported throughout the lifetime of that Ubuntu version. Other versions of PostgreSQL are available through the PostgreSQL apt repository. You can also download and install it on Windows 10.

## Pre-Requisites

- A system running on Windows/Ubuntu APP/Ubuntu OS
- A user account with sudo/administration privileges
- Access to a terminal window/command-line

Before continuing with this tutorial, make sure you are logged in as root or a user with sudo/administration privileges.


In this tutorial, we will show you how to install PostgreSQL and pgAdmin4 on Windows and Ubuntu.

1. Install PostgreSQL & pgAdmin4 on Windows
2. Install PostgreSQL & pgAdmin4 on Ubuntu OS
3. Install psycopg2 on Windows, Ubuntu OS/APP & PyCharm

If you are working on the Windows system, please follow step 1 and step 3, but if you are working on Ubuntu OS, you follow only step 2 and step 3.

## 1. Install PostgreSQL & pgAdmin4 on Windows


First, you need to go to the download page of [PostgreSQL installers on the Enterprise DB](#). Second, click the download link, as shown below:




PostgreSQL Version	Linux x86-64	Linux x86-32	Mac OS X	Windows x86-64	Windows x86-32
12.3	N/A	N/A	<a href="#">Download</a>	<a href="#">Download</a>	N/A
11.8	N/A	N/A	<a href="#">Download</a>	<a href="#">Download</a>	N/A

After the download complete, you need to install PostgreSQL.


- Click on the “.exe” file and click the Next button.




- Specify the installation folder, choose your own or keep the default folder suggested by PostgreSQL installer and click the Next button.




- Select all the components to install and click the Next button. pgAdmin4 comes with the same “.exe” file. Make sure to select it and click the Next button.



- Select the database directory to store the data. Just leave it by default or choose your own and click the Next button.



- Enter the password for the database superuser (postgres). The default username for PostgreSQL is postgres and then click the Next button. Also, you can select any password as you want. But if you do so, then please remember to change it inside the Python Database related program (for this project).



Setup

**Password**

Please provide a password for the database superuser (postgres).


Password: \*\*\*\*\*

Retype password: \*\*\*\*\*

InstallBuilder

< Back Next > Cancel

- Select port as 5432 and click the Next button



Setup

**Port**


Please select the port number the server should listen on.

Port: 5432


InstallBuilder

< Back Next > Cancel


- Keep local as default and click the Next button.




- Setup wizard will show pre-installation summary. Make sure everything is fine and click the Next button.



- Now set up is ready and click Next to install.




- The installation may take a few minutes to complete.



- Click the Finish button to complete the PostgreSQL installation.




- There are several ways to verify the installation. You can try to connect to the PostgreSQL database server from any client application, e.g., psql and pgAdmin4. The quick way to confirm the installation is through the psql program.



- Open SQL shell(psql) and fill up as below:

Server [localhost]	localhost
Database [postgres]	postgres
Port [5432]	5432
Username [postgres]	postgres
Password	<i>The password you have selected</i>



```
SQL Shell (psql)
Server [localhost]: localhost
Database [postgres]: postgres
Port [5432]: 5432
Username [postgres]: postgres
Password for user postgres:
psql (12.0)
WARNING: Console code page (437) differs from Windows code page (1252)
         8-bit characters might not work correctly. See psql reference
         page "Notes for Windows users" for details.
Type "help" for help.

postgres=#
postgres=#
```

Installation done!!

Now you have successfully installed PostgreSQL database server on your local system.

## 2. Install PostgreSQL & pgAdmin4 on Ubuntu OS

There are two way you can install the PostgreSQL and pgAdmin4 in Ubuntu system:

1. Install PostgreSQL and pgAdmin4 using Command Terminal
2. Install PostgreSQL and pgAdmin4 using shell scripts

### 1. Install PostgreSQL and pgAdmin4 using Command Terminal

There is a perfect chance your Ubuntu has PostgreSQL installed already, but it probably will not be the latest version. To check the latest version, visit the [Ubuntu Postgres](#) site and follow the instruction. To install PostgreSQL, follow the below command:



- Create the file `/etc/apt/sources.list.d/pgdg.list` and add a line for the repository.
- Import the repository signing key and update the package lists.
- Ubuntu includes PostgreSQL by default. To install PostgreSQL on Ubuntu, use the `apt-get` (or other apt-driving) command.

```
$ sudo sh -c 'echo "deb
http://apt.postgresql.org/pub/repos/apt/ bionic-pgdg main" >>
/etc/apt/sources.list.d/pgdg.list'
```

```
$ wget --quiet -O -
https://www.postgresql.org/media/keys/ACCC4CF8.asc | sudo apt-
key add -

$ sudo apt-get update
```

```
$ sudo apt-get install postgresql-client-10

$ sudo apt-get install postgresql-10

$ sudo apt-get install postgresql-contrib

$ sudo apt-get install libpq-dev

$ sudo apt-get install postgresql-server-dev-10

$ sudo apt-get install pgadmin4
```

```
somak@vivobook:~$
somak@vivobook:~$
somak@vivobook:~$
somak@vivobook:~$
somak@vivobook:~$
somak@vivobook:~$ sudo sh -c 'echo "deb http://apt.postgresql.org/pub/repos/apt/ bionic-pgdg main" >> /etc/apt/sources.list.d/pgdg.list'
[sudo] password for somak:
somak@vivobook:~$ wget --quiet -O - https://www.postgresql.org/media/keys/ACCC4CF8.asc | sudo apt-key add -
OK
somak@vivobook:~$ sudo apt-get update
Hit:2 http://dl.google.com/linux/chrome/deb stable InRelease
Hit:3 http://ca.archive.ubuntu.com/ubuntu bionic InRelease
Get:1 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]
Get:4 http://ca.archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7 kB]
Hit:6 http://ppa.launchpad.net/deadsnakes/ppa/ubuntu bionic InRelease
Get:5 http://ca.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
Get:7 http://security.ubuntu.com/ubuntu bionic-security/main amd64 DEP-11 Metadata [43.8 kB]
Hit:8 http://apt.postgresql.org/pub/repos/apt bionic-pgdg InRelease
Get:9 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 DEP-11 Metadata [49.2 kB]
```

```
somak@vivobook:~$
somak@vivobook:~$
somak@vivobook:~$ sudo apt-get install postgresql-client-10 postgresql-10 postgresql-contrib libpq-dev postgresql-server-dev-10 pgadmin4
Reading package lists... Done
Building dependency tree
Reading state information... Done
libpq-dev is already the newest version (12.3-1.pgdg18.04+1).
pgadmin4 is already the newest version (4.21-1.pgdg18.04+1).
postgresql-10 is already the newest version (10.13-1.pgdg18.04+1).
postgresql-client-10 is already the newest version (10.13-1.pgdg18.04+1).
postgresql-contrib is already the newest version (12+215.pgdg18.04+1).
postgresql-server-dev-10 is already the newest version (10.13-1.pgdg18.04+1).
The following package was automatically installed and is no longer required:
  libgeos-3.6.2
Use 'sudo apt autoremove' to remove it.
0 upgraded, 0 newly installed, 0 to remove and 8 not upgraded.
somak@vivobook:~$
```

Installation done!!

This above process will install PostgreSQL and pgAdmin4 on your Ubuntu OS.


To verify PostgreSQL on Ubuntu OS run the below command:

```
$ sudo -u postgres psql

somak@VivoBook:/etc/apt/sources.list.d$
somak@VivoBook:/etc/apt/sources.list.d$
somak@VivoBook:/etc/apt/sources.list.d$ sudo -u postgres psql
psql (12.3 (Ubuntu 12.3-1.pgdg20.04+1))
Type "help" for help.

postgres=#
postgres=#
postgres=#
```

To verify pgAdmin4 on Ubuntu OS, go to activities and search for pgAdmin4.



## 2. Install PostgreSQL and pgAdmin4 using Shell Script

First, we need to download the Robotic-Greeter folder from the [Robotic-Greeter-GitHub](#) link.

You can download it in two ways:

1. Clone it with command Terminal
2. Download it as a Zip file

Inside of the Robotic-Greeter folder, we have the shell (Unix) script, which you need to run, and this script will automatically install PostgreSQL and pgAdmin4 on your computer.

## 1. Using Clone method

Go to Ubuntu APP from Windows or Command Terminal from Ubuntu OS and run the following command:


```
$ git clone https://github.com/ripanmukherjee/Robotic-Greeter.git
```

```
somak@LAPTOP-2QHNB620:~$  
somak@LAPTOP-2QHNB620:~$ git clone https://github.com/ripanmukherjee/Robotic-Greeter.git  
Cloning into 'Robotic-Greeter'...  
remote: Enumerating objects: 625, done.  
remote: Counting objects: 100% (625/625), done.  
remote: Compressing objects: 100% (394/394), done.  
remote: Total 1043 (delta 338), reused 494 (delta 221), pack-reused 418  
Receiving objects: 100% (1043/1043), 3.04 MiB | 1.41 MiB/s, done.  
Resolving deltas: 100% (528/528), done.  
somak@LAPTOP-2QHNB620:~$  
somak@LAPTOP-2QHNB620:~$  
somak@LAPTOP-2QHNB620:~$ ls -lrt  
total 0  
drwxrwxrwx 1 somak somak 4096 Jun  5 04:13 Robotic-Greeter  
somak@LAPTOP-2QHNB620:~$
```

This command will automatically download the Robotic-Greeter folder on your computer.

## 2. Download as Zip

Also, you can directly download the Zip file and Unzip it. Then it would be best if you put it in the proper directory or your project directory.



Once the download is complete, please go to the following directory from Ubuntu APP Terminal or Command Terminal on Ubuntu OS:

```
$ cd Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation
```

In the above folder, you will get **PostgreSQL\_pgAdmin4\_Installation.sh** script. To list the directories and files in this folder, run “ls -lrt” and later change the executable permission for the file with “chmod”.

```
$ ls -lrt  
  
$ chmod +x *.sh
```

```
sonak@vivobook:~$  
sonak@vivobook:~$  
sonak@vivobook:~$ cd Robo*  
sonak@vivobook:~/Robotic-Greeter$  
sonak@vivobook:~/Robotic-Greeter$ cd In*  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents$ cd Post*  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$ ls -lrt  
total 12  
-rwxrwxr-x 1 sonak sonak 584 Jun  2 15:40 PostgreSQL_pgAdmin4_Installation.sh  
-rw-r--r-- 1 sonak sonak 6096 Jun  2 16:32 README.rst  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$ chmod +x PostgreSQL_pgAdmin4_Installation.sh  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$
```

After that, run the scripts as follow:

```
$ sh PostgreSQL_pgAdmin4_Installation.sh
```

```
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$ chmod +x PostgreSQL_pgAdmin4_Installation.sh  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$  
sonak@vivobook:~/Robotic-Greeter/Installation_Documents/PostgreSQL_pgAdmin4_Installation$ sh PostgreSQL_pgAdmin4_Installation.sh  
Starting Installing Postgres!!  
[sudo] password for sonak:  
OK  
Hit:1 http://dl.google.com/linux/chrome/deb stable InRelease  
Hit:2 http://ca.archive.ubuntu.com/ubuntu bionic InRelease  
Hit:3 http://ppa.launchpad.net/deadsnakes/ppa/ubuntu bionic InRelease  
Hit:4 http://security.ubuntu.com/ubuntu bionic-security InRelease  
Hit:5 http://ca.archive.ubuntu.com/ubuntu bionic-updates InRelease  
Hit:6 http://ca.archive.ubuntu.com/ubuntu bionic-backports InRelease  
Hit:7 http://apt.postgresql.org/pub/repos/apt bionic-pgdg InRelease  
Reading package lists... Done
```

Installation done!!

### 3. Install pycopg2 on Windows, Ubuntu OS/APP & PyCharm

After you have installed PostgreSQL and pgAdmin4, you need to install pycopg2 on Windows, Ubuntu APP, and Ubuntu OS. But you need to install it through the Command Terminal. If you do not do so, then your program may give import error.:

- **Psycpg2 on Windows**

To Install psycpg2 on Windows, go to Command Terminal and type the both command:

```
$ python -m pip install psycpg2  
  
$ python3 -m pip install psycpg2
```

```
C:\Program Files>  
C:\Program Files>python -m pip install psycpg2  
Collecting psycpg2  
  Using cached psycpg2-2.8.5-cp37m-win_amd64.whl (1.1 MB)  
Installing collected packages: psycpg2  
Successfully installed psycpg2-2.8.5  
WARNING: You are using pip version 20.0.2; however, version 20.1.1 is available.  
You should consider upgrading via the 'C:\Program Files\Python37\python.exe -m pip install --upgrade pip' command.  
C:\Program Files>
```

After the install is done, go to Python console and check it by importing psycpg2 as below:

```
C:\Windows\system32>  
C:\Windows\system32>  
C:\Windows\system32>python3  
Python 3.8.3 (tags/v3.8.3:6f8c832, May 13 2020, 22:37:02) [MSC v.1924 64 bit (AMD64)] on win32  
Type "help", "copyright", "credits" or "license" for more information.  
>>>  
>>>  
>>> import psycpg2  
>>>
```

- **Psycpg2 on Ubuntu OS/APP**

Open the Ubuntu APP Terminal from the Windows start menu or open Command Terminal from Ubuntu OS and type the following command.

```
$ sudo apt-get install -y python3-psycpg2
```

```
somak@LAPTOP-2QHNB620:~$  
somak@LAPTOP-2QHNB620:~$ sudo apt-get install -y python3-psycpg2  
[sudo] password for somak:  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
The following additional packages will be installed:  
  libpq5
```



After install is done, go to Python console and check it by importing psycpg2 as below:

```
somak@LAPTOP-2QHNB620:~$  
somak@LAPTOP-2QHNB620:~$  
somak@LAPTOP-2QHNB620:~$ python3  
Python 3.8.2 (default, Apr 27 2020, 15:53:34)  
[GCC 9.3.0] on linux  
Type "help", "copyright", "credits" or "license" for more information.  
>>>  
>>>  
>>> import psycpg2  
>>>  
>>>
```

- **Psycopg2 on PyCharm CE**

Now to install psycopg2 from PyCharm do the following steps:

- Open PyCharm
- Go to Files – settings
- Click on the Project Interpreter
- Click on the “+” button
- Search “psycopg2” in Available Packages tab
- Click on install



# Working with PostgreSQL & pgAdmin4

PostgreSQL tutorial to demonstrate the unique features of PostgreSQL that make it the most advanced open-source database management system


The pgAdmin4 client features a highly customizable display that features drag-and-drop panels that you can arrange to make the best use of your desktop environment.

In this tutorial, we will demonstrate the following:

1. How to login in PostgreSQL from Windows
2. How to login in PostgreSQL from Ubuntu OS
3. Working with PostgreSQL Database using SQL Shell or psql
4. How to login in pgAdmin4 from Windows & Ubuntu OS
5. Working with PostgreSQL Database using pgAdmin4

## 1. How to login in PostgreSQL from Windows

- To login in PostgreSQL from Windows, go to start menu and search for psql or search the PostgreSQL folder. Inside the folder, you can see SQL Shell.



- Open SQL shell(psql) and fill up as below:

Server [localhost]	localhost
Database [postgres]	postgres
Port [5432]	5432
Username [postgres]	postgres
Password	<i>The password you have selected</i>



```
SQL Shell (psql)
Server [localhost]: localhost
Database [postgres]: postgres
Port [5432]: 5432
Username [postgres]: postgres
Password for user postgres:
psql (12.0)
WARNING: Console code page (437) differs from Windows code page (1252)
        8-bit characters might not work correctly. See psql reference
        page "Notes for Windows users" for details.
Type "help" for help.

postgres=#
postgres=#
```

## 2. How to login in PostgreSQL from Ubuntu OS

- To login in PostgreSQL from Ubuntu OS, go to Command Terminal and type the below command:

```
$ sudo -u postgres psql
```

```
somak@VivoBook:/etc/apt/sources.list.d$
somak@VivoBook:/etc/apt/sources.list.d$
somak@VivoBook:/etc/apt/sources.list.d$ sudo -u postgres psql
psql (12.3 (Ubuntu 12.3-1.pgdg20.04+1))
Type "help" for help.

postgres=#
postgres=#
postgres=#
```

## 3. Working with PostgreSQL Database using SQL Shell or psql

You can create a new Database or Table or modify the user password by SQL Shell or psql. This following process is the same for SQL Shell (Windows) and psql (Ubuntu).

- To modify the user (username postgres (default)) password type the following command:

```
postgres=# alter user postgres with password 'postgres';
```

```
postgres=#
postgres=#
postgres=# alter user postgres with password 'postgres';
ALTER ROLE
postgres=#
```

- To list the current Database, type the below command:



```
postgres=# \l
```

```
postgres=#  
postgres=# \l
```

List of databases					
Name	Owner	Encoding	Collate	Ctype	Access privileges
postgres	postgres	UTF8	English_Canada.1252	English_Canada.1252	
template0	postgres	UTF8	English_Canada.1252	English_Canada.1252	=c/postgres + postgres=CTc/postgres
template1	postgres	UTF8	English_Canada.1252	English_Canada.1252	=c/postgres + postgres=CTc/postgres

(3 rows)

- To create a new database, or drop it, type the below command:

```
postgres=# create database caregodb;
```

```
postgres=# drop database caregodb;
```

```
postgres=#  
postgres=# create database caregodb;  
CREATE DATABASE  
postgres=#  
postgres=# \l
```

List of databases					
Name	Owner	Encoding	Collate	Ctype	Access privileges
caregodb	postgres	UTF8	English_Canada.1252	English_Canada.1252	
postgres	postgres	UTF8	English_Canada.1252	English_Canada.1252	
template0	postgres	UTF8	English_Canada.1252	English_Canada.1252	=c/postgres + postgres=CTc/postgres
template1	postgres	UTF8	English_Canada.1252	English_Canada.1252	=c/postgres + postgres=CTc/postgres

(4 rows)

- To enter the newly created Database, type the below command:

```
postgres=# \c caregodb;
```

```
caregodb=# \d
```

```
postgres=#  
postgres=# \c caregodb;  
You are now connected to database "caregodb" as user "postgres".  
caregodb=#  
caregodb=#  
caregodb=# \d  
Did not find any relations.  
caregodb=#  
caregodb=#
```

- “\d” to show if the current Database has any Tables present or not.



- To quit from Database, type the below command:

```
postgres=# \q
```


#### 4. How to login in pgAdmin4 from Windows & Ubuntu OS

pgAdmin4 is a popular application to manage Postgres Databases. You can do all the above steps, such as creating a Database and creating a Table through pgAdmin4.

- To login in pgAdmin4 from Windows and Ubuntu OS are the same. For Windows, search for pgAdmin4 in the start menu and in Ubuntu OS, go to activities or Ubuntu Software, and search for pgAdmin4.



- Now, click on it and pgAdmin4 will open with new web browser as below:



## 5. Working with PostgreSQL Database using pgAdmin4

In this part, we will demonstrate how to create a Table, insert data into the Table, and view the data from the Table.

- Once you open pgAdmin4, it will ask to insert the password. Please type your system password. It is the password with which you log in to your computer OS.
- Click on the Server (Top left), and if have create server earlier, then it will show listed server for you. If not, then open SQL Shell (Windows) and psql (Ubuntu). You can open SQL shell directly open start menu but to open psql from ubuntu, open your Command Terminal on Ubuntu and enter the following command:

```
$ sudo -u postgres psql
```


```
somak@VivoBook:/etc/apt/sources.list.d$  
somak@VivoBook:/etc/apt/sources.list.d$  
somak@VivoBook:/etc/apt/sources.list.d$ sudo -u postgres psql  
psql (12.3 (Ubuntu 12.3-1.pgdg20.04+1))  
Type "help" for help.  
  
postgres=#  
postgres=#  
postgres=#
```

- Then , change the postgres password as your choice as below:


```
postgres=# alter user postgres with password 'postgres';
```

```
postgres=#
postgres=#
postgres=# alter user postgres with password 'postgres';
ALTER ROLE
postgres=#
```

- Then open pgAdmin4 and right-click on server then click on Create – Server as below:



- After you have clicked on Server, this will pop-up a new screen with which you can create a new server as below.
- Go to General and Type Name as “postgres”




- Then go to Connection and fill the details as follow and click on Save button.


Server [localhost]	localhost
Database [postgres]	postgres
Port [5432]	5432
Username [postgres]	postgres
Password	<i>The password you have selected</i>

- Then, go to Server and click it again. This time it will show all the listed server you have created so far.
- Click on your created server, and it will now ask for your postgres password (As we selected earlier).

- Enter the password, and it will connect with PostgreSQL server. Now right-click on the Database option and click Create and then Database.




- Create the Database with name “caregodb”, and click on the Save button:




- The newly created Database will appear on the left panel. Click on it to connect. Now, to create a Table in caregodb, go to Schemas and click on Public and click on the Create and then Table.







- In the Create Table tab, go to General, and type the Table name as “carego\_customer\_dev” as below:



- In the Create Table tab, go to Columns and click on “+” to add the column one by one. Later click on the Save button.



- Now, the newly created Table will appear on the left panel of pgAdmin4.



- You can also go to SQL Shell from Windows or login to psql from Ubuntu OS and verify it from backend as below:



```

postgres=#
postgres=# \l

```

Name	Owner	Encoding	Collate	Ctype	Access privileges
caregodb	postgres	UTF8	English_Canada.1252	English_Canada.1252	
postgres	postgres	UTF8	English_Canada.1252	English_Canada.1252	
template0	postgres	UTF8	English_Canada.1252	English_Canada.1252	=c/postgres +
template1	postgres	UTF8	English_Canada.1252	English_Canada.1252	=c/postgres +
					postgres=CTc/postgres

(4 rows)

```


postgres=# \c caregodb
You are now connected to database "caregodb" as user "postgres".
caregodb=#
caregodb=# \d

```


Schema	Name	Type	Owner
public	carego_customer_dev	table	postgres
public	carego_customer_dev_ID_seq	sequence	postgres

(2 rows)


- Now, we need to create one Unique Constraint for this Table. Click on Constraints, and then on Create and select Unique Constraint.



- Go to Definition and click on Columns fields. It will show all the columns, and you need to select the below mention columns. Later click on Save button and it will create Unique Constraints for this table.




- Now you can right-click on the Table, and you will get various options such as to Inset Data, View Data, Delete Data, etc.




- To insert the data, click on INSERT SCRIPTS, and it will open a new tab. Since we created column “ID” as DATATYPE “SERIAL”, you do not need to enter data while writing the insert scripts. SERIAL DATATYPE is a Sequence Incremental Datatype. It will automatically insert the sequence numbers in the Table.

To run the query, click on the “red-mark” area, as shown in the below picture. Also, you can press F5 to run the query.



- To view the data, click on VIEW DATA.



- There are many more options presents in pgAdmin4. You can always explore new things.

For more details related to PostgreSQL & pgAdmin4, please visit [PostgreSQL](https://www.postgresql.org/) website.