
In [1]:

- 1 import numpy as np
- 2 import pandas as pd
- 3 import seaborn as sns
- 4 import matplotlib.pyplot as plt
- 5 import tensorflow as tf
- 6 from keras.models import Model
- 7 from keras.layers import Input, Dense, Flatten, Reshape
- 8 from keras.datasets import mnist
- 9 from keras.optimizers import Adam
- 10 import cv2

In [2]:


- 1 (x\_train, y\_train),(x\_test, y\_test) = tf.keras.datasets.mnist.load\_data()
- $2 \times train = x train/255.0$
- $3 x_{test} = x_{test}/255.0$
- In [3]:
- 1 plt.imshow(x\_train[0], cmap="gray")

Out[3]: <matplotlib.image.AxesImage at 0x7feb1a6eb950>



In [4]: 1 plt.imshow(x\_train[1], cmap="gray")

Out[4]: <matplotlib.image.AxesImage at 0x7feb1a1d1c50>



```
In [5]:
            x_{train}[0].shape
Out[5]: (28, 28)
In [6]:
            encoder_input = Input(shape=(28, 28, 1), name='img')
         2
            x = Flatten()(encoder_input)
            encoder output = Dense(64, activation="relu")(x)
            encoder = Model(encoder_input, encoder_output, name='encoder')
            decoder_input = Dense(64, activation="relu")(encoder_output)
            x = Dense(784, activation="relu")(decoder_input)
            decoder\_output = Reshape((28, 28, 1))(x)
         7
            opt = Adam(Ir=0.001, decay=1e-6)
In [7]:
            autoencoder = Model(encoder_input, decoder_output, name='autoencoder')
In [8]:
            autoencoder.summary()
        Model: "autoencoder"
        Layer (type)
                             Output Shape
                                                 Param #
                                                 _____
        img (InputLayer)
                              [(None, 28, 28, 1)]
                                                  0
        flatten (Flatten)
                             (None, 784)
                                                0
        dense (Dense)
                             (None, 64)
                                                50240
        dense_1 (Dense)
                              (None, 64)
                                                 4160
        dense_2 (Dense)
                               (None, 784)
                                                  50960
        reshape (Reshape)
                               (None, 28, 28, 1)
                                                   0
        ______
        Total params: 105,360
        Trainable params: 105,360
        Non-trainable params: 0
In [9]:
            autoencoder.compile(opt, loss='mse')
```


localhost:8888/notebooks/Auto Encoders.ipynb

```
In [10]:
      history = autoencoder.fit(x_train,x_train,epochs=100, batch_size=32, validation_split=
    Epoch 1/100
    140
    Epoch 2/100
    1688/1688 [=============] - 3s 2ms/step - loss: 0.0133 - val_loss: 0.0
    125
    Epoch 3/100
    1688/1688 [==================] - 3s 2ms/step - loss: 0.0123 - val_loss: 0.0
    119
    Epoch 4/100
    17
    Epoch 5/100
    17
    Epoch 6/100
    Epoch 7/100
```

## In [11]:

- history=pd.DataFrame(history.history)
- 2 history.plot(figsize=(16,10))

Out[11]: <matplotlib.axes.\_subplots.AxesSubplot at 0x7feb100fdb50>




In [12]: 1 example = encoder.predict([x\_test[0].reshape(-1, 28, 28, 1)])

In [13]: 1 print(example[0].shape)
2 print(example[0])

(64,)
[1.6225708 1.5220733 2.024408 0.7571401 0. 0.653636
0.35433292 0.68050766 0.7987205 0.8507085 1.5922581 0.5082049
2.1137788 0.2910179 0.5471906 1.3018699 0.91408944 0.46017277
0. 1.451652 0.7307642 0.7659637 0.571785 1.0072689
0.45836622 0.28206348 0. 0.67702526 2.0430918 1.494662
0.36278114 1.7095569 0.45008233 0.9501813 1.7558467 0.3072954
0.63628936 1.03131 3.5042682 1.0212511 0.83454555 1.7245982
2.523524 1.111186 0.6239486 2.910634 0. 0.
1.6003249 1.1625733 0.2658943 1.4486437 1.6723976 2.2105305
1.8127978 1.4091725 0.5249502 1.9184961 0.94215 2.069564
0. 1.1146244 1.5428814 0.7133487 ]


In [14]: 1 plt.imshow(example[0].reshape((8,8)), cmap="gray")

Out[14]: <matplotlib.image.AxesImage at 0x7feace2b7390>




In [15]: 1 plt.imshow(x\_test[0], cmap="gray")

Out[15]: <matplotlib.image.AxesImage at 0x7feace2f4050>



In [16]: 1 plt.imshow(example[0].reshape((8,8)), cmap="gray")


Out[16]: <matplotlib.image.AxesImage at 0x7feace2009d0>




```
In [17]: 1 ae_out = autoencoder.predict([ x_test[0].reshape(-1, 28, 28, 1) ])
2 img = ae_out[0]
```

In [18]: 1 plt.imshow(img.reshape(28,28))

Out[18]: <matplotlib.image.AxesImage at 0x7feb25194f50>



Out[19]: <matplotlib.image.AxesImage at 0x7feace14cf50>



```
In [20]: 1     ae_out = autoencoder.predict([ x_test[2].reshape(-1, 28, 28, 1) ])
2     img = ae_out[0]
3     plt.imshow(ae_out[0].reshape(28,28), cmap="gray")
```

Out[20]: <matplotlib.image.AxesImage at 0x7feace0b9d90>

