

## 2.5 Autonomous Equations and Population Dynamics

Autonomous equations are those of the form

$$dy/dt = f(y)$$

This form of equation is separable.

**Exponential Growth.** Exponential growth has an equation of the form

$$dy/dt = ry$$

where the constant of proportionality  $r$  is called the **rate of growth or decline**. Solving this with the initial condition

$$y(0) = y_0$$

we obtain

$$y = y_0 e^{rt}$$

For many populations this equation holds true to a certain extent but this is not sustainable since the population would grow rapidly.

**Logistic Growth.** Since the growth rate actually depending on the population, we replace the constant  $r$  with  $h(y)$ . So,

$$dy/dt = h(y)y$$

The Verhulst equation or the **logistic equation** is of the form

$$dy/dt = (r - ay)y$$

which is the same as the last equation with  $h(y) = (r - ay)$  so that  $h(y) \approx r$  when  $y$  is small and it decreases as  $y$  increases. The logistic equation is often written as

$$\frac{dy}{dt} = r(1 - \frac{y}{K})y$$

where  $K = r/a$ .  $r$  is called the **intrinsic growth rate**, the growth rate in the absence of limiting factors.

The constant solutions, or **equilibrium solutions**, occur when

$$\frac{dy}{dt} = r(1 - \frac{y}{K})y = 0$$

or at  $y = 0$  and  $y = K$ . These are also called **critical points**.

Other solutions for this equation always asymptotically approach  $K$  as shown.




FIGURE 2.5.3 Logistic growth:  $dy/dt = r(1 - y/K)y$ .  
(a) The phase line. (b) Plots of  $y$  versus  $t$ .

$K$  is often referred to as the **saturation level**, or the **environmental carrying capacity**, for a given species.

Sometimes this qualitative knowledge of the solution is enough, but to solve it, we can rewrite the equation as

$$\frac{dy}{(1 - y/K)y} = r dt$$

where  $y \neq 0$  and  $y \neq K$ . Using a partial fraction expansion, we have

$$\left(\frac{1}{y} + \frac{1/K}{1 - y/K}\right)dy = r dt$$

By integration,

$$\ln |y| - \ln \left|1 - \frac{y}{K}\right| = rt + c$$

since if  $0 < y_0 < K$  then  $y$  will remain in this interval, we can remove the absolute values. Then by taking the exponential of both sides,

$$\frac{y}{1 - (y/K)} = Ce^{rt}$$

where  $C = e^c$ .  $C = y_0/[1 - (y_0/K)]$  to satisfy  $y(0) = y_0$ .

$$y = \frac{y_0 K}{y_0 + (K - y_0)e^{-rt}}$$

We notice that

$$\lim_{t \rightarrow \infty} y(t) = K$$

hence  $y = K$  is an **asymptotically stable solution**, and  $y = 0$  is an **unstable equilibrium solution**.