

Invoice address: 40062 Brake Parts India PVT. Ltd. IEC Nr. 0507083229 Village - Rewli PO Murthal GST 06AAGCA5049Q1Z8 131027 SONEPAT, HARYANA INDIA

Part of the ROCKWOOL Group

INVOICE

INDIA

Page 1 / 1

Ordered by: 40062 Brake Parts India PVT. Ltd. IEC Nr. 0507083229 Village - Rewli PO Murthal GST 06AAGCA5049Q1Z8 131027 SONEPAT, HARYANA

D Reermond

Wetherlands

Invoice no. / date:

163736697 / 24.06.2021

Order no. / date:

8291146 / 08.06.2021

Your reference:

60220046751

Contactperson:

Corina Hendriks

item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
10	Promaxon-D				
	bag 15 kg pallet 210 kg				
	Synthetic hydrated calcium silicate				
	136919	2.100,00	2.100,00	4.500,00	9.450,00
		KG	KG	1.000 KG	
	Stat. No.: 28399000				
	Delivery No/Date: 32409309 / 21.06.2021				
	Container Number: 74-BHG-7				

Country of origin: BE

Amount excl. VAT 9.450,00 0.00 % 0,00 Output Tax

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

9,450,00

Delivery date: Terms of delivery: 21.06.2021 -FCA Roermond

Payment term:

60 days end of month on 28th

Gross/Nett weight:

2.373 / 2.100 KG

Transp. volume:

23,100 M3

Delivery address: 40062 Brake Parts India PVT. Ltd.

IEC Nr. 0507083229

PO Murthal GST 06AAGCA5049Q1Z8

Sonepat Haryana 131027

India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

Rockwool B.V. Industrieweg 15

6045 JG Roermond / The Netherlands

Our ordernr : 8291146

Delivery nr : 32409309

Your ordernr: 60220046751

Container nr

Shipment nr.: 0006284792

For Brake Parts India PVT. Ltd. IEC Nr. 0507083229

PO Murthal GST 06AAGCA5049Q1Z8

131027 Sonepat, Haryana India



DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ¹ /m ² /kg	Total quantity per item in m ¹ /m ² /kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package	
Promaxon-D, bag 15 kg	pallet 210 kg 2100 Kilogram	1,00	2100,00	2100,000	2373,000	1150,00 1150,00 115	1150,00
			TOTAL:	2100,000 Kgs	2373,000 Kgs		

Date: 24-06-2021

140 BAGS ON 10 PALLETS





For attn of

Mr./ Mrs.

Date

25-06-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client

Brake Parts India PVT. Ltd.

Client-orderno

60220046751

Lapinus orderno

8291146

Product:

PROMAXON-D

BAG 15 KG PALLET 210 KG

Synthetic hydrated calcium silicate

Total order Qty:

2.100 kg

Batch no. Batch Qty:

2118283 - 420 kg

Batch no. Batch Qty:

2118290 - 210 kg

Batch no. Batch Qty:

2119119 - 210 kg

Batch no. Batch Qty:

2118260 - 840 kg

Batch no. Batch Qty:

2119320 - 420 kg

Kind regards

Customer Services

Lapinus ROCKWOOL B.V. Industrieweg 15 6045 JG Roermond PO Box 1160 6040 KD Roermond The Netherlands

cs@lapinus.com www.lapinus.com

This document is automatically generated and therefore contains no signature. $\ensuremath{\mathsf{LF007/F03}}$ / June 1994



Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond Nederland

PO 4503691889 article n° 136919 Loading date 08/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BAT	CH N	₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 18	253	1	07-mei-2021	105,44	46,30	0,00	1,24	210
21 18	253	2	07-mei-2021	105,44	46,30	0,00	1,24	210
21 18	253	3	07-mei-2021	105,44	46,30	0,00	1,24	210
21 18	253	4	07-mei-2021	105,44	46,30	0,00	1,24	210
21 18	253	5	07-mei-2021	105,44	46,30	0,00	1,24	210
21 18	253	6	07-mei-2021	105,44	46,30	0,00	1,24	210
21 18	260	1	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	2	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	3	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	4	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	5	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	6	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	7	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	260	8	07-mei-2021	108,88	49,40	0,00	1,70	210
21 18	277	1	07-mei-2021	111,60	53,60	0,00	2,50	210
21 18	277	2	07-mei-2021	111,60	53,60	0,00	2,50	210
21 18	277	3	07-mei-2021	111,60	53,60	0,00	2,50	210
21 18	277	4	07-mei-2021	111,60	53,60	0,00	2,50	210
21 18	277	5	07-mei-2021	111,60	53,60	0,00	2,50	210
21 18	277	6	07-mei-2021	111,60	53,60	0,00	2,50	210
21 18	283	1	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	283	2	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	283	3	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	283	4	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	283	5	07-mei-2021	108,80	48,20	0,05	2,01	210



Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond Nederland

PO 4503691889 article n° 136919 Loading date 08/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BAT	CH NI	₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 18	283	6	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	283	7	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	283	8	07-mei-2021	108,80	48,20	0,05	2,01	210
21 18	290	1	07-mei-2021	111,60	45,00	0,00	2,18	210
21 18	290	2	07-mei-2021	111,60	45,00	0,00	2,18	210
21 18	290	3	07-mei-2021	111,60	45,00	0,00	2,18	210
21 18	290	4	07-mei-2021	111,60	45,00	0,00	2,18	210
21 18	290	5	07-mei-2021	111,60	45,00	0,00	2,18	210
21 18	290	6	07-mei-2021	111,60	45,00	0,00	2,18	210
21 18	296	1	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	2	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	3	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	4	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	5	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	6	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	7	07-mei-2021	112,00	46,70	0,00	2,20	210
21 18	296	8	07-mei-2021	112,00	46,70	0,00	2,20	210
21 19	034	1	11-mei-2021	110,68	55,30	0,50	2,33	210
21 19	034	2	11-mei-2021	110.68	55,30	0.50	2,33	210
21 19	034	3	11-mei-2021	110,68	55,30	0,50	2,33	210
21 19	034	4	11-mei-2021	110,68	55,30	0,50	2,33	210
21 19	034	5	11-mei-2021	110,68	55,30	0,50	2,33	210
21 19	034	6	11-mei-2021	110,68	55,30	0,50	2,33	210
				,	55,55	5,55	-,00	10.080





Bormstraat 24 B-2830 Tisselt

Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3

6045 JE Roermond

Nederland

PO 4503701876 article n° 136919 Loading date 18/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BATCH NR.		PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)	
21 19	119	1	12-mei-2021	108,40	54,50	0,17	1,99	210
21 19	119	2	12-mei-2021	108,40	54,50	0,17	1,99	210
21 19	119	3	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19	119	4	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19	119	5	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19	119	6	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19	119	17	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19	119	8	12-mei-2021	108,80	54,30	0,32	1,99	210
21 19	183	1	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	2	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	3	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	4	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	5	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	6	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	7	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	183	8	13-mei-2021	111,60	47,70	0,12	1,99	210
21 19	194	1	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	2	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	3	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	4	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	5	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	6	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	7	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	194	8	13-mei-2021	111,60	53,70	0,27	1,79	210
21 19	207	1	14-mei-2021	112,80	56,10	0,31	2,01	210





Bormstraat 24 B-2830 Tisselt

Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond

Nederland

PO 4503701876 article n° 136919 Loading date 18/06/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

_	_		VIOUAL	ALL EWI		HITEPUV	VDLIX	Υ
BATCH NR.		R.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGH ¹ (kg)
21 19	207	2	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19	207	3	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19	207	4	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19	207	5	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19	207	6	14-mei-2021	112,80	56,10	0,31	2,01	210
21 19	233	1	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	2	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	3	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	4	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	5	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	6	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	7	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	233	8	14-mei-2021	101,64	54,60	0,08	1,62	210
21 19	221	1	14-mei-2021	112,08	56,40	0,42	1,40	210
21 19	221	2	14-mei-2021	112,08	56,40	0,42	1,40	210
21 19	320	1	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	2	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	3	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	4	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	5	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	6	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	7	15-mei-2021	114,80	48,50	0,34	2,23	210
21 19	320	8	15-mei-2021	114,80	48,50	0,34	2,23	210
								10.080

10.080