

INVOICE

Invoice address: 40062
 Brake Parts India PVT. Ltd.
 IEC Nr. 0507083229
 Village - Rewli
 PO Murthal GST 06AAGCA5049Q1Z8
 131027 SONEPAT, HARYANA
 INDIA

Ordered by: 40062
 Brake Parts India PVT. Ltd.
 IEC Nr. 0507083229
 Village - Rewli
 PO Murthal GST 06AAGCA5049Q1Z8
 131027 SONEPAT, HARYANA
 INDIA



Invoice no. / date: 163772597 / 08.12.2021 Page 1 / 2
 Order no. / date: 8645514 / 22.11.2021
 Your reference: 60220050110
 Contactperson: Corina Hendriks

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB210 bag 20 kg - pallet 500 kg 71797 Customer material number: 057005 Stat. No.: 68061000 Delivery No/Date: 32834991 / 13.12.2021 Container Number: MRKU2108359/BS533233 Country of origin: NL	10.000,00 KG	10.000,00 KG	4.095,00 1.000 KG	40.950,00
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919 Stat. No.: 28399000 Delivery No/Date: 32834991 / 13.12.2021 Container Number: MRKU2108359/BS533233 Country of origin: BE	4.200,00 KG	4.200,00 KG	4.500,00 1.000 KG	18.900,00
Amount excl. VAT					59.850,00
Output Tax					0,00 %

Delivery date: 13.12.2021 -
 Terms of delivery: FCA Roermond
 Payment term: 60 days end of month on28th
 Gross/Nett weight: 15.366 / 14.200 KG
 Transp. volume: 86,200 M3

Delivery address: 40062
 Brake Parts India PVT. Ltd.
 IEC Nr. 0507083229
 PO Murthal GST 06AAGCA5049Q1Z8
 Sonapat Haryana 131027
 India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
 T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE

Invoice address: 40062

Brake Parts India PVT. Ltd.

IEC Nr. 0507083229

Village - Rewli

PO Murthal GST 06AAGCA5049Q1Z8

131027 SONEPAT, HARYANA

INDIA

Invoice no. / date:

163772597 / 08.12.2021

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC				

EUR 59.850,00

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 8645514
Delivery nr : 32834991
Your order nr : 60220050110
Container nr : MRKU2108359

For: Brake Parts India PVT. Ltd.
IEC Nr. 0507083229
PO Murthal GST 06AAGCA5049Q1Z8
131027 Sonapat, Haryana
India



Shipment nr.: 0006596016

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB210, bag 20 kg -pallet 500 kg 2,0 Promaxon-D, bag 15 kg pallet 210 kg 15,0	500 BAGS 280 BAGS	1,00 1,00	10000,00 4200,00	10000,000 4200,000	10620,000 4746,000	1200,00 1200,00 1250,00 1150,00 1150,00 1150,00
TOTAL:			14200,000 Kgs	15366,000 Kgs		

BS533233

Date: 08-12-2021

PACKED ON 40 PALLETS

For attn of Mr./ Mrs.
Date 09-12-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Brake Parts India PVT. Ltd.
Client-orderno 60220050110
Lapinus orderno 8645514

Product: **Promaxon-D**
 bag 15 kg pallet 210 kg
 Synthetic hydrated calcium silicate

Total order Qty: 4.200 kg
Batch no. Batch Qty: 2144167 - 420 kg
Batch no. Batch Qty: 2144372 - 210 kg
Batch no. Batch Qty: 2144379 - 420 kg
Batch no. Batch Qty: 2144382 - 840 kg
Batch no. Batch Qty: 2145030 - 420 kg
Batch no. Batch Qty: 2144117 - 420 kg
Batch no. Batch Qty: 2143042 - 420 kg
Batch no. Batch Qty: 2140164 - 210 kg
Batch no. Batch Qty: 2144172 - 420 kg
Batch no. Batch Qty: 2135144 - 420 kg

Product: **Lapinus® RB210**
 bag 20 kg - pallet 500 kg

Customer Code: **057005**
Total order Qty: 10.000 kg
Batch no. Batch Qty: 4503827090 - 8.000 kg
Batch no. Batch Qty: 4503827088 - 2.000 kg



Part of the ROCKWOOL Group

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

354



Bormstraat 24
B-2830 Tisseelt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503857047
article n° 136919
Loading date 10/11/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 41 097 1	13-okt-2021	99,40	54,30	0,68	0,75	210
21 41 097 2	13-okt-2021	99,40	54,30	0,68	0,75	210
21 41 082 1	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 2	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 3	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 4	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 5	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 6	13-okt-2021	99,16	53,60	0,83	0,83	210
21 40 164 1	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 2	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 3	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 4	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 5	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 6	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 156 1	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 2	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 3	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 4	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 5	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 6	07-okt-2021	106,80	47,50	0,68	2,08	210
21 35 123 1	02-sep-2021	112,80	52,10	0,00	2,20	210
21 35 123 2	02-sep-2021	112,80	52,10	0,00	2,20	210
21 40 172 1	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 2	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 3	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 4	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 5	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 6	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 7	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 8	07-okt-2021	105,60	55,50	0,34	2,20	210



Bornstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry



To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503857047
article n° 136919
Loading date 10/11/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 35 157 1	02-sep-2021	109,60	50,60	0,00	1,53	210
21 35 157 2	02-sep-2021	109,60	50,60	0,00	1,53	210
21 35 157 3	02-sep-2021	109,60	50,60	0,00	1,53	210
21 35 157 4	02-sep-2021	109,60	50,60	0,00	1,53	210
21 35 157 5	02-sep-2021	109,60	50,60	0,00	1,53	210
21 35 157 6	02-sep-2021	109,60	50,60	0,00	1,53	210
21 35 144 1	02-sep-2021	112,40	50,00	0,00	0,95	210
21 35 144 2	02-sep-2021	112,40	50,00	0,00	0,95	210
21 35 144 3	02-sep-2021	112,40	50,00	0,00	0,95	210
21 35 144 4	02-sep-2021	112,40	50,00	0,00	0,95	210
21 35 144 5	02-sep-2021	112,40	50,00	0,00	0,95	210
21 35 144 6	02-sep-2021	112,40	50,00	0,00	0,95	210
21 35 134 1	02-sep-2021	111,20	51,50	0,00	2,98	210
21 35 134 2	02-sep-2021	111,20	51,50	0,00	2,98	210
21 35 134 3	02-sep-2021	111,20	51,50	0,00	2,98	210
21 35 134 4	02-sep-2021	111,20	51,50	0,00	2,98	210
21 35 134 5	02-sep-2021	111,20	51,50	0,00	2,98	210
21 35 134 6	02-sep-2021	111,20	51,50	0,00	2,98	210
						10,080

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503866787
article n° 136919
Loading date 19/11/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 42 328 1	21-okt-2021	103,20	52,60	0,70	2,19	210
21 42 328 2	21-okt-2021	103,20	52,60	0,70	2,19	210
21 42 328 3	21-okt-2021	103,20	52,60	0,70	2,19	210
21 42 328 4	21-okt-2021	103,20	52,60	0,70	2,19	210
21 42 328 5	21-okt-2021	103,20	52,60	0,70	2,19	210
21 42 328 6	21-okt-2021	103,20	52,60	0,70	2,19	210
21 43 009 1	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 2	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 3	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 4	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 5	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 6	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 7	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 009 8	25-okt-2021	109,80	52,90	0,88	1,93	210
21 43 017 1	26-okt-2021	110,20	55,20	0,38	1,74	210
21 43 017 2	26-okt-2021	110,20	55,20	0,38	1,74	210
21 43 017 3	26-okt-2021	110,20	55,20	0,38	1,74	210
21 43 017 4	26-okt-2021	110,20	55,20	0,38	1,74	210
21 43 017 5	26-okt-2021	110,20	55,20	0,38	1,74	210
21 43 017 6	26-okt-2021	110,20	55,20	0,38	1,74	210
21 43 046 1	26-okt-2021	109,40	58,50	0,49	2,38	210
21 43 046 2	26-okt-2021	109,40	58,50	0,49	2,38	210
21 43 046 3	26-okt-2021	109,40	58,50	0,49	2,38	210
21 43 046 4	26-okt-2021	109,40	58,50	0,49	2,38	210
21 43 046 5	26-okt-2021	109,40	58,50	0,49	2,38	210
21 43 046 6	26-okt-2021	109,40	58,50	0,49	2,38	210



Borm - as
B-200 Tis-elt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503866787
article n° 136919
Loading date 19/11/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 43 042 1	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 042 2	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 042 3	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 042 4	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 042 5	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 042 6	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 025 1	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 025 2	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 025 3	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 025 4	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 025 5	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 025 6	26-okt-2021	105,68	56,40	0,00	1,93	210
21 43 067 1	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 2	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 3	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 4	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 5	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 6	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 7	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 067 8	26-okt-2021	112,00	60,50	0,13	2,40	210
21 43 077 1	26-okt-2021	107,20	55,20	0,73	2,41	210
21 43 077 2	26-okt-2021	107,20	55,20	0,73	2,41	210
						10.080

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503889145
article n° 136919
Loading date 2/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 44 204 1	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 204 2	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 204 3	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 204 4	04-nov-2021	100,44	56,20	0,06	1,22	210
21 44 372 1	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 2	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 3	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 4	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 5	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 372 6	08-nov-2021	99,16	51,20	0,02	1,21	210
21 44 379 1	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 2	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 3	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 4	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 5	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 379 6	08-nov-2021	96,84	52,70	0,00	1,23	210
21 44 382 1	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 2	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 3	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 4	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 5	08-nov-2021	99,48	57,70	0,00	0,96	210
21 44 382 6	08-nov-2021	99,48	57,70	0,00	0,96	210
21 45 006 1	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 2	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 3	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 4	08-nov-2021	105,24	53,30	0,04	0,85	210



Bormsstraat 24
B-2830 Melle
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503889145
article n° 136919
Loading date 2/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 45 006 5	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 006 6	08-nov-2021	105,24	53,30	0,04	0,85	210
21 45 012 1	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 2	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 3	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 4	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 5	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 012 6	08-nov-2021	104,96	51,50	0,23	0,84	210
21 45 023 1	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 2	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 3	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 4	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 5	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 023 6	08-nov-2021	114,72	45,10	0,00	0,90	210
21 45 030 1	08-nov-2021	105,12	51,60	0,00	0,77	210
21 45 030 2	08-nov-2021	105,12	51,60	0,00	0,77	210
21 44 167 1	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 2	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 3	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 4	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 5	04-nov-2021	105,88	55,10	0,00	1,71	210
21 44 167 6	04-nov-2021	105,88	55,10	0,00	1,71	210
						10.080

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503882507
article n° 136919
Loading date 3/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 44 117 1	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 2	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 3	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 4	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 5	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 117 6	03-nov-2021	107,88	53,50	0,22	2,18	210
21 44 129 1	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 2	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 3	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 4	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 129 5	03-nov-2021	111,36	51,90	0,28	1,66	210
21 44 140 1	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 2	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 3	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 4	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 5	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 140 6	03-nov-2021	104,08	54,10	0,18	2,18	210
21 44 145 1	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 2	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 3	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 4	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 5	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 145 6	04-nov-2021	111,76	51,10	0,01	2,20	210
21 44 152 1	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 152 2	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 152 3	04-nov-2021	107,88	48,70	0,00	1,56	210



Bormstraat 24
B-2800 Hasselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503882507
article n° 136919
Loading date 3/12/2021

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 44 152 4	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 152 5	04-nov-2021	107,88	48,70	0,00	1,56	210
21 44 157 1	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 2	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 3	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 4	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 5	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 6	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 7	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 157 8	04-nov-2021	109,28	49,40	0,00	1,22	210
21 44 172 1	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 2	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 3	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 4	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 5	04-nov-2021	110,04	54,30	0,00	1,42	210
21 44 172 6	04-nov-2021	110,04	54,30	0,00	1,42	210
21 45 004 1	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 2	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 3	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 4	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 5	08-nov-2021	99,92	57,70	0,08	0,83	210
21 45 004 6	08-nov-2021	99,92	57,70	0,08	0,83	210
						10.080

Test report Date : 26-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 6-10-2021

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503827088		152,00	152,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.		Max.
4503827088	Shot > 125 µm	0,01	0,07		0,2

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 28-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 13-10-2021

Product : Lapinus® RB210
bag 20 kg - pallet 500 kg

2. Testresults

Batch no.	Fibre length	Results ()		Limits ()	
		Min.	Max.	Min.	Max.
4503827090		143,00	143,00	125	175

Batch no.	Shotcontent	Results ()		Limits ()	
		Min.	Max.	Max.	
4503827090	Shot > 125 µm	1,01	0,14	0,2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.