





View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - o To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™	HUBO MINKENBERG	HERKENBOSCH 6075AG
UPS Access Point™	DE KEMPENIER	KEMPWEG,56
UPS Access Point™	ROERMOND 6045EJ	ROERMOND 6042BC
UPS Access Point™	HOMER SERVICEPOINT SHOW	MOBILE
	ORANJELAAN 73A	

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DEESTOFFENWEG 2 604511 ROERMOND NETHERLANDS		ENV	1 OF 1
SHIP TO: MR. PRABHU / MS. DHIVA 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA		SHP#: 1870 WRDC DBZ DATE: 05 JUL 2022	
		IND 0129-00 	
UPS SAVER		1P	
TRACKING #: 1Z 187 0WR 04 3309 1759			
			
BILLING: P/P DESC: documents		EDI-DOC	
Invoice No.: LF 9045672			
XOL 22.06.15		NV45 28.04.07/2022*	

Rane Brake Lining Ltd.
Attn. Mr. Prabhu / Ms. Dhivya
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond, 05/07/2022	9045672	Shipping docs

Dear Mr. Prabhu / Ms. Dhivya,

Please find enclosed the shipping documents of your PO 4800172826;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 9045672

Delivery nr : 33334150

Your order nr: 4800172826

Container nr: HAMU1283532

For: Rane Brake Lining Ltd.

Plot No. 30,
Ambattur Industrial Estate
600050 Chennai
India



Shipment nr.: 0006969659

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg 0,1	kg -pallet 625	1,00	10625,00	10625,000	10943,750	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg 15,0	425 BAGS pallet 210 kg 322 BAGS	1,00	4830,00	4830,000	5457,900	1150,00 1150,00 1150,00
TOTAL:				15455,000 Kgs	16401,650 Kgs	

BS532811

Date: 04-07-2022

PACKED ON 40 PALLETS

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Payer: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163837197 / 04.07.2022 Page 1 / 2
Order no. / date: 9045672 / 15.06.2022
Your reference: 4800172826
Contactperson: Corina Hendriks



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	10.625,00 KG	10.625,00 KG	2.376,20 1.000 KG	25.247,13
	Stat. No.: 68061000 Delivery No/Date: 33334150 / 05.07.2022 Container Number: HAMU1283532/BS532811 Country of origin: NL				
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	4.830,00 KG	4.830,00 KG	5.825,00 1.000 KG	28.134,75
	Stat. No.: 28399000 Delivery No/Date: 33334150 / 05.07.2022 Container Number: HAMU1283532/BS532811 Country of origin: BE				

Delivery date: 05.07.2022 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 16.401,650 / 15.455 KG
Transp. volume: 85,005 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE

Invoice address: 15456

Rane Brake Lining Ltd.

Plot No. 30,

IEC Number 0488032644

Ambattur Industrial Estate

600050 CHENNAI

INDIA

Invoice no. / date:

163837197 / 04.07.2022

Page 2 / 2

**ROCKWOOL B.V.**
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Amount excl. VAT				53.381,88
	Output Tax		0,00 %		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 53.381,88

For attn of

Date 05-07-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800172826

Lapinus orderno 9045672

Product: **PROMAXON-D**
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate

Total order Qty: 4.830 kg

Batch no. Batch Qty: 2216033 - 420 kg

Batch no. Batch Qty: 2218080 - 210 kg

Batch no. Batch Qty: 2218106 - 210 kg

Batch no. Batch Qty: 2219246 - 420 kg

Batch no. Batch Qty: 2219206 - 840 kg

Batch no. Batch Qty: 2219193 - 420 kg

Batch no. Batch Qty: 2219255 - 210 kg

Batch no. Batch Qty: 2219255 - 210 kg

Batch no. Batch Qty: 2219214 - 840 kg

Batch no. Batch Qty: 2219188 - 420 kg

Batch no. Batch Qty: 2219221 - 420 kg

Batch no. Batch Qty: 2215432 - 420 kg

Product: **Lapinus® RB250**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 10.625 kg

Batch no. Batch Qty: 53319568 - 10.625 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Promat

379

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504040709
article n° 136919
Loading date 03/05/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 15 432 1	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 2	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 3	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 4	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 5	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 432 6	18-apr-2022	111,56	50,6	0,00	1,38	210
22 15 438 1	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 2	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 3	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 4	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 5	18-apr-2022	112,32	47,6	0,00	1,21	210
22 15 438 6	18-apr-2022	112,32	47,6	0,00	1,21	210
22 16 001 1	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 2	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 3	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 4	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 5	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 001 6	18-apr-2022	104,44	55,5	0,00	0,96	210
22 16 024 1	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 2	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 3	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 4	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 5	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 024 6	18-apr-2022	107,04	52,7	0,00	1,05	210
22 16 033 1	19-apr-2022	111,48	49,8	0,00	1,67	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504040709

article n° 136919

Loading date 03/05/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 16 033 2	19-apr-2022	111,48	49,8	0,00	1,67	210
22 16 033 3	19-apr-2022	111,48	49,8	0,00	1,67	210
22 16 033 4	19-apr-2022	111,48	49,8	0,00	1,67	210
22 16 046 5	20-apr-2022	113,88	48,3	0,00	1,14	210
22 16 046 6	20-apr-2022	113,88	48,3	0,00	1,14	210
22 16 060 1	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 2	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 3	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 4	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 5	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 060 6	19-apr-2022	112,48	46,4	0,00	1,10	210
22 16 073 1	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 2	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 3	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 4	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 5	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 073 6	19-apr-2022	105,84	48,1	0,00	0,95	210
22 16 084 1	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 2	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 3	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 4	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 5	19-apr-2022	99,72	44,6	0,00	2,28	210
22 16 084 6	19-apr-2022	99,72	44,6	0,00	2,28	210
						10.080

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504051566
article n° 136919
Loading date 20/05/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 17 260 7	03-mei-2022	107,68	55,3	0,08	1,45	210
22 17 260 8	03-mei-2022	107,68	55,3	0,08	1,45	210
22 17 266 1	03-mei-2022	103,96	57,0	0,08	1,44	210
22 17 266 2	03-mei-2022	103,96	57,0	0,08	1,44	210
22 17 266 3	03-mei-2022	103,96	57,0	0,08	1,44	210
22 17 266 4	03-mei-2022	103,96	57,0	0,08	1,44	210
22 17 266 5	03-mei-2022	103,96	57,0	0,08	1,44	210
22 17 266 6	03-mei-2022	103,96	57,0	0,08	1,44	210
22 18 052 1	03-mei-2022	114,84	51,3	0,00	1,63	210
22 18 052 2	03-mei-2022	114,84	51,3	0,00	1,63	210
22 18 052 3	03-mei-2022	114,84	51,3	0,00	1,63	210
22 18 052 4	03-mei-2022	114,84	51,3	0,00	1,63	210
22 18 052 5	03-mei-2022	114,84	51,3	0,00	1,63	210
22 18 052 6	03-mei-2022	114,84	51,3	0,00	1,63	210
22 18 058 1	04-mei-2022	115,04	50,8	0,05	1,52	210
22 18 058 2	04-mei-2022	115,04	50,8	0,05	1,52	210
22 18 058 3	04-mei-2022	115,04	50,8	0,05	1,52	210
22 18 058 4	04-mei-2022	115,04	50,8	0,05	1,52	210
22 18 058 5	04-mei-2022	115,04	50,8	0,05	1,52	210
22 18 058 6	04-mei-2022	115,04	50,8	0,05	1,52	210
22 18 062 1	03-mei-2022	112,40	53,3	0,00	1,50	210
22 18 062 2	03-mei-2022	112,40	53,3	0,00	1,50	210
22 18 062 3	03-mei-2022	112,40	53,3	0,00	1,50	210
22 18 062 4	03-mei-2022	112,40	53,3	0,00	1,50	210
22 18 062 5	04-mei-2022	112,40	53,3	0,00	1,50	210

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504051566

article n° 136919

Loading date 20/05/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 18 062 6	04-mei-2022	112,40	53,3	0,00	1,50	210
22 18 076 1	04-mei-2022	109,16	53,5	0,00	1,71	210
22 18 076 2	04-mei-2022	109,16	53,5	0,00	1,71	210
22 18 076 3	04-mei-2022	109,16	53,5	0,00	1,71	210
22 18 076 4	04-mei-2022	109,16	53,5	0,00	1,71	210
22 18 076 5	04-mei-2022	109,16	53,5	0,00	1,71	210
22 18 076 6	04-mei-2022	109,16	53,5	0,00	1,71	210
22 18 080 1	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 2	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 3	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 4	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 5	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 6	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 7	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 080 8	04-mei-2022	108,16	49,2	0,00	1,16	210
22 18 106 1	04-mei-2022	110,92	56,2	0,00	2,29	210
22 18 106 2	04-mei-2022	110,92	56,2	0,00	2,29	210
22 18 106 3	04-mei-2022	110,92	56,2	0,00	2,29	210
22 18 106 4	04-mei-2022	110,92	56,2	0,00	2,29	210
22 18 106 5	05-mei-2022	110,92	56,2	0,00	2,29	210
22 18 106 6	05-mei-2022	110,92	56,2	0,00	2,29	210
22 18 108 1	04-mei-2022	115,40	52,9	0,00	1,74	210
22 18 108 2	04-mei-2022	115,40	52,9	0,00	1,74	210
						10.080



382

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504059726
article n° 136919
Loading date 30/05/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 19 255 1	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 2	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 219 1	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 2	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 3	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 4	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 5	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 219 6	13-mei-2022	114,84	50,2	0,00	2,37	210
22 19 214 1	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 2	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 3	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 4	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 5	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 6	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 7	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 214 8	13-mei-2022	113,24	53,7	0,00	1,84	210
22 19 246 1	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 2	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 3	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 4	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 5	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 6	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 7	16-mei-2022	99,60	51,1	0,06	1,60	210
22 19 246 8	16-mei-2022	99,60	51,1	0,06	1,60	210



Bornstraat 24
B-2730 Tielvelde
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504059726

article n° 136919

Loading date 30/05/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 19 221 1	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 2	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 3	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 4	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 5	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 221 6	16-mei-2022	102,04	48,9	0,10	2.10	210
22 19 188 1	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 2	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 3	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 4	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 5	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 188 6	13-mei-2022	108,80	47,1	0,00	2,25	210
22 19 206 1	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 2	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 3	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 4	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 5	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 206 6	13-mei-2022	112,40	52,4	0,00	1,52	210
22 19 193 1	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 2	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 3	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 4	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 5	13-mei-2022	110,00	50,3	0,00	1,54	210
22 19 193 6	13-mei-2022	110,00	50,3	0,00	1,54	210
						10,080



383

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504069478
article n° 136919
Loading date 02/06/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 19 255 3	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 4	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 5	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 6	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 415 1	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 2	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 3	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 4	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 5	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 6	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 421 1	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 2	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 3	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 4	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 5	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 6	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 433 1	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 2	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 3	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 4	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 5	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 6	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 7	17-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 8	17-mei-2022	109,36	51,0	0,00	1,74	210
22 20 001 3	16-mei-2022	110,00	51,2	0,00	2,69	210



Bormstraat 24
B-2830 Tusselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504069478

article n° 136919

Loading date 02/06/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 20 001 4	16-mei-2022	110,00	51,2	0,00	2,69	210
22 20 001 5	16-mei-2022	110,00	51,2	0,00	2,69	210
22 20 001 6	16-mei-2022	110,00	51,2	0,00	2,69	210
22 20 008 1	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 2	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 3	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 4	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 5	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 6	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 023 1	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 2	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 3	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 4	16-mei-2022	115,20	55,70	0,00	1,72	210
22 18 433 1	10-mei-2022	108,00	51,2	0,00	1,82	210
22 18 433 2	10-mei-2022	108,00	51,2	0,00	1,82	210
22 20 150 1	20-mei-2022	105,60	46,60	0,17	2,33	210
22 20 150 2	20-mei-2022	105,60	46,60	0,17	2,33	210
22 20 403 1	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 2	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 3	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 4	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 5	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 6	24-mei-2022	106,28	50,40	0,00	2,21	210
						10.080

Test report Date : 7-6-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 5-6-2022

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53319568		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
53319568	Shot > 125 µm	0,54	0,83	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.