

## 26-Polymorphism

### Polymorphism in Java

**Definition:** Polymorphism in Java is the ability of an object to take on many forms. The term "polymorphism" is derived from two Greek words: *poly*, meaning "**many**," and *morphism*, meaning "**forms**" or "**behaviors**." Polymorphism allows objects to be treated as instances of their parent class while still allowing them to execute methods in a child-specific way.

### Types of Polymorphism:

1. Compile-time polymorphism (static polymorphism):

- In this type, the method behavior is determined at compile-time. This is achieved through **method overloading**.

2. Runtime Polymorphism (Dynamic Polymorphism):

- In this type, the method behavior is determined at runtime. This is achieved through **method overriding**.

### Explanation of Polymorphism Types:

- Compile-time Polymorphism:

- Compile-time polymorphism is also known as **static polymorphism** or **early binding**. In this type of polymorphism, the method to be called is determined at the time of compilation based on the method signature.
- **Method overloading** is a common example of compile-time polymorphism. It allows multiple methods to have the same name but differ by the number or type of parameters.

### Example of Method Overloading:

```
public class Calculator {  
    // Overloaded method with two parameters  
    public int add(int a, int b) {  
        return a + b;  
    }  
  
    // Overloaded method with three parameters  
    public int add(int a, int b, int c) {  
        return a + b + c;  
    }  
}
```

- **Runtime Polymorphism:**

- Runtime polymorphism is also known as **Dynamic Polymorphism** or **Late Binding**. In this type, the method to be executed is determined at runtime, depending on the object's actual class.
- **Method Overriding** is a common example of runtime polymorphism. It allows a subclass to provide a specific implementation of a method that is already defined in its parent class.

**Example of Method Overriding:**

```
class Animal {  
    // Method in the parent class  
    public void sound() {  
        System.out.println("Animal makes a sound");  
    }  
}  
  
class Dog extends Animal {  
    // Overriding the sound method in the subclass  
    @Override  
    public void sound() {  
        System.out.println("Dog barks");  
    }  
}  
  
public class Main {  
    public static void main(String[] args) {  
        Animal myDog = new Dog(); // Runtime Polymorphism  
        myDog.sound(); // Outputs: Dog barks  
    }  
}
```

**Comparison of Method Overloading and Method Overriding:**

- **Method Overloading:**

- Occurs within the same class.

- Involves methods with the same name but different parameters.
- It is a compile-time concept.
- **Method Overriding:**
  - Occurs between a superclass and a subclass.
  - Involves methods with the same name, parameters, and return type.
  - It is a runtime concept.

#### **Advantages of Polymorphism:**

- **Code Reusability:** Polymorphism allows you to reuse existing code more efficiently.
- **Flexibility:** You can write more flexible and maintainable code.
- **Simplified Interface:** Different types of objects can be accessed through the same interface, simplifying code interactions.