


Read all directions carefully.

Watch out for simple, careless errors.

Make sure all figures are labeled appropriately.

Please indicate all answers clearly so they are easy to locate.**Show ALL work you have done to receive full credit for your answer.**

- 1) (5 pts.) Draw a rectangle using algebra tiles for the expression $2x^2 + 7x + 5$. Sketch your rectangle and write the area as a sum and as a product.



$$2x^2 + 7x + 5$$

$$(2x+5)(1x+1)$$


- 2) (3 pts.) **Multiple Choice:** The quadratic expression $6x^2 + 6x - 12$ has several possible sets of factors. Which set of factors below is not a possible answer? Explain how you know.

a. $6(x-1)(x+2)$

b. $(6x-6)(x+2)$

c. $(x-6)(6x+2)$


d. $(3x-3)(2x+4)$



- 3) (8 pts) Factor the following quadratics if possible. If a quadratic cannot be factored, explain why not.

a. $2x^2 - 11x + 12$


b. $y^2 + 7y + 7$



c. $5m^2 - 14m + 8$


d. $15p^2 - 3p$

this can't be factored,
can't split the 7y



can't use 0.
not factorable


- 4) (5 pts.) Solve for the missing side length. Show your work. Round lengths to the nearest tenth.



$$\tan(44^\circ) \times 98 = 94.63$$

$$x = 94.6$$


- 5) (5 pts.) Use trigonometric ratios to solve for the variable. Show your work. Round lengths to the nearest tenth.



$$\cos(21^\circ) \times 125 = 116.7$$

$$w = 116.7$$


- 6) (3 pts.) Solve for the missing angle. Show your work.



$$\tan^{-1}\left(\frac{27}{38}\right) = 35.4^\circ$$

$$? = 35.4^\circ$$


- 7) (3 pts.) Solve for the missing angle. Show your work.



$$\cos^{-1}\left(\frac{13}{20}\right) = 49.5^\circ$$

$$? = 49.5^\circ$$


8) (3 pts.) Solve for the missing angle. Show your work.



$$\sin^{-1}\left(\frac{12}{24}\right) = 30$$

$$\boxed{? = 30}$$

9.) (6 pts.) Solve the triangle for all missing side lengths and angle measures. Show your work to receive full credit.



$$\angle A = 31$$

$$\angle B = 59$$


$$a = 7.2$$

$$\cos^{-1}\left(\frac{12}{14}\right) = 31$$

$$\tan(31) \cdot 12$$

$$\sin^{-1}\left(\frac{12}{14}\right)$$

10) (6 pts) Solve the triangle for all missing side lengths and angle measures. Show your work to receive full credit.



$$\angle B = 41$$

$$a = 12.2$$

$$c = 9.2$$

$$\tan(49) \times 8$$

$$9.2 \times 49$$

$$9.2^2 \times 9^2 = 12.2^2$$

$$\begin{array}{r} 140 \\ 139 \\ \hline 41 \end{array}$$

Ch.4 Factoring + Trig Test Version 3

Name: _____

Date: _____ Pd. _____

Bonus) (4 pts) Factor each of the expressions below, if possible. Show your work.

a. $169x^2 - 289$

c. $16x^2 - 8x + 1$

b. $x^2 + 10x + 25$

d. $x^2 - \frac{1}{4}$