

DAILY RAINFALL

1871

1880

ANGLESEY

AMLWCH	BODEWRYD	1873	1878
BODEWRYD	VICARAGE	1880	
LHANGADWALADR	RHOSYBOL		1880
MENAIFRON	BODORGAN	1876-78	1880
RHIANFA		1871, 79-	1880
		1876	1880

AMLWCH

Kept at Bodewryd
Latitude 53° 23' N.

Longitude 4° 23' W.

(BODEWRYD)

1873 - 1878

CONDENSED INSTRUCTIONS.—
and enter it against the preceding
temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water,
e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

IN 1873

by Gwynn Williams

Above Ground 1 ft 6 in.
height of Receiver
Rain Gauge

Above Sea Level

ound, quite clear of trees and walls, empty it daily at 9 a.m.,
ount entered as rain, an "S" being prefixed. With a low

e.g., 3 inches snow = .25 of rain.

When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.
1			—	42	—	75	27	09	1.73	1.40	.34	.01
2			17	10	.03	.02	—	—	.01	.18	.21	.01
3			—	—	28	.03	—	—	.15	.05	.05	.03
4			—	—	.06	.17	—	—	.10	.32	.31	—
5			—	—	.04	.36	—	.31	1.16	—	.40	.79
6			—	.05	.03	.03	.39	.02	.04	.29	.03	.01
7			.09	.12	.14	.09	1.13	—	—	1.20	.08	.01
8			.20	.03	.05	.43	.02	—	.31	.91	.02	.80
9			.20	—	.16	.48	—	—	.76	.11	.12	.10
10			—	.02	—	.07	.10	.31	.20	.99	.01	.21
11			.66	—	—	.08	—	—	—	.16	—	.04
12			.12	—	.22	—	—	—	—	.25	—	.38
13			.15	—	.02	—	.09	—	.18	.12	—	.01
14			.01	—	.05	—	—	—	—	—	.02	.20
15			.18	—	.03	.07	—	.10	—	.52	.28	.01
16			.10	—	.17	.12	—	.09	.01	.75	.21	.93
17			.43	.06	—	.25	—	—	.12	.01	.03	.33
18			.01	—	.01	.68	—	—	.01	.74	.37	.06
19			—	—	—	.59	—	—	.40	—	.08	.06
20			.01	—	—	.01	—	—	.14	.60	.50	.15
21			.02	.76	.04	.04	—	—	.23	1.04	.40	.20
22			.06	.06	.06	.01	—	—	.56	.01	.34	.31
23			.01	.20	—	—	—	—	.10	.23	1.01	.30
24			.03	.15	—	.15	—	.30	.20	.08	.02	.34
25			.08	.26	—	.10	.59	.30	—	—	.26	.19
26			.05	.03	—	.11	.05	.02	.62	—	.11	.03
27			1.13	.06	.01	.39	—	—	.18	.05	.02	.33
28			.51	.41	—	—	.11	.04	.01	.02	.02	.22
29			.28	—	.03	—	.15	.62	.04	1.11	.22	—
30			.05	—	.20	.11	—	.04	.23	.03	.15	.07
31			—	—	—	—	—	—	—	.11	—	.18
Totals			4.35	2.22	1.63	5.14	2.90	2.24	7.49	12.05	5.61	6.31

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

Additional copies of this form (price 3d. each) can be obtained of the above, from MR. STANFORD, 6 & 7, Charing Cross, and from all the leading Opticians.

March 1st
Total from Jan 1st
49.94

K/1000/9/72.

REGISTER OF RAINFALL IN 1873

Kept at Bodewryd, Anglesey (Station 44.) by W. Wynn Williams

Latitude ... $53^{\circ} 23' N.$

Longitude ... $4^{\circ} 23' W.$

Time of Observation ... 9 a.m.

Height of Receiver
of Rain Gauge

Above Ground ... 1 ft 6 in.

Above Sea Level

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.
1			—	42	—	75	27	09	1.73	1.40	.34	.01
2			17	10	03	02	—	—	.01	.10	.21	.01
3			—	—	28	03	—	—	.15	.05	.05	.03
4			—	—	06	17	—	—	.10	.32	.31	—
5			—	—	04	36	—	.31	1.16	—	.40	.79
6			—	05	03	03	39	.02	.04	.29	.03	.01
7			09	12	14	09	1.13	—	—	1.20	.08	.01
8			20	03	05	43	02	—	.31	.91	.02	.80
9			28	—	16	48	—	—	.76	.11	.12	.10
10			—	02	—	07	10	.31	.20	.99	.01	.21
11			66	—	—	08	—	—	—	.16	—	.04
12			12	—	22	—	—	—	—	.25	—	.38
13			15	—	02	—	09	—	.18	.12	—	.01
14			01	—	05	—	—	—	—	—	.02	.20
15			18	—	03	07	—	.10	—	.52	.28	.01
16			10	—	17	12	—	.09	.01	.75	.21	.93
17			43	06	—	25	—	—	.12	.01	.03	.33
18			01	—	01	68	—	—	.01	.74	.37	.00
19			—	—	—	59	—	—	.40	—	.00	.06
20			01	—	—	01	—	—	.14	.60	.50	.15
21			02	76	04	04	—	—	.23	1.04	.40	.20
22			06	06	06	01	—	—	.56	.01	.34	.31
23			01	20	—	—	—	—	.10	.23	1.01	.30
24			03	15	—	15	—	.30	.20	.08	.02	.34
25			08	26	—	10	.59	.30	—	—	.26	.19
26			05	03	—	11	.05	.02	.62	—	.11	.03
27			1.13	01	01	39	—	—	.18	.05	.02	.33
28			.51	41	—	—	11	.04	.01	.02	.02	.22
29			20	—	0.3	—	15	.62	.04	1.11	.22	—
30			05	—	20	11	—	.04	.23	.03	.15	.07
31			—	—	—	—	—	—	—	.11	—	.18
Totals			4.35	2.22	1.63	5.14	2.90	2.24	7.49	12.05	5.61	6.31

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. Symons, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

Additional copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 6 & 7, Charing Cross, and from all the leading Opticians.

March 1st
Total from Jan 1
49.94

K/1000/9/72.

Sent ~~agrees~~ Exp flow.
REGISTER OF RAINFALL IN 1873.

Kept at Bodewryd, Anglesey.

by W. W. Williams.

Latitude 53° 23' N.

Time of Observation 9 A.M.

Longitude 4° 23' W.

Above Ground 1 ft. 6 in.
Height of Receiver
of Rain Gauge
Above Sea Level 100 ft.

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.14	.01	.39	—	—	—	—	—	.20	.10	.06	.01
2	.42	—	.15	.06	.02	—	.17	—	.58	.50	.01	.02
3	—	—	.02	.02	—	.06	.16	.46	.04	.34	.07	.03
4	.40	—	—	.10	.33	—	.07	.15	—	—	.11	.04
5	.29	.14	—	.01	.06	—	.06	.01	.10	—	.12	—
6	.03	—	.160	.01	—	—	—	.01	.04	.50	.05	.02
7	.02	—	.24	—	.15	—	.05	—	—	.30	.11	.01
8	.58	—	.08	—	—	—	.24	.47	—	.10	—	.01
9	.30	—	.33	—	—	.11	.30	.01	.58	.34	.01	—
10	.49	—	.14	—	.22	.11	—	.31	—	—	—	—
11	.05	—	.04	—	.01	.01	—	—	—	.44	—	—
12	.46	.05	.06	—	—	.01	.02	.13	—	.05	—	—
13	.02	.06	.01	—	—	—	—	—	.15	.19	—	—
14	.10	.01	.01	—	—	.02	.06	—	.35	—	—	.09
15	1.02	—	.02	.07	.02	.02	—	.02	.43	.05	—	.17
16	.03	—	.43	.01	—	—	.16	.16	.07	.16	—	.02
17	.21	—	.01	.36	.02	—	.07	.60	.01	.01	—	.01
18	.46	—	—	.01	.08	.05	.02	.06	—	.02	—	.16
19	.03	—	—	—	—	—	—	.02	.10	.21	—	.14
20	.05	—	—	—	.30	—	—	.09	.12	.12	—	.01
21	1.35	.05	.10	—	.02	.10	—	—	—	.71	.20	.26
22	.09	—	—	—	.24	.03	.07	.12	—	.10	.08	.01
23	—	.07	.01	—	.05	.05	.04	.01	—	.14	.02	.02
24	.07	.23	.01	—	.01	.03	.02	.27	—	.21	.02	—
25	.05	.33	—	—	.05	.06	.19	.30	—	—	.20	.13
26	.05	.19	—	—	.08	.04	.01	.27	—	.55	.20	.28
27	—	.01	—	—	.04	.05	—	.34	.04	—	.01	.07
28	—	.03	—	.02	—	.02	—	.08	—	—	.06	.14
29	—	—	.19	—	—	.02	.06	.05	—	.05	.09	.06
30	—	—	.19	—	—	—	.14	—	.31	.85	.01	.36
31	—	—	.01	—	—	—	—	—	—	.57	—	.01
Totals	6.71	1.18	3.85	.67	1.70	.79	1.91	3.94	3.206	.611	1.432	

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

Additional copies of this form (price 3d. each) can be obtained of the above, from MR. STANFORD, 6 & 7, Charing Cross, and from all the leading Opticians.

REGISTER OF RAINFALL IN 1874.

Kept at Bodewryd, Anglesey. (Station 44.) by W. G. J. Williams
 Latitude 53° 23' N.
 Longitude 4° 23' W.
 Time of Observation 9 A.M.
 Height of Receiver of Rain Gauge. { Above Ground 146 in.
 Above Sea Level 100 ft. (2)

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.41	.35	.07	.12	—	—	.26	—	.17	.21	.04	.01
2	1.32	.05	—	.24	—	.01	.10	.45	.06	.09	.08	.01
3	.13	—	—	.01	.01	—	.01	.10	.03	.11	.06	.05
4	.05	—	—	—	—	.02	—	.31	.01	.10	.48	.03
5	—	—	—	—	.06	—	—	—	.08	.23	—	.54
6	—	.02	.04	—	.28	—	—	.06	.01	1.96	—	.34
7	.14	.03	—	.27	.04	—	—	.06	.01	.03	.03	.34
8	.27	—	.23	.26	.07	—	—	.16	.33	.19	.05	.85
9	—	—	.06	.01	.01	—	—	.26	.05	.43	.06	.04
10	—	—	.07	.21	—	—	—	.06	.06	.06	.12	.16
11	.39	.02	—	.07	—	.03	—	.03	.60	.15	.04	.11
12	—	.05	.04	.18	—	—	.16	.41	—	.04	—	.03
13	.01	.25	—	.24	.03	—	.11	.21	—	.04	—	.01
14	.13	.41	.01	.01	.02	—	—	.01	—	.02	.20	—
15	.34	.42	.01	—	—	—	—	.32	.12	.50	.19	.61
16	.55	.23	.08	—	—	—	—	.01	—	.02	.36	—
17	.49	.10	—	.13	—	—	—	.04	.02	.63	.20	.01
18	.30	.01	—	.02	—	—	—	.01	—	.01	.06	.14
19	.15	—	—	.04	—	—	—	—	—	.15	—	.36
20	.02	—	.88	—	—	—	.10	—	.01	.09	.01	.26
21	—	.32	.17	.06	—	—	.02	—	.48	—	—	.18
22	.01	—	.02	.01	.03	—	—	—	.15	.01	.02	—
23	.15	.04	.01	.02	.43	.09	.21	—	.02	.47	.20	.21
24	.01	—	—	.02	.32	—	.01	.16	—	.21	.30	.05
25	—	—	.10	—	.05	—	.27	.01	.01	.35	.23	.01
26	—	—	.36	.02	—	—	.01	—	.01	—	.28	.06
27	—	—	.08	.03	—	.03	—	.22	.49	.02	.15	.77
28	—	—	—	.30	—	.59	—	.17	.69	.52	.03	.24
29	—	—	—	.13	—	.02	.07	—	.05	.49	—	.15
30	—	—	—	.26	—	.01	.19	.08	.76	.13	—	.04
31	.02	—	.03	—	.02	—	.03	.26	—	.26	+ .01	.02
Totals	4.89	2.84	1.76	1.92	2.02	4.42	1.75	4.93	3.46	6.82	3.96	4.61

Total from Jan. 1.

39.38 ✓

K/3000/11/74.

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. Symons, of 62, Camden Square, London, N.W., for insertion in his annual tables of *British Rainfall*, which now contain returns from more than 1500 stations.
 Additional copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 6 & 7, Charing Cross, and from all the leading optimists.

~~W. G. Cowley S.~~

5a

REGISTER OF RAINFALL IN 1875

Kept at Bodewryd, Anglesey. [Station 44] by W. G. Williams

Latitude 53.23 N. Time of Observation 9 A.M. Height of Receiver of Rain Gauge.

Longitude 4.23 W. Above Ground 1 ft. 6 in. Above Sea Level 170 ft.

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

*Additional copies of this form (price 3*s*. each) can be obtained of the above, from MR. STANFORD, 6 & 7, Charing Cross, and from all the leading opticians.*

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.29	.13	.03	—	.04	—	—	—	.58	—	.44	—
2	.17	.12	.03	.00	—	—	.02	—	1.20	.56	.37	—
3	.17	—	.01	.05	—	.25	—	—	—	—	.04	.03
4	.00	—	—	.10	—	.01	—	—	.01	.05	.24	.01
5	.03	.01	.12	.16	—	.17	—	.02	—	—	.77	.03
6	.02	.06	.14	.16	.14	.43	—	.02	—	.06	.15	.03
7	.00	.06	—	.01	.04	.07	—	.23	.06	—	.20	—
8	.02	—	.21	—	.00	.15	.16	.43	.17	.12	.09	.02
9	.12	—	—	—	.10	.04	.34	.05	.05	.03	.12	—
10	.37	—	—	—	.08	.06	.20	.53	—	.55	.02	—
11	.03	.42	—	—	.02	.01	.01	.11	.01	.42	—	—
12	.05	.04	.02	—	.01	.01	—	.27	—	—	.09	.01
13	.16	.20	.01	—	.01	.10	—	.04	—	.30	.134	—
14	.22	.02	—	—	.10	.26	.65	.03	—	—	.49	—
15	.26	—	—	—	.01	.17	.02	.01	—	.30	—	—
16	.09	—	.01	—	—	.06	—	.07	—	—	.15	—
17	.35	—	—	—	.20	.01	.05	.35	.13	.17	.33	.03
18	.25	—	.07	—	.00	—	.08	—	.01	.10	.05	.49
19	.20	*.17	.02	—	.30	.39	.19	—	.59	.62	.01	.51
20	.01	.27	.02	—	.00	.01	.12	—	—	.06	—	.16
21	.01	—	.03	.46	.22	—	.01	.01	.29	.31	—	.64
22	.20	—	—	—	—	—	.10	—	—	.15	—	.01
23	.31	*.12	—	—	—	—	.27	.50	.25	.01	.01	.01
24	.45	.31	—	.01	.01	—	.01	.15	.50	—	—	.07
25	—	.03	.44	—	—	.17	—	.02	.07	—	—	.02
26	.03	.20	.03	.13	—	.01	—	—	.41	.56	.03	.05
27	.02	.05	—	.19	.05	—	—	—	.13	.49	—	.20
28	.26	.04	—	—	.03	.06	—	.17	.05	.41	—	.10
29	.22	—	.01	—	—	.03	.20	.01	.01	—	.04	.04
30	—	—	—	—	—	.04	.01	.11	.39	—	—	.01
31	.14	—	—	—	—	—	.01	—	—	.01	—	.41
Totals	4.61	2.25	1.20	1.25	1.82	2.64	2.53	3.15	4.91	6.16	4.98	2.96

Total from Jan. 1.

38.46

K/3000/11/74.

REGISTER OF RAINFALL IN 1876.

Kept at Bodewryd, Rhosybol, Anglesey by Rev. W. Wynn Williams
 Latitude 53° 23' N. Longitude 4° 23' W.
 Time of Observation 9 A.M. Receiver of Rain Gauge
 Diameter 5 inches Height above Ground 146 m.
 Above Sea Level 170 feet.

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. When snow is not melted at the proper time for measuring, melt what is caught in the funnel by adding to the snow a previously ascertained quantity of warm water, and then deducting this quantity from the total measurement, enter the residue as rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Observers will oblige by sending either a copy of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W.
 for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.
Additional copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 6 & 7, Charing Cross, and from all the leading opticians

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1	.01	.33	.01	.01	—	—	.09	—	—	.03	—	.19
2	.07	—	.14	—	—	—	.01	.19	.01	.73	.04	.08
3	.01	.22	.03	.25	—	—	.07	.01	.21	.03	.24	.40
4	—	.05	.03	.01	—	.62	.13	.16	.15	.08	.01	.42
5	.02	.01	.41	—	—	.36	—	.02	.11	—	.03	.14
6	—	—	.01	.04	—	—	.29	.19	—	.31	—	.01
7	—	—	.01	.05	.04	—	.01	.10	.03	.02	.05	—
8	—	—	.02	.54	.46	—	.30	.01	.03	.05	.53	.11
9	—	—	.05	.03	.31	—	.03	—	.04	.03	.22	—
10	.02	.02	.01	.23	—	—	—	—	.19	.35	—	.05
11	.13	—	—	.23	—	.05	—	—	.04	.26	.18	.49
12	.23	.20	.19	—	—	—	—	—	.08	.15	.21	—
13	.01	.32	.05	.01	—	—	—	—	—	.04	.41	.15
14	—	.42	.10	—	—	.38	—	—	.01	.26	.09	.28
15	—	.05	.06	—	—	—	—	—	—	.01	.24	.02
16	.14	.12	.02	—	—	—	.01	—	.02	.64	.37	.36
17	.08	.53	.02	—	—	.03	—	.27	.11	.68	.21	.41
18	.11	.17	.19	.04	—	—	—	.22	.01	.15	.14	—
19	.45	.01	.01	.10	—	—	—	.07	—	.13	.05	.21
20	.27	.24	.02	—	—	—	—	.01	—	—	—	.08
21	—	.36	.01	.02	.15	.02	—	—	—	—	—	.04
22	.49	.12	—	—	.12	—	—	—	.31	—	—	.02
23	.05	.01	.07	.12	.04	.16	—	—	.08	—	.10	.22
24	.01	.25	.02	.31	—	.01	—	.06	.23	—	.17	.01
25	—	.16	—	.06	—	—	.04	—	.20	—	.74	—
26	.01	.36	—	.08	—	—	.206	.17	.20	—	.72	.58
27	—	.02	.01	.04	.07	—	—	.23	.02	—	.07	.36
28	—	.15	.05	.20	—	—	.19	.21	.04	—	.37	.04
29	.03	.08	.01	.07	—	.02	—	—	.01	—	.01	.53
30	.10	—	.22	.01	.07	.10	—	.22	.66	.11	.20	.43
31	.01	—	.01	—	—	.22	.31	—	.01	—	.51	—
Totals	2.25	4.29	2.35	2.60	.45	2.09	3.29	3.44	2.79	4.77	4.71	7.06

Total from Jan. 1 40.00 —

3 rain or
Rate of the month = Rain
J. 1876

S.a. — ~~Covered by Oct.~~

REGISTER OF RAINFALL IN 1877.

Kept at Bodewydd (Station 44) in the County of Anglesey by W. D. Williams -

Latitude 53° 23' N.

Time of Observation 9 A.M.

Height of Receiver of Rain Gauge.	Above Ground.....	146 ft.
	Above Sea Level.....	170 ft.

Longitude 4° 23' W.

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = 25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.60	.10	.14	—	.16	—	.03	.01	—	.16	.01	1
2	.03	.17	.64	.08	—	.03	.13	.23	.27	—	.70	—	2
3	.96	.13	.26	.63	—	.41	.02	—	.55	—	.01	—	3
4	.12	—	.03	.31	—	.02	—	.06	.01	.01	.20	—	4
5	.32	.02	—	.03	—	.07	.02	.01	—	—	.65	.42	5
6	.51	.06	.08	.01	—	.31	—	—	—	—	.40	.10	6
7	.15	.04	—	.42	—	—	—	.07	.23	.01	.01	—	7
8	—	—	—	.37	—	.20	—	.40	.01	—	.35	.02	8
9	—	.14	.45	.05	.29	.01	.13	.38	—	—	.70	.17	9
10	—	.19	.03	—	.77	—	.03	.23	—	.12	.43	.73	10
11	.10	.36	.38	—	.02	.05	—	—	.04	—	.73	.22	11
12	.04	.05	.05	.12	.11	—	—	—	.12	.25	.44	.14	12
13	.06	.35	.02	.32	—	—	.20	.01	.19	.05	.30	.02	13
14	.35	.01	.07	.09	.10	—	.203	—	.59	.45	.34	—	14
15	.36	.04	—	.16	—	—	.77	.08	.87	.30	.06	.26	15
16	.90	.01	.10	.03	.18	—	.05	.03	.01	—	.01	.01	16
17	.16	.03	.03	—	.10	—	—	.12	—	.01	.42	.03	17
18	1.02	.12	—	—	.16	.41	.01	.02	—	.04	.30	.19	18
19	.15	.37	—	—	.01	.02	.14	.23	—	.14	.10	—	19
20	.04	—	—	.34	—	—	.01	.20	.01	.34	.08	.12	20
21	.48	—	—	.05	—	.06	.21	.56	—	.33	.03	.04	21
22	.01	.07	.06	.24	—	.66	1.24	.30	—	.92	.02	.21	22
23	.22	.02	.13	.10	—	.01	.05	.24	.05	.45	—	.10	23
24	.40	.11	.30	—	—	.09	.08	.01	—	.33	—	.01	24
25	.01	.00	.01	—	—	.10	.04	—	—	.03	.42	.10	25
26	.38	.03	—	—	.18	.18	—	.55	—	.16	.04	.03	26
27	.52	—	.34	—	1.28	—	.04	.08	—	.05	—	.13	27
28	.04	.12	—	.01	.02	—	.01	.40	—	1.82	.19	.83	28
29	—	—	.01	—	.15	—	.11	—	.10	.39	.13	—	29
30	.04	—	—	.02	.01	.03	.50	—	.22	.22	.19	—	30
31	.40	.05	—	.45	—	—	.36	—	.83	—	.01	—	31
Totals	7.88	3.84	3.21	3.56	3.69	3.11	5.24	5.37	3.96	4.49	9.46	5.07	

Total from Jan. 1.

K/3000/12/76.

9.30 58.88
68.72

REGISTER OF RAINFALL IN 1870.

E. G. S. W.

Kept at Bodewryd in the County of Anglesey by William & Thos Jones
 Station 443
 Latitude 53° 23' N. Longitude 4° 23' W.
 Time of Observation..... 9 A.M. Height of Receiver
 of Rain Gauge. Above Ground. 1 ft. 6 in. (full 1 ft. 7 in.)
 Diameter. 5 inches.
 Above Sea Level. 170 ft. (full 180 ft.)

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of *British Rainfall*, which now contain returns from more than 1500 stations.
 Additional copies of this form (price 3d. each) can be obtained of the above, from MR. STANFORD, 6 & 7, Charing Cross, and from all the leading optimists.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.24	—	.30	—	.10	.03	—	—	—	—	.05	.09
2	.02	—	.01	—	—	.17	—	—	—	—	.17	.11
3	.49	—	—	.19	.04	.64	—	.01	—	—	—	.17
4	.05	—	.25	.09	—	.10	—	.09	—	—	.11	—
5	.10	—	.08	—	—	—	.02	—	—	—	—	—
6	—	—	.03	.01	—	.08	.06	.45	—	.27	.10	—
7	.13	—	.04	—	.31	—	—	—	—	.26	—	—
8	—	—	—	—	.23	.09	—	—	1.52	.02	.03	—
9	.02	.03	.10	—	.13	.09	.03	—	.04	.57	—	—
10	—	—	.01	—	—	.53	—	.74	.01	.10	—	—
11	.01	—	.03	—	.35	.93	—	.10	—	—	—	—
12	.09	.66	.01	.32	.25	.02	—	—	—	.20	—	—
13	.09	.04	—	.06	.19	—	—	—	1.25	—	—	—
14	.01	.02	—	.01	.10	—	—	.03	.01	—	—	—
15	—	.10	—	—	.12	.02	—	—	—	.03	—	—
16	—	.07	—	.06	.03	—	—	.25	.53	—	—	—
17	.02	.10	.02	.11	.20	—	—	.04	.01	—	—	—
18	—	—	—	—	.15	—	—	—	.21	—	—	—
19	.16	.04	—	.02	.06	—	—	—	—	—	.16	—
20	.01	.01	—	.06	.05	.20	—	.04	.31	.95	—	—
21	.05	—	.03	—	.01	.02	—	—	—	—	.02	—
22	.12	—	.06	—	—	.01	—	.30	.04	.03	—	—
23	.02	.02	.15	.04	.25	—	.06	.45	.35	.04	—	—
24	.38	.07	.15	—	.07	—	.25	.01	.08	.02	—	—
25	.05	.02	.05	—	.10	—	.10	—	.01	.30	—	—
26	.14	.15	.14	—	.01	—	—	—	.04	—	—	—
27	.47	.66	—	—	.16	.10	—	.30	.03	.11	—	—
28	—	.33	.12	—	—	—	—	.09	.01	.10	—	—
29	—	—	—	—	—	—	—	.20	.55	.25	—	—
30	—	—	.01	.15	—	.01	—	.07	.43	.35	—	—
31	—	—	.05	—	—	—	—	.01	—	.11	—	—
Totals	2.75	2.40	1.72	1.12	2.91	3.04	.52	4.67	4.41	4.07	3.35	3.21
Total from Jan. 1.												
	34.17											

ANGLESEY

BODEWRYD VICARAGE
— RHOSYBOL
1880.

only 0.6.

ALL IN 1880

Anglesey by Rev. D. Morgan

RAIN GAUGE.

Diameter... 5 inches

Height of Receiver above Ground

,, " " Sea Level

and every detail connected therewith, are given in a little
"Record of the Rainfall of the British Isles," which is supplied

gratis on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Accurate observers of rainfall will oblige by sending a copy of their record to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from about 2,000 stations.

Additional Copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 55, Charing Cross, and from all the leading opticians.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			- 50.13					.70	.28	.10		.24	1
2			.19 - 94.02				.09		.05				2
3			.03 - 02.19			.08		.08				.23	3
4			.21 .06					.56		.80			4
5			.19			.23	.10		.20	2.12			5
6			.08 - 13.08			.46	.24	.28		.11	.10	.45	6
7			.56 .04			.13	.12	.12			.35		7
8			.04			.10						.07	8
9			.13						.03		.02		9
10			- 00						.37		.19		10
11			.12						.01		.10		11
12			- 32				.13			.03	.73	.10	12
13						.20				.15	.76	.40	13
14								.84		.63	.13		14
15	.36	.10		.12		.10	.16		.12		.96	.60	15
16	.34	.22									.60		16
17	.15	.21						.87		.12		.44	17
18	.02	.10		.65				.41		.01	.10		18
19		.05		.03		.27				.03	.42		19
20		.04		.21		.68					.7	.05	20
21				.24						.21		.12	21
22		.04								.16		.97	22
23				.07	.18						.47	.20	23
24				.04				.40			.54	.70	24
25		.09						.17					25
26		.08			.45			.25			.49		26
27							.67	.37		3.80		.54	27
28							.31	.06		.14	1.1	.14	28
29		.07						.15			.63		29
30			- 13		.63	.23						.36	30
31			- 40		.40					.4		.8	31
Totals	.87	2.55	2.49	1.88	1.66	3.46	4.36	2.74	2.40	6.85	7.03	5.40	

Total from Jan. 1

K/3,000/12/79,

43.53

8.69

only 06.

ALL IN 1880

Kept at Bodwryd Village in the County of Anglesey by Rev. D. Morgan

Latitude

Time Observation 9 A.M.

Diameter 5 inches

Longitude

Height of Receiver above Ground

" " " Sea Level

NOTE.—Full instructions respecting the measurement of rain, and every detail connected therewith, are given in a little pamphlet, entitled, "Arrangements for the Systematic Observation and Record of the Rainfall of the British Isles," which is supplied gratis on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-50.13					.70	.28	.10		.24	1
2	.19		-94.02				.09		.05				2
3	.03		-02.19			.08		.08				.23	3
4	.21		.06					.56		.80			4
5	.19					.23	.10		.20	.2.12			5
6	.08	-13	.08			.46	.24	.28		.11	.10	.45	6
7	.56		.04			.13	.12	.12			.35		7
8	.04					.10						.07	8
9	.13								.03		.02		9
10		-06							.37		.19		10
11	.12								.01		.10		11
12		-52					.13		.03		.73	.10	12
13						.20			.15		.76	.40	13
14							.84		.63		.13		14
15	.36	.10		.12		.10	.16		.12		.96	.60	15
16	.34	.22									.60		16
17	.15	.21					.87		.12		.44		17
18	.02	.10		.65				.41		.01	.10		18
19	.05			.03		.27			.03	.42			19
20	.04			.21		.68				.7		.05	20
21				.24					.21			.12	21
22	.04								.16			.91	22
23				.07	.18						.47	.20	23
24				.04			.40				.54	.70	24
25	.09						.17						25
26	.08				.45		.25			.99			26
27						.67	.37		3.80		.54		27
28						.31	.06			.14	1.1	.14	28
29	.07						.15				.63		29
30		-13		.63	.23						.36		30
31		-40		.40					.4		.8		31
Totals	.87	2.55	2.49	1.88	1.66	3.46	4.36	2.74	2.40	6.85	7.03	5.40	

Accurate observers of rainfall will oblige by sending a copy of their record to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from about 2,000 stations.

Additional Copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 55, Charing Cross, and from all the leading opticians.

Total from Jan. 1

K/3,000/12/79,

43.53

8.69

ANGLESEY.
LLANGADWALADR
BODORGAN.

~~1876~~ - 78 + 80.

			26	27	28	29	30	31	Inches
					.02	.08	.13	.02 1.85	1.87
				.13	.02	.08	.17	19	3.14
					.06	.02	.26	.02	2.26
	.17	.16	.08		.21	.06		.15	3.
			.02	.11		.02		3	.15
			.80			.10		.13	1.96
					.13	.21	.04	.12	2.82
	21	.19	.16	.01		.20	.08	.34	.07
						.35	.05	.33	.18
						.08	.06	.07	.07
							.64	21	2.78
								.08	19
									4.29
								.21	4.72
	36		.05	.08	.05	.07	.03	.35	.34
								.02	.35
								.42	.43
								.37	.37
								.23	5.11
									196 35.63
									<u>35.60</u>

to previous day
or or rain slab follow
ultrically -

i -
about 4 feet above ground and though rather
in any overhanging trees.

Jos. Ellam
Jard & Son Ltd. Newquay - Bt -
Bodorgan - 15 Janv 1877

													Inches						
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
.04	.02	.27	.58	.22	.03					.02	.08	.13	1.87	1.85	✓				
.64	.10	.27	.21		.02	.14	.18	.13	.02	.08	.17	.19	3.14						
.03	.07			.04		.04	.07			.06	.02	.26	.02	2.26					
.17	.16	.08				.11	.22	.03		.21	.06		.15	3.					
													3	.15					
													.10	1.96					
													.12	.15	10	2.82			
21	.19	.16		.01						.20	.08	.34	.07	.33	.25	17	3.54		
.07						.35	.05	.33	.18	.08	.06	.07	.64	21	2.78				
.72	.35	.08											.08	19	4.27				
.23	.09	.02					.04	.02	.62	.82	.12	.44	.01	.20	21	4.72	✓		
36			.05	.08	.05	.07	.03			.35	.34	.02	.35	.42	.37	23	5.11		
														196	35.62				
															35.60	✓			

of previous day
or rain slush snow
velocity -

about 4 feet above ground and though rather
in many overhanging trees.

Job. Ellam
Jard & Lii fo. Mysore-Bt.
Badorgan - 15. Jan'y 1877

Jan 2

Daily rainfall at Bodorgan

Month	Days	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
January		.08	.01		03							.08	.27			.12
February	25.		.05									.09	.04		10	.41
March		.01	.24	.07	.05	.45	.02	.04	.52	.02			.19		.12	.02
April				.12	.02					.04	.69	.33	.04	.72		
May																
June				30	.25	.01				.10	.06		.01	.01		.64
July				.15	.02	.26		.47	.08							.07
August				.02	1.30	.03		.01	.30	.01		.07				
September				.02		.25	.16	.02		.05	.10	.10	.01	.12	.11	.07
October				.12	.57	.01	.10		.16	.08	.65	.10	.29	.36	.11	.01
November				.02	.39	.03	.01						.10	.24	.40	.15
December				.31	.47	.38	.11	.09				.01	.04	.39	.17	.39
																.26

Daily measurements taken at 8 a.m. and entered
 Items singly underlined with red ink are rain & sun
 " double — — — snow etc

Rain gauge. Negretti & Zambra's 8 inch dia.
 It is plunged in sand in a large vase standing
 sheltered from high wind or 50 ft. 40 yards from

Signed —

REGISTER OF RAINFALL IN 1873

Kept at Bodorgan in the County of Anglesey by J. Ellard

Latitude

RAIN GAUGE.
Diameter 8 in.....

Time of Observation 9 a.m.

Height of Receiver above Ground 4 feet.....

Longitude

" " " Sea Level

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow, and enter that as the yield of water—e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	S. 10	.56		.10			.77			.13	.04		1
2		.29	.26				.22	.12		.15			2
3			.02				.09	.13	.20	.26			3
4		.04	.01	.05			.05	.73	.18			.03	4
5		.15	.06	.21	.10	.15	.05	.81	.03			.11	5
6		.26		.22	S. 04	.14	.38						6
7		.23		.19		.49	.11		.21	.02			7
8		.42			.20	.71	.20		.83				8
9		.04		.06		.01	.07		.03		.37	.09	9
10		.01	.14		.24			.03				.07	10
11	S. 01			.01	.02	.02	.36	.03		.82		.06	11
12	.56			S. 21			.02	.22		.07			12
13	.19	.13	.18	S. 05	.54		.16	.05				.01	13
14	.12	.03	.10		.04	.07							14
15	.03	.62	.18										15
16		.08	.29		.08	.39	.11	1.07		.03			16
17	.30	.14	.08		.38	.12		1.79				.02	17
18	.03	.18	.07		.07		.05			.41	.03		18
19	S. 65			.15		.05	.53			.17			19
20				.21	.10	.23	.25		.04				20
21		.03	.04			.11	.04	.18	.14	.27	.46	.11	21
22		.04		.07	.20				.20	.04	.46		22
23	S. 03			.03	.16	.40	.12		.23	.02	.13		23
24	S. 03				.73	.02			.11	.32		.17	24
25				.25	.22	.04	.14	.40	.03	.07	S. 07		25
26		.24			.10	.22	.05	.31	.04		.06		26
27		.26				.23	.04	.84	.16			.60	27
28		.02	.10		.02			.13	.55			.05	28
29			.10		.08		.08	.10		S. 02	.12		29
30						.35	.48	.08	.20			.30	30
31					.13		.89				.14		31

Totals 1.34 4.45 1.63 1.86 2.79 4.05 5.13 6.71 4.19 1.63 1.66 1.74

Total from Jan. 1 1.34 6.79 7.42 9.28 12.07 16.12 21.25 27.96 32.15 38.78 35.44 37.18.

Accurate observers of rainfall will oblige by sending a copy of their record to Mr. G. J. Symons, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from about 2,000 stations.

Additional Copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 55, Charing Cross, and from all the leading opticians.

e.0 S.S.W.

REGISTER OF RAINFALL IN 1878

Kept at Bodorgan in the County of Anglesey by Joseph Collam
 Latitude Height of Receiver of Rain Gauge. Above Ground
 Longitude. Time of Observation 9 a.m. Above Sea Level

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.17			.10			.03	.08	.20	.10	1
2	.02				.09	.19				.09	.14		2
3	.50			.19		.38					.10		3
4			.17	.16		.05		.14		.09	.01		4
5	.26		.05	.01				.05			.13	.15	5
6	.09		.07		.32					.17	.04	.14	6
7	.16		.03		.18					.22	.23		7
8					.24	.06				.03	.11	.04	8
9		.05	.15			.02	.02	.33	.05	.07	.23	.03	9
10		.02			.22	.32		.01		.03	.09		10
11			.03	.03	.34	.78		.17	.26	.03	.34	.04	11
12	.17	.25		.14	.14	.03					.04	.60	12
13	.07	.06		.03		.02		.68			.01		13
14	.02			.05					.07		.14		14
15		.04		.11	.14			.42	.34		.16	.12	15
16		.03	.03		.11	.17		.03			.01	.05	16
17		.05	.09	.02	.01	.18		.01	.23			.05	17
18					.02	.05				.03		.15	18
19	.11	.03		.15	.11				.25	.13		.04	19
20	.05			.03		.32			.01	.11		.15	20
21	.04		.07	.02		.01			.03	.69	.04	.14	21
22	.12		.11		.13			.41	.26	.05		.10	22
23			.11	.02	.02		.04	.50	.22	.37		.11	23
24	.07	.08	.07		.05		.65		.27	.08	.03		24
25	.31				.01		.13		.05	.11		.24	25
26	.24	.11	.12		.29				.11	.11	.07		26
27	.41	.23			.08			.24	.02	.13	.13	.06	27
28	.01	.45	.04			.30		.07	.08	.06		.64	28
29				.07		.01		.13	.82	.42	.17	.42	29
30				.15				.13	.26	.57	.09	.05	30
31			.05					.15		.02			31
Totals	2.73	1.44	1.26	1.30	2.76	2.59	-84	4.47	3.39	4.66	3.57	3.42	
Total from Jan. 1.	2.73	4.17	5.43	6.73	9.49	12.08	12.92	17.39	20.78	25.42	28.95	32.37	
K/3000/12/76.													

Entries in Red ink are Doubtful

S. a. ~~W~~ Corr by Obo.

REGISTER OF RAINFALL IN 1878

Kept at Bodorgan in the County of Anglesey by Jas. Ellam

Latitude
.....

Time of Observation..... *8 A.M.* Height of Receiver
of Rain Gage {

Height of Receiver of Rain Gauge.

Above Ground...

4 feet

Longitude..

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—*e.g.*, 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

REGISTER OF RAINFALL IN 1880

Kept at Bodorgan in the County of Anglesey by Collam
Latitude Diameter 8 in.
Longitude Height of Receiver above Ground 4 feet-
Time of Observation 9 A.M. RAIN GAUGE.
" " " Sea Level

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow, and enter that as the yield of water—*e.g.*, 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Accurate observers of rainfall will oblige by sending a copy of their record to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of *British Rainfall*, which now contain returns from about 2,000 stations.

ANGLESEY

MENAI FIRON

1871, 79-80

Key

Latit.

Long.

INFALL IN 1871.

Ref for bore 25-3-72 GB
" Govt April 14th 1871

Anglesey) by W. Wynn Williams.

~~50~~
231.68 Height of Receiver of Rain Gauge { Above Ground 4 ft 9 in.
{ Above Sea Level 20 ft

nd 1 ft. above the ground, quite clear of trees and walls, empty it daily at in a closed vessel and the amount entered as rain, an "S" being prefixed.

With a low temperature and high wind it is sometimes blown out of the funnel; take then one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 2 inches snow = 17 of rain. When there is no rain a line should be drawn, rather than cyphers inserted.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.
1	.28	—	—	.02	.09	—	.03	—	.02	.29	—	.02
2	.11	—	—	.06	.08	—	.08	.01	—	.06	—	.10
3	.11	.03	—	—	.21	—	.01	.04	.23	.05	—	.01
4	.13	.07	.01	—	—	—	* .22	.01	.07	.07	—	—
5	.01	.30	.20	—	.07	—	.99	.01	—	.10	—	.29
6	.32	.03	.25	—	—	—	.07	—	.12	2.06	—	—
7	.04	.19	.23	—	—	—	.51	—	—	.01	.14	—
8	.26	.03	.04	—	—	—	.03	—	.11	.07	.02	—
9	.05	.28	.22	—	—	—	—	—	.49	—	.07	—
10	.16	.10	.20	—	—	—	.04	—	—	—	.04	.15
11	—	.39	.05	.05	—	.28	—	—	—	—	—	—
12	.10	.16	.20	.06	—	—	.03	—	—	—	—	.39
13	.07	—	.02	—	—	—	.27	—	—	—	.01	.03
14	.30	.02	.09	.64	—	—	.01	—	—	.53	.63	—
15	.49	—	.30	.25	—	.37	.01	—	—	.17	.09	—
16	.26	.02	—	.02	—	—	.32	—	—	.29	.06	—
17	.17	.03	.01	.03	—	.04	.21	.47	—	.02	—	.47
18	—	.08	—	.16	—	.05	.01	—	—	.41	—	.15
19	.28	.30	—	.03	.08	—	.21	.09	—	.19	.02	.22
20	.01	.05	—	.06	—	.02	.15	.29	.25	.01	.02	.32
21	.02	—	—	.32	—	.03	.29	—	—	.20	.22	.08
22	.01	—	—	.05	—	.50	.05	.03	—	—	.01	.08
23	—	—	—	—	—	—	.03	.09	—	.23	.02	.06
24	—	—	—	.04	.29	—	.29	.41	.34	.06	—	.40
25	—	—	.02	.05	.04	—	.27	.01	.01	—	—	—
26	—	.43	.06	.12	.01	.07	—	—	.05	.03	—	.21
27	—	.35	—	.13	—	.09	.02	—	.20	.36	—	.15
28	—	.01	—	.03	—	.01	.21	—	.01	.51	.01	.42
29	—	—	—	—	—	.02	.14	—	.54	.37	—	.08
30	—	—	—	—	—	.02	.09	—	.21	—	—	.25
31	—	—	—	—	—	—	.03	—	—	—	—	—
31	3.18	2.87	1.98	2.12	.87	1.50	3.69	1.49	2.65	6.09	1.36	3.88

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

Additional copies of this form (price 3d. each) can be obtained of the above, from MR. STANFORD, 6 & 7, Charing Cross, and from all the leading Opticians.

Rec'd for Gorr 25-3-72
Gorr April 14th 1871

REGISTER OF RAINFALL IN 1871.

Kept at Station No 23. (Menaifron, Anglesey) by W. Wynn Williams.

Latitude $53^{\circ} 9' N.$

Longitude $4^{\circ} 19' W.$

Time of Observation ~~31-50~~ 9 a.m. 31.68 Height of Receiver of Rain Gauge { Above Ground $4\text{ft } 9\text{ in.}$
Above Sea Level 20 ft

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind it is sometimes blown out of the funnel; take then one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 2 inches snow = 17 of rain. When there is no rain a line should be drawn, rather than cyphers inserted.

Date.	Jan. in.	Feb. in.	March. in.	April. in.	May. in.	June. in.	July. in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.
1	.28	—	—	.02	.09	—	.03	—	.02	.29	—	.02
2	.11	—	—	.06	.08	—	.08	.01	—	.06	—	.10
3	.11	.03	—	—	.21	—	.01	.04	.23	.05	—	.01
4	.13	.07	.01	—	—	—	.22	.01	.07	.07	—	—
5	.01	.30	.20	—	.07	—	.09	.01	—	.10	—	.29
6	.32	.03	.25	—	—	—	.07	—	.12	.06	—	—
7	.04	.19	.23	—	—	—	.51	—	—	.01	.14	—
8	.26	.03	.04	—	—	—	.03	—	.11	.07	.02	—
9	.05	.28	.22	—	—	—	—	—	.49	—	.07	—
10	.16	.10	.20	—	—	—	.04	—	—	—	.04	.15
11	—	.39	.05	.05	—	.28	—	—	—	—	—	—
12	.10	.16	.20	.06	—	—	.03	—	—	—	—	—
13	.07	—	.02	—	—	—	.27	—	—	—	.01	.39
14	.30	.02	.09	.64	—	—	.01	—	—	.53	.63	—
15	.49	—	.38	.25	—	.37	.01	—	—	.17	.09	—
16	.26	.02	—	.02	—	—	.32	—	—	.29	.06	—
17	.17	.03	.01	.03	—	.04	.21	.47	—	.02	—	.47
18	—	.08	—	.16	—	.05	.01	—	—	.41	—	.15
19	.28	.30	—	.03	.08	—	.21	.09	—	.19	.02	.22
20	.01	.05	—	.06	—	.02	.15	.29	.25	.01	.02	.32
21	.02	—	—	.32	—	.03	.29	—	—	.20	.22	.08
22	.01	—	—	.05	—	.50	.05	.03	—	—	.01	.08
23	—	—	—	—	—	—	.03	.09	—	.23	.02	.06
24	—	—	—	.04	.29	—	.29	.41	.34	.06	—	.40
25	—	—	—	.02	.05	.04	—	.27	.01	.01	—	—
26	—	—	—	.43	.06	.12	.01	.07	—	.05	.03	.21
27	—	—	—	.35	—	.13	—	.09	.02	—	.20	.36
28	—	—	—	.01	—	.03	—	.01	.21	—	.01	.15
29	—	—	—	####	—	—	.02	.14	—	.54	.37	—
30	—	—	—	—	—	—	.02	.09	—	.21	—	.25
31	—	—	—	—	—	—	—	—	—	—	—	—
Totals	3.18	2.87	1.98	2.12	.87	1.50	3.69	.03	1.49	2.65	6.09	1.36
Total from Jan 1	31.68	3										3.88

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. SYMONS, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

Additional copies of this form (price 3d. each) can be obtained of the above, from MR. STANFORD, 6 & 7, Charing Cross, and from all the leading Opticians.