



Experiment 6: Payment using Php

Aim: To make an attractive and functional payment page using Php.

Implementation:

Output:



Code:

```
<?php
```

```
session_start();
```

```
include_once('connection.php');
```

```

        // Escape user inputs for security

        $id=mysqli_real_escape_string($link, $_SESSION['id']);

        $username = mysqli_real_escape_string($link, $_SESSION['username']);

        $card_type = mysqli_real_escape_string($link,$_POST['type']);

        $m = mysqli_real_escape_string($link,$_POST['month']);

        $y = mysqli_real_escape_string($link,$_POST['year']);

        $card_no = mysqli_real_escape_string($link,$_POST['num']);

        $card_name = mysqli_real_escape_string($link,$_POST['name']);

        $cno = mysqli_real_escape_string($link,$_POST['cvv']);

        $password = mysqli_real_escape_string($link,$_POST['password']);

        $category= mysqli_real_escape_string($link,$_POST['category']);


        $c_no=password_hash($cno,PASSWORD_DEFAULT);

        $pass=password_hash($password,PASSWORD_DEFAULT);


        // attempt insert query execution

        $sql = "INSERT INTO payment
        (u_id,category,username,card_type,months,years,card_no,card_name,cvv,pass) VALUES
        ('$id','$category','$username','$card_type','$m','$y','$card_no','$card_name','$c_no','$pass)";


        if(mysqli_query($link, $sql)){

            header("location: usersession.php");

        } else{

            echo "ERROR: Could not able to execute $sql. " . mysqli_error($link);

```

```
}
```

```
// close connection
```

```
mysqli_close($link);
```

```
?>
```

Result:The experiment was successfully completed.