

FEDERAL UNIVERSITY OF RIO GRANDE DO SUL  
INFORMATICS INSTITUTE  
BACHELOR OF COMPUTER SCIENCE

RAFAEL MAURICIO PESTANO

## **Towards a Software Metric for OSGi**

Graduation Thesis

Advisor: Prof. Dr. Cláudio Fernando Resin  
Geyer

Coadvisor: Prof. Dr. Didier DONSEZ

Porto Alegre  
November 2014

FEDERAL UNIVERSITY OF RIO GRANDE DO SUL

Reitor: Prof. Carlos Alexandre Netto

Vice-Reitor: Prof. Rui Vicente Oppermann

Pró-Reitor de Graduação: Prof. Sérgio Roberto Kieling Franco

Diretor do Instituto de Informática: Prof. Luis da Cunha Lamb

Coordenador do Curso de CIC: Prof. Raul Fernando Weber

Bibliotecária-chefe do Instituto de Informática: Beatriz Regina Bastos Haro

*“If I have seen farther than others,  
it is because I stood on the shoulders of giants.”*

— SIR ISAAC NEWTON

## **ACKNOWLEDGMENTS**

Acknowledgments

## CONTENTS

<b>ABSTRACT</b>	6
<b>RESUMO</b>	7
<b>LIST OF FIGURES</b>	8
<b>LIST OF TABLES</b>	9
<b>LIST OF ABBREVIATIONS AND ACRONYMS</b>	10
<b>1 INTRODUCTION</b>	11
1.1 Context	11
1.2 Objectives	11
1.3 Organization	12
<b>2 STATE OF ART</b>	13
2.1 Software Quality	13
2.1.1 Quality Measurement	13
2.1.2 Software Metric	15
2.1.3 Program Analysis	16
2.1.4 Quality Analysis Tools	16
2.2 Java and OSGi	16
<b>3 INTRABUNDLE - AN OSGI BUNDLE INTROSPECTION TOOL</b>	17
3.1 Implementation Overview	17
3.2 Collecting Bundle Data	17
3.3 Metrics Calculation	17
<b>4 BUNDLE INTROSPECTION RESULTS</b>	18
<b>5 CONCLUSION</b>	19
<b>REFERENCES</b>	20

## ABSTRACT

Today's software applications are becoming more complex, bigger, dynamic and harder to maintain. One way to overcome modern systems complexities is to build modular applications so we can divide it into small blocks which collaborate to solve bigger problems, the so called *divide to conquer*. Another important aspect in the software industry that helps building large applications is the concept of software quality because it's well known that higher quality softwares are easier to maintain and evolve at long term.

The Open Services Gateway Initiative(OSGi) is the *de facto* standard for building Java modular applications but there is no automated way to measure the quality of OSGi systems. In the context of Java applications there are many well known quality metrics and tools to measure application's quality but when we move to Java modular applications where standard quality metrics does not fit or even exist, for example module dependency metrics, we run out of options.

In this work will be presented a tool called *Intrabundle* that analyses OSGi projects and measure their quality. It also proposed 6 metrics based on good practices inside OSGi world which are applied to 10 real OSGi projects that vary in size, teams and domain.

**Keywords:** OSGi. java. quality. metrics. modularity. intrabundle.

## RESUMO

As aplicações de software hoje em dia estão cada vez mais complexas, maiores, dinâmicas e mais difíceis de manter. Uma maneira de superar as complexidades dos sistemas modernos é através de aplicações modulares as quais são divididas em partes menores que colaboram entre si para resolver problemas maiores, o famoso *dividir para conquistar*. Outro aspecto importante na indústria de software que ajuda à construir aplicações grandes é o conceito de qualidade de software já que é sabido que quanto maior a qualidade do software mais fácil de mantê-lo e evolui-lo a longo prazo será.

The Open Services Gateway Initiative(OSGi) é o *padrão de fato* para se criar aplicações modulares em java porém não existe forma automatizada de se medir a qualidade de sistemas OSGi. No âmbito de aplicações java existem diversas métricas de qualidade e ferramentas para medir a qualidade de software mas quando entramos no contexto de aplicações modulares, onde as métricas conhecidas não se encaixam ou não existem, por exemplo dependência entre módulos, ficamos sem opções.

Neste trabalho será apresentada uma ferramenta chamada *Intrabundle* que analisa projetos OSGi a mede sua qualidade. Ainda serão propostas métricas de qualidade baseadas em boas práticas conhecidas do mundo OSGi que serão aplicadas em 10 projetos reais que variam em tamanho, equipes e domínio.

**Palavras-chave:** OSGi. java. quality. metrics. modularity. intrabundle.

## LIST OF FIGURES

2.1	Internal and external quality audience . . . . .	14
-----	--	----



**LIST OF TABLES**

2.1	Quality characteristics to be considered . . . . .	15
2.2	Common Software metrics . . . . .	16

## **LIST OF ABBREVIATIONS AND ACRONYMS**

ISO International Organization for Standardization

IEC International Electrotechnical Commission

SIMD Single Instruction Multiple Data

SPMD Single Program Multiple Data

ABNT Associação Brasileira de Normas Técnicas

CISQ Consortium for IT Software Quality

## 1 INTRODUCTION

This chapter will drive the reader through the context and motivation of this work followed by the objectives and later the organization of this text is presented.

### 1.1 Context

One of the pillars of sustainable software development is its quality which can basically be defined as functional or non-functional where the first focuses on how the software meets its specification and how it works accordingly to its requirements and the second is aimed on how well the software is structured, we can generalize the first as being *external quality* and second as *internal quality*. To measure external quality there is the need to execute the software, also known as *dynamic analysis*, either by an end user accessing the system or an automated process like for example functional testing or performance testing. There is no known way to assure functional quality without executing the software. Internal quality however can be verified by either *static analysis* that is mainly the inspection of the source code itself or by dynamic analysis which means executing the software like for example automated *whitebox testing* which is the detailed investigation of internal logic and structure of the code (KHAN and KHAN, 2012).

With good software quality in mind we take applications to another level where maintainability is increased, correctness is enhanced, defects are identified in early development stages which leads up to 100 times reduced costs (BEOHM and BASILI, 2001) and also other system characteristics like reusability, reliability and portability are benefited by higher software quality.

A well known and successful way to structure software architecture is to modularize its components. In the Java ecosystem although there is a moving to modularize the JDK and Java applications with the project Jigsaw (KRILL, P.) and also the recent *microservices* movement (KNORR, E.) for now the only practical working and well known solution for modular Java applications is OSGi, a very popular component-based and service-oriented framework for building Java modular applications which is the *de facto* standard solution for this kind of software since early 2000's and have being used as basis of most JavaEE application servers, the open source IDE Eclipse, Atlassian Jira and Confluence to cite a few big players using OSGi.

In the context of Java modular applications using OSGi and software quality there is no way to measure software internal quality which is the main objective of this work.

### 1.2 Objectives

This work is focused on *internal* OSGi projects quality mainly due to the following facts:

1. There is no known standard way neither tools to measure OSGi projects internal quality

(Hamza, Sadou and Fleurquin).

2. We already have tools and approaches to measure standard projects internal and external quality.
3. For OSGi applications measuring *external quality* the classical approaches like automated testing are sufficient and widely used.

For measuring OSGi qualities first will be created the metrics based on good practices in the development of OSGi systems so in a second moment those metrics will be applied on top of real OSGi projects using a tool called *Intrabundle* which was created during this work and also will be presented here. In the end the resulting output of Intrabundle and introspected projects qualities will be analyzed to conclude if created metrics have value for measuring Java modular applications or not.

### 1.3 Organization

This text is organized in the following way. First chapter defines the context, motivation and objectives of this work. The second chapter will introduce the main concepts and technologies used in this work and will be divided into two main sections where the first will be focused in the area of software quality like quality measurement, quality metrics, program analysis and quality analysis tools and the second section of chapter two will present Java and OSGi, how standard Java and OSGi are different in respect to quality metrics and why we need different metrics for OSGi. The fourth chapter presents Intrabundle, an OSGi code introspection tool to measure internal quality, we will see how Intrabundle works, what kind of information it extracts and what metrics it is applying. The fifth chapter will analyze the results Intrabundle produces and validate them to decide if this work has a valid contribution or not. The last chapter will present the conclusions and future work on this subject.

## 2 STATE OF ART

This chapter presents an overview of the concepts and technologies that were studied and used on the development of this work. In section 2.1 - *Software Quality*, will be presented general aspects of software quality such as *quality measurement*, *software metrics*, *program analysis* and some tools that are used in this area.

Section 2.2 - *Java and OSGi* will introduce OSGi a framework for build service oriented Java modular applications as well the motivation behind this solution and why standard quality metrics aren't sufficient for this kind of application.

### 2.1 Software Quality


There has been many definitions of software quality(TODO REF - Metrics and Models in Software Quality Engineering) and there is even an ISO norm for it, the ISO/IEC 25010(TODO REF). All this definitions agree that the main motivation to perform continuous software quality management is to avoid **software failures** and increase **maintainability** in the sense that the more quality a program has the easier will be to maintain and the less bugs or abnormal behavior it will have and the more it will conform with its functional and non functional requirements that can be simply defined as *what* the software does and *how* the software will do respectively.

Another important aspect of software quality is that it can be divided in two groups, the **external** and **internal** quality. When we talk about *external quality* we are aiming to the user view which is the one that sees the software working and use it, this kind of quality is usually enforced through software testing. External quality can also be mapped to functional requirements so the greater external quality is the more usable and less defects it will have for example. The opposite is internal or structural quality that aims to how the software is architect-ed internally which is the perspective of the programmer and non functional requirements so the higher internal quality the better the code is structured, efficient, robust and maintainable it should be. Image 2.1 illustrates internal and external quality and its target audience.

#### 2.1.1 Quality Measurement

Quality measurement focuses on quantifying software desirable characteristics and each characteristic can have a set of measurable attributes, for example *high cohesion* is a desirable characteristic and *LOC - lines of code* is a measurable attribute related to cohesion. Quality measurement is close related to internal quality and in most cases is performed via static code analysis where program code is inspected to search for quality attributes to be measured but in some cases a dynamic analysis, where the program analysis is done during software execution, can be performed to measure characteristics that can be perceived only when software is running, for example performance or usability.

Figure 2.1: Internal and external quality audience



In the extent of this work the characteristics of software to be considered and measured later are listed and described in table 2.1:

Table 2.1: Quality characteristics to be considered

Characteristic	Description	OSGi example
Reliability	the degree to which a system or component performs its required functions under stated conditions for a specified period of time.	Stale service references.
Performance Efficiency	Performance relative to the amount of resources used under stated conditions for a specified period of time.	Bundle startup time, also bundle dependency can decrease performance.
Security	the degree of protection of information and data so that unauthorized persons or systems cannot read, access or modify them.	Bundle declares permission
Maintainability	The degree to which the product can be modified.	Modules should be loosely coupled, bundles should publish only interfaces etc.

Source: CISQ (2013)

## 2.1.2 Software Metric

A software metric is the measurement of a software attribute which in turn is a quantitative calculation of a characteristic.

### 2.1.2.1 Common Software Metrics

The table 2.2 below shows some well known software metrics and its description:

Table 2.2: Common Software metrics

Metric	Description
Cyclomatic complexity	It is a quantitative measure of the complexity of programming instructions.
Cohesion	measure the dependency between units of code like for example classes in object oriented programming or modules in modular programming like OSGi.
Coupling	measures how well two software components are data related or how dependent they are.
Lines of code (LOC)	used to measure the size of a computer program by counting the number of lines in the text of the program's source code.
Code coverage	measures the code lines that are executed for a given set of software tests
Function point analysis (FPA)	used to measure the size (functions) of software.

Source: SQA (2012)

### 2.1.3 Program Analysis

Program analysis is the process of automatically analyzing the behavior of computer programs. Two main approaches in program analysis are **static program analysis** and **dynamic program analysis**. Main applications of program analysis are program correctness, program optimization and *quality measurement*.

#### 2.1.3.1 Static Program Analysis

Is the analysis of computer software that is performed without actually executing programs (Wichmann, Canning).

#### 2.1.3.2 Dynamic Program Analysis

### 2.1.4 Quality Analysis Tools

This section will list most used code quality analysis tools.

## 2.2 Java and OSGi

I the context of Java modular applications...



### **3 INTRABUNDLE - AN OSGI BUNDLE INTROSPECTION TOOL**

#### **3.1 Implementation Overview**

#### **3.2 Collecting Bundle Data**

#### **3.3 Metrics Calculation**

#### **4 BUNDLE INTROSPECTION RESULTS**

This chapter will make a deep analysis of results and prove that my contribution is valid(or not)

## 5 CONCLUSION

## REFERENCES

- BEOHM, B.; BASILI, V. R. Software Defect Reduction Top 10 List. **Computer**, Los Angeles, v. 34, no. 1, pp 135-137, January 2001.
- KHAN, M. E.; KHAN, F. A Comparative Study of White Box, Black Box and Grey Box Testing Techniques. **International Journal of Advanced Computer Science and Applications**, New York, v. 3, no. 6, pp 12-15, June 2012.
- KNORR, E. What microservices architecture really means. **InfoWorld**, Available at:<<http://www.infoworld.com/article/2682502/application-development/application-development-what-microservices-architecture-really-means.html>>. Accessed in: November 2014.
- KRILL, P. Project Jigsaw delayed until Java 9. **InfoWorld**, Available at:<<http://www.infoworld.com/article/2617584/java/project-jigsaw-delayed-until-java-9.html>>. Accessed in: November 2014.
- HAMZA, S.; SADOU, S.; FLEURQUIN, R. Measuring Qualities for OSGi Component-Based Applications. **International Conference on Quality Software**, Najing, pp 25-34, July 2013.
- CISQ. Specification for Automated Quality Characteristic Measures. **CISQ quality standard version 2.1**. [S.l.:s.n] Available at:<<http://it-cisq.org/wp-content/uploads/2012/09/CISQ-Specification-for-Automated-Quality-Characteristic-Measures.pdf>>. Accessed in: November 2014
- SQA. Software Quality Metrics. [S.l.:s.n]. Available at:<<http://www.sqa.net/softwarequalitymetrics.html>>. Accessed in: November 2014
- Wichmann, B. A.; Canning, A. A.; Clutterbuck, D. L.; Winsbarrow, L. A.; Ward, N. J.; Marsh, D. W. R. Industrial Perspective on Static Analysis. **Software Engineering Journal**, [S.l.], v. 10, pp 69–75, Mar 1995.