

Massey Ratings ¶

https://penaltyblog.readthedocs.io/en/latest/ratings/massey_ratings.html
(https://penaltyblog.readthedocs.io/en/latest/ratings/massey_ratings.html)

```
In [1]: %matplotlib inline
%config InlineBackend.figure_format = 'retina'
```

```
In [2]: import os
import warnings
warnings.filterwarnings('ignore')

import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import penaltyblog as pb
```

```
In [3]: DATA_DIR = os.path.join(os.getcwd(), 'data/')
CHART_DIR = os.path.join(os.getcwd(), 'charts/')
```

```
In [4]: #data_file = './data/FMF_TA_2021.csv'
data_file = './data/lmf-ac-2021-22.csv'
df = pd.read_csv(data_file, index_col=0)
df.head()
```

Out [4]:

	AMÉ	ATL	ASL	CAZ	GUA	JUÁ	LEÓ	MAZ	MON	NEC	PAC	PUE	QUE	SAI
Home \ Away														
América	—	0-2	2-3	0-0	0-0	3-0	2-0	2-0	0-0	2-1	1-3	2-0	1-1	2-
Atlas	0-1	—	1-0	0-0	1-1	2-0	2-0	1-2	2-1	2-1	0-1	0-1	2-0	2-
Atlético San Luis	0-1	2-6	—	0-0	2-2	0-1	2-0	1-0	1-1	0-2	0-2	2-1	1-1	1-
Cruz Azul	2-1	1-0	0-1	—	0-1	1-0	0-1	0-2	1-1	1-2	1-1	1-3	2-0	1-
Guadalajara	0-0	0-1	1-2	1-1	—	2-2	0-3	3-0	1-3	2-1	1-0	2-3	1-1	1-

```
In [5]: df.index = df.columns
rows = []
for i in df.index:
    for c in df.columns:
        if i == c: continue
        score = df.loc[i, c]
        if score == '-': continue
        ssplit = score.split('-')
        rows.append([i, c, ssplit[0], ssplit[1]])
df = pd.DataFrame(rows, columns = ['team_home', 'team_away',
                                   'fthg', 'ftag'])
df.head()
```

Out [5]:

	team_home	team_away	fthg	ftag
0	AMÉ	ATL	0	2
1	AMÉ	ASL	2	3
2	AMÉ	CAZ	0	0
3	AMÉ	GUA	0	0
4	AMÉ	JUÁ	3	0

```
In [6]: df.home_score = df['fthg'].astype('int')
df.away_score = df['ftag'].astype('int')
```

```
In [7]: df.dtypes
```

Out [7]: team_home object
team_away object
fthg object
ftag object
dtype: object

```
In [8]: massey = pb.ratings.Massey(df["fthg"], df["ftag"],
                                     df["team_home"], df["team_away"])
massey.get_ratings()
```

Out [8]:

	team	rating	offence	defence
0	UNL	0.611111	1.080372	-0.469261
1	AMÉ	0.5	0.712316	-0.212316
2	ATL	0.472222	0.620302	-0.14808
3	PAC	0.361111	0.845997	-0.484886
4	CAZ	0.194444	0.606413	-0.411969
5	MON	0.194444	0.575163	-0.380719
6	SAN	0.194444	0.825163	-0.630719
7	PUE	0.166667	0.60815	-0.441483
8	GUA	0.111111	0.517872	-0.406761
9	LEÓ	0.027778	0.49183	-0.464052
10	UNM	-0.083333	0.655025	-0.738358
11	ASL	-0.138889	0.595997	-0.734886
12	NEC	-0.166667	0.503983	-0.67065
13	MAZ	-0.277778	0.542177	-0.819955
14	QUE	-0.305556	0.262663	-0.568219
15	TOL	-0.416667	0.707108	-1.123775
16	TIJ	-0.638889	0.314747	-0.953636
17	JUÁ	-0.805556	0.137663	-0.943219

```
In [12]:
```

```
import matplotlib.pyplot as plt
import numpy as np
import seaborn as sns
import pandas as pd

%config InlineBackend.figure_format='retina'
plt.rcParams["figure.figsize"] = [10, 7]
sns.set_style("whitegrid")

massey = pb.ratings.Massey(df["fthg"], df["ftag"], df["team_home"],
                           df["team_away"])
ratings = pd.DataFrame(massey.get_ratings())
ratings["colours"] = np.where(ratings["rating"] > 0, "#33b864",
                              "#a03623")


fig, ax = plt.subplots()
y_pos = np.arange(len(ratings))
performance = ratings["rating"]
ax.barh(y_pos, performance, align="center", color=ratings["colours"])
ax.set_yticks(y_pos)
ax.set_yticklabels(ratings["team"], fontweight="bold")
ax.invert_yaxis()
ax.set_xlabel("Massey Rating")
ax.set_title("Massey Ratings - LMF", fontweight="bold")


rects = ax.patches
for rect in rects:
    x_value = rect.get_width()
    y_value = rect.get_y() + rect.get_height() / 2
    space = 2
    ha = "left"

    if x_value < 0:
        space *= -1
        ha = "right"

    label = "{:.2f}".format(x_value)

    # Create annotation
    plt.annotate(
        label,
        (x_value, y_value),
        xytext=(space, 0),
        textcoords="offset points",
        va="center",
        ha=ha,
        fontsize=8,
        fontweight="bold",
    )
```





```
In [13]: import matplotlib.pyplot as plt
import numpy as np
import seaborn as sns
import pandas as pd

%config InlineBackend.figure_format='retina'
plt.rcParams["figure.figsize"] = [10, 7]
sns.set_style("whitegrid")

massey = pb.ratings.Massey(df["fthg"], df["ftag"],
                           df["team_home"], df["team_away"])
ratings = pd.DataFrame(massey.get_ratings())
ratings["colours"] = np.where(ratings["offence"] > 0, "#33b864",
                              "#a03623")

ratings = ratings.sort_values("offence", ascending=False)
fig, ax = plt.subplots()
y_pos = np.arange(len(ratings))
performance = ratings["offence"]
ax.barh(y_pos, performance, align="center", color=ratings["colours"])
ax.set_yticks(y_pos)
ax.set_yticklabels(ratings["team"], fontweight="bold")
ax.invert_yaxis()
ax.set_xlabel("Massey Rating")
ax.set_title("Massey Offence Ratings - LMF", fontweight="bold")


rects = ax.patches


for rect in rects:
    x_value = rect.get_width()
    y_value = rect.get_y() + rect.get_height() / 2
    space = 2
    ha = "left"

    if x_value < 0:
        space *= -1
        ha = "right"

    label = "{:.2f}".format(x_value)

    # Create annotation
    plt.annotate(
        label,
        (x_value, y_value),
        xytext=(space, 0),
        textcoords="offset points",
        va="center",
        ha=ha,
        fontsize=8,
        fontweight="bold",
    )
```





In [14]:

```
import matplotlib.pyplot as plt
import numpy as np
import seaborn as sns
import pandas as pd

%config InlineBackend.figure_format='retina'
plt.rcParams["figure.figsize"] = [10, 7]
sns.set_style("whitegrid")

massey = pb.ratings.Massey(df["fthg"], df["ftag"],
                           df["team_home"], df["team_away"])
ratings = pd.DataFrame(massey.get_ratings())
ratings["colours"] = np.where(ratings["defence"] > 0,
                              "#33b864", "#a03623")

ratings = ratings.sort_values("defence", ascending=False)
fig, ax = plt.subplots()
y_pos = np.arange(len(ratings))
performance = ratings["defence"]
ax.barh(y_pos, performance, align="center", color=ratings["colours"])
ax.set_yticks(y_pos)
ax.set_yticklabels(ratings["team"], fontweight="bold")
ax.invert_yaxis()
ax.set_xlabel("Massey Rating")
ax.set_title("Massey Defence Ratings - LMF", fontweight="bold")


rects = ax.patches


for rect in rects:
    x_value = rect.get_width()
    y_value = rect.get_y() + rect.get_height() / 2
    space = 2
    ha = "left"

    if x_value < 0:
        space *= -1
        ha = "right"

    label = "{:.2f}".format(x_value)

    plt.annotate(
        label,
        (x_value, y_value),
        xytext=(space, 0),
        textcoords="offset points",
        va="center",
        ha=ha,
        fontsize=8,
        fontweight="bold",
    )
```





In []: