



## SUGGESTED FORMULA

\_\_\_\_\_

Cyclosporine 2% Ophthalmic Suspension

Version number: 1.0 Volume: 10 ML

\_\_\_\_\_

Cyclosporine, USP 0.2 gm
Alcohol, 190 Proof, USP (ET108) 4 mL
Ophthalmic Suspension Vehicle (compounded) 6 mL

\_\_\_\_\_

## SUGGESTED COMPOUNDING PROCEDURES

- 1. Accurately measure each ingredient
- 2. Dissolve the cyclosporine in alcohol and mix until dissolved, then cover
- 3. Transfer step 2 to ISO class 5 PEC in clean room
- 4. Aseptically transfer sterilized ophthalmic suspension vehicle to sterile dropper container
- 5. Filter step 2 into step 4 with appropriate 0.2 or 0.22 micron filter (e.g. nylon membrane)
- 6. Aseptically cap and seal sterile ophthalmic dropper and shake to thoroughly mix
- 7. Label
  - a. Homogeneity
  - b. Volume
  - c. Filter integrity test (bubble point)
  - d. Sterility
  - e. Label compounded preparation, shake well

## Store refrigerated

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates by the formulator using reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date should be assigned based current USP Standards

Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment. Use safety enclosures (hoods) when weighing and mixing.

Although much attention has been paid to ensure the accuracy of the formulation contained here, Spectrum Pharmacy Products accepts no liability for the loss or damage arising from reliance on the information. Compounding pharmacists using this formula take full responsibility for the formulations and hold Spectrum Pharmacy Products and Spectrum Chemical Mfg Corp. and its officers, directors and employees harmless for any claim arising from use of or reliance on information contained therein. 08/18 rd